



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>





600015545Q

G. 77. P. 3.



E. BIBL. RADCL.

14
B. 4
16

~~13 3~~
~~15~~

~~59~~ (e)

19134 d. 3



Hortus Suburbanus Londinensis :

OR,

A CATALOGUE OF PLANTS

CULTIVATED IN

THE NEIGHBOURHOOD OF LONDON;

ARRANGED ACCORDING TO

THE LINNEAN SYSTEM:

WITH THE ADDITION OF THE

*Natural Orders to which they belong, References to Books where they are described,
their native Places of Growth, when introduced, Time of Flowering,
and Reference to Figures.*

BY ROBERT SWEET, F. L. S.

London:

PRINTED FOR JAMES RIDGWAY, 170, PICCADILLY.

1818.

ADVERTISEMENT.



AN appeal to the numerous and rapidly succeeding editions of works of the same stamp as the one now offered to the Public, supersedes the necessity of enlarging upon the utility such may possess. The Compiler of the present has, from his infancy to the present time, been unceasingly employed in the cultivation of exotic plants as the means of his livelihood; and, as far as a laborious business and his opportunities of acquirement have admitted, he has industriously endeavoured to combine the scientific with the practical part of his calling. That no one can have possessed better or readier means of inspecting the plants contained in the collections and gardens of this country, is what he knows will not be contradicted by any one enabled to judge, and what the extent of his employment entitles him to say. Whether he has availed himself of these means in a way to have rendered himself equal to the present task, is for those into whose hands his publication may fall to decide. More than a thousand species have been added to the latest edition of any work of the same scope that has come to his knowledge. Every species which has been represented by a figure, is recorded with its figure for the synonym. No species has been taken up without reference to an authentic document. In one material point the present compilation has an advantage over any other, viz. the addition of the natural orders, which has been made without disturbing the sequence and facility of the Linnean method, maintained throughout. Natural orders, independent of their relation to science, are in some degree useful in practice, in as

far as they point out to the cultivator the vegetable relatives, between which there is always the greatest probability of success in attempting the union, either by engrafting or inarching, or mixing the breed. At least, such natural groups generally indicate the confines, out of which species cannot be united by any of those means. All plants contained in the various periodical publications where the vegetables cultivated amongst us are treated of, have been most carefully enumerated up to the present moment; and this Compilation may be so far considered as a general index to them.

BOOKS QUOTED.

- Act. ber.* Mémoires de l'Académie Royale des Sciences et Belles Lettres.
- Act. helv.* Acta Helvetica physico, mathematico, botanico-medica.
- Act. par.* Histoire de l'Académie Royale des Sciences, avec les Mémoires de Mathématique et de Physique.
- Act. pet.* Acta Academiæ Scientiarum Imperialis Petropolitanae.
- Act. soc. h. nat. par.* Actes de la Société d'Histoire Naturelle de Paris.
- Act. stock.* Kongl. Vetenskaps Academiens Handlingar. Stockholm.
- Act. ups.* Acta Societatis Regiæ Scientiarum Upsaliensis.
- Ait. Kew.* Aiton's Hortus Kewensis.
- All. ped.* Car. Allionii Flora Pedemontana.
- All. rar.* Car. Allionii Rariorum Pedemontii Stirpium Specimen.
- All. taur.* Car. Allionii Miscellanea Philosophico-mathematica Societatis privatæ Taurinensis.
- Alp. ægypt.* Prosp. Alpini de Plantis Ægypti Liber.
- Alp. exot.* Prosp. Alpini de Plantis exoticis Libri 2.
- Ann. ruth.* Stirpium rariorum in Imperio Rutheno sponte provenientium Icones et Descriptiones collectæ à Jo. Ammano.
- And. ger.* Geraniums; or, a Monograph of the Genus Geranium. By H. C. Andrews.
- And. heath.* Coloured Engravings of Heath. By H. C. Andrews.
- Ann. nus.* Annales du Muséum d'Histoire Naturelle. Par les Professeurs de cet Etablissement.
- Ann. bot.* Annals of Botany. By C. Konig and J. Sims.
- Arđ. mem.* Memoria di Osservazioni, e di Sperienze sopra la Coltura, e gli Usi di varie Pianta. Da P. Arduino.
- Arđ. spec.* Petr. Arduini Animadversionum Botanicarum Specimen 1, Patavii, 1759. Specimen 2, Venetiis, 1764.
- Asiat. res.* Asiatic Researches; or, Transactions of the Society instituted in Bengal.
- Aub. gui.* Histoire des Plantes de la Guinée Française. Par M. Fusée Aublet.
- Balb. mis.* Balbis (Joh. Bapt.) Miscellanea Botanica. 1 Fasc. in 4. ex Actis Academiæ Taurinensis, exserta.
- B. Houst.* Reliquiæ Houstounianæ, in Bibliotheca Jos. Banks asservatis.
- Barb. io.* { Plantæ per Galliam, Hispaniam, et Italiam, observatæ, Iconibus æneis exhibitæ à Jac. Barrelierio.
- Barr. rar.* {
- Bartr. it.* { Travels through North and South Carolina, Georgia, East and West Florida, &c. By W. Bartram.
- Bartr. trav.* {
- Bauh. prod.* Casp. Bauhini *Nepenthes* Theatri Botanici.
- Berg. cap.* Petr. Jon. Bergii Descriptiones Plantarum ex Capite Bonæ Spei.
- Besl. cyst.* Ess. Bealeri Hortus Eystettensis.
- Blackw.* Blackwell (Elizabeth). A curious Herbal, containing 500 Cuts of the useful Plants.
- Boc. mus.* Museo di Pianta rare. Di Don Paulo Boccone.
- Boc. sic.* Icones et Descriptiones rariorum Plantarum Siciliæ, Melitæ, Galliæ, et Italiæ. Auctore Paulo Boccone.
- Bocr. luyd.* Herm. Boerhaave Index alter Plantarum quæ in Horto Academiæ Lugduno Bataviæ aluntur.
- Bot. mag.* Curtis's Botanical Magazine.
- Bot. reg.* The Botanical Register.
- Bot. rep.* The Botanist's Repository for new and rare Plants. By H. Andrews.
- Bradl. suc.* Ric. Bradley Historia Plantarum succulentarum.
- Breyn. cent.* Jac. Breynii Exoticarum aliarumque minus cognitarum Plantarum Centuria prima.
- Breyn. ic.* Jac. Breynii Icones rariorum et exoticarum Plantarum.
- Bro. jam.* The civil and natural History of Jamaica. By Patr. Browne.
- Bull. herb.* Herbar de la France. Par Mr. Bulliard.
- Burm. afr.* Jo. Burmanni Thesaurus Zeylanicus.
- Burm. ind.* Nic. Laur. Burmanni Flora Indica.
- Burm. zeyl.* Jo. Burmanni Thesaurus Zeylanicus.
- Buxb. cent.* Joh. Chr. Buxbaumii Plantarum minus cognitarum Centuriæ 5.
- Camer. hort.* Joach. Camerarii Hortus medicus et philosophicus.
- Cat. car.* The natural History of Carolina, Florida, and the Bahama Islands. By Mark Catesby.
- Cav. dis.* Monadelphicæ Classis Dissertationes decem. Auctore Ant. Jos. Cavanilles.
- Cav. ic.* Ant. Jos. Cavanilles, Icones et Descriptiones Plantarum quæ aut sponte in Hispania crescent, aut in Hortis hospitantur.
- Clus. his.* Car. Clusii rariorum Plantarum Historia.
- Col. ecphr.* Fab. Columnæ minus cognitarum Stirpium Ecphrasis.
- Col. phyt.* Fab. Columnæ Phytobasanos sive Plantarum aliquot Historia.
- Com. hort.* Horti medici Amstelodamensis rariorum Plantarum Descriptio et Icones. Auctore Jo: Commelino.
- Com. præl.* Casp. Commelini Prælia Botanica.
- Com. rar.* Casp. Commelini Plantæ rariores exoticæ Horti Medici Amstelodamensis.
- Com. pet.* Commentarii Academiæ Scientiarum Imperialis Petropolitanae.
- Com. got.* Commentarii Societatis Regiæ Scientiarum Gottingensis.
- Cor. can.* Jac. Cornuti Canadensium Plantarum, aliarumque nondum editarum Historia.
- Cyr. neap.* Dom. Cyrilli Plutarum rariorum Regni Neapolitani.
- D. Asso arag.* (Ign. de Asso) Synopsis Stirpium indigenarum Aragoniæ.
- Dec. ana. mus.* Annales du Muséum d'Histoire Naturelle.

- Dec. astrag.* Augustini Pyrami Decandolle Astragalologia.
- Dec. pl. gras.* Histoire des Plantes Grasses. Par A. P. Decandolle. Avec leurs Figures en Couleurs. Dessinées par P. J. Redouté.
- Delar. eryng.* Eryngiorum Historia. Auctore F. Delaroche.
- Desf. ann. mus.* Annales du Muséum d'Histoire Naturelle.
- Desf. atl.* Flora Atlantica. Auctore Renato Desfontaines.
- Dill. elt.* Joh. Jac. Dillenii Hortus Elthamensis.
- Dill. musc.* Joh. Jac. Dillenii Historia Muscorum.
- Dud. mem.* Mémoires pour servir à l'Histoire des Plantes. Par M. Dodart.
- Duham arb.* Traité des Arbres et Arbustes, qui se cultivent en France en pleine Terre. Par M. Du Hamel du Monceau.
- Ehr. pict.* Plantæ et Papiliones rariores. Depictæ et Æri incisæ, à Ge. Dion. Ehret.
- Eng. bot.* English Botany. By J. E. Smith: the Figures by J. Sowerby.
- Exot. bot.* Exotic Botany. By J. E. Smith: the Figures by J. Sowerby.
- Feuil. it.* { Journal des Observations faites sur les
Cotes orientales de l'Amérique Meri-
dionale. Par le R. P. Louis Feuillée.
- Few. per.* {
- Fl. dan.* Icones Plantarum sponte nascentium in Regnis Daniæ et Norvegiæ. Editæ à Ge. Chr. Oeder, Oth. Frid. Muller, et Mart. Vahl.
- Fl. græc.* Flora Græca; sive Plantarum rariorum Historia quas in Provinciis aut Insulis Græciæ legit, investigavit, et depingi curavit Joh. Sibthorp; Characteres omnium, Descriptiones et Synonyma elaboravit Jac. Edv. Smith.
- Fl. per.* Ruiz et Pavon Flora Peruviana et Chilensis.
- Forsk. ic.* Icones Rerum naturalium, quas in Itinere Orientali depingi curavit Petr. Forskal.
- Fuchs. hist.* Leon. Fuchsi de Historia Stirpium Commentarii.
- Gært. de fruct.* { Jos. Gærtner de Fructibus et Semi-
Gært. se. { nibus Plantarum.
- Garid. prov.* Histoire des Plantes qui naissent en Provence et principalement aux Environs d'Aix. Par Mr. Garidel.
- Ger. emac.* J. Gerard's Herball, enlarged by Th. Johnson.
- Ger. herb.* J. Gerard's Herball.
- Ger. prov.* Lud. Gerard Flora Gallo-provincialis.
- Giseke ic.* Giseke et Schulze Icones Plantarum.
- Gmel. it.* Sam. G. Gmelin, Reise durch Russland.
- Gmel. sib.* Jo. Ge. Gmelin, Flora Sibirica.
- Gouan. ill.* Ant. Gouan Illustrationes et Observationes Botanicae.
- Hacq. pl. alp.* Hacquet (Balth.) Plantæ Alpine Carniolicæ.
- Hall. hist.* Alb. v. Haller Historia Stirpium indigenarum Helvetiæ inchoata.
- Hall. opus.* Halleri Opuscula Botanica.
- Hayne in ust. ann.* Hayne in Usteri Annalen der Botanik.
- Herm. par.* P. Hermanni Paradisus Batavus.
- Hill. exot.* Hill (John). Exotic Botany illustrated.
- Hof. et L. lus.* { Flore Portugaise. Par J. C.
H. et L. A. por. { Comte de Hoffmannsegg et
H. F. Link.
- Hort. ang.* A Catalogue of Trees, Shrubs, Plants, and Flowers, which are propagated for Sale in the Gardens near London.
- Hort. Kew.* Aiton's Hortus Kewensis.
- Hort. trans.* Transactions of the Horticultural Society.
- Host. gram.* Nic. Thomæ Host Icones et Descriptiones Graminum Austriacorum.
- Houst. phil. trans.* Philosophical Transactions of the Royal Society.
- Hout. nat. his.* { Natuurlyke Historie of Nitvoerige
Beschryving der Dieren. Planten
en Mineralen, Volgens het Samen-
stel van den Heer Linnæus
(Door Mart. Houttuyn).
- Hout. sys.* {
- Icon. hort. kew.* Delineations of exotic Plants cultivated in the Royal Garden at Kew. Drawn by Francis Bauer; published by W. T. Aiton.
- Icon. Kämpf.* Icones selectæ Plantarum quas in Japonia collegit et delineavit Engelb. Kämpfer; ex Archetypis in Museo Britannico asservatis (edidit Jos. Banks).
- Isnard act. par.* Vid. Act. par.
- Jac. amer.* Nic. Jos. Jacquin selectarum Stirpium Americanarum Historia.
- Jac. am. ed. pict.* N. J. Jacquin Stirpium Americanarum Historia. Ed. additis Tab. pictis.
- Jac. aust.* N. J. Jacquin Flora Austriaca.
- Jac. col.* N. J. Jacquin Collectanea ad Botanicam, Chemiam et Historiam Naturalem spectantia.
- Jac. frag.* N. J. Jacquin Fragmenta Botanica.
- Jac. ic.* Icones Plantarum rariorum. Editæ à N. J. Jacquin.
- Jac. mis.* N. J. Jacquin Miscellanea Austriaca ad Botanicam etc. spectantia.
- Jac. obs.* N. J. Jacquin Observationes Botanicae.
- Jac. ox.* Oxalis Monographia Iconibus illustrata, Autore N. J. Jacquin.
- Jac. schæn.* Plantarum rariorum Horti Cæsarei Schönbrunnensis Descriptiones et Icones. Opera N. J. Jacquin.
- Jac. stap.* N. J. Jacquin Stapeliæ cultæ.
- Jac. vind.* N. J. Jacquin Hortus Botanicus Vindobonensis.
- Jour. of sc.* J. B. Ker, in Journal of Science and the Arts.
- Jung. ic. rar.* Junghans's (Phil. Casp.) Icones Plantarum ad Vitam impressæ.
- Kämp. aman.* Engelb. Kämpfer Amœnitates exoticæ.
- Ker's rev.* Ker's Review of the Genera Amaryllis, Crinum, and Pancratium, in the Journal of Science and the Arts.
- Knight's ppt.* Knight (Joseph). Horticultural Essays on the natural Order of Proteæe.
- Kniph. cent.* Kniphoff (Joh. Hier.) Botanica in originali seu Herbarium vivum, Centuriæ 12.
- Knorr. thes.* Thesaurus Rei herbariæ hortensisque universalis. Apud Ge. Wolff. Knorrii Hæredes.
- Krock. sil.* Krock (Ant. Joh.) Flora Silesiaca renovata.
- Lab. nov. hol.* Novæ Hollandiæ Plantarum Specimen, Auctore Jac. Jul. Labillardière.
- Lab. syr.* Icones Plantarum Syriæ rariorum. Auctore Jac. Jul. Labillardière.
- Lam. enc.* Encyclopédie Methodique Botanique. Par M. le Chevalier de Lamarck.
- Lam. ill.* Tableau Encyclopédique et Methodique des trois Regnes de la Nature, Botanique; Illustration des Genres. Par M. de Lamarck.
- Lamb. cinch.* A Description of the Genus Cinchona. By A. B. Lambert.
- Lamb. pin.* A Description of the Genus Pinus. By Aymer Bourke Lambert.

- Lap. pyr.* { Figures de la Flore des Pyrénées. Par Lapeyre. *ft.* { Phil. Picot Lapeyrouse.
- Leers herb.* Joh. Dan. Leers Flora Herbornensis.
- L'Her. gen.* Car. Lud. L'Heritier Geraniologia.
- L'Her. sert.* Car. Lud. L'Heritier Sertum Anglicum.
- L'Her. stirp.* Stirpes novæ Descriptionibus et Iconibus illustratæ. A Car. Lud. L'Heritier.
- Lin. act. ups.* Vid. *Act. ups.*
- L. amæn. ac.* Caroli Linnæi Amœnitates Academicæ.
- Lin. fil. dec.* Car. Linnæi Fil. Decas 1 & 2. Plantarum rariorum Horti Upsaliensis.
- Lin. fil. fasc.* Car. Linnæi Fil. Plantarum rariorum Horti Upsaliensis Fasciculus 1.
- Lin. hort. clif.* Car. Linnæi Hortus Cliffortianus.
- Lin. trans.* Transactions of the Linnæan Society of London.
- Lin. seyl.* Car. Linnæi Flora Zeylanica.
- Lind. alsat.* Von Lindern (Fr. Balth.) Hortus Alsatius Plantas in Alsatia nobili designans.
- Lob. hist.* Plantarum seu Stirpium Historia Matthiæ de Lobel.
- Lob. ic.* Plantarum seu Stirpium Icones.
- Læf. it.* Læfing (Petr.) Iter Hispanicum, eller Resa til Spanska, &c. 1 vol. in 8.
- Læs. prus.* Joh. Læselii Flora Prussica. Auxit et edidit Joh. Gottselied.
- Ludw. ect.* Ludwig (C. Gottl.) Ectypa Vegetabilium Usibus medicis destinatorum.
- Magn. b. mons.* Petri Magnol Botanicum Mospeliense.
- Magn. h. mons.* Petri Magnol Hortus Regius Monspelienensis.
- Maræg. bras.* (Guil. Pisonis et Ge. Marogravi) Historia naturalis Brasilie.
- Mart. dec.* Jo. Martyn Historia Plantarum rariorum.
- Mass. stap.* Stapelias Novæ; or, a Collection of several new Species of that Genus discovered in the interior Parts of Africa. By Fras. Masson.
- Mat. com.* Petri Andr. Matthioli Commentarii in Libros Dioscoridis de Medica Materia.
- Meerb. ic. 1.* Afbeeldingen van Zeldzaame Gewassen. Door Nis, Meerburgh.
- Meerb. ic. 2.* Plantarum selectarum Icones pictæ. Editæ à N. Meerburgh.
- Mem. de l'Ins.* Mémoires de l'Institut National des Sciences et Arts, Sciences mathématiques et physiques.
- Mem. de l'Soc. his. nat.* Mémoires de l'Société d'Histoire Naturelle de Paris.
- Merian. sur.* Maria Sibylla Merian de Generatione et Metamorphoseibus Insectorum Surinamensium.
- Mich. gen.* Nova Plantarum Genera. Auctore Petro Ant. Michelio.
- Mich. hort.* Petr. Ant. Michellii Catalogus Plantarum Horti Casarei Florentini.
- Mich. amer.* Andr. Michaux Flora Boreali-Americana.
- Mich. arb.* Histoire des Arbres forestiers de l'Amérique Septentrionale. Par F. André Michaux.
- Mich. querc.* Histoire des Chênes de l'Amérique Septentrionale. Par André Michaux.
- Mill. dict.* Phil. Miller's Gardener's Dictionary.
- Mill. ic.* Figures of Plants described in the Gardener's Dictionary. By Phil. Miller.
- J. Mill. ic.* Seven coloured Plates of Plants. By John Miller.
- J. Mill. ill.* Joh. Miller Illustratio Systematis sexualis Linnæi.
- J. F. Mill. ic.* Sixty coloured Plates of Plants and Animals. By Joh. Fred. Miller.
- Mis. taur.* Melanges de Philosophie et de Mathématique de la Société Royale de Turin.
- Miss Lawr. pas.* Six numbers of coloured Figures of Passion-flowers. By Miss Lawrance.
- Miss Lawr. ros.* A Collection of Roses from Nature. By Miss Lawrance. Ninety Plates.
- Mench. h. m.* Conrad Mench Methodus Plantas Horti et Agri Marburgensis describendi.
- Mench. h. weis.* Verzeichniss Ausländischer Baume und Stauden des Lustschlosses Weissenstein bey Cassel. Von C. Mench.
- Ment. act. ups.* Vid. *Act. ups.*
- Moris. his.* { Rob. Morison Historia Plantarum uni-
- Moris. s.* { versalis Oxoniensis.
- Moris. umb.* Rob. Morison Plantarum umbelliferarum Distributio nova.
- Murr. com. goett.* Vid. *Com. got.*
- Nissolle in act. par.* Vid. *Act. par.*
- Nov. act. ac. nat. cur.* Nova Acta Physico-medica Academicæ Cæsareæ Naturæ Curiosorum.
- Nov. act. ber.* Der Gessellschaft Naturforschender Freunde zu Berlin Neue Schriften.
- Nov. act. pet.* Nova Acta Academicæ Scientiarum Imperialis Petropolitana.
- Nov. act. ups.* Nova Acta Regiæ Societatis Scientiarum Upsaliensis.
- Nov. com. got.* Novi Commentarii Societatis Regiæ Scientiarum Gottingensis.
- Nov. com. pet.* Novi Commentarii Academicæ Scientiarum Imperialis Petropolitana.
- Ort. dec.* Cas. Gom. Ortægæ novarum aut rariorum Plantarum Horti Reg. Botan. Matrit. Descriptionum Decades.
- Osé. it.* Pehr Osbecks Dagbok öfver en Ostindisk resa.
- Palis. d. Owar.* Palisot de Beauvois Flore des Royaumes d'Oware et de Benin.
- Pall. act. pet.* Vid. *Act. pet.*
- Pall. astrag.* Species Astragalorum descriptæ et Iconibus coloratis illustratæ. A P. S. Pallas.
- Pall. it.* P. S. Pallas Reise durch Verschiedene Provinzen des Russischen Reichs.
- Pall. ros.* Flora Rossica. Edidit P. S. Pallas.
- Par. lon.* The Paradisus Londinensis.
- Park. par.* J. Parkinson Paradisi in Sole Paradisus terrestris.
- Park. theat.* J. Parkinson Theatrum Botanicum.
- Pass. hort.* Crispinus Passarus Hortus floridus.
- Paters. it.* A Narrative of four Journeys into the Country of the Hottentots and Caffraria. By Will. Patterson.
- Pers. in ust. as.* Persoon in Paul Usteri Annalen der Botanik.
- Pet. H. Brit.* James Petiver Herbarii Britannici Catalogus.
- Pet. gas.* Jac. Petiver Gazophylacium Naturæ et Artis.
- Phil. trans.* Philosophical Transactions of the Royal Society of London.
- Pic. hort. pan.* Hortus Pansaticus, o sia Catalogo delle Pianta esotiche nel Giardino della Villa detta la Loggia. Descritto da Gius. Piccivoli.
- Pis. bras.* Gul. Pisonis de Indis utriusque re naturalis et medica, Libri 14.
- Plant. grass.* Histoire des Plantes Grasses. Par A. P. Decandolle. Avec leurs Figures en Couleurs. Dessinées par P. J. Redouté.
- Pl. rar. hung.* Franc. Comitæ Waldstein et Pauli Kitaibel Descriptions et Icones Plantarum rariorum Hungaria.

Pluk. alm. Leon. Plukenett Almagestum Botanicum.
Pluk. amalth. L. Plukenett Amaltheum Botanicum.
Pluk. mant. L. Plukenett Mantissa Almagesti Botanici.
Pluk. phyt. L. Plukenett Phytographia.
Plum. amer. Description des Plantes de l'Amérique, avec leurs Figures. Par le R. P. Charles Plumier.
Plum. fl. Charles Plumier Traité des Fougères de l'Amérique.
Plum. ic. Plantarum Americanarum Fasciculi 10, continentis Plantas quas olim Car. Plumierius detexit et depinxit. Edidit Jo. Burmannus.
Poir. it. ed. germ. Poirét (J. L. M.) Voyage en Barbarie.
Poit. ann. mus. Vid. *Ann. Mus.*
Poit. et T. arb. Traité des Arbres fruitiers. Par Du Hamel du Monceau. Nouvelle Edition, augmentée. Par A. Poiteau et P. Turpin.
Poit. et T. fl. par. Flore Parisienne. Par A. Poiteau et P. Turpin.
Pursh. fl. amer. Flora Americae Septentrionalis; or, A Systematic Arrangement and Description of the Plants of North America. By Frederick Pursh.
Ranv. it. Der vierte Theil Leonh. Ranwölfen, etlicher Schöner Ausländischer Kräuter, deren in Seiner Rayen in die Morgenländer Gebon, Gedacht wirt, lebendige Contrafactur.
Red. lil. Les Liliacées. Par P. J. Redouté.
Regn. bot. Regnault (Sr. et De.) La Botanique mise à la portée de tout le Monde.
Rehag. houst. Vid. *B. Houst.*
Ren. spec. Pauli Renealmi Specimen Historiæ Plantarum.
Ret. obs. And. Jah. Retzii Observationes Botanicae.
Ret. Stock. And. Jah. Retzii Flora Scandinaviae Prodromus.
Rheed mal. Hortus Indicus Malabaricus. Adornatus per Hæar. van Rheedæ van Draalsstein.
Riv. mon. Aug. Quir. Rivini Ordo Plantarum, quæ sunt Floræ irregulari monopetalæ.
Riv. tetr. Aug. Quir. Rivini Ordo Plantarum, quæ sunt Floræ irregulari tetrapetalæ.
Riv. pent. A. Q. Rivini Ordo Plantarum, quæ sunt Floræ irregulari pentapetalæ.
Rob. ic. Three Hundred and Nineteen Plates of Plants. Engraved by Nic. Robert, A. Besse, and Lud. de Chastillon.
Roche diss. De la Roche (Daniel) Specimen Botanicum inauguralis sistens Descriptiones Plantarum aliquot novarum.
Rom. arch. Archiv für die Botanik. Herausgegeben von Joh. Jac. Roemer.
Rom. pl. hisp. lat. Joh. Jac. Roemer Scriptorum de Plantis Hispanicis, Lusitanicis et Brasiliensibus.
Roth abhånd. Botanische Abhandlungen und Beobachtungen von Albr. Wilh. Roth.
Roth. gramm. C. Friis Rothboll Descriptiones et Icones Plantarum rariorum.
Roth. cor. Plants of the Coast of Coremandel. By Will. Roxburgh.
Rudb. elys. Campi Elysi Libris 2dus, Opera Olai Rudbeckii, Patriæ et Filii.
Rudge pl. gui. Rudge (Edward) Plantarum Guianæ rariorum Icones et Descrip.
Rum. arch. Ge. Everh. Rumphii Herbarium Amboinense.
Sabb. hort. Sabbati (Liberatus) Hortus Romanus.

Sal. stirp. R. A. Salisbury Icones Stirpium rariorum Descriptionibus illustratæ.
Scheuch. gram. Joh. Scheuchzer, Agrostographia, sive Graminum, Juncorum, Cyperorum, iisque affinium Historia.
Schk. bot. hand. { Botanisches Handbuch. Von
Schk. hand. { Christ. Schkuhr.
Schk. car. C. Schkuhr Abbildungen der Riedgräser.
Schk. fl. C. Schkuhr Abbildungen der Farnekräuter.
Schmidel. ic. Cas. Christ. Schmidel Icones Plantarum.
Schmidt arb. Franz Schmidt, Oesterreichs Allgemeine Baumzucht.
Schneev. ic. G. Voorhelm Schneevooft Icones Plantarum rariorum.
Schous. maroc. P. K. A. Schousboe's Beobachtungen über das Gewächreich in Marokko.
Schr. bot. Journ. Journal für die Botanik. Herausgegeben von Schrader.
Schr. neu. jour. Neues Journal für die Botanik. Herausgegeben von Schrader.
Schr. sert. han. { H. A. Schrader Sertum Hannover-
Sert. han. { anum.
Schr. ver. H. A. Schrader Commentatio super Veronicis Spicatis Linnæi.
Sch. gram. J. C. D. Schreber's Beschreibung der Gräser.
Sch. ic. J. C. D. Schreber Icones Plantarum minus cognitarum Decas 1.
Schw. bot. M. W. Schwencke, Kruiddkundige Beschryving der Gewassen.
Scop. carn. Jo. Ant. Scopoli Flora Carniolica.
Scop. ins. J. A. Scopoli Deliciae Floræ et Faunæ Insulariæ.
Seb. mus. Alb. Seba locupletissimi Rerum naturalium Thesauri Descriptio.
Sec. du chem. Mémoires sur l'Histoire naturelle du Chêne. Par M. de Secondat.
Segw. ver. Plante Veronenses. Auctore Jo. Franc. Segnerio.
Slo. jam. { A Voyage to the Islands Madeira, Bar-
Slo. hist. { badoes, Nieves, S. Christopher's, and
{ Jamaica; with the natural History of
{ the last of those Islands. By Hans
{ Sloane.
Smith ic. Icones pictæ Plantarum rariorum. Auctore J. E. Smith.
Sm. ined. Plantarum Icones hactenus ineditæ. Auctore J. E. Smith.
Sm. n. holl. A Specimen of the Botany of New Holland. By J. E. Smith.
Sm. spicil. Spicilegium Botanicum. Auctore J. E. Smith.
Smith's tracts. Tracts relating to natural History. By J. E. Smith.
Sole's mints. Menthae Britannicæ; being a new botanical Arrangement of all the British Mints hitherto discovered. By W. Sole.
Sonn. it. Voyage aux Indes Orientales et à la Chine. Par M. Sonnerat.
Sonn. n. gui. Voyage à la nouvelle Guinée. Par M. Sonnerat.
Sparr. act. et. Vid. *Act. stock.*
Spreng. fl. hal. Kurt Sprengel Flora Halensis Tentamen novum.
Swartz. obs. Observationes botanicae. Auctore Olof Swartz.
Tabern. ic. Icones Plantarum (eadem ac in Tabernæmontani Kräuterbuch).
Th. act. hafs. C. P. Thunberg Acta medica et philosophica Hafniensis.

- Thunb. act. st.* Vid. *Act. stock.*
Thunb. diss. C. P. Thunberg Dissertationes.
Thunb. eric. C. P. Thunberg Præsidis Dissertatio de Erica.
Thu. gar. C. P. Thunberg Diss. de Gardenia.
Thunb. jop. C. P. Thunberg Flora Japonica.
Thunb. prot. C. P. Thunberg Diss. de Protea.
Till. pis. Mich. Aug. Tilli Catalogus Plantarum Horti Pisani.
Tourn. ins. Jos. Pitton Tournefort Institutiones Rei herbariæ.
Tourn. it. Relation d'un Voyage du Levant. Par M. Pitton de Tournefort.
Trew ehret. Plantæ selectæ, quarum Imagines pinxit Ge. Dion. Ehret, collegit et illustravit Christ. Jac. Trew.
Trew pl. rar. Plantæ rariores, quas depingendas Ærique incidendas curavit Chr. Jac. Trew.
Tri. obs. { Observationes de Ortū ac Vegetatione Plantarum, cum novarum Stirpium
Triumf. obs. { Historia Iconibus illustrata. Auctore Jo. Bapt. Triumfetti.
Triumf. præl. Prælusio ad publicas Herbarum Ostensiones, à Jo. B. Triumfetti, cui accesserunt novarum Stirpium Descriptiones et Icones.
Turrp. ann. mus. Vid. *Ann. mus.*
Tuss. fl. d. ant. Flore des Antilles. Par F. R. de Tussac.
Uster. ann. bot. Annalen der Botanik. Herausgegeben von Paul Usteri.
Vahl symb. Mart. Vahl Symbolæ Botaniciæ.
Vahl eclog. Mart. Vahl Eclogæ Americanæ, et Icones Plantarum in Eclogis descriptarum.
Vail. par. Seb. Vaillant Botanicum Parisiense, Leide, et Amsterdam.
Vent. cels. Description des Plantes nouvelles et peu connues cultivées dans le Jardin de J. M. Cels; avec Figures. Par E. P. Ventenat.
Vent. choix. Choix de Plantes dont la plupart sont cultivées dans le Jardin de Cels. Par E. P. Ventenat.
Vent. desc. pl. nov. E. P. Ventenat Decas Generum novorum.
Vent. mal. Jardin de la Malmaison. Par E. P. Ventenat.
Vent. so. phys. Vid. *Act. par.*
Vill. dauph. { Histoire des Plantes de Dauphiné. Par
Vill. delph. { M. Villars.
Volck. norib. Joh. Go. Volckameri Flora Noribergensis
Voyg. de Lab. Relation du Voyage à la Recherche de la Pérouse. Par le C. Labillardière.
Waldst. et Küt. Vid. *Pl. rar. hung.*
Walth. hort. Designatio Plantarum quas Hortus Aug. Frid. Waltheri complectitur; accedunt novæ Plantarum Icones 24.
Wang. amer. F. A. J. von Wangenheim Anpflanzung North Amerikanischer Holzarten.
Wein. phyt. Joh. Wilh. Weinmann Phytanthozai-conographia.
Wend. eric. Ericarum Icones et Descriptiones. Auctore J. C. Wendland
Wend. her. Hortus Herrenhusanus. Auctore J. C. Wendland.
Wend. in Ram. archiv. Vid. *Ram. arch.*
Wend. obs. Botanische Beobachtungen. Von J. C. Wendland.
Wend. sert. han. Sertum Hannoveranum. Auctore J. C. Wendland.
Willd. amar. Historia Amaranthorum. Auctore Car. Lud. Willdenow.
Willd. arb. Berlinische Baumzucht. Von O. L. Willdenow.
Willd. ber. { C. L. Willdenow Hortus Berolinesis.
W. hort. ber. { sis.
W. N. act. ber. Vid. *Nov. att. ber.*
Willd. phyt. C. L. Willdenow Phytographia.
Zanon. hist. Jac. Zanonii rariorum Stirpium Historia.
Zorn. ic. Icones Plantarum medicinalium. (Von Joh. Zorn.)

ABBREVIATIONS.

- | | |
|---|---|
| <p> A. G. Andrews's Geraniums.
 A. H. Andrews's Heaths.
 B. Robert Brown, in Transactions of the Wernerian Society.
 B. M. Botanical Magazine.
 B. P. Brown's Prodrromus Floræ Novæ Hollandiæ.
 B. R. Botanist's Repository.
 B. reg. Botanical Register.
 Cav. Cavanilles.
 D. Decandolle's Regni vegetabilis Systema naturale.
 Dec. Decandolle's Astragalogia, &c.
 Desf. Desfontaine's Flora Atlantica.
 E. B. English Botany.
 F. P. Flora Peruviana.
 G. Gærtner.
 H. K. Hortus Kewensis. Second Edition.
 H. R. Enumeratio Plantarum Horti Botanici Regiomontani.
 H. S. Haworth on Succulent Plants.
 J. Jussieu's Genera Plantarum.
 Jac. Jacquin.
 Kn. P. Joseph Knight on the natural Order of Proteæ.
 K. R. Ker's Review of Amaryllidæ in the Journal of Science and Arts.
 L. Linnæus.
 Lam. Lamarck.
 L'Her. L'Heritier.
 L. T. Transactions of the Linnæan Society of London.
 M. n. Miscellanea naturalia. By A. H. Haworth.
 Mi. Mich. Michaux Flora Boreali-Americana.
 Ph. Pursh's Flora of North America.
 P. L. Paradisus Londinensis.
 P. S. Persoon's Synopsia Plantarum.
 R. L. Les Liliacées. Par P. J. Redouté.
 Ros. Roscoe, in Transactions of the Linnæan Society. </p> | <p> Rox. Roxburgh.
 Ru. Rudge (Edward) Plantarum Guianæ rariorum Icones et Descr.
 Se. Schrader.
 Sm. Smith.
 S. M. Sole's Mints.
 S. P. Salisbury's Prodrromus.
 Sw. Swartz.
 Th. Thunberg.
 V. Vent. Ventenat.
 Vill. Villars.
 W. Willdenow's Species Plantarum.
 W. en. Willdenow Enumeratio Plantarum Morti Bot. Berolinensis.
 1.2. &c. Flowering the first and second month, &c.
 1.12. Flowering all the year.
 — Same as the line above it.
 Uncertain.
 H. h. Hardy shrub or tree.
 F. h. Shrubs requiring the protection of a frame or mat.
 G. h. Greenhouse shrub.
 S. h. Stove shrub.
 D.S. h. Dry stove shrub, requiring but little water.
 ℥. Perennial.
 ♂. Biennial.
 ⊙. Annual.
 C. B. S. Cape of Good Hope.
 N. S. W. New South Wales.
 N. Holl. New Holland.
 V. Diem. I. Van Diemen's Island.
 W. Ind. West Indies.
 E. Ind. East Indies.
 S. Eur. South of Europe.
 N. Eur. North of Europe.
 S. Amer. South America.
 N. Amer. North America. </p> |
|---|---|

HORTUS SUBURBANUS LONDINENSIS;

&c.

CLASS I.—ORDER I. MONANDRIA MONOGYNIA.

<i>Systematic Name.</i>	<i>English Name.</i>	<i>Natural Order.</i>	<i>Native.</i>	<i>Cultiv. Flowers.</i>	<i>Ref. to Figures.</i>
CANNA. W.	INDIAN SHOT.	Cannæ. B. P.			
1 Indica. Ros.	common.	_____	India.	1570. 1.12. S. 2.	Red. lil. 201.
2 coccinea. Ros.	scarlet.	_____	S. America.	1731. — S. 2.	Bot. reg.
3 patens. Ros.	spreading.	_____	Rio Janeiro.	1778. — G. 2.	Bot. reg.
4 lutea. Ros.	yellow.	_____	E. Ind.	1629. — S. 2.	
5 glauca. Ros.	glaucous.	_____	S. America.	1732. 6.8. S. 2.	Ex. bot. 2. t. 102.
6 flaccida. Ros.	flaccid.	_____	S. Carolina.	1788. 7. S. 2.	Sal. stirp. rar. 3. t. 2.
7 gigantea. R. L.	gigantic.	_____ 12.2. S. 2.	Bot. reg. 206.
MARANTA. W.	ARROW-ROOT.	Cannæ. B. P.			
1 arundinacea. W.	Indian.	_____	S. Amer.	1732. 7.6. S. 2.	Red. lil. 57.
2 obliqua. Ru.	oblique.	_____	Guiana.	1803. 12. S. 2.	{ Rudge pl. guian. p. 8. t. 2.
3 lutea. W. en.	yellow.	_____	Caracas.	1809. 6.7. S. 2.	Jac. ic. rar. 2. t. 201.
4 comosa. W.	close-spiked.	_____	Surinam.	1812. 6.7. S. 2.	
5 zebrina. B. M.	striped-leaved.	_____	Brazil.	1815. — S. 2.	Bot. mag. 1926.
THALIA. W.	THALIA.	Cannæ. B. P.			
1 dealbata. Ros.	mealy.	_____	S. Carolina.	1791. 7.8. G. 2.	Bot. mag. 1690.
PHRYNIUM. W.	PHRYNIUM.	Cannæ. B. P.			
1 capitatum. W.	headed.	_____	E. Ind.	1807. S. 2.	Asiat. res. 11. t. 3.
2 dichotomum.	forked.	_____	_____	1810. 7.8. S. 2.	
HEDYCHIUM. W.	GARLAND FLOW.	Scitamineæ. B. P.			
1 coronarium.	sweet-scented.	_____	E. Ind.	1791. 7.9. S. 2.	Bot. mag. 708.
2 angustifolium. B. R.	scarlet.	_____	_____	1815. — S. 2.	Bot. reg. 157.
ALPINIA. W.	ALPINIA.	Scitamineæ. B. P.	<i>Alpinia et Renealmia species W.</i>		
1 racemosa. Ros.	clustered.	_____	W. Ind.	1752. — S. 2.	Plum. ic. 11. t. 20.
2 comosa. W.	close-spiked.	_____	Caracas. S. 2.	Jac. ic. rar. v. 3.
3 occidentalis. W.	occidental.	_____	Jamaica.	1793. S. 2.	
4 nutans. Ros.	nodding.	_____	E. Ind.	1792. 4.6. S. 2.	Ex. bot. 2. t. 106.
5 cernua. B. M.	drooping.	_____	_____	_____ S. 2.	Bot. mag. 1900.
6 calcarata. Ros.	upright.	_____	_____	1804. 9. S. 2.	Bot. rep. 421.
HELLENIA. W.	HELLENIA.	Scitamineæ. B. P.	<i>Alpinia species Roscoe.</i>		
Allughas. W.	Ceylon.	_____	E. Ind.	1796. 2.3. S. 2.	Bot. rep. 501.
ZINGIBER. Ros.	GINGER.	Scitamineæ. B. P.	<i>Amomi species W.</i>		
1 officinale. Ros.	narrow-leaved.	_____	E. Ind.	1605. 6.8. S. 2.	Jac. vind. 1. t. 75.
2 Zerumbet. Ros.	broad-leaved.	_____	E. Ind.	1690. 9.11. S. 2.	Ex. bot. 2. t. 112.
3 Casumunar. B. M.	downy-leaved.	_____	E. Ind.	1807. 8. S. 2.	Bot. mag. 1426.
4 sylvestre. Sw.	wood.	_____	Jamaica.	1804. 5.7. S. 2.	{ Sloan. hist. 1. t. 105. f. 2.
5 Mioga. Ros.	Japanese.	_____	Japan.	1796. G. 2.	
6 purpureum. Ros.	purple-bracted.	_____	E. Ind.	— 9. S. 2.	
ELETTARIA. L. T.	CARDAMOM.	Scitamineæ. B. P.	<i>Amomi species L.</i>		
Cardamomum. I. T.	true.	_____	E. Ind.	1815. — S. 2.	{ Linn. trans. v. 10. t. 4. 5.
COSTUS. W.	COSTUS.	Scitamineæ. B. P.			
1 speciosus. Ros.	large-flowered.	_____	E. Ind.	1794. 8.9. S. 2.	Jac. ic. 1. t. 1.
2 arabicus. Ros.	Arabian.	_____	India.	1752. 8. S. 2.	
3 spicatus. Ros.	spiked.	_____	S. Amer.	1793. 6. S. 2.	Jac. am. 1. t. 1.

DIANDRIA MONOGYNIA.

KÆMPFERIA. W.	GALANGALE.	Scitamineæ. B. P.							
1 rotunda. Ros.	round-rooted.	_____	E. Ind.	1768.	7.8.	S. ½.	Bot. mag. 920.		
2 Galanga. Ros.	official.	_____	E. Ind.	1784.	6.9.	S. ½.	Bot. mag. 850.		
3 angustifolia. Ros.	narrow-leaved.	_____	E. Ind.	1797.	3.4.	S. ½.			
4 pandurata. B. Reg.	fiddle-shaped.	_____	_____	4.6.	S. ½.	Bot. reg. 173.		
AMOMUM. Ros.	AMOMUM.	Scitamineæ. B. P.							
1 Afzelii. Ros.	sweet-scented.	_____	Sierra Leone.	1795.	5.6.	S. ½.	Ann. bot. 1. t. 18.		
2 grandiflorum. Ex. B.	large-flowered.	_____	_____	_____	6.7.	S. ½.	Ex. bot. t. 111.		
CURCUMA. W.	TURMERIC.	Scitamineæ. B. P.							
1 Zedoaria. Ros.	broad-leaved.	_____	E. Ind.	1797.	4.8.	S. ½.	Bot. mag. 1546.		
2 Zerumbet. Roxb.	Zedoary.	_____	_____	1807.	_____	S. ½.	Rum. amb. 5. t. 68.		
3 æruginosa. Roxb.	rusty.	_____	_____	_____	_____	S. ½.			
4 rotunda. W.	round-rooted.	_____	_____	1803.	8.	S. ½.	Rheed. mal. 11. t. 10.		
5 longa. Ros.	long-rooted.	_____	_____	1759.	8.	S. ½.	Jac. vind. 3. t. 4.		
6 rubescens. Roxb.	reddish.	_____	_____	1805.	3.9.	S. ½.			
GLOBBA. Ros.	GLOBBA.	Scitamineæ. B. P.							
1 marantina. Ros.	maranthæ.	_____	E. Ind.	1800.	7.8.	S. ½.	Ex. bot. 2. t. 108.		
2 purpurea. B. R.	purple.	_____	_____	_____	7.9.	S. ½.	Bot. rep. t. 228.		
3 sessiliflora. B. M.	sessile-flowered.	_____	_____	1807.	8.	S. ½.	Bot. mag. 1428.		
4 radicalis. Roxb.	opera girl's.	_____	E. Ind.	1808.	6.	S. ½.	Bot. mag. 1320.		
<i>Mantisia saltatoria.</i> B. M.									
PHILYDRUM. B. P.	PHILYDRUM.	Juncæ. B. P.							
lanuginosum. B. P.	woolly.	_____	China.	1801.	6.7.	S. ½.	Bot. mag. 783.		
LOPEZIA. Cav.	LOPEZIA.	Onagraræ. J.							
1 hirsuta. H. K.	hairy.	_____	Mexico.	1796.	9.11.	S. ½.	Jac. c. sup. 5. t. 15. f. 4.		
2 racemosa. H. K.	smooth.	_____	_____	1792.	8.10.	S. ½.	Bot. mag. 254.		
3 coronata. H. K.	coronet-flowering.	_____	_____	1805.	7.9.	H. ☉.	Bot. rep. 551.		
BOERHAAVIA. W.	HOGWEED.	Nyctagineæ. B. P.							
1 erecta. W.	upright.	_____	India.	1733.	7.9.	S. ½.	Jac. vind. 1. t. 5, 6.		
2 diffusa. W.	spreading.	_____	_____	1690.	8.9.	S. ½.			
3 hirsuta. W.	scarlet-trailing.	_____	Jamaica.	1733.	5.8.	S. ½.	Jac. vind. 1. t. 7.		
4 scandens. W.	climbing.	_____	_____	1691.	4.9.	S. ½.	Jac. vind. 1. t. 4.		
POLLICHIA. W.	POLLICHIA.	Chenopodææ. B. P.							
campestris. W.	whorl-leaved.	_____	C. B. S.	1780.	9.	G. ½.	Sm. spicil. 1. t. 1.		
SALICORNIA. W.	GLASSWORT.	Chenopodææ. B. P.							
1 arabica. W.	Arabian.	_____	Arabia.	1758.	G. ½.	Moris. h. 2. t. 33. f. 7.		
2 fruticosa. W.	shrubby.	_____	Britain.	8.9.	H. ½.			
3 radicans. E. B.	rooting.	_____	_____	9.	H. ½.	Eng. bot. 1691.		
4 herbacea. W.	marsh.	_____	_____	8.9.	H. ☉.	Eng. bot. 415.		
5 procumbens. E. B.	procumbent.	_____	England.	8.	H. ☉.	Eng. bot. 1691.		
HIPPURIS. W.	MARESTAIL.	Naiades. J.							
vulgaris.	common.	_____	Britain.	5.	H. ½.	Eng. bot. 763.		

DIGYNIA.

CORISPERMUM. W.	TICKSEED.	Chenopodææ. B. P.							
1 hyssopifolium. W.	hyssop-leaved.	_____	Europe.	1739.	7.	H. ☉.	Fl. græc. 1. t. 1.		
2 squarrosum. W.	rough-spiked.	_____	Russia.	1769.	8.9.	H. ☉.	Pal. ros. 2. t. 99.		
CALLITRICHE. W.	{ WATER STAR- WORT.	Naiades. J.							
aquatica. E. B.	common.	_____	Britain.	4.10.	H. ☉.	Eng. bot. 722.		
BLITUM. W.	{ STRAWBERRY BLITE.	Chenopodææ. B. P.							
1 capitatum. W.	berry-headed.	_____	Austria.	1633.	5.8.	H. ☉.	Poit. et T. fl. p. 1. t. 2.		
2 virgatum. W.	slender.	_____	S. Europe.	1690.	5.9.	H. ☉.	Bot. mag. 276.		

CLASS II.

DIANDRIA MONOGYNIA.

NYCTANTHES. W.	NYCTANTHES.	Jasminææ. B. P.							
arbor tristis. W.	square-stalked.	_____	E. Ind.	1781.	S. ½.	Lam. ill. t. 6.		
JASMINUM. W.	JASMINE.	Jasminææ. B. P.							
1 Sambac. W.	single Arabian.	_____	E. Ind.	1665.	1.12.	S. ½.	Bot. reg. 1.		
β flo. pleno.	double ditto.	_____	_____	1700.	1.12.	S. ½.	Bot. rep. 497.		
γ trifoliatum.	Tuscan.	_____	_____	1720.	_____	S. ½.	Bot. mag. 1765.		

DIANDRIA MONOGYNIA.

3

2 hirsutum. Ex. B.	hairy Indian.	Jasmine. B. P.	E. Ind.	1759. 5.8.	S. h.	Ex. bot. 2. t. 118.
3 gracile. B. P.	slender.		Norfolk Is.	1791. 1.12.	G. h.	Bot. rep. 127.
4 glaucum. W.	glaucous.		C. B. S.	1774. 8.	G. h.	Sat. strip. rar. t. 2.
5 trinerve. W.	three-nerved.		Java.	1804.	S. h.	
6 auriculatum. W.	auriculated.		E. Ind.	1790. 5.9.	S. h.	Bot. reg.
7 azoricum. W.	Azorian.		Madeira.	1724. 4.11.	G. h.	Bot. reg. 89.
8 fruticans. W.	common yellow.		S. Eur.	1570. 4.10.	H. h.	Bot. mag. 461.
9 humile. W.	Italian.		1656. 6.9.	H. h.	Bot. reg.
10 odoratissimum. W.	sweet-scented.		Madeira.	1656. 5.11.	G. h.	Bot. mag. 285.
11 revolutum. B. M.	curled-flowered.		China.	1812. 3.10.	G. h.	Bot. reg. 178.
12 officinale. W.	common white.		1548. 6.10.	H. h.	Bot. mag. 31.
13 grandiflorum. W.	Catalonian.		E. Ind.	1629. 6.10.	G. h.	Bot. reg. 91.
GALIPEA. Ju.	GALIPEA.		Guiana.	1803.	S. h.	Aub. gui. 662. t. 269.
trifoliata. W.	three-leaved.					
LIGUSTRUM. W.	PRIVET.	Oleina. B. P.	Britain. 6.7.	H. h.	Eng. bot. 764.
1 vulgare. W.	common.		Italy.	H. h.	
β sempervirens.	evergreen.		China.	1794. 6.9.	G. h.	
2 lucidum. H. K.	Wax-tree.					
Olea. B. P.	{ OLIVE & PHIL- LYREA.	Oleina. B. P.	Olea et Phillyrea, L.			
1 europæa. W.	European olive.		S. Eur.	1570. 6.8.	G. h.	Fl. græc. 1. t. 3.
β longifolia.	long-leaved.					
γ latifolia.	broad-leaved.					
δ ferruginea.	iron-coloured.					
ε obliqua.	twisted-leaved.					
ζ busifolia.	box-leaved.					
2 capensis. W. en.	leathery-leaved.		C. B. S.	1780. 6.9.	G. h.	Burm. afr. t. 61. f. 2.
3 undulata. W. en.	wave-leaved.					
4 verrucosa. W.	warted.			1814.	G. h.	
5 americana. W.	American.		N. Amer.	1758. 6.	G. h.	Cat. car. 1. t. 61.
6 excelsa. W.	laurel-leaved.		Madeira.	1784. 5.	G. h.	
7 fragrans. W.	fragrant.		China.	1771. 6.8.	G. h.	Bot. mag. 1552.
8 angustifolia. W. en.	{ narrow-leaved Phillyrea.		S. Eur.	1597. 5.6.	H. h.	
9 media. W. en.	twiggy.				H. h.	
10 virgata. W. en.	privet-leaved.				H. h.	
11 pendula. W. en.	drooping.				H. h.	
12 oleaefolia. W. en.	olive-leaved.				H. h.	
13 lævis. W. en.	smooth-leaved.				H. h.	
14 ilicifolia. W. en.	holly-leaved.				H. h.	
15 latifolia. W. en.	broad-leaved.				H. h.	
16 obliqua. W. en.	oblique-leaved.				H. h.	
NOTELEA. B. P.	NOTELEA.	Oleina. B. P.	N. S. W.	1790. 3.6.	G. h.	Vent. choix. 25.
1 longifolia. B. P.	long-leaved.		Van Die.	1807. 7.6.	G. h.	25. b.
2 ligustrina. B. P.	privet-leaved.					
CHIONANTHUS. W.	FRINGE-TREE.	Oleina. B. P.	N. Amer.	1736. 5.7.	H. h.	Cates. car. 1. t. 68.
1 virginica. W.	smooth-leaved.				H. h.	
2 maritima. Ph.	pubescent.					
LINOCIERA. B. P.	LINOCIERA.	Oleina. B. P.	Chionanthi sp. W.			
compacta. B. P.	Caribbean.		W. Ind.	1793.	S. h.	Jac. col. 2. t. 6. f. 1.
ORNUS. P. S.	FLOWERING ASH	Oleina. B. P.	Fraxini sp. L.			
1 europæa. P. S.	European.		Italy.	1710. 5.6.	H. h.	Fl. græc. 1. t. 4.
2 rotundifolia. P. S.	Manna.			1697. 4.	H. h.	
SYRINGA. W.	LILAC.	Oleina. B. P.	Persia.	1597. 5.	H. h.	Schku. hand. 1. t. 2.
1 vulgaris. W.	common.				H. h.	Bot. mag. 183.
β violacea.	purple.				H. h.	
γ alba.	white.		China.	1795. 5.8.	H. h.	
2 chinensis. W.	Chinese.		Persia.	1640. 5.	H. h.	Bot. mag. 486.
3 persica. W.	Persian.				H. h.	
β alba.	white.				H. h.	Schmidt arb. 2. t. 79.
γ laciniata.	cut-leaved.					
CATALPA. Ju.	CATALPA.	Bignoniaceæ. B. P.	N. Amer.	1726. 6.8.	H. h.	Bot. mag. 1094.
1 Syriacifolia. H. K.	common.		W. Ind.	1777.	S. h.	Plum. ic. t. 57.
2 longissima. H. K.	wave-leaved.					
PIMELEA. B. P.	PIMELEA.	Thymelææ. B. P.	N. S. W.	1793. 2.8.	G. h.	Bot. mag. 691.
1 linifolia. B. P.	flax-leaved.		N. Holl.	1800. 3.9.	G. h.	Bot. mag. 1458.
2 rosea. B. P.	rose-coloured.		Van Die.	1812.	G. h.	
3 paniciflora. B. P.	few-flowered.					
FONTANESIA. W.	FONTANESIA.		Syria.	1787. 8.	H. h.	Lab. syr. 1. t. 1.
phillyreoides. W.	Phillyrea-leaved.					

DIANDRIA MONOGYNIA.

CIRCEA. W.		{ ENCHANTER'S } NIGHTSHADE. } Onagraceae. J.							
1	lutetiana. W.	common.		Britain.	6.8.	H. 2.	Eng. bot. 1656.	
2	alpina. W.	mountain.			6.9.	H. 2.	1057.	
VERONICA. W.		SPEEDWELL. } Scrophulariaceae. B.P.							
1	sibirica. W.	Siberian.		Siberia.	1779.	7.8.	H. 2.	Amm. ruth. 20. t. 4.	
2	virginica. W.	Virginian.		Virginia.	1714.	7.9.	H. 2.	Hoff. got. 15. t. 1.	
	β incarnata.	flesh-coloured.							
3	neglecta. W. en.	canescent.		Siberia.	1797.	7.8.	H. 2.		
4	incana. Sc.	hoary.		Russia.	1789.	7.9.	H. 2.	Hoff. got. 15. t. 6.	
5	spicata. Sc.	spiked.		England.		H. 2.	Eng. bot. 2.	
6	hybrida. Sc.	Welsh.					H. 2.	678.	
7	arguta. Sc.	sharp-notched.		S. Eur.	1812.		H. 2.	{ Schr. ver. p. 22. t. 2. f. 2.	
8	media. Sc.	long-spiked.		Germany.	1804.		H. 2.	—, p. 23. t. 1. f. 2.	
9	australis. Sc.	pubescent.		S. Eur.	1812.		H. 2.	—, p. 24. t. 2. f. 3.	
10	glabra. Sc.	smooth.		S. Eur.	1804.		H. 2.	—, p. 25. t. 1. f. 4.	
	β alba.	white.							
11	amethystina. W. en.	fine blue.		1812.		H. 2.		
12	elatio. W. en.	tall.		S. Eur.	1808.		H. 2.		
13	longifolia. Sc.	long-leaved.			1781.		H. 2.	{ Schr. ver. p. 26. t. 2. f. 1.	
14	maritima. Sc.	sea-side.		Sweden.	1570.		H. 2.	—, p. 29. t. 1. f. 1.	
15	complicata. W. en.	bundled.		S. Eur.	1812.	9.10.	H. 2.		
16	crenulata. Vahl.	notch-flowered.			1804.	7.9.	H. 2.		
17	villosa. Sc.	villose.					H. 2.	{ Schr. ver. p. 31. t. 1. f. 3.	
18	foliosa. Sc.	leafy.		Hungary.	1805.		H. 2.	—, p. 35. t. 2. f. 5.	
19	spuria. Sc.	bastard.		Siberia.	1731.		H. 2.	Gmel. it. 1. t. 39.	
20	pinnata. Sc.	wing-leaved.			1776.	6.8.	H. 2.	Hoff. got. 15. t. 10.	
21	laciniata. Sc.	jagged-leaved.			1780.		H. 2.	Jung. ic. rar. f. 2.	
22	incisa. Sc.	cut-leaved.			1779.		H. 2.		
23	aphylla. W.	naked-stalked.		Italy.	1775.	6.	H. 2.	Segu. ver. 1. t. 3. f. 2.	
24	bellidioides. W.	Daisy-leaved.		Switzerland.	—	6.7.	H. 2.	Hall. hist. t. 15. f. 1.	
25	gentianoides. W.	Gentian-leaved.		Levant.	1748.	5.6.	H. 2.	Bot. mag. 1002.	
26	fruticulosa. W.	flesh-coloured.		Scotland.	6.8.	H. 2.	Eng. bot. 1028.	
27	saxatilis. W.	blue Rock.			7.	H. 2.	1027.	
28	alpina. W.	Alpine.			6.	H. 2.	484.	
29	serpyllifolia. W.	smooth.		Britain.	4.7.	H. 2.	1075.	
30	officinalis. W.	official.				H. 2.	765.	
31	Allionii. W.	shining-leaved.		S. Eur.	1748.	6.8.	H. 2.	{ Allion. ped. 1. t. 46. f. 3.	
32	decussata. W.	cross-leaved.		Falkland Isl.	1776.		G. 2.	Bot. mag. 242.	
33	integrifolia. W.	entire-leaved.		Silesia.	1814.	5.6.	H. 2.	Krock. sil. 28. t. 3.	
39	Beccabunga. W.	Brook-lime.		Britain.	5.6.	H. 2.	Eng. bot. 655.	
40	labiata. B. P.	labiated.		N. Holl.	1802.	4.7.	G. 2.	Bot. mag. 1660.	
41	Anagallis. W.	long-leav. water.		Britain.	7.	H. 2.	Eng. bot. 761.	
42	scutellata. W.	marsh.			6.8.	H. 2.	782.	
43	Teucrium. P. S.	rugged-leaved.		Germany.	1596.		H. 2.	Rivin. t. 95.	
44	prostrata. W.	trailing.			1774.	5.6.	H. 2.	Riv. mon. 96.	
45	perfoliata. B. P.	perfoliate.		N. S. W.	1815.	7.8.	G. 2.		
46	montana. W.	mountain.		Britain.		H. 2.	Eng. bot. 768.	
47	Chamaedrys. W.	Germander.				H. 2.	628.	
48	orientalis. W.	various-leaved.		Levant.	1748.	6.8.	H. 2.	Sal. stirp. rar. 7. t. 4.	
49	austriaca. Jac.	Austrian.		Austria.	1748.		H. 2.	Jac. aust. 4. t. 329.	
50	multifida. W.	fine-cut.		Siberia.	—	5.7.	H. 2.	Bot. mag. 1679.	
51	urticaefolia. W.	Nettle-leaved.		Austria.	1776.	6.7.	H. 2.	Jac. aust. 1. t. 59.	
52	latifolia. W.	broad-leaved.			1748.	5.6.	H. 2.	t. 60.	
53	paniculata. W.	panicked.		Russia.	1797.	6.7.	H. 2.		
54	agrestis. W.	field.		Britain.	3.7.	H. 2.	Eng. bot. 788.	
55	arvensis. W.	wall.				H. 2.	734.	
56	hederifolia. W.	Ivy-leaved.			3.6.	H. 2.	784.	
57	triphyllous. W.	fingered.			4.5.	H. 2.	26.	
58	verna. W.	vernal.				H. 2.	25.	
59	digitata. W.	digitated.		S. Eur.	1805.	7.	H. 2.		
60	filiformis. W.	long-stalked.		Levant.	1780.	6.	H. 2.	Bux. cen. 1. t. 40. f. 1.	
61	acutifolia. W.	Basil-leaved.		S. Eur.	1788.	4.5.	H. 2.	Poit. et. T. f. p. 1. t. 23	
62	peregrina. W.	Knot-grass leav.		N. Eur.	1680.	5.6.	H. 2.	Fl. dan. 407.	
ELYTHRARIA. M.		ELYTHRARIA. } Acanthaceae. B. P.							
	virgata. M.	twiggy.		Carolina.	1813.	7.	H. 2.	Mich. am. 1. t. 1.	

DIANDRIA MONOGYNIA.

5

JUSTICIA. W.	JUSTICIA.	Acanthaceæ. B. P.							
1 bicalculata. W.	Malabar.		E. Ind.	1786.	8.	S. ☉.	Ret. stoc. 1776. t. 9.		
2 sexangularis. W.	Chickweed-leav.		S. Amer.	1733.	7.	S. ☉.			
3 Echolium. W.	long-spiked.		E. Ind.	1759.	8.8.	S. h.	Bot. mag. 1847.		
4 coccinea. W.	scarlet.		S. Amer.	1770.	2.	S. h.	432.		
5 quadrifida. H. K.	twiggy.		Mexico.	1795.	3.9.	S. h.	Par. lon. 50.		
6 nitida. W.	glossy.		W. Ind.	1790.	—	S. h.	Bot. rep. 570.		
7 picta. W.	painted.		E. Ind.	1780.	7.8.	S. h.	Rheed. mal. 6. t. 60.		
8 lucida. Va.	shining-leaved.		W. Ind.	1795.	—	S. h.	Bot. mag. 1014.		
9 secunda. Va.	side-flowering.		—	1793.	S. h.			
10 ciliaria. W.	ciliated.		—	1780.	7.8.	S. ☉.	Jac. vind. 2. t. 104.		
11 Gendarussa. W.	Willow-leaved.		E. Ind.	1800.	6.7.	S. h.	Rheed. mal. 9. t. 42.		
12 carthaginensis. W.	Carthaginian.		Carthageria.	1792.	—	S. h.	Jac. amer. 5. t. 5.		
13 americana. W.	American.		N. Amer.	1759.	7.8.	H. h.	Pluck. alm. t. 423. f. 5.		
14 procumbens. W.	procumbent.		E. Ind.	1798.	—	S. h.	t. 56. f. 3.		
15 comata. W.	Balsam-herb.		Jamaica.	1795.	7.8.	S. h.	Slojam. t. 103. f. 2.		
16 eustachiana. W.	Eustachian.		St. Eustachia.	1799.	8.9.	S. h.	Jac. amer. 4. t. 4.		
17 nasuta. W.	white-flowering.		E. Ind.	1790.	2.10.	S. h.	Bot. mag. 325.		
18 pectoralis. W.	Garden Balsam.		W. Ind.	1787.	5.8.	S. h.	Jac. amer. 3. t. 3.		
19 periplocifolia. W.	Periploca-leaved.		S. Amer.	1799.	6.	S. h.	Jac. col. sup. t. 7. f. 2.		
20 lithospermifolia. W.	Gromwell-leav.		Peru.	1796.	4.8.	S. h.	Jac. schoen. 1. t. 4.		
21 furcata. Va.	forked.		—	1796.	—	S. h.	Bot. mag. 430.		
22 scorpioides. L.	scorpion-like.		Vera Cruz.	1802.	S. h.	B. Houst. p. 3. t. 1.		
23 paniculata. Va.	panicle.		E. Ind.	1811.	7.8.	S. h.	Rheed. mal. 2. t. 56.		
24 resupinata. W.	resupinate.		—	1805.	7.	S. ☉.			
25 Adhatoda. W.	Malabar-nut.		Ceylon.	1699.	5.7.	G. h.	Bot. mag. 861.		
26 pectinata. Va.	small-flowered.		E. Ind.	1798.	6.7.	S. h.	Roxb. cor. 2. t. 153.		
27 Betonica. Va.	Betony-leaved.		—	1737.	S. h.	Rheed. mal. 2. t. 21.		
28 hyssopifolia. W.	Snap-tree.		Canaries.	1690.	3.8.	G. h.	Mill. ic. 9. t. 13.		
29 orchioides. W.	Broom-leaved.		C. B. S.	1774.	8.	G. h.	Vent. mal. 51.		
ERANTHEMUM. B.P.	ERANTHEMUM.	Acanthaceæ. B. P.							
1 spinosum. B. P.	thorny.		W. Ind.	1733.	7.8.	S. h.	Jac. amer. 2. t. 2. f. 1.		
2 pulchellum. B. R.	nervose.		E. Ind.	1796.	1.10.	S. h.	Bot. rep. 88.		
3 bicolor. B. M.	two-coloured.		Luconia.	1802.	5.8.	S. h.	Bot. mag. 1423.		
GRATIOLA. Mich.	HEDGE-HYSSOP. Scrophulariæ. B. P.								
1 officinalis. W.	officinal.		Europe.	1568.	5.8.	H. h.	Fl. dan. 363.		
2 veronicifolia. W.	Speedwell-leav.		E. Ind.	1798.	6.9.	S. h.	Rheed. mal. 9. t. 59.		
3 virginica. W.	Virginian.		Virginia.	1759.	8.	H. h.			
SCHWENKIA. W.	SCHWENKIA.	Scrophulariæ. B. P.							
americana. W.	Guinea.		Guinea.	1781.	8.9.	S. h.	Schw. bes. p. 328. t. 1.		
CALCEOLARIA. W.	SLIPPERWORT. Scrophulariæ. B. P.								
1 pinnata. W.	wing-leaved.		Peru.	1778.	7.9.	G. ☉.	Bot. mag. 41.		
2 Fothergillii. W.	Fothergill's.		Falkland Isl.	1777.	5.8.	G. h.	348.		
PINGUICULA. W.	BUTTERWORT. Lentibulariæ. B. P.								
1 lusitanica. W.	pale.		Britain.	6.7.	H. h.	Eng. bot. 145.		
2 vulgaris. W.	common.		—	5.	H. h.	70.		
3 alpina. W.	Alpine.		Germany.	1794.	4.	H. h.	Fl. dan. 463.		
4 grandiflora. W.	large-flowered.		Britain.	4.5.	H. h.	Eng. bot. 1128.		
5 lutea. M.	yellow.		Carolina.	1816.	6.7.	G. ☉.	Bot. reg. 126.		
UTRICULARIA. W.	{ HOODED MIL-FOIL. } Lentibulariæ. B. P.								
1 vulgaris. W.	common.		Britain.	6.7.	H. h.	Eng. bot. 253.		
2 minor. W.	lesser.		—	7.	H. h.	254.		
3 intermedia. P. S.	intermediate.		—	5.6.	H. h.	2489.		
GHINIA. W.	GHINIA.	Verbenaceæ. B. P.							
spinosa. W.	thorny-fruited.		W. Ind.	1733.	8.	S. ☉.	Banka. r. Hous. t. 2.		
STACHYTAR-PHETA. Va. }	{ BASTARD Vervain. } Verbenaceæ. B. P.								
1 indica. Va.	Indian.		Ceylon.	1782.	8.9.	S. ☉.			
2 urticifolia. B. M.	Nettle-leaved.		—	5.9.	S. h.	Bot. mag. 1848.		
3 jamaicensis. Va.	Jamaica.		W. Ind.	1714.	6.9.	S. h.	1860.		
4 orubica. Va.	Orubian.		Panama.	1699.	6.8.	G. h.	Ehr. pict. t. 5. f. 1.		
5 mutabilis. Va.	changeable-flow.		S. Amer.	1801.	3.9.	S. h.	Bot. mag. 976.		
6 prismatica. Va.	German-leav.		W. Ind.	1699.	5.6.	S. h.	Jac. ic. 2. t. 208.		
LYCOPUS. W.	{ WATER-HORSEHOUND. } Labiatæ. B. P.								
1 europæus. W.	common.		Britain.	7.8.	H. h.	Eng. bot. 1105.		
2 exaltatus. W.	tall.		Italy.	1739.	—	H. h.	Fl. græc. 1. t. 12.		
3 virginicus. W.	Virginian.		Virginia.	1760.	8.9.	H. h.			
AMETHYSTEA. W.	AMETHYSTEA.	Labiatæ. B. P.							
caerulea. W.	blue-flowering.		Siberia.	1759.	6.7.	H. ☉.	Hall. up. 1744. t. 4.		

DIANDRIA MONOGYNIA.

CUNILA. P. S.	CUNILA.	Labiatae. B. P.				
1 mariana. Ph.	Mint-leaved.		N. Amer.	1759. 7.9. H. ♀.	Mor. h.3. t.19. f.7.	
2 capitata. P. S.	headed.		Siberia.	1799. 7.8. H. ♀.		
ZIZIPHORA. W.	ZIZIPHORA.	Labiatae. B. P.				
1 capitata. W.	oval-leaved.		Syria.	1752. 7.8. H. ♂.	Fl. græc. 1. t. 13.	
2 hispanica. W.	Spanish.		Spain.	1759. 6. H. ♂.	Lam. ill. t. 18. f. 1.	
3 tenuior. W.	spear-leaved.		Levant.	1752. 6.7. H. ♂.	— t. 18. f. 2.	
4 acinoides. W.	Thyme-leaved.		Siberia.	1786. 7.8. H. ♀.		
5 serpyllacea. B.M.	sweet-scented.		Caucasus.	1803. 7.8. H. ♀.	Bot. mag. 906.	
6 dasyantha. W. en.	hairy-flowering.		Siberia.	1814. 6.8. H. ♀.		
7 Pouschkini. B. M.	hairy-headed.		Caucasus.	1803. 8. H. ♀.	Bot. mag. 1093.	
8 taurica. W. en.	Taurian.		Tauria.	1816. 7.9. H. ♂.		
HEDEOMA. P. S.	HEDEOMA.	Labiatae. B. P.	Cunila species. W.			
1 pulegioides. Ph.	Pennyroyal-leav.		N. Amer.	1777. 6.8. H. ♂.		
2 thymoides. P. S.	Thyme-leaved.		France.	1699. — H. ♂.	Mor. h.3. t.19. f.8	
MONARDA. W.	MONARDA.	Labiatae. B. P.				
1 didyma. W.	Oswego Tea.		N. Amer.	1752. 6.8. H. ♀.	Bot. mag. 546.	
2 Kalmiana. Ph.	pubescent-flow'.		—	1813. — H. ♀.	Pursh. flor. am. t. 1.	
3 rugosa. Ph.	white.		—	1761. 7.9. H. ♀.		
4 clinepodia. Ph.	Wild Basil leav.		—	1771. 7. H. ♀.		
5 purpurea. Ph.	crimson.		—	1789. 6.8. H. ♀.	Bot. mag. 143.	
6 media. W. en.	purple-bracted.		— 6.9. H. ♀.		
7 oblongata. Ph.	long-leaved.		—	1761. 7.9. H. ♀.		
8 mollis. Ph.	soft.		— 6.9. H. ♀.		
9 fistulosa. Ph.	hollow-stalked.		—	1656. 6.8. H. ♀.	Mill. ic. t. 122. f. 2.	
10 punctata. Ph.	spotted.		—	1714. 6.10. H. ♀.	Bot. reg. 87.	
11 ciliata. Ph.	blue-flowered.		—	1798. 7. H. ♀.	Pluk. alm. t. 164. f. 3.	
12 hirsuta. Ph.	hairy.		—	— 7.9. H. ♀.		
ROSMARINUS. W.	ROSEMARY.	Labiatae. B. P.				
1 officinalis. W.	common.		S. Eur.	1548. 1.4. H. ♀.	Fl. græc. 1. t. 14.	
2 chilensis. W.	Chili.		Chili.	1796. 7. G. ♀.		
SALVIA. W.	SAGE.	Labiatae. B. P.				
1 ægyptiaca. W.	Egyptian.		Egypt.	1770. 6.7. H. ♂.	Jac. vind. 2. t. 108.	
2 dentata. W.	tooth-leaved.		C. B. S.	1774. 12.1. G. ♀.		
3 cretica. W.	Cretan.		Crete.	1760. 6.8. H. ♀.	Riv. mon. t. 128.	
4 angustifolia. Ca.	narrow-leaved.		Mexico.	1806. 6.7. G. ♀.	Cav. ic. t. 317.	
5 azurea. Ph.	azure-flowered.		Carolina.	— 8. H. ♀.	Bot. mag. 1728.	
6 lyrata. W.	lyre-leaved.		N. Amer.	1728. 6.7. H. ♀.	Mor. h.3. t.13. f.27.	
7 Hablitziana. W.	Siberian.		Siberia.	1795. 8. H. ♀.	Bot. mag. 1429.	
8 officinalis. W.	garden.		S. Eur.	1597. 6.7. H. ♀.	Ger. herb. 623. f. 1.	
9 grandiflora. W.	great-flowered.		—	1616. 6.9. H. ♀.		
10 triloba. W.	three-lobed.		—	1596. 6.7. H. ♀.	Fl. græc. 1. t. 17.	
11 pomifera. W.	Apple-bearing.		Candia.	1699. 7.8. H. ♀.	— t. 15.	
12 urticifolia. W.	Nettle-leaved.		N. Amer.	1799. 6.7. H. ♀.	Mor. h.3. t.13. f.31.	
13 tiliaefolia. W.	Lime-leaved.		S. Amer.	1793. 6.8. G. ♀.	Jac. schæn. 3. t. 254.	
15 viridis. W.	green-topped.		Italy.	1759. 7.8. H. ♂.	Fl. græc. 1. t. 19.	
16 Horminam. W.	annual Clary.		S. Europe.	1596. 6.7. H. ♂.	— t. 20.	
α violacea.	purple-topped.					
β rubra.	red-topped.					
17 truncata. W. en.	truncated.		—	1800. 7.8. H. ♂.		
18 serotina. W.	late-flowering.		Chio.	1803. 8. G. ♀.	Jac. ic. rar. 1. t. 3.	
19 virgata. W.	long-branched.		Armenia.	1758. 7.11. H. ♀.	Jac. schæn. 1. t. 37.	
20 campestris. W. en.	field.		Tauria.	1813. 6.7. H. ♀.		
21 amplexicaulis. W. en.	stem-clasping.		Levant.	— 7.9. H. ♀.		
22 sylvestris. W.	spotted-stalked.		Germany.	1759. 6.10. H. ♀.	Jac. aus. 3. t. 212.	
23 nemorosa. W.	spear-leaved.		—	1728. 6.9. H. ♀.		
24 syriaca. W.	Syrian.		Levant.	1759. 7. G. ♀.	Bauh. prod. t. 114.	
25 viscosa. W.	clammy.		Italy.	1773. 5.6. H. ♀.	Jac. ic. t. 5.	
26 hæmatodes. W.	bloody-veined.		—	1699. 7.8. H. ♀.	Mor. h.3. t.14. f. 15.	
27 pratensis. W.	meadow.		England. 5.11. H. ♀.	Eng. bot. 153.	
28 variegata. W. en.	variegated.		Hungary.	1814. 6.8. H. ♀.		
29 bicolor. W.	two-coloured.		Barbary.	1793. 6.7. H. ♀.	Bot. mag. 1774.	
30 crassifolia. P. S.	thick-leaved.		1804. — H. ♀.		
31 indica. W.	Indian.		India.	1731. 5.7. H. ♀.	Bot. mag. 395.	
32 hirsuta. W. en.	hirsute.		1801. 5.6. H. ♂.	Jac. schæn. 3. t. 252.	
33 lanceolata. W. en.	lanceolate.		1813. 5.9. H. ♂.		
34 dominica. W.	Dominica.		W. Ind.	1759. 7. S. ♀.	Swart. ob. 18. t. 1. f. 1.	
35 verbenaca. W.	wild Clary.		Britain. 6.10. H. ♀.	Eng. bot. 154.	
36 Spielmanni. W. en.	Spielman's.		1813. 6.7. H. ♀.		
37 scabra. W.	rough-leaved.		C. B. S.	1774. 4.9. G. ♀.		

DIANDRIA MONOGYNIA.

7

38 runcinata. W.	runcinated.	Labiatae. B. P.	C. B. S.	1795. 6.7. G. h.	Jac. schoen. 1. t. 8.
39 clandestina. W.	cut-leaved.		Italy.	1789. 4.7. H. j.	Fl. græc. 1. p. 18. t. 24
40 austriaca. W.	Austrian.		Austria.	1776. 6.7. H. j.	Jac. aust. 2. t. 112.
41 bullata. W. en.	blistered.		Portugal.	1804. 7.8. H. j.	
42 disermas. W.	long-spiked.		Syria.	1778. 7. H. j.	Arduin. spec. 1. t. 1.
43 rugosa. W.	wrinkle-leaved.		C. B. S.	1775. 7.8. G. h.	
44 nubia. W.	Nubian.		Africa.	1784. 6.7. G. j.	Murr. gott. 1778. t. 3
45 nilotica. W.	Nilotic.		Egypt.	1780. 6.8. H. j.	Jac. vind. 3. t. 92.
46 mexicana. W.	Mexican.		Mexico.	1724. 5.7. G. h.	Cav. ic. 1. t. 26.
47 cæsia. W. en.	grey.		S. Amer.	1813. 6.9. G. h.	
48 reptans. W. en.	linear-leaved.		Mexico.	1799. 5.8. G. j.	
49 formosa. W.	shining-leaved.		Peru.	1788. 4.10. G. h.	Bot. mag. 376.
50 coccinea. W.	scarlet-flowered.		S. Amer.	1774. 4.10. G. h.	Murr. gott. 1778. t. 1
51 pseudococcinea. W.	pale-scarlet.			1797. 6.8. S. h.	Jac. ic. 2. t. 209.
52 amarisima. H. K.	bitter.		Mexico.	1803. 7.8. G. j.	Cav. ic. 4. t. 318.
53 hispanica. W.	Spanish.		Spain.	1789. 6.8. H. j.	Ard. spec. 1. t. 2.
54 abyssinica. W.	Abyssinian.		Africa.	1775. 6.7. G. j.	Jac. ic. 1. t. 6.
55 verticillata. W.	whorl-flowered.		Germany.	1658. 6.11. H. j.	
56 napifolia. W.	Rape-leaved.		Italy.	1776. 6.7. H. j.	Jac. vind. 2. t. 252.
57 glutinosa. W.	glutinous.		Germany.	1596. 6.9. H. j.	Mor. h. 3. t. 13. f. 18.
58 amœna. B. M.	Violet-flowered.		W. Ind.	1793. 4.5. S. h.	Bot. mag. 1294.
59 canariensis. W.	Canary.		Canaries.	1697. 6.9. G. h.	Trew. pl. rar. 2. t. 19.
60 aurita. W.	ear-leaved.		C. B. S.	1795. 5.6. G. h.	
61 africana. W.	African.			1731. 4.6. G. h.	Comm. hort. 2. t. 91.
62 aurea. W.	golden-flowered.			— 4.11. G. h.	Bot. mag. 182.
63 colorata. W.	coloured-calyxed			1758. 7.8. G. h.	Mill. ic. t. 225. f. 2.
64 chamaedryoides. Va.	Germander.		Mexico.	1795. 6.9. G. h.	Bot. mag. 808.
65 paniculata. W.	panicled.		C. B. S.	1758. 6.8. G. h.	Mill. ic. t. 225. f. 1.
66 spinosa. W.	thorny-calyxed.		Egypt.	1789. 6. G. j.	Jac. ic. 1. t. 7.
67 tingitana. W.	Tangier.		Barbary.	1796. 7. G. h.	Riv. mon. t. 62.
68 odorata. W. en.	sweet-scented.		Bagdad.	1804. — G. h.	
69 Sclarea. W.	common Clary.		Italy.	1562. 7.9. H. j.	Fl. græc. 1. t. 25.
70 ceratophylla. W.	horn-leaved.		Persia.	1699. 7.8. H. j.	Pluk. alm. t. 194. f. 3.
71 argentea. W.	silvery.		Crete.	1759. 5.7. H. j.	Fl. græc. 1. t. 27.
72 patula. W. en.	spreading.		Portugal.	1805. — H. j.	
73 Æthiopis. W.	woolly.		Austria.	1570. 5.6. H. j.	Jac. aus. 3. t. 211.
74 phlomoides. W.	Mullein-leaved.		Spain.	1805. — H. j.	{ Roem. pl. hisp. lusa t. 1. f. 1.
75 pinnata. Va.	winged-leaved.		Levant.	1731. 7. H. j.	Boer. lugd. 1. t. 167.
76 interrupta. Va.	Ash-leaved.		Barbary.	1798. 4.9. H. h.	Schons. moroc. 6. t. 1
77 ceratophylloides. W.	branchy.		Egypt.	1771. 6.8. H. j.	Arduin. spec. 2. t. 2.
78 Forskohl's.	Forskohl's.		Levant.	1800. 6.8. H. j.	Bot. mag. 988.
79 nutans. W.	nodding.		Russia.	1780. — H. j.	Kniph. cent. 7. t. 79.
80 betonicæfolia. W.	Betony-leaved.			1804. — H. j.	
COLLINSONIA. W.		Labiatae. B. P.			
1 canadensis. W.	Nettle-leaved.		N. Amer.	1735. 8.10. H. j.	Linn. hort. cliff. t. 5.
2 scabriuscula. W.	rough-stalked.		E. Florida.	1776. 7.9. G. j.	
3 ovalis. Ph.	oval-leaved.		Carolina.	1812. 8. H. j.	
4 tuberosa. Ph.	tuberous.			1806. — H. j.	
5 anisata. B. M.	Anise-scented.			10. H. j.	Bot. mag. 1213.
MORINA. W.		Dipsacæ. J.			
persica. W.	MORINA.		Persia.	1740. 7.8. G. j.	Fl. græc. 1. t. 23.
ACÆNA. Vahl.		Rosacæ. J	Ancistrum & Acæna. Auct.		
1 latebrosa. Va.	hairy.		C. B. S.	1774. 4.6. G. j.	
2 Sanguisorbæ. Va.	Burnet-leaved.		New Zealand	1796. 6. H. j.	Lam. ill. t. 12. f. 1.
3 ovalifolia. Va.	creeping.		Peru.	1802. 5.6. H. j.	Vent. cels. 6.
4 lucida. Va.	shining.		Falkland Isl.	1777. 5.6. G. j.	Lam. ill. 1. t. 22. f. 3.
5 lævigata. H. K.	smooth.		Magellan.	1790. 6.8. H. j.	

DIGYNIA.

ANTHOXAN- THUM. W.	} SPRING-GRASS.	Gramineæ. B. P.			
1 odoratum. W.			Britain. 5. H. j.	Eng. bot. 647.
2 amarum. Brot.			Morocco.	1810. 7. H. j.	

TRIGYNIA.

PIPER. W.	PEPPER.	Urticæ? J.			
1 peltatum. W.	peltated.		W. Ind.	1748. S. j.	Plum. amer. 56. t. 74
2 umbellatum. W.	umbelled.			5.7. S. h.	— 53. t. 78

TRIANDRIA MONOGYNIA.

3	macrophyllum. W.	broad-leaved.	Urticæ? J.	W. Ind.	1800.	S. h.	
4	aduncum. W.	hooked.	_____	Jamaica.	1748.	5.	S. h.	Jac. ia. 2. t. 210.
5	reticulatum. W.	netted.	_____	W. Ind.	_____	8.	S. h.	Plum. amer. 57. t. 75
6	Amalago. W.	rough-leaved.	_____	Jamaica.	1758.	S. h.	Sloa. hist. 1. t. 87. f. 1.
7	nigrum. W.	black.	_____	E. Ind.	1790.	S. h.	Lam. ill. 79. t. 23.
8	Betle. W.	Betle.	_____	_____	1804.	S. h.	Rheed. mal. 7. t. 18.
9	longum. P. S.	long.	_____	_____	1788.	S. h.	{ Rumph. amb. 5. t. 116. f. 2.
10	clusiæfolium. H. K.	Clusia-leaved.	_____	W. Ind.	1793.	4.5.	S. h.	Jac. ic. 2. t. 212.
11	maculosum. L.	spot-stalked.	_____	Pillao.	1790.	9.	S. h.	Plum. amer. 60. t. 66.
12	nitidum. W.	shining-leaved.	_____	Jamaica.	1793.	5.6.	S. h.	
13	distachyon. P. S.	two-rowed.	_____	S. Amer.	_____	6.7.	S. 2.	Plum. amer. 51. t. 67
14	alatum. P. S.	winged.	_____	_____	1812.	S. h.	Fl. per. 31. t. 48.
15	hispidum. W.	hairy-leaved.	_____	Jamaica.	1793.	7.	S. h.	
16	pellucidum. W.	pellucid.	_____	S. Amer.	1748.	4.9.	S. 2.	Plum. amer. 54. t. 73
17	cuneifolium. W. en.	wedge-leaved.	_____	Caracas.	1809.	S. h.	Jac. ic. 2. t. 214.
18	acuminatum. W. en.	acuminate.	_____	W. Ind.	1812.	S. 2.	Bot. mag. 1882.
19	amplexicaule. W.	stem-clasping.	_____	_____	1793.	6.9.	S. 2.	
20	magnoliæfolium. Va	Magnolia-leaved	_____	_____	_____	1.3.	S. 2.	Jac. ic. 2. t. 213.
21	obtusifolium. W.	obtuse-leaved.	_____	_____	1739.	4.7.	S. 2.	Trew chret. 54. t. 96.
22	blandum. W.	villous.	_____	Caracas.	1802.	5.11.	S. 2.	
23	pubescens. H. S.	pubescent.	_____	1809.	7.10.	S. 2.	
24	polystachion. W.	many-spiked.	_____	Jamaica.	1775.	6.7.	S. 2.	Jac. ic. 1. t. 9.
25	trifolium. P. S.	three-leaved.	_____	S. Amer.	1802.	6.8.	S. 2.	Plum. amer. 52. t. 68
26	pulchellum. W.	small-leaved.	_____	Jamaica.	1778.	7.10.	S. 2.	
27	stellatum. P. S.	starry.	_____	_____	1802.	5.7.	S. 2.	Jac. vind. 2. t. 217.
28	inequalifolium.	unequal-leaved.	_____	Peru.	1800.	7.8.	S. 2.	Fl. per. 1. t. 46. a.

CLASS III.

TRIANDRIA MONOGYNIA.

VALERIANA. W.	VALERIAN.	Dipsacæ. J.						
1	rubra. W.	red.	_____	England.	6.10.	H. 2.	Eng. bot. 1581.
2	angustifolia. W.	narrow-leaved.	_____	S. Eur.	1731.	5.7.	H. 2.	Fl. græc. 1. t. 29.
3	Calcitrapa. W.	cut-leaved.	_____	Portugal.	1570.	H. 2.	1. t. 20.
4	dioica. W.	dioecious.	_____	Britain.	5.7.	H. 2.	Eng. bot. 628.
5	officinalis. W.	great wild.	_____	_____	6.7.	H. 2.	698.
6	Phu. W.	garden.	_____	Germany.	1597.	5.7.	H. 2.	Blacw. t. 250.
7	tripteria. W.	three-leaved.	_____	Switzerland.	1752.	3.5.	H. 2.	Jac. aus. 3. t. 268.
8	montana. W.	mountain.	_____	_____	1748.	6.7.	H. 2.	3. t. 269.
9	celtica. W.	Celtic.	_____	_____	_____	6.	H. 2.	Jac. coll. 1. t. 1.
10	tuberosa. W.	tuberous-rooted.	_____	S. Eur.	1629.	5.6.	H. 2.	
11	saxatilis. W.	rock.	_____	Austria.	1748.	7.	H. 2.	Jac. aus. 3. t. 267.
12	elongata. Ja.	elongated.	_____	_____	1812.	6.7.	H. 2.	3. t. 219.
13	pyrenaica. W.	heart-leaved.	_____	Scotland.	5.6.	H. 2.	Eng. bot. 1591.
FEDIA. Gært.	FEDIA.	Dipsacæ. J. Valeriana species L.						
1	sibirica. W.	Siberian.	_____	Siberia.	1759.	5.6.	H. 2.	Gmel. sib. 3. t. 24.
2	ruthenica. W.	Russian.	_____	_____	1801.	6.	H. 2.	Amm. ruth. 18. t. 3.
3	Cornucopia. W.	purple.	_____	S. Eur.	1596.	5.8.	H. 2.	Fl. græc. 1. t. 32.
4	echinata. W.	prickly capsuled.	_____	_____	1807.	7.8.	H. 2.	Col. ecph. 1. t. 206.
5	olitoria. W.	Lamb's Lettuce.	_____	Britain.	4.5.	H. 2.	Eng. bot. 811.
6	dentata. W.	oval-fruited.	_____	_____	4.6.	H. 2.	1370.
7	vesicaria. W.	bladdered.	_____	Candia.	1789.	4.5.	H. 2.	Fl. græc. 1. t. 34.
8	coronata. W.	prickly-seeded.	_____	Portugal.	1731.	4.6.	H. 2.	Col. ecph. 1. t. 209.
9	discoidea. W.	discoid.	_____	Italy.	_____	4.7.	H. 2.	Mor. his. 3. t. 16. f. 29
OXYBAPHUS. W.	{ UMBRELLA- WORT. }	Nyctagines. J. Calthymenia. Pers. Syn.						
1	viscosus. W.	viscid.	_____	Peru.	1793.	5.9.	S. 2.	Bot. mag. 434.
2	aggregatus. Cav.	aggregate.	_____	New Spain.	1811.	7.8.	S. 2.	Cav. ic. t. 437.
3	glabrifolius. W. en.	smooth-leaved.	_____	_____	_____	_____	S. 2.	t. 379.
CNEORUM. W.	WIDOW-WAIL.	Terebintacæ. J.						
	triccum. W.	smooth.	_____	S. Eur.	1793.	4.9.	G. h.	Lam. ill. t. 27.
COMOCLADIA. W.	MAIDEN PLUM.	Terebintacæ. J.						
1	integrifolia. W.	entire-leaved.	_____	Jamaica.	1778.	S. h.	{ Sloan. jam. 2. t. 222. f. 1.

TRIANDRIA MONOGYNIA.

9

2 dentata. W.	tooth-leaved.	Terebinthaceæ. J.	W. Ind.	1790.	7.	S. h.	Jac. am. 13. t. 178. f. 4
3 ilicifolia. W.	holly-leaved.		Caribee Isl.	1789.	S. h.	{ Plum. ic. 108. t. 118. f. 1.
MELOTHRIA. W.	MELOTHRIA.	Cucurbitaceæ. J.					
pendula. W.	pendulous.		America.	1752.	6.7.	H. ☉.	Plum. ic. t. 66. f. 2.
ORTEGIA. W.	ORTEGIA.	Caryophyllææ. J.					
hispanica. W.	Spanish.		Spain.	1768.	6.7.	H. ♀.	Cav. ic. 1. t. 47.
2 dichotoma. W.	forked.		Italy.	1781.	8.9.	H. ♀.	Allio. tauri. 3. t. 4. f. 1
LOEFLINGIA W.	LOEFLINGIA.	Caryophyllææ. J.					
hispanica. W.	Spanish.		Spain.	1770.	6.	H. ☉.	Cav. ic. 1. t. 94.
POLYCNEMUM. W.	POLYCNEMUM.	Chenopodeæ. B. P.					
arvense. W.	trailing.		S. Eur.	1640.	7.	H. ☉.	Jac. aus. 4. t. 365.
HIPPOCRATEA. W.	HIPPOCRATEA.	Aceræ. J.					
volubilis. W.	climbing.		S. Amer.	1789.	S. h.	Jac. amer. t. 9.
CROCUS. Ker.	CROCUS.	Iridææ. B. P.					
1 vernus. E. B.	spring.		England.	2.4.	H. ♀.	Eng. bot. 344.
2 versicolor. H. K.	party-coloured.		S. Eur.	1629.	2.3.	H. ♀.	Bot. mag. 1110.
3 biflorus. H. K.	Scotch.		Crimea.	—	—	H. ♀.	— 845.
4 asiaticus. H. K.	Cloth of Gold.		Turkey.	1605.	—	H. ♀.	— 652.
5 sulphureus. H. K.	sulphur-colour'd		S. Eur.	1629.	—	H. ♀.	— 938.
β flavus.	pale Yellow.		—	—	—	H. ♀.	— 1384.
6 asiaticus. H. K.	common yellow.		Turkey.	—	—	H. ♀.	— 1111. & 45
7 sativus. W.	saffron.		England.	9.10.	H. ♀.	Eng. bot. 343.
8 serotinus. H. K.	late-flowered.		S. Eur.	1629.	9.11.	H. ♀.	Bot. mag. 1267.
9 nudiflorus. H. K.	naked-flowered.		England.	10.11.	H. ♀.	Eng. bot. 491.
TRICHONEMA. Ker.	TRICHONEMA.	Iridææ. B. P. <i>Ixia species Willd.</i>					
1 Bulbocodium. H. K.	channel-leaved.		S. Eur.	1739.	3.4.	H. ♀.	Bot. mag. 265.
2 cruciatum. H. K.	square-leaved.		C. B. S.	1758.	5.	G. ♀.	— 575.
3 caulescens. B. M.	caulescent.		—	1810.	6.7.	G. ♀.	— 1392.
4 pudicum. B. M.	blush.		—	1808.	8.	G. ♀.	— 1244.
5 speciosum. B. M.	crimson.		—	—	3.4.	G. ♀.	— 1476.
6 roseum. B. M.	rose-coloured.		—	—	7.	G. ♀.	— 1225.
GEISSORHIZA. Ker.	TILE-ROOT.	Iridææ. B. P. <i>Ixia species Willd.</i>					
1 Rochensis. H. K.	plaid.		C. B. S.	1790.	5.	G. ♀.	Bot. mag. 598.
2 setacea. B. M.	bristle-leaved.		—	1809.	6.7.	G. ♀.	— 1255.
3 obtusata. H. K.	yellow-flowered.		—	1801.	5.	G. ♀.	— 672.
4 secunda. H. K.	one-ranked.		—	1795.	—	G. ♀.	— 597. 1105.
5 excisa. H. K.	short-leaved.		—	1789.	4.5.	G. ♀.	— 584.
6 ciliaris. Sal.	ciliated.		—	—	G. ♀.	—
HESPERANTHA. Ker.	{ EVENING FLOWER. }	Iridææ. B. P. <i>Ixia species Willd.</i>					
1 radiata. H. K.	nodding-flower'd		C. B. S.	1794.	4.6.	G. ♀.	Bot. mag. 573.
2 pilosa. B. M.	hairy.		—	1811.	4.5.	G. ♀.	— 1475.
3 graminifolia.	grass-leaved.		—	1808.	8.9.	G. ♀.	— 1254.
4 falcata. H. K.	sickle-leaved.		—	1787.	4.5.	G. ♀.	— 566.
5 cinnamomea. H. K.	curled-leaved.		—	—	—	G. ♀.	— 1054.
SPARAXIS. Ker.	SPARAXIS.	Iridææ. B. P. <i>Ixia species Willd.</i>					
1 tricolor. H. K.	three-coloured.		C. B. S.	1789.	5.	G. ♀.	Bot. mag. 381.
β sanguineo-purpurea.	various-coloured.		—	1811.	4.5.	G. ♀.	— 1482.
γ violaceo-purpurea	dark-coloured.		—	—	—	G. ♀.	— 1482. f. 2.
δ roseo-alba.	light-coloured.		—	—	—	G. ♀.	— 1482. f. 3.
2 bicolor. H. K.	two-coloured.		—	1786.	3.4.	G. ♀.	— 548.
3 grandiflora. H. K.	purple-flowered.		—	1758.	4.	G. ♀.	— 541.
β striata.	streak-flowered.		—	—	—	G. ♀.	— 779.
γ Liliago.	lily-flowered.		—	—	—	G. ♀.	Bot. reg. 252.
4 bulbifera. H. K.	bulb-bearing.		—	—	5.6.	G. ♀.	Bot. mag. 545.
IXIA. Ker.	IXIA.	Iridææ. B. P.					
1 linearis. H. K.	slender.		C. B. S.	1796.	4.5.	G. ♀.	Bot. mag. 570.
2 capillaris. B. M.	capillary.		—	1774.	—	G. ♀.	— 617.
3 sulcata. W.	rose-coloured.		—	—	—	G. ♀.	— 1013.
4 fucata. Ker.	painted.		—	6.7.	G. ♀.	— 1379.
5 patens. W.	spreading-flow.		—	1779.	4.	G. ♀.	— 522.
6 leucantha. P. S.	white-flowered.		—	—	5.	G. ♀.	Jac. ic. 2. t. 278.
7 flexuosa. H. K.	bending-stalked.		—	1757.	4.5.	G. ♀.	Bot. mag. 624.
8 hybrida. Ker.	spurious.		—	—	—	G. ♀.	— 129.
9 conica. H. K.	orange-coloured.		—	—	—	G. ♀.	— 539.
10 monadelphæ. H. K.	monadelphous.		—	1792.	—	G. ♀.	— 607.
11 curta. B. R.	short.		—	—	—	G. ♀.	— 1378.
12 columellaris. H. K.	variegated.		—	1790.	8.	G. ♀.	— 630.

13 maculata. W.	spotted.	Iridae. B. P.	C. B. S.	1780.	5.6.	G. 2.	Bot. rep. 196.
14 capitata. P. S.	headed.					G. 2.	159.
15 ovata. B. R.	ovate.					G. 2.	23.
16 viridiflora. P. S.	green-flowered.					G. 2.	29.
17 ochroleuca.	cream-coloured.			1809.		G. 2.	Bot. mag. 1285.
18 erecta. H. K.	upright.			1757.		G. 2.	623.1178.
19 crateroides. H. K.	crimson.			1778.		G. 2.	594.
20 retusa. H. K.	sweet-scented.			1793.	1.2.	G. 2.	629.
21 scillaris. H. K.	squill-flowered.			1787.		G. 2.	542.
22 crispa. H. K.	curled-leaved.				4.5.	G. 2.	599.
ANOMATHECA. Ker.	ANOMATHECA.	Iridae. B. P.	Gladioli species Willd.				
juncea. H. K.	cut-leaved.		C. B. S.	1791.	4.5.	G. 2.	Bot. mag. 606.
TRITONIA. Ker.	TRITONIA.	Iridae. B. P.	Ixia & Gladioli species Willd.				
1 crispa. H. K.	curled-leaved.		C. B. S.	1787.	4.5.	G. 2.	Bot. mag. 678.
2 viridis. H. K.	green-flowered.			1788.	7.	G. 2.	1275.
3 rosea. H. K.	rosy.			1793.	6.7.	G. 2.	618.
4 capensis. B. M.	Cape.			1811.	8.10.	G. 2.	1531.
5 longiflora. H. K.	long-flowered.			1774.	4.6.	G. 2.	256.
6 tenuiflora. Va	slender-tubed.			1811.		G. 2.	1502. f.
							major.
							minor.
7 concolor.	self-coloured.					G. 2.	1502. f.
8 Rochensis. B. M.	bending-flower'd				8.	G. 2.	1503.
9 pallida. Ker.	pale-flowered.			1806.		G. 2.	Jac. ic. rar. 2. t. 262.
10 lineata. H. K.	pencilled.			1774.	5.	G. 2.	Bot. mag. 487.
11 securigera. H. K.	copper-coloured.					G. 2.	383.
12 flava. H. K.	yellow.			1780.	2.3.	G. 2.	
13 squalida. H. K.	sweet-scented.			1774.	5.	G. 2.	Bot. mag. 581.
14 fenestrata. H. K.	open-flowered.			1801.	5.6.	G. 2.	704.
15 crocata. H. K.	crocus-flowered.			1758.	5.6.	G. 2.	184.
16 deusta. H. K.	spotted.			1774.	5.	G. 2.	622.
17 miniata. H. K.	late-flowered.			1795.	8.	G. 2.	609.
18 refracta. B. Reg.	reflexed.			1815.	5.6.	G. 2.	Bot. reg. 135.
WATSONIA. Ker.	WATSONIA.	Iridae. B. P.	Ixia & Gladioli species Willd.				
1 spicata. H. K.	hollow-leaved.		C. B. S.	1791.	5.	G. 2.	Bot. mag. 523.
2 plantaginea. H. K.	Fox-tail.			1774.	6.7.	G. 2.	553.
3 punctata. H. K.	dotted-flowered.			1800.	4.5.	G. 2.	Bot. rep. 177.
4 roseo-alba. B. M.	two-coloured.			7.8.	G. 2.	Bot. mag. 537.
β variegata.	variegated.					G. 2.	1193.
5 marginata. H. K.	broad-leaved.			1774.	6.	G. 2.	608.
β minor.	shining-leaved.			1812.	10.	G. 2.	1530.
6 strictiflora. B. M.	upright-flowered			1810.	6.	G. 2.	1406.
7 rosen. H. K.	pyramidal.			1803.	7.8.	G. 2.	1072.
8 brevifolia. H. K.	short-leaved.			1794.	5.	G. 2.	601.
9 iridifolia. Ja.	iris-leaved.			1795.	5.	G. 2.	Jac. ic. 2. t. 234.
10 fulgida. Sal.	scarlet.					G. 2.	Bot. mag. 600.
11 Meriana. H. K.	red-flowered.			1750.	5.6.	G. 2.	418.1194.
12 humilis. H. K.	lake-coloured.			1754.	5.7.	G. 2.	631.1195.
13 aletroides. H. K.	alettris-like.			1774.		G. 2.	441.
β variegata.	variegated-flow.					G. 2.	533.
GLADIOLUS. Ker.	CORN FLAG.	Iridae. B. P.					
1 Canonia. H. K.	scarlet-flowered.		C. B. S.	1756.	5.6.	G. 2.	Bot. mag. 343.
2 watsonius. H. K.	Watson's.			1791.	2.4.	G. 2.	450.569.
3 quadrangularis. H. K.	four-channelled.			1799.	3.4.	G. 2.	567.
4 viperatus. H. K.	perfumed.			1787.	4.5.	G. 2.	688.
5 alatus. H. K.	winged-flowered			1795.	5.6.	G. 2.	586.
6 namaquensis. H. K.	helmet-flowered			1800.		G. 2.	592.
7 brevifolius. H. K.	short-leaved.			1802.	12.1.	G. 2.	727.992.
8 hirsutus. H. K.	hairy.			1795.	4.6.	G. 2.	574.
9 versicolor. H. K.	various-coloured			1794.	5.6.	G. 2.	α. 1042.
10 binervis. B. M.	two-nerved.			1806.		G. 2.	α. 1042.
11 edulis. B. Reg.	eatable.			1816.		G. 2.	Bot. reg. 169.
12 hastatus. B. M.	spade.				4.5.	G. 2.	Bot. mag. 1564.
13 tristis. B. M.	square-leaved.			1745.	5.6.	G. 2.	Bot. mag. 272.
14 concolor. Sal.	self-coloured.			1790.		G. 2.	Par. Lon. 8.
15 trichanemifolius. B. M.	violet-scented.			1810.		G. 2.	Bot. mag. 1483.
16 gracilis. H. K.	slender.			1800.	3.4.	G. 2.	562.
17 recurvus. H. K.	spotted-sheathed			1758.	4.5.	G. 2.	578.

TRIANDRIA MONOGYNIA.

11

18	carneus. H. K.	flesh-coloured.	Iridæ. B. P.	C. B. S.	1796. 5.6.	G. 2.	Bot. mag. 591.
19	cuspidatus. H. K.	tall.			1795. 4.5.	G. 2.	582.
20	blandus. H. K.	blush.			1774. 6.	G. 2.	625.
21	campanulatus. P. S.	bell-flowered.			1794. 5.	G. 2.	Bot. rep. 188.
22	angustus. H. K.	narrow-leaved.			1757. 5.6.	G. 2.	Bot. mag. 602.
23	involutus. Ker.	involute.				G. 2.	Roche. Diss. 2. t. 3.
24	undulatus. H. K.	wave-flowered.			1760. 4.5.	G. 2.	Bot. mag. 538.
25	floribundus. H. K.	large-flowered.			1788. 5.7.	G. 2.	610.
26	Milleri. H. K.	Miller's.			1751. 4.5.	G. 2.	632.
27	cardinalis. H. K.	superb.			1789. 7.8.	G. 2.	185.
28	byzantinus. H. K.	Turkish.		Turkey.	1629. 6.7.	H. 2.	874.
29	communis. H. K.	common.		S. Europe.	1596. —	H. 2.	86.
MELASPHÆRULA. Ker.		MELASPHÆRULA. Iridæ. B. P. <i>Gladioli species Willd.</i>					
	graminea. H. K.	grass-leaved.		C. B. S.	1787. 4.8.	G. 2.	Bot. mag. 615.
ANTHOLYZA. Ker.		ANTHOLYZA. Iridæ. B. P.					
1	vittigera. Sal.	riband.		C. B. S. 1.2.	G. 2.	Bot. mag. 1172.
2	æthiopica. H. K.	flag-leaved.		C. B. S.	1759. 5.6.	G. 2.	Bot. mag. 561.
3	segetum. Ker.	European.		S. Eur.	1596. 6.7.	H. 2.	719.
BABIANA. Ker.		BABIANA. Iridæ. B. P. <i>Iris & Gladioli species Willd.</i>					
1	Thunbergii. H. K.	many-spiked.		C. B. S.	1774. 4.	G. 2.	
2	ringens. H. K.	gaping-flowered.			1752. 5.6.	G. 2.	Comm. hort. 1. t. 41.
3	tubiflora. W.	tube-flowered.			1774. 6.	G. 2.	Bot. mag. 847.
4	tubata. W.	long-tubed.				G. 2.	680.
5	spathacea. H. K.	stiff-leaved.			1801. —	G. 2.	638.
6	sambucina. H. K.	elder-scented.			1789. 4.5.	G. 2.	1019.
7	disticha. H. K.	two-ranked.			1774. 6.7.	G. 2.	626.
8	plicata. H. K.	sweet-scented.			— 5.8.	G. 2.	576.
9	stricta. H. K.	upright.			1757. —	G. 2.	621.637
10	purpurea. W.	purple.			1806. 5.6.	G. 2.	1052.
11	villosa. H. K.	dark-red.			1778. 8.	G. 2.	583.
12	rubro-cyanea. H. K.	red and blue.			1794. 4.6.	G. 2.	410.
ARISTEA. Ker.		ARISTEA. Iridæ. B. P.					
1	cyanea. H. K.	woolly-headed.		C. B. S.	1759. 4.6.	G. 2.	Bot. mag. 458.
2	capitata. H. K.	tallest.			1790. 7.8.	G. 2.	608.
3	spiralis. H. K.	spiral-flowered.			1795. 4.5.	G. 2.	520.
4	melaleuca. H. K.	three-coloured.			1786. 5.6.	G. 2.	1277.
5	pusilla. B. M.	flat-stemmed.			1806. 6.7.	G. 2.	1231.
WITSENIA. Ker.		WITSENIA. Iridæ. B. P.					
1	maura. H. K.	downy-flowered.		C. B. S.	1790. 11.1.	G. 2.	Bot. reg. 5.
2	corymbosa. H. K.	corymbose.			1803. 4.9.	G. 2.	Bot. mag. 895.
LAPEYROUSIA. Ker.		LAPEYROUSIA. Iridæ. B. P. <i>Iris species Willd.</i>					
1	corymbosa. H. K.	level-topped.		C. B. S.	1791. 5.6.	G. 2.	Bot. mag. 595.
2	fissifolia. B. M.	leafy-spiked.			1809. 8.9.	G. 2.	1246.
MORÆA. Ker.		MORÆA. Iridæ. B. P.					
1	flexuosa. H. K.	flexuose.		C. B. S.	1803. 4.5.	G. 2.	Bot. mag. 695.
2	collina. B. M.	equal-flowered.			1768. 5.	G. 2.	1038.
3	miniata. B. R.	spot-flowered.			— 5.6.	G. 2.	Bot. rep. 404.
4	pavonia. H. K.	Peacock.			1790. —	G. 2.	Bot. mag. 1247.
5	tripetala. H. K.	three-petaled.			1802. 4.5.	G. 2.	702.
6	angusta. B. M.	narrow-leaved.			1790. 5.6.	G. 2.	1276.
7	tricuspis. H. K.	trident-petaled.			1776. 6.	G. 2.	696 & 772.
8	tenuis. H. K.	brown-flowered.			1807. 5.6.	G. 2.	1047.
9	unguiculata. H. K.	long-clawed.			1802. —	G. 2.	593.
10	edulis. H. K.	long-leaved.			1792. —	G. 2.	613 & 1238
11	longiflora. H. K.	long-flowered.			1801. —	G. 2.	712.
12	spicata. B. M.	spiked.			1785. —	G. 2.	1283.
13	tristia. H. K.	dull-coloured.			1768. —	G. 2.	577.
14	crispa. H. K.	short-spathed.			1803. —	G. 2.	1284.
15	bituminosa. H. K.	clammy.			1787. 4.5.	G. 2.	1045.
16	viscaria. H. K.	bird-lined.			1800. 6.	G. 2.	587.
17	ramosa. H. K.	branching.			1789. 5.6.	G. 2.	771.
18	villosa. B. M.	villous.			— 4.5.	G. 2.	571.
19	barbigera. Sal.	bearded.			G. 2.	1012.
20	ciliata. H. K.	fringed-leaved.			1787. 4.6.	G. 2.	1061.
21	Sisyrinchium. H. K.	Spanish-nut.		S. Europe.	1597. 5.6.	H. 2.	1407.
22	papilionacea. H. K.	Butterfly.		C. B. S.	1795. —	G. 2.	750.
23	spathacea. W.	sheathed.			1798. 7.	G. 2.	
IRIS. Ker.		IRIS. Iridæ. B. P.					
1	pumila. H. K.	dwarf.		Austria.	1596. 4.5.	H. 2.	Bot. mag. 6. 1209.

2 lutescens. W.	pale yellow.	Iridex. B. P.	Germany.	1748.	4.5.	H. 2.	
3 cristata. W.	crested.		N. America.	1756.	5.	H. 2.	Bot. mag. 414.
4 arenaria. W. en.	sand.		Hungary.	1802.	6.	H. 2.	{ Walda. & Kit. hung. 1. t. 57.
5 susiana. W.	Chalcedonian.		Levant.	1596.	3.4.	H. 2.	Bot. mag. 91.
6 florentina. W.	Florentine.		S. Europe.	—	5.6.	H. 2.	— 671.
7 flavissima. W.	bright yellow.		Siberia.	1814.	—	H. 2.	Jac. ic. 3. t. 220.
8 biflora. W.	two-flowered.		S. Europe.	1596.	4.5.	H. 2.	—
9 aphylla. W.	naked-stalked.		1748.	5.6.	H. 2.	Bot. mag. 870.
10 variegata. W.	variegated.		Hungary.	1597.	—	H. 2.	— 16.
11 squalens. W.	brown-flowered.		S. Europe.	1768.	6.	H. 2.	— 787.
12 sambucina. W.	elder-scented.		—	1658.	—	H. 2.	— 187.
13 lurida. W.	dinky.		—	1758.	4.	H. 2.	— 669.986
14 sinbriata. Ven.	Chinese.		China.	1792.	5.6.	H. 2.	— 378.
15 subbiflora. H. K.	double-bearing.		Portugal.	1596.	4.5.	H. 2.	— 1130.
16 germanica.	German.		Germany.	1573.	5.6.	H. 2.	— 670.
17 pallida. W.	pale Turkey.		Turkey.	1596.	—	H. 2.	— 685.
18 hungarica. W. en.	Hungarian.		Hungary.	1815.	5.	H. 2.	{ Walda. et Kit. hung. 3. t. 226.
19 dichotoma. W.	forked.		Dauria.	1784.	8.	H. 2.	Bot. reg. 246.
20 moraeoides. Ker.	Moraea-flowered.		C. B. S.	1758.	4.8.	G. 2.	Bot. mag. 698.
21 Pseud-Acorus. W.	yellow water.		Britain.	6.	H. 2.	Eng. bot. 578.
22 ochroleuca. W.	sulphur-colour ^d .		Levant.	1787.	7.	H. 2.	Bot. mag. 61.
23 halophila. W.	long-leaved.		Siberia.	1780.	7.9.	H. 2.	— 1131.
24 spuria. W.	spurious.		—	1759.	7.	H. 2.	— 275.
25 spathulata.	spathulate-flow ^d .		Germany.	—	7.8.	H. 2.	— 58.
26 desertorum. Fl. C.	sweet-scented.		Russia.	1811.	7.	H. 2.	— 1514.
27 stenogyna. Red.	cream-coloured.		Siberia.	1804.	—	H. 2.	— 1515.
28 foetidissima. W.	Gladwyn.		Britain.	6.	H. 2.	Eng. bot. 596.
29 graminea. W.	grass-leaved.		Austria.	1597.	—	H. 2.	Bot. mag. 681.
30 sibirica. W.	Siberian.		Siberia.	1598.	5.6.	H. 2.	— 50 & 1168.
31 prismatica. Ph.	New Jersey.		N. America.	1812.	—	H. 2.	— 1504.
32 orientalis. W.	red-leaved.		China.	1790.	—	H. 2.	— 1604.
33 fulva. B. M.	copper-coloured.		N. America.	1812.	6.7.	H. 2.	— 1496.
34 virginica. W.	Virginian.		—	1758.	—	H. 2.	— 703.
35 versicolor. W.	various-coloured.		—	1732.	5.6.	H. 2.	— 21.
36 verna. W.	spring.		Virginia.	1748.	4.5.	H. 2.	Pluk. alm. t. 196. f. 6.
37 ruthenica. Ker.	pigmy.		Siberia.	1804.	8.	H. 2.	Bot. m. 1128 & 1393.
38 tenuifolia. W.	slender-leaved.		Dauria.	1796.	—	H. 2.	Pall. it. 3. t. C. f. 2.
39 ventricosa. W.	bellied.		—	1800.	6.	H. 2.	— t. B. f. 1.
40 Xiphium. W.	small bulbous.		Spain.	1596.	—	H. 2.	Bot. mag. 686.
41 Xiphioides. W.	great bulbous.		—	1571.	—	H. 2.	— 687.
42 lusitanica. H. K.	Portuguese.		Portugal.	1596.	4.	H. 2.	— 679.
43 alata. Lam.	long-tubed.		Algiers.	1801.	H. 2.	Desf. Atl. 1. t. 6.
44 persica. W.	Persian.		Persia.	1629.	3.	H. 2.	Bot. mag. 1.
45 tuberosa. W.	Snake's-head.		Levant.	1597.	3.4.	H. 2.	— 631.
MARICA. Ker.	MARICA.	Iridex. B. P.					
1 Northiana. H. K.	broad-stemmed.		Brasil.	1789.	4.8.	S. 2.	Bot. mag. 654.
2 martinicensis. H. K.	Martinico.		Martinico.	1782.	6.	S. 2.	— 416.
3 gladiata. B. Reg.	Cape.		C. B. S.	1816.	6.7.	G. 2.	Bot. reg. 229.
4 paludosa. H. K.	marsh.		Guiana.	1792.	7.8.	S. 2.	Bot. mag. 646.
5 plicata. B. M.	broad-leaved.		W. Ind.	1787.	6.8.	S. 2.	— 655.
6 californica. B. M.	yellow.		California.	1796.	5.9.	F. 2.	— 983.
7 palmifolia. W.	palm-leaved.		Brazil.	1779.	2.3.	S. 2.	—
8 striata. B. M.	streaked.		Mexico.	1788.	4.9.	H. 2.	Bot. mag. 701.
PARDANTHUS. Ker.	PARDANTHUS.	Iridex. B. P.	Belamcanda. Redout.				
chinensis. H. K.	Chinese.		China.	1759.	6.7.	H. 2.	Bot. mag. 171.
COMMELINA. B. P.	COMMELINA.	Commelineæ. B. P.					
1 communis. W.	common.		America.	1732.	6.7.	H. 2.	Red. lil. 206.
2 africana. W.	African.		C. B. S.	1759.	5.10.	G. 2.	Bot. mag. 1431.
3 bengalensis. W.	Bengal.		Bengal.	1794.	6.	S. 2.	Murr. gott. p. 8. t. 5.
4 erecta. W.	upright.		Virginia.	1732.	8.9.	H. 2.	Dil. elt. 94. t. 77. f. 88.
5 virginica. W.	Virginian.		—	1779.	6.	H. 2.	{ Pluk. alm. 135. t. 174. f. 4.
6 longicaulis. W.	long-stalked.		Caracas.	1806.	8.	S. 2.	Jac. ic. 2. t. 294.
7 mollis. W.	soft.		—	1804.	—	S. 2.	— 2. t. 293.
8 tuberosa. W. en.	tuberous-rooted.		Mexico.	1732.	6.7.	S. 2.	Bot. rep. 399.
9 caelestis. W. en.	sky-blue.		1813.	—	S. 2.	Bot. mag. 1695.
ANEILEMA. B. P.	ANEILEMA.	Commelineæ. B. P.	Commelineæ species L.				
apicata. B. P.	spear-leaved.		E. Ind.	1789.	7.8.	S. 2.	

CALLISIA. W repens. W	CALLISIA. creeping.	Commelinæ. B.P.	W. Ind.	1776.	6.7.	S. 2.	Jac. amer. 11. t. 11.
LEPTANTHUS. Mich. reniformis. M.	LEPTANTHUS. kidney-leaved.		N. America.	1812.	6.7.	H. 2.	
WACHENDORFIA. } Ker.	WACHENDORFIA. Hæmodoracæ. B.P.						
1 thyrsiflora. W.	tall-flowered.		C. B. S.	1759.	5.6.	G. 2.	Bot. mag. 1080.
2 paniculata. W.	panicked.			1700.	2.	G. 2.	616.
3 graminea. W.	grass-leaved.			6.	G. 2.	
4 hirsuta. W.	hairy.			1687.		G. 2.	614.
5 brevifolia. H. K.	short-leaved.			1795.	3.4.	G. 2.	1166.
XIPHIDIUM. W.	XIPHIDIUM.	Hæmodoracæ. B.P.					
1 album. W.	white.		W. Ind.	1787.	S. 2.	
2 cœruleum. W.	blue.		Guiana.	1798.	S. 2.	Amb. Gui. 1. t. 11.
DILATRIS. Ker. corymbosa. W	DILATRIS. broad-petaled.	Hæmodoracæ. B.P.					
2 viscosa. W	clammy.		C. B. S.	1790.	5.	G. 2.	Ex. bot. 1. t. 16.
HÆMODORUM. Sm. planifolium. B. P.	HÆMODORUM. plain-leaved.	Hæmodoracæ. B.P.					
XYRIS. L.	XYRIS.	Restiaceæ. B. P.					
1 operculata. B. P.	rush-leaved.		N. S. W.	1810.	7.11.	G. 2.	Bot. mag. 1610.
2 brevifolia. P. S.	short-leaved.		N. S. W.	1804.	6.7.	G. 2.	Bot. mag. 1158.
MARISCUS. Va.	MARISCUS.	Cyperacæ. B. P.	Carolina.	1812.	6.8.	H. 2.	
1 umbellatus. W. en.	umbelled.		<i>Kyllingæ species</i> L.				
2 elatus. W. en.	tall.		E. Ind.	1789.	6.8.	S. 2.	Rott. gram. t. 4. f. 2.
KYLLINGA. W.	KYLLINGA.	Cyperacæ. B. P.					
1 monocephala. W.	one-headed.			1805.		S. 2.	Jac. ic. 2. t. 300.
2 triceps. W.	three-headed.		India.	1793.	6.7.	S. 2.	Rott. gram. t. 4. f. 4.
CYPERUS. W.	CYPERUS.	Cyperacæ. B. P.					
1 dubius. W.	bulbous-rooted.			1776.	9.11.	S. 2.	t. 4. f. 6.
2 pannonicus. W.	dwarf.		E. Ind.	1802.	7.	S. 2.	Rot. gram. 20. t. 4. f. 5
3 Luzula. W.	compact-flower ^d .		Hungary.	1781.	7.8.	H. 2.	Host. gram. 3. t. 20.
4 viscosus. W.	clammy.		W. Ind.	5.9.	S. 2.	Rott. gram. t. 13. f. 3.
5 fastigiatus. W.	lofty.		Jamaica.	1781.	5.8.	S. 2.	Jac. ic. 2. t. 295.
6 glomeratus. W. en.	round-headed.		E. Ind.	1800.		S. 2.	Rot. gram. 32. t. 7. f. 2
7 elegans. W.	elegant.		Italy.	1804.		H. 2.	
8 flavesens. W.	yellow.		Jamaica.	1801.	5.9.	G. 2.	Sloan. ja. 1. t. 75. f. 1.
9 fuscus. W.	brown.		Germany.	1776.	6.9.	H. 2.	Host. gram. 3. t. 72.
10 strigosus. W.	bristle-spiked.		Europe.	1777.	7.9.	H. 2.	3. t. 73.
11 vegetus. W.	smooth.		W. Ind.	1786.		S. 2.	Rott. g. 40. t. 11. f. 3.
12 esculentus. W.	Rush-nut.		America.	1790.	5.9.	H. 2.	Jac. vind. 3. t. 12.
13 longus. W.	sweet.		S. Europe.	1597.	7.	H. 2.	Host. gram. 3. t. 75.
14 Iria. W.	tall.		England.		H. 2.	Eng. bot. 1309.
15 Papyrus. W.	Paper.		E. Ind.	1802.		S. 2.	Rheed. mal. 12. t. 56.
16 alopecuroides. P. S.	fox-tailed.		Egypt.	7.9.	S. 2.	Mich. gen. 44. t. 19.
17 badius. P. S.	saw-leaved.		C. B. S. &c.	1894.	5.8.	G. 2.	Rott. g. 38. t. 2. f. 2.
18 alternifolius. W.	alternate-leaved.		Algiers.	1800.	7.	G. 2.	Desf. At. 1. t. 7. f. 2.
ISOLEPIS. B. P.	ISOLEPIS.	Cyperacæ. B. P.	Madagascar.	1781.	2.3.	S. 2.	Jac. ic. 2. t. 298.
1 fruitans. B. P.	floating.		<i>Scirpi species</i> Willd.				
2 setacea. B. P.	bristle-like.		Britain.	7.8.	H. 2.	Eng. bot. 216.
SCIRPUS. B. P.	CLUB-RUSH.	Cyperacæ. B. P.					
1 multicaulis. E. B.	many-stalked.				H. 2.	1692.
2 cæspitosus. W.	scaly-stalked.		Britain.	7.	H. 2.	Eng. bot. 1187.
3 pauciflorus. E. B.	chocolate-head ^d		H. 2.	1029.
4 compressus. P. S.	compressed.			8.	H. 2.	1122.
5 lacustris. W.	tall.			6.7.	H. 2.	791.
6 Holoschoenus. W.	cluster-headed.			7.8.	H. 2.	666.
7 romanus. W.	Roman.		England.	7.	H. 2.	1612.
8 glaucus. E. B.	glaucous.				H. 2.	Jac. aust. 5. t. 448.
9 triquetus. W.	triangular.			7.8.	H. 2.	Eng. bot. 2321.
10 mucronatus. W.	sharp-pointed.			8.	H. 2.	1694.
11 carinatus. E. B.	blunt-edged.				H. 2.	
12 maritimus. W.	salt marsh.			7.8.	H. 2.	Eng. bot. 1983.
13 Luzula. W.	clustered.		Britain.	7.9.	H. 2.	542.
14 sylvaticus. W.	wood.		E. Ind.	1776.		S. 2.	{ Pluk. mant. 27. t. 417. f. 3.
ELEOCHARIS. B. P.	SPIKE-RUSH.	Cyperacæ. B. P.					
1 palustris. B. P.	marsh.		Britain.		H. 2.	Eng. bot. 919.
2 acicularis. B. P.	upright-needle.		<i>Scirpi species</i> Willd.				
			Britain.	7.	H. 2.	Eng. bot. 181.
					H. 2.	749.

RHYNCHOSPORA. } RHYNCHOSPORA. Cyperaceæ. B. P. <i>Schæni species L.</i>									
Va.									
1 alba. H. K.	white-headed.	_____	Britain.	8.	H. ½.	Eng. bot.	985.	
2 fusca. H. K.	brown-headed.	_____	_____	_____	H. ½.	_____	1575.	
SCHÆNUS. Va.	BOG-RUSH.	Cyperaceæ. B. P.							
1 mucronatus. W.	clustered.	_____	S. Europe.	1781.	4.5.	H. ½.	Fl. græc.	1. t. 43.	
2 nigricans. W.	black.	_____	Britain.	7.	H. ½.	Eng. bot.	1121.	
3 rufus. E. B.	brown.	_____	Scotland.	_____	H. ½.	_____	1010.	
4 monoicus. E. B.	monœcious.	_____	England.	7.8.	H. ½.	_____	1410.	
CLADIUM. B. P.	CLADIUM.	Cyperaceæ. B. P.	<i>Schæni species L.</i>						
Mariscus. B. P.	prickly.	_____	England.	7.8.	H. ½.	Eng. bot.	950.	
TRICHOPHORUM. P. S. } TRICHOPHORUM. } Cyperaceæ. B. P. <i>Eriophori species Willd.</i>									
1 cyperinum. P. S.	cyperine.	_____	N. Amer.	1802.	5.9.	H. ½.	Pluk. mant. t.	419. f. 3.	
2 alpinum. P. S.	Alpine.	_____	Scotlaud.	7.	H. ½.	Eng. bot.	311.	
ERIOPHORUM. P. S.	COTTON-GRASS.	Cyperaceæ. B. P.							
1 vaginatum. W.	Hare's-tail.	_____	Britain.	3.4.	H. ½.	Eng. bot.	873.	
2 polystachion. W.	broad-leaved.	_____	_____	6.7.	H. ½.	_____	563.	
3 angustifolium. W.	narrow-leaved.	_____	_____	4.	H. ½.	_____	564.	
4 virginicum. W.	Virginian.	_____	N. Amer.	1802.	5.8.	H. ½.	Pluk. alm. t.	299. f. 4.	
5 gracile. P. S.	slender.	_____	Scotland.	7.8.	H. ½.	Eng. bot.	2402.	
6 capitatum. E. B.	round-headed.	_____	_____	8.9.	H. ½.	_____	2387.	
NARDUS. W.	MAT-GRASS.	Gramineæ. B. P.							
1 stricta. W.	upright.	_____	Britain.	6.7.	H. ½.	Eng. bot.	290.	
2 aristata. W.	awned.	_____	S. Europe.	1805.	_____	H. ½.	Vill. delph.	2. t. 2.	
LYGEUM. W.	LYGEUM.	Gramineæ. B. P.							
Spartum. W.	rush-leaved.	_____	Spain.	1776.	5.6.	H. ½.	Clus. hist.	2. f. 2.	
CORNUCOPIÆ. W.	CORNUCOPIÆ.	Gramineæ. B. P.							
encullatum. W.	hooded.	_____	Levant.	1788.	8.	H. ½.	Fl. græc.	1. t. 51.	
CENCHRUS. P. S.	CENCHRUS.	Gramineæ. B. P.							
1 lappaceus. W.	Bur.	_____	India.	1773.	7.	H. ½.	_____	_____	
2 echinatus. W.	rough-spiked.	_____	W. Ind.	1691.	8.12.	S. ½.	Cav. ic. 5. p.	39. t. 462	
SESLERIA. W. en.	SESLERIA.	Gramineæ. B. P.							
1 cœrulea. E. B.	blue.	_____	Britain.	4.5.	H. ½.	Eng. bot.	1613.	
2 elongata. W. en.	long-spiked.	_____	Austria.	5.6.	H. ½.	Host. gram.	2. t. 37.	
LIMNETIS. P. S.	LIMNETIS.	Gramineæ. B. P.	<i>Dactylidis species L.</i>						
1 pungens. P. S.	upright.	_____	Britain.	8.	H. ½.	Eng. bot.	380.	
2 cynosuroides. P. S.	Dog's-tail.	_____	N. Amer.	1781.	8.9.	H. ½.	Lin. fil. fa. 1. p.	17. f. 3	
3 polystachia. Ph.	many-spiked.	_____	_____	_____	_____	H. ½.	_____	_____	
4 juncea. Ph.	spreading.	_____	_____	_____	7.8.	H. ½.	_____	_____	

DIGYNIA.

TRICHODIUM. Mi.	TRICHODIUM.	Gramineæ. B. P.	<i>Agrostidis species L.</i>						
1 decumbens. Mi.	decumbent.	_____	N. Amer.	1786.	6.7.	H. ½.	Fraser. Mon. cum. ic		
2 caninum. W. en.	brown.	_____	Britain.	7.8.	H. ½.	Eng. bot.	1856.	
SPOROBOLUS. B. P.	SPOROBOLUS.	Gramineæ. B. P.	<i>Agrostidis species L.</i>						
indicus. B. P.	Indian.	_____	India.	1773.	8.10.	H. ½.	_____	_____	
AGROSTIS. W.	BENT-GRASS.	Gramineæ. B. P.							
1 Spica-venti. W.	silky.	_____	England.	6.7.	H. ½.	Eng. bot.	951.	
2 retrofracta. W. en.	broad-leaved.	_____	N. Holland.	1806.	7.8.	H. ½.	_____	_____	
3 littoralis. E. B.	sea-side.	_____	England.	8.	H. ½.	Eng. bot.	1261.	
4 setacea. E. B.	bristly.	_____	Britain.	7.8.	H. ½.	_____	1188.	
5 vulgaris. E. B.	fine.	_____	_____	_____	H. ½.	_____	1671.	
6 hispida. W.	hispid.	_____	Europe.	1805.	_____	H. ½.	_____	_____	
7 stolonifera. W.	creeping.	_____	Britain.	7.	H. ½.	Eng. bot.	1532.	
8 alba. W.	marsh.	_____	_____	_____	H. ½.	_____	1189.	
9 Cinna. Ph.	reed-like.	_____	Canada.	1789.	_____	H. ½.	_____	_____	
10 mexicana. W.	Mexican.	_____	America.	1780.	6.9.	H. ½.	_____	_____	
11 tenacissima. W.	tough.	_____	E. Ind.	1801.	6.9.	S. ½.	_____	_____	
12 verticillata. W.	whorl-flowered.	_____	S. Europe.	1800.	6.7.	H. ½.	_____	_____	
13 sylvatica. L.	wood.	_____	Britain.	_____	H. ½.	_____	_____	
14 lenta. W.	forked.	_____	E. Ind.	1778.	7.10.	H. ½.	_____	_____	
KNAPPIA. E. B.	KNAPPIA.	Gramineæ. B. P.	<i>Agrostidis species L. Sturmia P. S.</i>						
agrostidea. E. B.	small.	_____	Wales.	3.4.	H. ½.	Eng. bot.	1127.	
PEROTIS. H. K.	PEROTIS.	Gramineæ. B. P.							
latifolia. W.	spiked.	_____	E. Ind.	1777.	8.9.	S. ½.	Rheed. maj.	12. t. 62.	
POLYPOGON. W. en.	POLYPOGON.	Gramineæ. B. P.							
panicus.	panic-grass-like.	_____	Britain.	7.8.	H. ½.	Eng. bot.	1704.	

STIPA. W.		FEATHER-GRASS Gramineæ, B. P.							
1 pennata. W.	common.		Britain.	7.8. H. ½.	Eng. bot. 1356.			
2 humilis. P. S.	low.		S. Amer.	1802.	— H. ½.	Cav. ic. 5. t. 466. f. 1.			
3 juncea. W.	rush-leaved.		France.	1772.	7. H. ½.	Fl. græc. 1. t. 85.			
4 sibirica. P. S.	Siberian.		Siberia.	1777.	7.8. H. ½.	Gmel. sib. 1. t. 22.			
5 aristella. W.	awned.		Montpelier.	1806.	— H. ½.				
TRisetum. P. S.	TRisetum.	Gramineæ, B. P.	<i>Avena species Willd.</i>						
1 striatum. P. S.	striated.		S. Europe.	1804.	7.8. H. ½.				
2 hispanicum. P. S.	Loefling's.		Spain.	1770.	6.7. H. ½.	Cav. ic. 1. t. 45. f. 1.			
3 pratense. P. S.	yellowish.		Britain.	— H. ½.	Eng. bot. 952.			
AVENA. P. S.	OAT-GRASS.	Gramineæ, B. P.							
1 pensylvanica. W.	Pensylvanian.		N. Amer.	1785.	6.7. H. ½.				
2 strigosa. W.	bristle-pointed.		Britain.	— H. ½.	Eng. bot. 1268.			
3 brevis. W.	short.		Germany.	1804.	— H. ½.				
4 orientalis. W.	Tartarian.		1798.	— H. ½.				
5 sativa. W.	common.		S. Amer.	— H. ½.	Host. gram. 2. t. 59.			
6 nuda. W.	naked.		— H. ½.	3. t. 43.			
7 fatua. W.	wild.		Britain.	8. H. ½.	2. t. 58.			
8 pubescens. W.	downy.		7.8. H. ½.	Eng. bot. 640.			
9 sterilis. W.	bearded.		Barbary.	1640.	— H. ½.	Host. gram. 1. t. 57.			
10 fragilis. W.	brittle.		S. Europe.	1770.	— H. ½.	2. t. 54.			
11 planiculmis. E. B.	flat-stalked.		Britain.	6.7. H. ½.	Eng. bot. 2141.			
12 pratensis. W.	narrow-leaved.		— H. ½.	1204.			
13 argentea. W. en.	silvery.		Switzerland.	1791.	— H. ½.	Host. gram. 2. t. 53.			
14 distichophylla. W. en.	fan-leaved.		— H. ½.	{ Vill. delph. 2. t. 4. f. 4.			
BROMUS. W.	BROME-GRASS.	Gramineæ, B. P.							
1 secalinus. W.	smooth Rye.		England.	6.8. H. ½.	Eng. bot. 1171.			
2 commutatus. W. en.	downy Rye.		Britain.	— H. ½.	1881.			
3 multiflorus. W. en.	many-flowered.		Germany.	1815.	— H. ½.				
4 mollis. W.	soft.		Britain.	— H. ½.	Eng. bot. 1078.			
5 lanceolatus. W.	spear-leaved.		Caspia.	1798.	— H. ½.	Buxb. cen. 5. f. ap. 19.			
6 squarrosus. W.	corn.		England.	— H. ½.	Eng. bot. 1885.			
7 Alopecurus. W.	Fox-tail.		Barbary.	1799.	— H. ½.	Desf. atl. 1. t. 25.			
8 purgans. W.	purging.		Canada.	1793.	— H. ½.				
9 inermis. W.	awnless.		Germany.	1794.	— H. ½.	Host. gram. 1. t. 9.			
10 asper. W.	hairy wood.		England.	— H. ½.	Eng. bot. 1172.			
11 pratensis. E. B.	meadow.		— H. ½.	920.			
12 littoreus. W.	sea.		Europe.	1802.	— H. ½.				
13 ciliatus. W.	ciliated.		Canada.	— H. ½.				
14 sterilis. W.	barren.		Britain.	— H. ½.	Eng. bot. 1030.			
15 arvensis. E. B.	field.		— H. ½.	1984.			
16 erectus. E. B.	upright.		England.	— H. ½.	471.			
17 tectorum. W.	nodding.		Europe.	1776.	— H. ½.	Hort. gram. 1. t. 15.			
18 altissimus. Ph.	tallest.		N. Amer.	1812.	— H. ½.				
19 racemosus. W.	smooth.		England.	— H. ½.	Eng. bot. 1079.			
20 maximus. Roth.	great.		Morocco.	1804.	— H. ½.				
21 madritensis. W.	wall.		— H. ½.	1006.			
22 sylvaticus. E. B.	wood.		Britain.	— H. ½.	729.			
23 pinnatus. W.	spiked-heath.		— H. ½.	730.			
24 cristatus. W.	crested.		Scotland.	— H. ½.	2267.			
25 distachyos. W.	two-spiked.		S. Europe.	1772.	— H. ½.	Host. gram. 1. t. 20.			
FESTUCA. W.	FESCUE-GRASS.	Gramineæ, B. P.							
1 bromoides. W.	barren.		Britain.	6. H. ½.	Eng. bot. 1411.			
2 tenella. Ph.	slender.		N. Amer.	1804.	7.8. H. ½.				
3 ovina. W.	sheep's.		Britain.	6. H. ½.	Eng. bot. 585.			
4 vivipara. E. B.	viviparous.		7. H. ½.	1356.			
5 rubra. W.	creeping.		— H. ½.	2056.			
6 duriuscula. W.	hard.		6. H. ½.	470.			
7 amethystina. W.	blue.		S. Europe.	1804.	6.7. H. ½.				
8 cæsia. E. B.	gray.		England.	— H. ½.	Eng. bot. 1917.			
9 dumetorum. W.	bushy.		Britain.	— H. ½.	Fl. dan. t. 700.			
10 Myurus. W.	wall.		England.	— H. ½.	Eng. bot. 1412.			
11 uniglumis. W.	single-husked.		— H. ½.	1430.			
12 gigantea. E. B.	gigantic.		Britain.	7.8. H. ½.	1820.			
13 calamaria. E. B.	reed-like.		Scotland.	— H. ½.	1005.			
14 triflora. E. B.	three-flowered.		Britain.	— H. ½.	1373.			
15 spadicæa. W.	Gerard's.		Italy.	1775.	4.5. H. ½.	Host. gram. 3. t. 20.			
16 pratensis. E. B.	meadow.		Britain.	6.7. H. ½.	Eng. bot. 1592.			
17 vaginata. W. en.	sheathed.		Hungary.	1804.	— H. ½.				

18 decidua. E. B.	deciduous.	Gramineæ. B. P.	England.	6.7. H. ½.	Eng. bot. 2268.
19 elatior. W.	tall.	_____	Britain.	H. ½.	1593.
20 diandra. Ph.	diandrous.	_____	N. Amer.	1810.	H. ½.	Mich. amer. t. 10.
21 loliacea. W.	spiked.	_____	England.	H. ½.	Eng. bot. 1821.
22 grandiflora. Ph.	large-flowered.	_____	N. Amer.	1812.	H. ½.	_____
23 rubens. P. S.	Spanish.	_____	S. Europe.	1776.	6. H. ½.	Host. gram. 1. t. 18.
24 stipoides. P. S.	fine-leaved.	_____	Majorca.	1793.	6.7. H. ½.	Barrel ic. t. 76. f. 1.
25 calycina. W.	bearded-leaved.	_____	Spain.	1781.	H. ½.	Cav. ic. 1. t. 44. f. 2.
26 glauca. P. S.	glaucous.	_____	S. Europe.	H. ½.	Lam. ill. 1. t. 46. f. 3.
27 ciliata. P. S.	ciliated.	_____	Portugal.	1802.	7.8. H. ½.	_____
28 distichiphylla. Ph.	two-ranked.	_____	N. Amer.	1789.	6.7. H. ½.	_____
29 nutans. Ph.	nodding.	_____	_____	1805.	H. ½.	_____
30 heterophylla. P. S.	various-leaved.	_____	France.	1812.	H. ½.	Vaill. par. t. 19. f. 6.
31 unioides. Ph.	uniola-like.	_____	N. Amer.	1796.	H. ½.	Willd. ber. t. 3.
TRITICUM. W.	WHEAT-GRASS.	Gramineæ. B. P.	_____	_____	_____	_____
1 æstivum. W.	summer.	_____	Baschiro.	6.7. H. ½.	_____
2 hybernum. W.	Lammas.	_____	_____	H. ½.	Host. gram. 3. t. 20.
3 compositum. W.	Egyptian.	_____	Egypt.	1799.	H. ½.	Moris. his. 3. t. 1. f. 7.
4 turgidum. W.	turgid.	_____	_____	H. ½.	Host. gram. 3. t. 28.
5 polonicum. W.	Polish.	_____	_____	1692.	H. ½.	3. t. 31.
6 Spelta. W.	Spelt.	_____	_____	H. ½.	3. t. 30.
7 monococcum. W.	one-grained.	_____	_____	1648.	H. ½.	3. t. 32.
8 prostratum. W.	trailing.	_____	Siberia.	1740.	6. H. ½.	Jac. vind. 3. t. 44.
9 squarrosus. Roth.	Porcupine.	_____	Egypt.	1800.	6.7. H. ½.	_____
10 junceum. W.	rusliy.	_____	England.	H. ½.	Eng. bot. 814.
11 repens. W.	Couch-grass.	_____	Britain.	7.8. H. ½.	909.
12 caninum. E. B.	bearded.	_____	_____	H. ½.	1379.
13 tenellum. W.	dwarf.	_____	Spain.	1781.	H. ½.	Host. gram. 2. t. 26.
14 unioides. W.	linear-spiked.	_____	Italy.	1758.	7.9. H. ½.	Jac. ic. 2. t. 303.
15 loliaceum. W.	spiked sea.	_____	Britain.	6.7. H. ½.	Eng. bot. 221.
16 unilaterale. W.	one-sided.	_____	S. Europe.	1800.	H. ½.	_____
17 rigidum. W. en.	rigid.	_____	Germany.	1805.	H. ½.	_____
SECALE. W.	Rye.	Gramineæ. B. P.	_____	_____	_____	_____
1 cereale. W.	common.	_____	Crete.	6.7. H. ½.	Host. gram. 2. t. 48.
2 villosus. W.	villous.	_____	S. Europe.	1790.	H. ½.	Buxb. cent. 5. t. 41.
3 orientale. W.	hairy-spiked.	_____	Levant.	1807.	H. ½.	{ Willd. N. Act. Ber. 2. t. 4. f. 3.
HORDEUM. W.	BARLEY.	Gramineæ. B. P.	_____	_____	_____	_____
1 vulgare. W.	spring.	_____	Sicily.	7. H. ½.	Host. gram. 3. t. 84.
2 hexastichon. W.	winter.	_____	_____	H. ½.	3. t. 85.
3 distichon. W.	common.	_____	Tartary.	H. ½.	3. t. 86.
4 Zeocriton. W.	Battledore.	_____	_____	8. H. ½.	3. t. 87.
5 bulbosum. W.	bulbous.	_____	Italy.	1770.	7. H. ½.	Fl. græc. 1. t. 98.
6 murinum. W.	wall.	_____	Britain.	4.8. H. ½.	Eng. bot. 1971.
7 pratense. Roth.	meadow.	_____	_____	6. H. ½.	409.
8 secalinum. Ro h.	rye-like.	_____	Europe.	H. ½.	Host. gram. 1. t. 33.
9 maritimum. W.	sea.	_____	Britain.	6.7. H. ½.	Eng. bot. 1205.
10 jubatum. H. K.	long-bearded.	_____	N. Amer.	1782.	7.8. H. ½.	_____
ELYMUS. W.	LYME-GRASS.	Gramineæ. B. P.	_____	_____	_____	_____
1 arenarius. W.	upright sea.	_____	Britain.	4.6. H. ½.	Eng. bot. 1672.
2 geniculatus. E. B.	pendulous.	_____	England.	7. H. ½.	1586.
3 sabulosus. W. cu.	glaucous.	_____	Siberia.	1806.	6.7. H. ½.	_____
4 giganteus. W.	gigantic.	_____	N. Amer.	1790.	7.8. H. ½.	_____
5 sibiricus. W.	Siberian.	_____	Siberia.	1758.	6.7. H. ½.	Schr. gra. 2. t. 21. f. 1.
6 tener. W.	tender.	_____	_____	1801.	H. ½.	_____
7 philadelphicus. W.	Philadelphian.	_____	N. Amer.	1790.	7.8. H. ½.	_____
8 canadensis. W.	Canadian.	_____	_____	1699.	H. ½.	Mor. his. 8. t. 2. f. 10.
9 virginicus. W.	Virginian.	_____	Virginia.	1781.	6.7. H. ½.	_____
10 striatus. W.	striated.	_____	N. Amer.	1790.	H. ½.	_____
11 villosus. Ph.	villous.	_____	_____	1802.	H. ½.	_____
12 europæus. W.	wood.	_____	England.	H. ½.	Eng. bot. 1317.
13 crinitus. Sch.	long-awned.	_____	Smyrna.	1806.	H. ½.	Sch. gra. 15. t. 24. f. 3.
14 Caput-Medusæ. W.	Portuguese.	_____	Portugal.	1784.	H. ½.	{ 2. p. 17. t. 24. f. 2.
LOLIUM. W.	DARNEL.	Gramineæ. B. P.	_____	_____	_____	_____
1 perenne. W.	Rye-grass.	_____	Britain.	5.6. H. ½.	Eng. bot. 315.
2 tenue. W.	slender.	_____	S. Europe.	1590.	7.8. H. ½.	_____
3 temulentum. W.	bearded.	_____	Britain.	H. ½.	Eng. bot. 1124.
4 arvense. E. B.	beardless.	_____	England.	7. H. ½.	1126.

TRIANDRIA DIGYNIA.

27

KOELERIA. P. S.	KOELERIA.	Gramineæ. B. P.			
1 cristata. P. S.	crested.	_____	Europe. 6.8. H. ♀.	
2 tuberosa. P. S.	tuberous.	_____	Britain. 7.8. H. ♀.	Eng. bot. 648.
3 pubescens.	pubescent.	_____	S. Europe.	1800. 6.7. H. ♂.	
GLYCERIA. B. P.	GLYCERIA.	Gramineæ. B. P.	<i>Festuca sp. L. Poæ sp. Smith.</i>		
luitana. B. P.	floating.	_____	Britain. 5.8. H. ♀.	Eng. bot. 1520.
POA. W.	MEADOW-GRASS.	Gramineæ. B. P.			
1 aquatica. W.	water.	_____	Britain. 7. H. ♀.	Eng. bot. 1315.
2 procumbens. E. B.	procumbent.	_____	_____ 7.8. H. ♂.	582.
3 alpina. W.	Alpide.	_____	Scotland. 6.7. H. ♀.	1003.
4 flexuosa. E. B.	zigzag.	_____	_____ H. ♀.	1123.
5 laxa. W.	loose-spiked.	_____	Germany.	1800. — H. ♀.	Host. gram. 3. t. 15.
6 oesia. E. B.	sea-green.	_____	Scotland. H. ♀.	Eng. bot. 1719.
7 vivipara. W. en.	viviparous.	_____	Switzerland.	1800. — H. ♀.	
8 trivialis. W.	common.	_____	Britain. 6.8. H. ♀.	Eng. bot. 1072.
9 angustifolia. W.	narrow-leaved.	_____	Germany. — H. ♀.	Leers, t. 6. f. 3.
10 pratensis. W.	smooth-stalked.	_____	Britain. 5.6. H. ♀.	Eng. bot. 1078.
11 humilis. F. B.	short bluish.	_____	_____ — H. ♀.	1004.
12 annua. W.	annual.	_____	_____ 3.10. H. ♂.	1141.
13 badensis. W.	turfy.	_____	Baden.	1800. 7. H. ♀.	
14 amabilis. W.	purple.	_____	E. Ind.	1802. — H. ♂.	
15 Eragrostis. W.	spreading.	_____	Italy.	1699. — H. ♂.	Host. gram. 2. t. 69.
16 sudetica. W.	broad-leaved.	_____	Germany.	1802. 7.8. H. ♀.	
17 cenisia. W. en.	soft.	_____	Mt. Cenis.	1791. — H. ♀.	
18 flava. W.	pale yellow.	_____	N. America.	1804. — H. ♀.	
19 serotina. W. en.	late-flowering.	_____	Germany.	1800. 7.9. H. ♀.	
20 festucaformis. W. en.	Festuca-like.	_____	Dalmatia.	— H. ♀.	
21 pilosa. W. en.	pilose.	_____	Italy.	1804. 7.8. H. ♂.	
22 abyssinica. W.	smooth upright.	_____	Abyssinia.	1775. 8.10. H. ♂.	Jac. ic. 1. t. 17.
23 capillaris. W.	hair-panicled.	_____	N. America.	1781. 10.11. H. ♂.	Moris. h. 3. t. 6. f. 33.
24 megastachya. P. S.	Love-grass.	_____	S. Europe.	1776. 7.8. H. ♂.	Schreb. gram. t. 38.
25 tenella. W.	small.	_____	E. Ind.	1781. — S. ♂.	Burm. zey. t. 47. f. 3.
26 maritima. W.	sea.	_____	Britain. 6.7. H. ♀.	Eng. bot. 1140.
27 rigida. W.	hard.	_____	England. — H. ♂.	1371.
28 compressa. W.	flat-stalked.	_____	Britain. 6.8. H. ♂.	385.
29 glauca. E. B.	glaucous.	_____	_____ — H. ♀.	1720.
30 nemoralis. W.	wood.	_____	_____ 6. H. ♀.	1265.
31 amboinensis. W.	upright.	_____	E. Ind.	1800. 6.7. S. ♀.	{ Rumph. amb. 6. t. 7. f. 3.
32 bulbosa. W.	bulbous.	_____	England. 7. H. ♀.	Eng. bot. 1071.
33 distans. W.	distant.	_____	Austria.	1794. 7.8. H. ♀.	986.
34 retroflexa. E. B.	reflexed.	_____	Britain. — H. ♀.	1532.
35 egyptiaca. W. en.	Egyptian.	_____	Egypt.	1812. — H. ♂.	
36 elongata. W. en.	long-panicled.	_____	E. Ind.	— S. ♀.	
37 divaricata. W.	divaricate.	_____	S. Europe.	1802. — H. ♂.	Gouan. ill. 4. t. 2. f. 1.
38 peruviana. W.	Peruviag.	_____	Peru.	— H. ♂.	Jac. ic. 1. t. 18.
39 nervata. W.	nerved.	_____	N. America.	1812. — H. ♀.	
40 ciliaris. W.	ciliated.	_____	Jamaica.	1776. — H. ♂.	Jac. ic. 2. t. 304.
41 digitata. B. P.	fingered.	_____	N. S. W.	1800. — H. ♂.	
TRIODIA. B. P.	TRIODIA.	Gramineæ. B. P.	<i>Festuca species L.</i>		
decumbens.	decumbent.	_____	Britain. 7.8. H. ♀.	Eng. bot. 792.
CALAMAGROSTIS. With. }	CALAMAGROSTIS.	Gramineæ. B. P.	<i>Arundinis species L.</i>		
1 epigees. W.	wood.	_____	Britain. 7. H. ♀.	Eng. bot. 408.
2 stricta. E. B.	upright.	_____	Scotland. 7.8. H. ♀.	2160.
3 speciosa. W. en.	beautiful.	_____	Germany.	1813. — H. ♀.	
4 arundinacea. Roth.	Reed-like.	_____	_____ — H. ♀.	
5 vulgaris.	common.	_____	England. 7. H. ♀.	Eng. bot. 2159.
6 arenaria. W.	Sea Mat-weed.	_____	Britain. 6.7. H. ♀.	520.
ARUNDO. B. P.	REED.	Gramineæ. B. P.			
1 Donax. W.	manured.	_____	S. Europe.	1648. 7.8. H. ♀.	
β versicolor.	striped.	_____	_____ — H. ♀.	Moris. hist. 3. t. 8. f. 9
2 phragmites. W.	common.	_____	Britain. 7.9. H. ♀.	Eng. bot. 401.
AIKA. W.	HAIR-GRASS.	Gramineæ. B. P.			
1 aquatica. W.	water.	_____	Britain. 5.6. H. ♀.	Eng. bot. 1557.
2 glauca. W. en.	glaucous.	_____	Saxony.	1800. 6.7. H. ♀.	
3 semineutra. W. en.	half-barren.	_____	Hungary.	1813. — H. ♀.	
4 subspicata. W.	spike-flowered.	_____	Switzerland.	1800. — H. ♀.	
5 cæspitosa. W.	turfy.	_____	Britain. 8. H. ♀.	Eng. bot. 1458.
6 lavigata. L. T.	smooth-sheathed	_____	Scotland. 6.7. H. ♀.	2102.

7 flexuosa. W.	waved.	Gramineæ. B. P.	Britain.	7.8.	H. 2.	Eng. bot. 1519.
8 canescens. W.	grey.		England.	—	H. 2.	— 1190.
9 præcox. W.	early.		Britain.	5.6.	H. 2.	— 1296.
10 caryophyllæa. W.	silver.			7.	H. 2.	— 812.
MELICA. W.	MELIO-GRASS.	Gramineæ. B. P.					
1 ciliata. W.	ciliated.		Europe.	1771.	7.	H. 2.	Host. gram. 2. t. 14.
2 Bauhini. W. en.	Italian.		Italy.	1806.	6.7.	H. 2.	—
3 nutans. W.	mountain.		Britain.	—	H. 2.	Eng. bot. 1059.
4 uniflora. W.	wood.			5.6.	H. 2.	— 1059.
5 pyramidalis. P. S.	pyramidal.		Barbary.	1804.	6.7.	H. 2.	—
6 glabra. Ph.	smooth.		N. Amer.	1812.	—	H. 2.	Mor. bis. 3. t. 7. f. 51.
7 altissima. W.	tallest.		Siberia.	1770.	7.8.	H. 2.	Host. gram. 2. t. 9.
8 cærulea. W.	purple.		Britain.	8.	H. 2.	Eng. bot. 750.
ECHINARIA. Des.	ECHINARIA.	Gramineæ. B. P.					
capitata. D.	headed.		S. Europe.	1771.	5.8.	H. 2.	Host. gram. 3. t. 8.
LAPPAGO. W.	LAPPAGO.	Gramineæ. B. P.					
racemosa. W.	branching.		S. Europe.	1771.	7.8.	H. 2.	Host. gram. 1. t. 36.
ELEUSINE. B. P.	ELEUSINE.	Gramineæ. B. P.					
1 coracana. P. S.	thick-spiked.		Cynosuri species L.				
2 ægyptia. P. S.	creeping.		India.	1714.	7.9.	H. 2.	Schreb. gram. 2. t. 35.
3 indica. P. S.	Indian.		Egypt.	1770.	—	H. 2.	—
4 virgata. W. en.	fine-spiked.		India.	1714.	—	H. 2.	Rheed. mal. 12. t. 69.
CHRYSURUS. P. S.	CHRYSURUS.	Gramineæ. B. P.	Jamaica.	1727.	—	S. 2.	Sloa. jam. 1. t. 70. f. 2.
cynosuroides. P. S.	golden-spiked.		Cynosuri species L.				
CYNOSURUS. P. S.	{ DOG'S-TAIL GRASS. }	Gramineæ. B. P.	Levant.	1770.	7.	H. 2.	Host. gram. 3. t. 4.
1 cristatus. W.	crested.		Britain.	8.	H. 2.	Eng. bot. 316.
2 echinatus. W.	rough.		England.	—	H. 2.	— 1333.
3 Lima. W.	imbricated.		Spain.	1776.	7.8.	H. 2.	Cav. ic. 1. t. 91.
4 durus. W.	rigid.		S. Europe.	—	—	H. 2.	Host. gram. 2. t. 73.
BECKMANNIA. Host.	BECKMANNIA.	Gramineæ. B. P.					
eruceformis. W. en.	linear-spiked.		Cynosuri species Willd.				
DACTYLIS. W. en.	{ COCK'S-FOOT GRASS. }	Gramineæ. B. P.	Europe.	1773.	7.	H. 2.	Host. gram. 3. t. 6.
1 glomerata. W.	rough.		Britain.	6.7.	H. 2.	Eng. bot. 335.
2 hispanica. W. en.	Spanish.		Spain.	1814.	—	H. 2.	—
UNIOLA. W.	SEASIDE OAT.	Gramineæ. B. P.					
1 latifolia. Ph.	broad-leaved.		N. Amer.	1809.	6.7.	H. 2.	—
2 paniculata. Ph.	panicked.			1793.	—	H. 2.	Cates. car. 1. t. 32.
BRIZA. W.	QUAKING GRASS	Gramineæ. B. P.					
1 minor. W.	small.		England.	7.8.	H. 2.	Eng. bot. 1316.
2 virens. W.	green.		Spain.	1800.	—	H. 2.	—
3 media. W.	common.		Britain.	5.6.	H. 2.	Eng. bot. 840.
4 maxima. W.	greatest.		S. Europe.	1033.	6.7.	H. 2.	Host. gram. 2. t. 30.
CYNODON. P. S.	CYNODON.	Gramineæ. B. P.					
Dactylon. P. S.	creeping.		Panic & Agrostidis species L.				
2 linearis. W. en.	linear-leaved.		England.	7.	H. 2.	Eng. bot. 850.
MILIUM. W.	MILLET-GRASS.	Gramineæ. B. P.	E. Ind.	1796.	7.8.	S. 2.	—
1 lendigerum. W.	Panic.		England.	8.	H. 2.	Eng. bot. 1107.
2 effusum. W.	common.		Britain.	6.7.	H. 2.	— 1106.
3 paradoxum. W.	black-seeded.		France.	1771.	—	H. 2.	Host. gram. 3. t. 23.
4 multiflorum. W. en.	many-flowered.		S. Europe.	1778.	—	H. 2.	— 3. t. 45.
LAGURUS. W.	{ HARE'S-TAIL GRASS. }	Gramineæ. B. P.					
ovatus. W.	oval-spiked.		Guernsey.	6.	H. 2.	Eng. bot. 1334.
ALOPECURUS. W.	{ FOX-TAIL GRASS. }	Gramineæ. B. P.					
1 indicus. W.	giant.		Jamaica.	1739.	7.10.	H. 2.	—
2 bulbosus. W.	bulbous.		England.	7.	H. 2.	Eng. bot. 1249.
3 pratensis. W.	meadow.		Britain.	5.	H. 2.	— 759.
4 alpinus. E. B.	Alpine.		Scotland.	5.6.	H. 2.	— 1126.
5 agrestis. W.	slender.		Britain.	7.8.	H. 2.	— 848.
6 geniculatus. W.	floating.			5.8.	H. 2.	— 1250.
7 fulvus. E. B.	Orange-spiked.		England.	6.	H. 2.	— 1467.
PHLEUM. W.	{ CAT'S-TAIL GRASS. }	Gramineæ. B. P.					
1 pratense. W.	common.		Britain.	7.	H. 2.	Eng. bot. 1076.
2 alpinum. W.	Alpine.		Scotland.	—	H. 2.	— 519.
3 nodosum. W.	Knotted.		Britain.	7.9.	H. 2.	Flor. dan. 1. 380.
4 Bohmeri. W. en.	Phalaris-like.		England.	—	H. 2.	Eng. bot. 459.

TRIANDRIA DIGYNIA.

19

5 Micheli. W. en.	slender-spiked.	Gramineæ. B. P.	Scotland.	6.7. H. 4.	Eng. bot. 2265.
6 Bellardii. W. en.	bulbous.		Spain.	1798.	— H. 4.	
7 asperum. W. en.	rough.		England.	— H. 4.	Eng. bot. 1077.
CRYPsis. W.	CRYPsis.	Gramineæ. B. P.				
aculeata. W.	prickly.		S. Europe.	1783.	8. H. 4.	Host. gram. 1. t. 31.
PHALARIS. W. en.	CANARY-GRASS.	Gramineæ. B. P.				
1 arundinacea. P. S.	Reed-like.		Britain.	7. H. 4.	Eng. bot. 402.
2 canariensis. W.	common.		6.8. H. 4.	—	1310.
3 aquatica. W.	water.		Egypt.	1778.	6.7. H. 4.	Host. gram. 2. t. 38.
4 capensis. W.	Cape.		C. B. S.	1804.	— H. 4.	
5 arenaria. W.	sea.		England.	7.8. H. 4.	Eng. bot. 222.
6 paradoxa. W.	bristle-spiked.		Levant.	1687.	6.7. H. 4.	Host. gram. 2. t. 40.
TOZZETTIA. Savi.	TOZZETTIA.	Gramineæ. B. P.	<i>Phalaridis species Willd.</i>			
pratensis. Sa.	bladdered.		Italy.	1777.	7.8. H. 4.	Host. gram. 3. t. 7.
PASPALUM. W.	PASPALUM.	Gramineæ. B. P.				
1 scrobiculatum. W.	dimpled.		E. Ind.	1778.	7.9. S. 4.	{ Hout. nat. his. 13. t. 89. f. 3.
2 paniculatum. W.	panicked.		Jamaica.	1782.	— S. 4.	{ Sloan. hist. 1. t. 72. f. 2.
3 stoloniferum. W.	purple.		Peru.	1794.	— G. 4.	{ Jac. ic. 2. t. 302.
4 distichum. W.	two-spiked.		Jamaica.	1776.	7. S. 4.	{ Swar. obs. 35. t. 2. f. 1.
DIGITARIA. P. S.	FINGER-GRASS.	Gramineæ. B. P.	<i>Panicis species L.</i>			
1 sanguinalis. P. S.	slender-spiked.		Britain.	8. H. 4.	Eng. bot. 849.
2 villosa. P. S.	villous.		N. Amer.	1781.	7.9. H. 4.	
3 ægyptiaca. W. en.	Egyptian.		Egypt.	1794.	7. H. 4.	Jac. obs. 3. t. 70.
4 serotina. P. S.	decumbent.		N. Amer.	1804.	7.8. H. 4.	
5 ciliaris. P. S.	ciliated.		China.	—	— H. 4.	
6 linearis. P. S.	linear.		India.	—	— H. 4.	Bur. ind. 25. t. 10. f. 2.
PANICUM. B. P.	PANIC-GRASS.	Gramineæ. B. P.				
1 polystachion. W.	many-spiked.		E. Ind.	1804.	7.8. S. 4.	
2 sericeum. W.	silky.		W. Ind.	1780.	5.9. H. 4.	
3 germanicum. W.	German.		S. Europe.	1548.	7. H. 4.	Host. gram. 2. t. 13.
4 stagninum. W.	pond.		E. Ind.	1802.	7.8. H. 4.	
5 Crus-corvi. W.	Crow's-foot.		—	1781.	— H. 4.	
6 Crus-galli. W.	loose.		England.	— H. 4.	Eng. bot. 876.
7 colonum. W.	purple.		E. Ind.	1699.	— H. 4.	{ Ehret. pict. t. 3. f. 3. Pluk. alm. 174. t. 191. f. 1.
8 brizoides. W.	Briza-like.		—	1801.	6.7. S. 4.	
9 fasciculatum. W.	fascicled.		Jamaica.	—	— H. 4.	
10 hispidulum. W.	hispid.		E. Ind.	1804.	7.8. H. 4.	
11 cimicinum. W.	spotted.		India.	1778.	7.9. H. 4.	
12 coloratum. W.	coloured.		Egypt.	1771.	— H. 4.	Jac. ic. 1. t. 12.
13 repens. W.	slender.		S. Europe.	1777.	— H. 4.	Fl. græc. 1. t. 61.
14 miliaceum. W.	millet.		E. Ind.	1596.	— H. 4.	Host. gram. 2. t. 20.
15 muricatum. W.	prickly.		—	1805.	— H. 4.	
16 capillare. W.	hair-panicked.		America.	1758.	6.8. H. 4.	
17 latifolium. W.	broad-leaved.		N. Amer.	1763.	8.9. H. 4.	Mor. his. 3. t. 5. f. 4.
18 clandestinum. W.	hidden-flowered.		—	1802.	7. H. 4.	
19 arborescens. W.	tree.		E. Ind.	1776.	3.4. S. 4.	
20 virgatum. W.	long-panicked.		N. Amer.	1781.	8.9. H. 4.	
21 patens. P. S.	spreading.		India.	1804.	7.8. S. 4.	
22 brevifolium. W.	short-leaved.		E. Ind.	1800.	— H. 4.	Pluk. alm. 176. t. 189
23 divaricatum. W.	straddling.		Jamaica.	1800.	— S. 4.	Jac. schoen. 1. t. 25.
24 palmifolium.	Palm-leaved.		E. Ind.	1804.	— S. 4.	
<i>plicatum. W. en.</i>	<i>different from plicatum. P. S.</i>					
ORTHOPOGON. B. P.	ORTHOPOGON.	Gramineæ. B. P.	<i>Panicis species L.</i>			
hirtellus. B. P.	hairy.		W. Ind.	1795.	6.7. S. 4.	Host. gram. 3. t. 52.
PENNISETUM. B. P.	PENNISETUM.	Gramineæ. B. P.	<i>Panicis & Cenchræ species L.</i>			
1 verticillatum. B. P.	rough.		England.	7.8. H. 4.	Eng. bot. 874.
2 glaucum. B. P.	glaucous.		S. Europe.	1771.	— H. 4.	Host. gram. 2. t. 18.
3 viride. B. P.	green.		England.	— H. 4.	Eng. bot. 875.
4 italicum. B. P.	Italian.		India.	1616.	— H. 4.	Rum. am. 5. t. 76. f. 2.
5 typhoideum. P. S.	spiked.		—	1592.	6.7. H. 4.	Pluk. alm. t. 3. f. 4.
6 cenchroides. P. S.	ciliated.		C. B. S.	1777.	7.8. H. 4.	Gisecke ic. t. 29.
7 setosum. P. S.	setose.		W. Ind.	1804.	— H. 4.	
SACCHARUM. W.	SUGAR-CANE.	Gramineæ. B. P.				
officinarium. W.	common.		India.	1597. S. 4.	Sloan. jam. 1. t. 66.
ROTTBELLIA. W.	HARD-GRASS.	Gramineæ. B. P.				
1 incurvata. Roth.	sea.		Britain.	7. H. 4.	Eng. bot. 760.
2 filiformis. Roth.	thready.		Portugal.	1800.	— H. 4.	Barr. ic. t. 117. f. 1
3 biflora. Roth.	two-flowered.		Hungary.	1804.	— H. 4.	

TETRANDRIA MONOGYNIA.

4 monandra. Roth.	monandrous.	Gramineæ. B. P.	Spain.	1804.	7.	H.⊙.	Cav. ic. t. 89. f. 1.
5 exaltata. W.	tall.	_____	E. Ind.	1806.	_____	S. ♂.	_____
MICHRACHLOA. B. P.	MICHRACHLOA.	Gramineæ. B. P.	<i>Rottballia species Roxb.</i>	_____	_____	_____	_____
setacea. B. P.	bristly.	_____	E. Ind.	1806.	7.	H.⊙.	Roxb. c. 2. p. 18. t. 139
LEERSIA. B. P.	LEERSIA.	Gramineæ. B. P.	<i>Leersia & Asprella Willd. enun.</i>	_____	_____	_____	_____
1 oryzoides. Ph.	Virginian.	_____	N. America.	1793.	7.8.	H. ♀.	Host. gram. 1. t. 35.
2 Hystrix.	rough.	_____	Levant.	1770.	_____	H.⊙.	Jac. ic. 2. t. 305.

TRIGYNIA.

ERIOCAULON. W.	PIPEWORT.	Restiaceæ. B. P.	_____	_____	_____	_____	_____
septangulare. E. B.	jointed.	_____	Scotland.	9.	H. ♀.	Eng. bot. 733.
MONTIA. W.	CHICKWEED.	Portulacæ. J.	_____	_____	_____	_____	_____
fontana. W.	water.	_____	Britain.	4.5.	H.⊙.	Eng. bot. 1206.
KÆNIGIA. W.	KÆNIGIA.	Polygonæ. J.	_____	_____	_____	_____	_____
islandica. W.	Iceland.	_____	Iceland.	1773.	4.	H.⊙.	Lam. ill. gen. t. 51.
HOLOSTEUM. W.	HOLOSTEUM.	Caryophyllæ. J.	_____	_____	_____	_____	_____
umbellatum. W.	umbelliferous.	_____	England.	7.8.	H.⊙.	Eng. bot. 27.
POLYCARPON. W.	ALL-SEED.	Caryophyllæ. J.	_____	_____	_____	_____	_____
tetraphyllum. W.	four-leaved.	_____	England.	7.	H.⊙.	Eng. bot. 1031.
MOLLUGO. W.	whorled.	Caryophyllæ. J.	_____	_____	_____	_____	_____
verticillata. W.	whorled.	_____	Virginia.	1748.	6.8.	H.⊙.	Ehret. pict. t. 6.
MINUARTIA. W.	MINUARTIA.	Caryophyllæ. J.	_____	_____	_____	_____	_____
1 dichotoma. W.	forked.	_____	Spain.	1771.	6.7.	H.⊙.	{ Act. stockh. 1758. t. 1. f. 2.
2 campestris. W.	field.	_____	_____	1806.	_____	H.⊙.	_____ t. 1. f. 3.
3 montana. W.	mountain.	_____	_____	_____	_____	H.⊙.	Loefl. it. rar. t. 1. f. 4.
QUERIA. W.	QUERIA.	Caryophyllæ. J.	_____	_____	_____	_____	_____
hispanica. W.	Spanish.	_____	Spain.	1800.	5.9.	H.⊙.	_____
LECHEA. W.	LECHEA.	Caryophyllæ. J.	_____	_____	_____	_____	_____
1 major. W.	greater.	_____	Canada.	1780.	7.8.	H. ♀.	Lam. ill. 1. t. 52. f. 2.
2 minor. W.	lesser.	_____	_____	1802.	_____	H. ♀.	_____ t. 52. f. 1.

CLASS IV.

TETRANDRIA MONOGYNIA.

PETROPHILA. L. T.	PETROPHILA.	Proteaceæ. B. P.	<i>Protea species Willd.</i>	_____	_____	_____	_____
1 pulchella. L. T.	Fennel-leaved.	_____	N. S. W.	1790.	7.8.	G. h.	Bot. mag. 796.
2 diversifolia. L. T.	various-leaved.	_____	N. Holland.	1803.	G. h.	_____
ISOPOGON. L. T.	ISOPOGON.	Proteaceæ. B. P.	<i>Protea species Willd.</i>	_____	_____	_____	_____
1 anethifolius. L. T.	Dill-leaved.	_____	N. Holland.	1796.	3.6.	G. h.	Cav. ic. 6. t. 549.
2 formosus. L. T.	handsome.	_____	_____	1805.	_____	G. h.	_____
3 anemonifolius. L. T.	Anemone-leaved.	_____	_____	1791.	7.8.	G. h.	Bot. mag. 697.
4 trilobus. L. T.	three-lobed.	_____	_____	1803.	5.6.	G. h.	_____
PROTEA. L. T.	PROTEA.	Proteaceæ. B. P.	<i>Erodendri species Knts. Prot.</i>	_____	_____	_____	_____
1 cynaroides. L. T.	Artichoke-flow ^d .	_____	C. B. S.	1774.	11.3.	G. h.	Bot. mag. 770.
2 latifolia. L. T.	ray-flowered.	_____	_____	1806.	7.9.	G. h.	_____ 1717.
3 compacta. L. T.	compact.	_____	_____	1810.	G. h.	_____
4 longiflora. L. T.	milk-coloured.	_____	_____	1795.	1.3.	G. h.	Ex. bot. 2. t. 81.
5 speciosa. L. T.	splendid.	_____	_____	1786.	3.6.	G. h.	Knight's prot. c. ic.
6 obtusa. Kn. P.	obtuse.	_____	_____	_____	_____	G. h.	Bot. rep. 110.
7 formosa. L. T.	crown-flowered.	_____	_____	1789.	5.6.	G. h.	Bot. mag. 1713.
8 melaleuca. L. T.	black-fringed.	_____	_____	1786.	3.7.	G. h.	Bot. rep. 103.
9 Lepidocarpon. L. T.	crested.	_____	_____	1806.	_____	G. h.	_____ 301. 2.
10 neriifolia. L. T.	Oleander-leaved.	_____	_____	_____	2.4.	G. h.	Bot. reg. 208.
11 pulchella. L. T.	wave-leaved.	_____	_____	1795.	3.8.	G. h.	Bot. reg. 20.
12 patens. L. T.	spreading.	_____	_____	1789.	3.6.	G. h.	Bot. rep. 543.
13 magnifica. Kn. P.	magnificent.	_____	_____	_____	_____	G. h.	_____ 438.
14 longifolia. L. T.	long-leaved.	_____	_____	1798.	3.8.	G. h.	Bot. reg. 47.
15 umbonalis. Kn. P.	embossed.	_____	_____	_____	_____	G. h.	Bot. rep. 144.
16 ligulæfolia. Kn. P.	strap-leaved.	_____	_____	_____	_____	G. h.	_____ 133.
17 mellifera. L. T.	honey-bearing.	_____	_____	1774.	12.5.	G. h.	Bot. mag. 346.
18 graudiflora. L. T.	great-flowered.	_____	_____	1787.	5.6.	G. h.	Wein. phyt. 4. t. 891.
19 Scolymus. L. T.	small-flowered.	_____	_____	1780.	_____	G. h.	Bot. mag. 698.
20 mucronifolia. L. T.	dagger-leaved.	_____	_____	1803.	7.12.	G. h.	_____ 933.

TETRANDRIA MONOGYNIA.

22

21 nana. L. T.	dwarf.	Proteaceæ. B. P.	C. B. S.	1787. 4.7. G. h.	Ex. bot. 1. t. 44.
22 pendula. L. T.	pendulous.			1806. 3.6. G. h.	
23 tenax. L. T.	tough.			1801. 2.5. G. h.	Par. lond. 70.
24 canaliculata. L. T.	channel-leaved.			1800. 12.2. G. h.	Bot. rep. 437.
25 acuminata. B. M.	sharp-pointed.			1809. 3.6. G. h.	Bot. mag. 1694.
26 acaulis. L. T.	short-stalked.			1802. 5.9. G. h.	{ Boerb. lugd. bot. 2. p. 191.
27 glaucophylla. Kn. P.	glaucous-leaved.			7.9. G. h.	Par. lond. 11.
28 laevis. L. T.	smooth-leaved.			1806. G. h.	
29 scabra. L. T.	rough-leaved.			1809. G. h.	
30 repens. L. T.	creeping.			1800. G. h.	
31 turbiniflora. L. T.	turfy.			1803. 4.5. G. h.	Par. lond. 108.
32 Scolopendrium. L. T.	Hart's-tongue.			1802. G. h.	
33 cordata. L. T.	heart-leaved.			1790. 3.5. G. h.	Bot. rep. 289.
34 amplexicaulis. L. T.	stem-clasping.			1802. 1.3. G. h.	Par. lond. 67.
35 humilis. L. T.	low-flowering.			6.8. G. h.	Bot. rep. 522.
36 acerosa. L. T.	Pine-leaved.			1803. 3.5. G. h.	Bot. rep. 577.
LEUCOSPERMUM } LEUCOSPERMUM. Proteaceæ. B. P. <i>Leucadendron. Knts. Prot. Protea species Willd.</i>					
L. T.					
1 lineare. L. T.	linear-leaved.		C. B. S.	1774. 8.9. G. h.	{ Thunb. prot. n. 35. t. 4.
2 tottum. L. T.	smooth-bracted.			6.8. G. h.	
3 medium. L. T.	oval-leaved.			1794. G. h.	
4 formosum. Kn. P.	handsome.			1784. 5.8. G. h.	Bot. rep. 17.
5 ellipticum. L. T.	elliptic.			1803. G. h.	
6 Conocarpum. L. T.	many-toothed.			1774. G. h.	Pluk. phyt. t. 200. f. 2
7 grandiflorum. L. T.	great-flowered.			1800. 5.7. G. h.	Par. lond. 116.
8 puberum. L. T.	downy-leaved.			1774. 5.8. G. h.	
9 tomentosum. Kn. P.	cottony.			1789. 8.9. G. h.	
10 parile. Kn. P.	matched.			G. h.	
11 candicans. B. R.	Rose-scented.			1790. G. h.	Bot. rep. 294.
12 Hypophyllum. L. T.	trifid-leaved.			1787. G. h.	Pluk. mant. t. 440. f. 2
MIMETES. L. T. MIMETES. Proteaceæ. B. P. Protea species Willd.					
1 hirta. L. T.	hairy.		C. B. S.	1774. 6.8. G. h.	{ Wein. phyt. 4. t. 899. f. a.
2 palustris. Kn. P.	marsh.			1802. G. h.	{ Boerb. lugd. 2. p. 194. c. t.
3 cucullata. L. T.	three-toothed.			1789. G. h.	{ Pluk. alm. 212. t. 304. f. 6.
4 divaricata. L. T.	divaricate.			1795. 6.9. G. h.	
5 vacciniifolia.	Vaccinium-leav ^d .			1800. G. h.	
<i>Diatella vacciniifolia. Knts. Prot.</i>					
6 purpurea. L. T.	Heath-leaved.			1789. 11.12. G. h.	
SERRURIA. L. T. SERRURIA. Proteaceæ. B. P. Protea species Willd.					
1 abrotanifolia. Kn. P.	Southernwood- ^l		C. B. S.	1803. 6.8. H. h.	Bot. rep. 522.
2 millefolia. Kn. P.	thousand-leaved.			G. h.	337.
3 artemisiifolia. Kn. P.	Wormwood- ^l .			1789. G. h.	264.
4 pinnata. L. T.	slender.			1803. G. h.	512.
5 arenaria. L. T.	sand.			G. h.	
6 cyanoides. L. T.	trifid-leaved.			G. h.	{ Pluk. mant. 61. t. 345. f. 6.
7 pedunculata. L. T.	woolly-headed.			1789. G. h.	Bot. rep. 264.
8 Niveni. L. T.	Nivens.			1800. G. h.	349.
9 ciliata. L. T.	ciliated.			1803. G. h.	
10 phylloides. L. T.	Phyllis-flowered			1788. G. h.	Bot. rep. 507. f. 4.
11 æmula. L. T.	grey-branched.			1803. G. h.	
12 parilis. Kn. P.	matched.			G. h.	Bot. rep. 507.
13 odorata.	sweet-scented.			G. h.	545.
14 emarginata.	emarginated.			1800. G. h.	536.
<i>Serruria arenaria. Knts. Prot.</i>					
15 glomerata. L. T.	many-headed.			1789. G. h.	Burm. afr. t. 99. f. 2.
16 decipiens. L. T.	decipient.			1806. G. h.	
17 Roxburghii. L. T.	Roxburgh's.			G. h.	
18 Burmannii. L. T.	Burmah's.			1786. G. h.	Burm. afr. t. 99. f. 1.
19 triterminalis. L. T.	silvery-flowered.			1802. G. h.	Bot. rep. 447.
20 elongata. L. T.	long-peduncled.			1800. G. h.	
NIVENIA. L. T. NIVENIA. Proteaceæ. B. P. Paranomus. Knts. Prot. Protea species Willd.					
1 Sceptum. L. T.	sceptre-like.		C. B. S.	1790. 5.6. G. h.	{ Sparr. act. st. 1777. p. 53. t. 1.
2 spatulata. L. T.	maiden-hair- ^l .			7.8. G. h.	Thunb. diss. n. 58. t. 5
3 spicata. L. T.	spiked.			1786. 6.8. G. h.	

4 crithmifolia. L. T.	Sapphire-leaved.	Proteaceæ. B. P.	C. B. S.	1797. 6.8.	G. h.	Bot. rep. 248.
5 media. L. T.	middle.			1803. —	G. h.	
SOROCEPHALUS. }		SOROCEPHALUS.	Proteaceæ. B. P.	Soranthæ. Knts. Prot.	Protea species Willd.	
L. T.						
1 imberbis. L. T.	smooth.		C. B. S.	1806. 6.8.	G. h.	
2 spatuloides. L. T.	club-bearing.			1808. —	G. h.	
3 tenuifolia. L. T.	slender-leaved.			1802. —	G. h.	
4 lanatus. L. T.	woolly.			1790. 6.9.	G. h.	Thunb. diss. 30. t. 2.
5 imbricatus. L. T.	imbricated.			1794. 4.7.	G. h.	Bot. rep. 517.
SPATALLA. L. T.	SPATALLA.	Proteaceæ. B. P.	Protea species Willd.			
1 prolifera. L. T.	proliferous.		C. B. S.	1800. 6.8.	G. h.	Thunb. diss. 27. t. 4.
2 incurva. L. T.	incurved-leaved.			1789. 5.6.	G. h.	22. t. 2.
3 Thunbergii. L. T.	Thunberg's.			1806. —	G. h.	
PERSOONIA. L. T.	PERSOONIA.	Proteaceæ. B. P.	Linhia. Cav. ic.			
1 hirsuta. L. T.	hairy.		N. S. W.	1800. 5.7.	G. h.	
2 linearis. L. T.	linear-leaved.			1794. 7.8.	G. h.	Bot. mag. 760.
3 lanceolata. L. T.	spear-leaved.			1791. 6.7.	G. h.	Bot. rep. 74.
4 salicina. L. T.	Willow-leaved.			1795. —	G. h.	
GREVILLEA. L. T.	GREVILLEA.	Proteaceæ. B. P.	Stylurus. Lysantha & Grevillea. Knight's Prot.			
1 sericea. L. T.	silky.		Embothrii species Willd.			
2 linearis. L. T.	linear-leaved.		N. S. W.	1790. 4.9.	G. h.	Bot. mag. 869.
3 riparia. L. T.	river-side.			1791. —	G. h.	Bot. rep. 279.
4 arenaria. L. T.	sand.			1803. 4.9.	G. h.	
5 acuminata. L. T.	acute-leaved.			1805. —	G. h.	
6 stylosa. Kn. P.	long-styled.			1809. —	G. h.	
7 mucronulata. L. T.	Podalyria-leav'd.			—	G. h.	
8 buxifolia. L. T.	Box-leaved.			1790. 9.9.	G. h.	Bot. rep. 918.
9 collina. Kn. P.	hill.			1802. 3.7.	G. h.	
10 asplenifolia. L. T.	Asplenium-leav'd.			1806. —	G. h.	
HAKEA. L. T.	HAKEA.	Proteaceæ. B. P.	Conchium. Smith.			
1 pugioniformis. L. T.	dagger-fruited.		N. S. W.	1796. 5.6.	G. h.	Cav. ic. 6. t. 528.
2 parilis. Kn. P.	matched.		Van Diem.	—	G. h.	
3 obliqua. L. T.	oblique-flower'd.		N. Holland.	1808.	G. h.	
4 gibbosa. L. T.	gibbous-fruited.		N. S. W.	1790. 5.6.	G. h.	Cav. ic. 6. t. 534.
5 acicularis. L. T.	needle-leaved.			1790. —	G. h.	Vent. mal. 111.
6 suaveolens. L. T.	sweet-smelling.		N. Holland.	1803. 11.1.	G. h.	
7 florida. L. T.	many-flowered.			—	5.6.	G. h.
8 ilicifolia. L. T.	Holly-leaved.			—	7.9.	G. h.
9 nitida. L. T.	glossy.			—	6.7.	G. h.
10 amplexicaulis. L. T.	stem-clasping.			—	G. h.
11 prostrata. L. T.	trailing.			—	G. h.
12 ceratophylla. L. T.	horn-leaved.			—	G. h.
13 undulata. L. T.	wave-leaved.			1803.	G. h.	
14 oleifolia. L. T.	Olive-leaved.			1794. 6.7.	G. h.	
15 saligna. L. T.	Willow-leaved.			1791. 3.7.	G. h.	Bot. rep. 215.
16 cinerea. L. T.	hoary-leaved.			1803. 6.7.	G. h.	
17 dactyloides. L. T.	nerved-leaved.		N. S. W.	1790. 6.8.	G. h.	Cav. ic. 6. t. 535.
18 elliptica. L. T.	oval-leaved.		N. Holland.	1794. —	G. h.	
LAMBERTIA. L. T.	LAMBERTIA.	Proteaceæ. B. P.				
formosa. L. T.	handsome.		N. S. W.	1788. 6.8.	G. h.	Bot. rep. 69.
XYLOMELUM. L. T.	XYLOMELUM.	Proteaceæ. B. P.				
pyriforme. L. T.	Pear-fruited.		N. S. W.	1789.	G. h.	Cav. ic. 6. t. 536.
TELOPEA. L. T.	WARATAH.	Proteaceæ. B. P.	Embothrii species Willd.			
speciosissima. L. T.	splendid.		N. S. W.	1789. 5.7.	G. h.	Bot. mag. 1128.
LOMATIA. L. T.	LOMATIA.	Proteaceæ. B. P.	Embothrii species Willd.			
1 silaifolia. L. T.	cut-leaved.		N. S. W.	1799. 6.8.	G. h.	Bot. mag. 1272.
2 longifolia. L. T.	long-leaved.			1816.	G. h.	
RHOPALA. L. T.	RHOPALA.	Proteaceæ. B. P.				
1 dentata. L. T.	tooth-leaved.		S. America.	1802. 5.8.	S. h.	
2 sessilifolia. L. T.	sessile-leaved.		Guiana.	1803.	S. h.	Rudge guian. 1. t. 31
BANKSIA. L. T.	BANKSIA.	Proteaceæ. B. P.				
1 pulchella. L. T.	small-flowered.		N. Holland.	1805.	G. h.	
2 sphaerocarpa. L. T.	round-fruited.			1803.	G. h.	
3 nutans. L. T.	nodding-flower'd.			1803. 6.9.	G. h.	
4 ericifolia. L. T.	Heath-leaved.		N. S. W.	1788. 1.12.	G. h.	Bot. mag. 738.
5 spinulosa. L. T.	spiny.			—	12.5.	G. h.
6 collina. L. T.	hill.			1800.	G. h.	Bot. rep. 457.
7 occidentalis. L. T.	West-coast.		N. Holland.	1803.	G. h.	
8 littoralis. L. T.	seaside.			—	G. h.

TETRANDRIA MONOGYNIA.

23

9 marginata. L. T.	various-leaved.	Proteaceæ. B. P.	N. S. W.	1804.	5.8. G. h.	Cav. ic. 6. t. 544.
10 integrifolia. L. T.	entire-leaved.			1788. G. h.	— 6.t.545 & 546
11 verticillata. L. T.	verticillate.		N. Holland.	1794.	7.10. G. h.	
12 coccinea. L. T.	scarlet-flowered.			1803. G. h.	
13 paludosa. L. T.	marshy.		N. S. W.	1805.	1.4. G. h.	
14 oblongifolia. L. T.	oblong-leaved.			1788.	5.8. G. h.	Cav. ic. 6. t. 542.
15 latifolia. L. T.	broad-leaved.		N. S. W.	1802.	5.8. G. h.	Cav. ic. 6. t. 543.
16 marcescens. L. T.	short-leaved.		N. Holl.	1794.	1.12. G. h.	Bot. rep. 258.
17 attenuata. L. T.	smooth-flower'd.			G. h.	
18 serrata. L. T.	saw-leaved.		N. S. W.	1788.	7.9. G. h.	Bot. rep. 82.
19 emula. L. T.	deeply-sawed.			G. h.	
20 quercifolia. L. T.	Oak-leaved.		N. Holland.	1805. G. h.	
21 speciosa. L. T.	long-leaved.			5.8. G. h.	
22 grandis. L. T.	great-flowered.			1794. G. h.	
23 repens. L. T.	creeping.			1803. G. h.	Voya.deLab.1.t.23.
DRYANDRA. L. T.	DRYANDRA.	Proteaceæ. B. P.				
1 floribunda. L. T.	many-flowered.		N. Holland.	1803.	1.12. G. h.	Bot. mag. 1581.
2 cuneata. L. T.	wedge-leaved.			11.2. G. h.	
3 armata. L. T.	acute-leaved.			1.12. G. h.	
4 formosa. L. T.	splendid.			G. h.	
5 plumosa. L. T.	feathered.			G. h.	
6 obtusa. L. T.	obtuse-leaved.			G. h.	
7 nivea. L. T.	white-leaved.			7.9. G. h.	Voya.deLab.1.t.24.
8 longifolia. L. T.	long-leaved.			1805.	1.12. G. h.	Bot. mag. 1582.
9 tenuifolia. L. T.	fine-leaved.			1803.	3.5. G. h.	
GLOBULARIA. W.	GLOBULARIA.	Globulariæ.				
1 longifolia. W.	long-leaved.		Madeira.	1775.	7.8. G. h.	Sloan.jam.1.t.5.f.3.
2 Alypum. W.	three-toothed.		S. Europe.	1640.	8.9. G. h.	{ Nissole in act. par. 1719. t. 18.
3 vulgaris. W.	common.		Europe.	—	5.6. H. y.	Schku.hand.1.t.21.
4 spinosa. W.	prickly-leaved.		Spain.	—	—	G. y.
5 cordifolia. W.	wedge-leaved.		Germany.	1638.	6.7. H. y.	Jac. aus. 3. t. 245.
6 nudicaulis. W.	naked-stalked.			1639.	—	H. y. 3. t. 230.
ADINA. P. L.	ADINA.	Globulariæ.				
globiflora. P. L.	globe-flowered.		China.	1804.	7.8. S. h.	Par. lon. 115.
CEPHALAN-THUS. W.	HUTTON-WOOD.	Rubiaceæ. J.				
occidentalis. W.	American.		N. Amer.	1735.	8. H. h.	Schmidt arb. 1. t. 46
DIPSACUS. W.	TEASEL.	Dipsacæ. J.				
1 fullonum. W.	manured.		Britain.	7. H. j.	Eng. bot. 2080.
2 sylvestris. W.	wild.			7. H. j.	— 1032.
3 laciniatus. W.	cut-leaved.		Germany.	1683.	7.8. H. j.	Jac. aus. 5. t. 403.
4 pilosus. W.	small.		Britain.	8. H. j.	Eng. bot. 877.
SCABIOSA. W.	SCABIOUS.	Dipsacæ. J.				
1 alpina. W.	Alpine.		Switzerland.	1570.	6.7. H. y.	Bea.cyst. est. t. 8. f. 1
2 albens. W. en.	whitish.		Siberia.	1804.	—	H. y.
3 rigida. W.	rough-leaved.		C. B. S.	1731.	7. G. h.	Comm. hort. 2. t. 93.
4 attenuata. W.	narrow-leaved.			1774.	7.9. G. h.	
5 transylvanica. W.	Transylvanian.		Transylvania.	1699.	7. H. o.	Jac. vind. 2. t. 111.
6 syriaca. W.	Syrian.		Syria.	1633.	—	H. o. Mor. his. 3. t. 14. f. 14
7 leucantha. W.	white-flowered.		France.	—	9.10. H. y.	Ger. emac. 721. f. 3.
8 corniculata. P. S.	horned.		Hungary.	1801.	7.8. H. y.	{ Pl. rar. hung. p. 11. t. 13.
9 dichotoma. W. en.	forked.		Sicily.	1804.	6.8. H. o.	
10 Succisa. W.	Devil's-bit.		Britain.	8.10. H. y.	Eng. bot. 876.
11 integrifolia. W.	red-flowered.		France.	1748.	6.8. H. o.	
12 tatarica. W.	Tartarian.		Russia.	1759.	—	H. j. Act. upsal. 1744. t. 1.
13 arvensis. W.	field.		Britain.	—	7.10. H. y.	Eng. bot. 659.
14 uralensis. W.	Uralian.		Siberia.	1789.	7.8. H. o.	{ Murr. com. got. 1782. t. 4.
15 sylvatica. W.	broad-leaved.		Austria.	1633.	7. H. y.	Jac. aus. 4. t. 362.
16 longifolia. P. S.	long-leaved.		Hungary.	1802.	7.8. H. y.	Pl. rar. hun. p. 4. t. 5.
17 canescens. P. S.	hoary.			—	H. y.	— 53. t. 52.
18 gramuntia. W.	cut-leaved.		S. Europe.	1597.	7.8. H. y.	Ger. herb. 582. f. 2.
19 columbaria. W.	fine-leaved.		Britain.	—	H. y. Eng. bot. 1311.
20 grandiflora. P. S.	great-flowered.		Barbary.	1804.	6.9. H. o.	Scop. del. ins. 3. t. 14.
21 lœdica. P. S.	shining.		Dauphiny.	1800.	—	H. y.
22 sicula. W.	Sicilian.		Sicily.	1783.	8. H. o.	Jac. vind. 1. t. 16.
23 rutæfolia. P. S.	Rue-leaved.			1804.	6.8. H. y.	Bocc. sic. t. 52.
24 maritima. W.	sea.		Italy.	1683.	7. H. o.	

TETRANDRIA MONOGYNIA.

25 stellata. W.	starry.	Dipsacæ. J.	Spain.	1596. 7.8. H.⊙.	Clus. hist. 2. p. 1. 12.
26 prolifera. W.	prolific.		Egypt.	1683. — H.⊙.	Herm. parad. t. 123.
27 atropurpurea. W.	sweet.		1629. 7.9. H.♂.	Bot. mag. 247.
28 argentea. W.	silvery.		Levant.	1718. 6.10. H.♀.	{ Desf. ann. mus. 11. t. 24.
29 urocolata. P. S.	jagged.		Barbary.	1804. 7.8. H.	Moris. 6. l. 13. f. 24.
30 africana. W.	African.		Africa.	1690. 7.10. G. ♀.	Herm. par. t. 213.
31 Massoni.	Masson's.		Azores.	1779. 6.8. H.♀.	
<i>Scabiosa lucida. Hort. Kew.</i>					
32 cretica. W.	Cretan.		Crete.	1596. 6.10. G. ♀.	Mor. his. 3. t. 15. f. 25.
33 graminifolia. W.	Grass-leaved.		Switzerland.	1683. 6. H.♀.	Pl. rar. hun. 2. t. 133.
34 caucasea. B. M.	Caucasian.		Caucasus.	1803. 7.8. H.♀.	Bot. mag. 886.
35 lyrata. W.	lyrate-leaved.		Turkey.	1799. — G. ♂.	
36 palestina. W.	Palestine.		Palestine.	1771. — H.⊙.	Jac. vind. 1. t. 96.
37 isetensis. W.	Siberian.		Siberia.	1801. — H. ♂.	Gmel. sib. 2. t. 88.
38 ucranica. W.	Ukraine.		Ukraine.	1795. 9. H.♀.	— 2. t. 87.
39 ochroleuca. W. en.	pale-flowered.		Germany.	1597. 7.8. H.♀.	Jac. aust. 5. t. 439.
40 banatica. P. S.	Hungarian.		Hungary.	1800. — H.♀.	Pl. rar. hun. 10. t. 12.
41 papposa. W.	downy-headed.		S. Europe.	1739. 7. H.⊙.	
KNAUTIA. W.	KNAUTIA.	Dipsacæ. J.	Levant.	1713. 6.9. H.⊙.	Schku. hand. 1. t. 39.
1 orientalis. W.	red-flowered.		1768. 6.8. H. ♂.	Till. pis. 153. t. 49.
2 propontica. W.	purple-flowered.				
ALLIONIA. W.	ALLIONIA.	Nyctagineæ. J. in	Ann. Mus.		
1 linearis. Ph.	linear-leaved.		Louisiana.	1812. 7.8. H.	
2 hirsuta. Ph.	hairy.		— H.	
OPERCULARIA. W.	OPERCULARIA.	Nyctagineæ. J. in	Ann. Mus.		
aspera. W.	rough-seeded.		N. S. W.	1790. 6.7. G. ♀.	{ Ann. du mus. 4. t. 70. f. 1.
CRYPTOSPERMUM. P. S.	{ CRYPTO-SPERMUM. }	Nyctagineæ? J.	Opercularia species Young. in L. T.		
Youngii. P. S.	chaffy.		N. S. W.	1793. 7.8. G.♀.	Linn. trans. 3. t. 6.
SPERMACOCE. W.	BUTTON-WEED.	Rubiaceæ. J.	W. Ind.	1732. 6.8. H.⊙.	Schku. hand. 1. t. 22.
1 tenuior. W.	slender.		Guiana.	1803. 7. S. ♂.	Aub. gui. 1. t. 19. f. 1.
2 latifolia. W.	broad-leaved.		W. Ind.	1760. 7.8. S.⊙.	Bot. mag. 1558.
3 strigosa. B. M.	Cross-wort.		Guiana.	1803. 7. S.♀.	Aub. gui. 1. t. 20. f. 4.
4 radicans. W.	rooting.		Africa.	1732. 6.8. S. ♀.	Dil. elt. t. 277. f. 358.
5 verticillata. W.	whorl-flowered.		E. Ind.	1781. 8.9. S.⊙.	Mur. com. got. 3. t. 6.
6 hispida. W.	bristly.		1804. 6.8. S. ♂.	Jac. schœn. 3. t. 256.
7 rubra. W. en.	red.				
SHERARDIA. W.	FIELD-MADDER.	Rubiaceæ. J.	Britain. 4.9. H.⊙.	Eng. bot. 891.
1 arvensis. W.	little.		Italy.	1805. 6.8. H.⊙.	All. ped. 34. t. 77. f. 1.
2 muralis. W.	wall.				
ASPERULA. W.	WOODRUFF.	Rubiaceæ. J.	Britain. 5.6. H.♀.	Eng. bot. 755.
1 odorata. W.	sweet-scented.		Europe.	1596. 7. H.⊙.	
2 arvensis. W.	field.		Italy.	1739. 4.6. H.♀.	Moris. s. 9. t. 21. f. 1.
3 taurina. W.	broad-leaved.		Levant.	1775. 6. H.♀.	
4 crassifolia. W.	thick-leaved.		Europe.	1764. 6.7. H.♀.	Tabern. ic. 151.
5 tinctoria. W.	narrow-leaved.		England. 7. H.♀.	Eng. bot. 33.
6 cynanchica. W.	small.		S. Europe.	1775. 6. H.♀.	Moris. his. t. 21. f. 4.
7 lavigata. W.	shining.		Hungary.	1801. 6.7. H.♀.	
8 montana. W. en.	mountain.				
HOUSTONIA. W.	HOUSTONIA.	Rubiaceæ. J.	N. America.	1785. 5.8. H.♀.	Bot. mag. 370.
1 cerulea. W.	blue-flowered.		1800. — H.♀.	
2 purpurea. W.	purple-flowered.				
GALIUM. W.	BED-STRAW.	Rubiaceæ. J.	S. Europe.	1775. 7. H.♀.	
rubroides. W.	Madder-leaved.		7.8. H.♀.	Eng. bot. 1857.
2 palustre. W.	water.		England. 6.7. H.♀.	— 2806.
3 Witheringii. E. B.	rough.		Europe.	1804. — H.♀.	Jac. aust. t. 90.
4 austriacum. W.	Austrian.		1801. 5.6. H.♀.	Boc. mus. 145. t. 101.
5 Bocconi. W.	Boccone's.		Britain. 4.9. H.♀.	Eng. bot. 815.
6 saxatile. W.	smooth Heath.		6.7. H.♀.	— 2067.
7 erectum. E. B.	upright.		England. 7.8. H.♀.	— 74.
8 pusillum. W.	least.		Britain. H.♀.	— 680.
9 verum. W.	Cheese-rennet.		H.♀.	— 1673.
10 Möllugo. W.	great hedge.		S. Europe.	1688. — H.♀.	
11 sylvaticum. W.	wood.		1759. 6.7. H.♀.	Barrel. ic. 588.
12 linifolium. W.	Flax-leaved.		1778. — H.♀.	
13 rigidum. W.	rigid.		Italy.	1699. — H.♀.	Boc. mus. 83. t. 75.
14 aristatum. W.	awned.		Tyrol.	1801. 7. H.♀.	
15 tyrolense. W. en.	Tyrolense.				

16 glaucum. W.	glaucous.	Rubiaceæ. J.	S. Europe.	1710. 6.9. H. 2.	Jac. aust. 1. t. 81.
17 purpureum. W.	purple.	_____	Switzerland.	1731. 6.7. H. 2.	_____
18 rubrum. W.	red.	_____	Italy.	1597. _____ H. 2.	Ger. herb. 967. f. 3.
19 spurium. E. B.	spurious.	_____	Britain. _____ H. 2.	Eng. bot. 1871.
20 uliginosum. W.	marsh.	_____	_____ 7.8. H. 2.	1972.
21 anglicum. E. B.	wall.	_____	England. _____ H. 2.	384.
22 boreale. W.	cross-leaved.	_____	Britain. 7. H. 2.	Eng. bot. 105.
23 Aparine. W.	Cleaver's.	_____	_____ 5.8. H. 2.	816.
24 pilosum. W.	hairy.	_____	N. America.	1778. 6.7. H. 2.	_____
25 græcum. W.	Candian.	_____	Candia.	1788. _____ H. 2.	Alp. saxo. 167. t. 166.
CRUCIANELLA. W.	Cross-wort.	Rubiaceæ. J.	_____	_____	_____
1 angustifolia. W.	narrow-leaved.	_____	France.	1658. 6.7. H. 2.	Ex. bot. 2. t. 109.
2 latifolia. W.	broad-leaved.	_____	_____	1633. _____ H. 2.	Sch. ic. 97. t. 23. & 34.
3 ægyptiaca. W.	Egyptian.	_____	Egypt.	1800. _____ H. 2.	_____
4 patula. W.	spreading.	_____	Spain.	1798. _____ H. 2.	_____
5 pubescens. W.	pubescent.	_____	Candia.	1799. 7.8. G. 2.	_____
6 ciliata. W.	ciliated.	_____	Levant.	1805. _____ H. 2.	_____
7 maritima. W.	sea.	_____	France.	1640. _____ G. 2.	_____
8 monspeliaca. W.	Montpelier.	_____	_____	1791. _____ H. 2.	_____
9 molluginoides. W. en. }	Mollugo-like.	_____	Caucasus.	1800. _____ H. 2.	_____
RUBIA. W.	MADDER.	Rubiaceæ. J.	_____	_____	_____
1 tinctorum. W.	dyer's.	_____	S. Europe.	1596. 6. H. 2.	_____
2 peregrina. W.	wild.	_____	England. 7. H. 2.	Eng. bot. 851.
3 lucida. W.	shining.	_____	Majorca.	1762. _____ G. 2.	_____
4 fruticosa. W.	prickly-leaved.	_____	Canaries.	1779. 9. G. 2.	Jac. ic. 1. t. 25.
5 angustifolia. W.	narrow-leaved.	_____	Minorca.	1772. 7.8. G. 2.	_____
6 cordifolia. W.	heart-leaved.	_____	Siberia.	1783. 7. H. 2.	{ Pall. it. 3. p. 715, t. L. f. 1.
CATESBÆA. W.	LILY THORN.	Rubiaceæ. J.	_____	_____	_____
1 spinosa. W.	spiny.	_____	I, Providence	1726. 5.9. S. 2.	Bot. mag. 131.
2 parviflora. P. S.	small-flowered.	_____	Jamaica.	1810. S. 2.	Sloa. his. 2. t. 207. f. 1.
IXORA. W.	IXORA.	Rubiaceæ. J.	_____	_____	_____
1 grandiflora.	sessile-leaved.	_____	E. Ind.	1814. S. 2.	Bot. reg. 154.
2 coccinea.	scarlet.	_____	China.	1690. 7.8. S. 2.	Bot. mag. 169.
3 parviflora. W.	small-flowered.	_____	E. Ind.	1800. 8.10. S. 2.	Vah. sy. 3. p. 11. t. 52.
4 alba. W.	white.	_____	_____	1768. 6. S. 2.	Rheed. mal. 2. t. 14.
5 blanda. B. Reg.	charming.	_____	_____ S. 2.	Bot. reg. 100.
PAVETTA. W.	PAVETTA.	Rubiaceæ. J.	_____	_____	_____
indica. W.	Indian.	_____	E. Ind.	1791. 8.10. S. 2.	Bot. reg. 198.
BOUVARDIA. H. K.	BOUVARDIA.	Rubiaceæ. J.	_____	_____	_____
1 triphylla. H. K.	three-leaved.	_____	Mexico.	1794. 4.11. G. 2.	Par. lond. 88.
2 versicolor. B. Reg.	various-coloured	_____	S. Amer. ?	1814. 7.9. G. 2.	Bot. reg. 245.
ZIERIA. Sm.	ZIERIA.	_____	_____	_____
Smithii. B. M.	Smith's.	_____	N. S. W.	1808. 4.7. G. 2.	Bot. mag. 1395.
SIDERODENDRUM. W. }	IRON-TREE.	Rubiaceæ. J.	_____	_____	_____
1 triflorum. W.	three-flowered.	_____	W. Ind.	1793. S. 2.	Jac. am. 19. t. 175. f. 9.
CHOMELIA. W.	CHOMELIA.	Rubiaceæ. J.	_____	_____	_____
spinosa. W.	spiny.	_____	W. Ind.	1793. S. 2.	Jac. amer. 18. t. 13.
ÆGIPHILA. W.	ÆGIPHILA.	Verbenacæ. B. P.	_____	_____	_____
1 martinicensis. W.	Martinico.	_____	W. Ind.	1780. 11. S. 2.	Jac. obs. 2. t. 27.
2 foetida. W.	foetid.	_____	_____	1800. 6.7. S. 2.	_____
3 diffusa. B. R.	diffuse.	_____	_____	1804. 7.8. S. 2.	Bot. rep.
4 obovata. B. R.	oval-leaved.	_____	_____	_____ S. 2.	Bot. rep.
MITCHELLA. W.	MITCHELLA.	Rubiaceæ. J.	_____	_____	_____
repens. W.	creeping.	_____	N. Amer.	1761. 6. H. 2.	Cat. car. 1. t. 20.
COCCOCYPSILUM. W. }	COCCOCYPSILUM	Rubiaceæ. J.	_____	_____	_____
repens. W.	creeping.	_____	W. Ind.	1793. 5. S. 2.	Brown. jam. t. 6. f. 1.
CALLICARPA. W.	CALLICARPA.	Verbenacæ. B. P.	_____	_____	_____
1 americana. W.	American.	_____	N. Amer.	1794. 6.7. G. 2.	Cat. car. 2. t. 47.
2 cana. W.	hoary.	_____	E. Ind.	1799. S. 2.	_____
3 lanata. W.	woolly.	_____	_____	1788. 6.7. S. 2.	_____
4 macrophylla. W.	long-leaved.	_____	India.	1808. S. 2.	Vahl. symb. 2. t. 52.
5 ferruginea. W.	rusty.	_____	Jamaica.	1794. 6.7. S. 2.	_____
WITHERINGIA. W.	WITHERINGIA.	_____	_____	_____
solanacea. W.	yellow-flowered.	_____	S. Amer.	1748. 5.9. S. 2.	{ L'Her. sert. ang. 33. t. 1.
MANETTIA. W.	MANETTIA.	Rubiaceæ. J.	_____	_____	_____

TETRANDRIA MONOGYNIA.

coccinea. W.	scarlet.	Rubiaceæ. J.	Guiana.	1806. 5.7.	S. h.	Aub.gui.1.t.87.f.2.	
PENÆA. W.	PENÆA.					
1 mucronata. W.	heart-leaved.		C. B. S.	1787. 6.7.	G. h.	Vent. mal. 87.	
2 squamosa. W.	scaly.				G. h.	Bot. reg. 106.	
BLÆRIA. W.	BLÆRIA.	Ericææ. B. P.					
1 ericoides. W.	heath-leaved.		C. B. S.	1774. 8.10.	G. h.	{ Pet. gaz. 471. t.2. f. 10.	
2 articulata. W.	jointed.			1795. 5.6.	G. h.		
3 purpurea. W.	purple-flowered.			1791. —	G. h.		
4 muscosa. W.	Moss-leaved.			1774. 6.8.	G. h.		
5 ciliaris. W.	ciliated.			1785. —	G. h.		
BUDDLEA. W.	BUDDLEA.	Scrophularinææ. J.					
1 globosa. W.	round-headed.		Chili.	1774. 5.6.	H. h.	Bot. mag. 174.	
2 salivifolia. W.	Sage-leaved.		C. B. S.	1760. 8.9.	G. h.	Jac. schoen.1. t.28.	
3 saligna. W. en.	Willow-leaved.			1816. —	G. h.		
EXACUM. W.	EXACUM.	Gentianææ. B. P.					
viscosum. Sm.	clammy.		Canaries.	1781. 6.7.	G. ♂.	Smith. ic. faa. 3. t. 18.	
2 filiforme. W.	least.		Britain.	H. ♂.	Eng. bot. 935.	
SEBÆA. B. P.	SEBÆA.	Gentianææ. B. P.				
cordata. B. P.	heart-leaved.		C. B. S.	1815. 7.8.	H. ♂.	Burm. afr. t.74. f.5.	
FRASERA. Walt.	FRASERA.	Gentianææ. B. P.					
caroliniensis. P. S.	Carolina.		Carolina.	1795. 7.8.	H. ♂.		
PLANTAGO. W.	PLANTAIN.	Plantaginææ. B. P.					
1 major. W.	greater.		Britain.	5.7.	H. h.	Eng. bot. 1558.
2 crassa. W.	thick-leaved.		S. Europe.	1793. 6.7.	H. h.	Jac. col. sup. 34. t. 16.	
3 asiatica. W.	broad-leaved.		Siberia.	1787. 7.	H. h.		
4 maxima. W.	hollow-leaved.			1763. 7.8.	H. h.	Jac. ic. 1. t. 26.	
6 media. W.	hoary.		Britain.	5.7.	H. h.	Eng. bot. 1559.
6 virginica. W.	Virginian.		N. America.	1688. 6.9.	H. ♂.	Mor. his. 3. t. 15. f. 8.	
7 altissima. W.	tall.		Italy.	1774. 6.7.	Il. h.	Jac. obs. 4. t. 83.	
8 lanceolata. W.	Rib-Grass.		Britain.	5.7.	H. h.	Eng. bot. 507.
9 capensis. W.	Cape.		C. B. S.	1788. 5.8.	G. h.		
10 Lagopus. W.	round-headed.		Spain.	1683. 6.7.	H. h.	{ Wein. phyt. 4. t. 820. f. 2.	
11 lusitanica. W.	Portugal.			1781. 7.8.	H. h.	Barrel ic. 119. t. 745.	
12 albanica. W.	woolly.		S. Europe.	1776. 6.9.	H. h.	Cav. ic. 2. t. 124?	
13 patagonica. W.	Patagonian.		Patagonia.	1793. —	H. ♂.	Jac. ic. 2. t. 306.	
14 hirsuta. W.	hairy.		C. B. S.	1801. 6.7.	G. ♂.	Jac. schoen. 3. t. 258.	
15 villosa. P. S.	villous.		Germany.	1804. —	H. ♂.		
16 Wulfenii. W. en.	Wulfen's.			1802. —	H. h.		
17 alpina. W.	Alpine.		Austria.	1774. —	H. h.	Jac. vind. 2. t. 125.	
18 Bellardi. W.	Bellardi's.		S. Europe.	1797. —	H. ♂.	Allio. ped. 1. t. 85. f. 3.	
19 cretica. W.	Cretan.		Candia.	1711. 6.7.	H. ♂.		
20 maritima. W.	sea.		Britain.	7.	H. h.	Eng. bot. 175.
21 graminea. P. S.	Grass-leaved.		France.	1804. 6.7.	H. h.		
22 recurvata. W.	recurved-leaved.		S. Europe.	1799. —	H. ♂.	{ Murr. com. gott. 1780. t. 6.	
23 subulata. W.	awl-leaved.			1596. 7.	H. h.	Lob. ic. 439.	
24 macrorrhiza. W.	large-rooted.		Morocco.	1798. 7.8.	H. h.	Mor. his. t. 17. f. 2.	
25 Serraria. W.	saw-leaved.		Barbary.	1640. 6.7.	H. h.	Col. cephr. t. 259.	
26 Coronopus. W.	Star of the Earth		Britain.	4.9.	H. ♂.	Eng. bot. 892.
27 Lœstingii. W.	narrow-leaved.		Spain.	7.8.	H. ♂.	Jac. vind. 2. t. 126.
28 Cornuti. W.	cut-leaved.		1801. —	H. h.	Jac. ic. 1. t. 27.	
29 amplexicaulis. W.	stem-leaved.		Spain.	1797. 6.7.	H. ♂.	Cav. ic. 2. t. 125.	
30 Psyllium. W.	Fleawort.		S. Europe.	1562. 7.8.	H. ♂.		
31 arenaria. P. S.	sand.		Hungary.	1804. 5.8.	H. ♂.	Pl. rar. hung. t. 51.	
32 squarrosa. W.	leafy-spiked.		Egypt.	1787. 8.9.	H. ♂.	Jac. ic. 1. t. 28.	
33 indica. W.	Indian.		India.	1780. 7.8.	H. ♂.		
34 stricta. P. S.	upright.		Morocco.	1804. —	H. ♂.	Scous. mar. 1. ic. 145.	
35 pumila. W.	dwarf.		S. Europe.	1790. —	H. ♂.	{ Murr. com. gott. 1778. t. 5.	
36 Cynops. W.	shrubby.			1596. 5.8.	H. h.	{ Wein. phyt. 4. t. 837. f. a.	
37 afra. W.	Barbary.	Scrophularinææ. BP	Sicily.	1640. 6.	H. ♂.	Mor. his. 3. t. 17. f. 4.	
SCOPARIA. W.	SCOPARIA.		Jamaica.	1730. 6.9.	S. ♂.	Herm. par. t. 241.	
dulcis. W.	sweet.						
CENTUNCULUS. W.	{ BASTARD	Primulaceæ. B. P.					
minimus. W.	PIMPERNEL.						
	least.		Britain.	6.7.	H. ♂.	Eng. bot. 531.

TETRANDRIA MONOGYNIA.

27

SANGUISORBA. W.		GREAT BURNET. Rosaceæ. J.			
1 officinalis. W.	official.		Britain.	6.8. H. ♀. Eng. bot. 1812.
2 <i>auriculata.</i>	erred.		Italy.	— H. ♀. Bocc. mus. 19. t. 9
3 media. W.	short-spiked.		Canada.	1785.	7.9. H. ♀. Zan. his. 181. t. 188.
3 canadensis. W.	Canadian.			1638.	— H. ♀. Cor. can. 175. t. 174.
CISSUS. W.		CISSUS.			
1 vitiginea. W.	Vine-leaved.	Vites. J	India.	1772. S. h. { Pluk. mant. 27. t. 337. f. 2.
2 Ampelopsis. P. S.	heart-leaved.		N. Amer.	1808. H. h.
3 antarctica. Ven.	Kanguru-Vine.		N. S. W.	1790.	6.8. G. h. Vent. choix. 21.
4 sicyoides. W.	naked-leaved.		Jamaica.	1768. S. h. Jac. amer. 22. t. 15.
5 quadrangularis. W.	square-stalked.		E. Ind.	1790. S. h. Forsk. ic. t. 2.
6 capensis. W.	Cape.		C. B. S.	1792. G. h.
7 acida. W.	acid.		Jamaica.	1692. S. h. Jac. schoen. 1. t. 38.
8 trifoliata. W.	three-leaved.			1739. S. h. Slojam. 1. t. 144. f. 2.
9 hederacea. P. S.	{ Virginian Creeper. }		N. America.	1629.	6.7. H. h. Corn. canad. t. 100.
10 hirsuta. Ph.	hairy.			1806. H. h.
11 pentaphylla. W.	five-leaved.		Japan.	1790	4.9. G. h.
12 quinata. H. K.	wedge-leaved.		C. B. S.	—	7. G. h.
13 stans. P. S.	Pepper-Vine.		N. America.	1700.	7.9. H. h. Pluc. mant. t. 412. f. 2
EPIMEDIUM. W.		BARRENWORT. Berberides. J.			
alpinum. W.	Alpine.		England.	4.5. H. ♀. Eng. bot. 438.
CORNUS. W.		DOGWOOD. Caprifoliæ. J			
1 suecica. W.	dwarf.		Britain.	4. H. ♀. Eng. bot. 310.
2 canadensis. W.	Canadian.		Canada.	1774.	6.8. H. ♀. Bot. mag. 860.
3 florida. W.	great-flowered.		N. America.	1731.	4.5. H. h. — 526.
4 mascula. W.	{ Cornelian Cherry. }		Austria.	1596.	2.4. H. h. Schm. arb. 2. t. 63.
5 sanguinea. W.	common.		Britain.	6.7. H. h. Eng. bot. 249.
6 alba. W.	white-berried.		Siberia.	1741.	6.9. H. h. Sch. arb. 2. t. 65.
7 sericea. W.	blue-berried.		N. America.	1683.	8. H. h. — 2. t. 64.
8 circinata. W.	Pennsylvanian.			1784.	7.8. H. h. — 2. t. 69.
9 stricta. W.	upright.			1758.	6.7. H. h. — 2. t. 67.
10 paniculata. W.	panicked.			—	H. h. — 2. t. 68.
11 alternifolia. W.	alternate-leaved.			1760.	9. H. h. — 2. t. 70.
FAGARA. W.		Terebintaceæ. J.			
1 Pterota. W.	Lentiscus-leaved		Jamaica.	1768.	8.9. S. h. Brojam. 146. t. 5. f. 1
2 Piperita. W.	Ash-leaved.		Japan.	1773.	9. G. h. Kæmp. amœn. t. 893
3 tragodes. W.	prickly-leaved.		W. Ind.	1759. S. h. Jac. amer. 21. t. 14.
MONETIA. W.		MONETIA.			
barlerioides. W.	four-spined.		<i>Azima. Lamarck & Pers. Syn.</i>		
			E. Ind.	1758.	7. S. h. L. Ker. sti. nov. 1. t. 1.
PTELEA. W.		{ SHRUBBY TREFOIL. }			
trifoliata. W.	three-leaved.	Terebintaceæ. J.	N. America.	1704.	6.7. H. h. Schr. arb. 2. t. 76.
LUDWIGIA. W.		Onagrarie. J			
alternifolia. W.	large capsuled.		Virginia.	1752.	6.7. H. ♂. Lam. ill. 1. t. 77.
2 hirsuta. Ph.	hairy.		N. America.	1812.	6.8. H. ♀.
ISNARDIA. W.		Onagrarie. J.			
palustris. W.	marsh.		Europe, &c.	1776.	7. H. ♂. Schk. ban. 1. t. 25.
OLDENLANDIA. W.		OLDENLANDIA. Rubiaceæ. J			
1 umbellata. W.	Indian Madder.		E. Ind.	1792.	7.8. S. ♀. Roxb. cor. 1. t. 8.
2 corymbosa. W.	Hyssoy-leaved.		Jamaica.	1739.	6.10. S. ♂. { Ehret. pict. t. 2. f. 1. & t. 4.
AMMANNIA. W.		AMMANNIA. Salicariæ. J			
1 latifolia. W.	broad-leaved.		W. Ind.	1733.	7.8. S. ♂. Sloan. jam. 1. t. 7. f. 4
2 debilis. W.	cluster-flowered.		E. Ind.	1778.	— H. ♂.
3 ramosior. W.	branching.		Virginia.	1759.	— H. ♂.
4 sanguinolenta. W.	bloody.		Jamaica.	1803.	— H. ♂.
TRAPA. W.		{ WATER-CALTROPS. }			
1 natans. W.	European.	{ Hydrocharideæ } B. P	Europe.	1781.	6.8. H. ♂. Bot. reg.
2 bicornis. W.	Chinese.		China.	1790. G. ♀. Gært. sem. 2. t. 95.
DORSTENIA. W.		DORSTENIA. Urticæ. J.			
1 brasiliensis. W.	Brazilian.		S. America.	1792.	3.4. S. ♀.
2 Houstoni. W.	Houstoun's.			1747.	6.7. S. ♀. { Houst. phil. trans. 37. t. 2.
3 Contrajerva. W.	{ Contrajerva Root. }			1748.	5.8. S. ♀. Jac. ic. 3. t. 614.

TETRANDRIA TETRAGYNIA.

POTHOS. W.	POTHOS.	Aroideæ. B. P.					
1 acaulis. W.	stemless.	_____	W. Ind.	1790. 4.7. S. ½.	Jac. amer. 240. t. 158		
2 lanceolata. W.	lance-leaved.	_____	Barbadoes.	_____ S. ½.	Plum. amer. 47. t. 62		
3 violacea. W.	blue-fruited.	_____	Jamaica.	1793. 4.6. S. ½.			
4 cannaefolia. H. K.	sweet-scented.	_____	W. Ind.	1789. 4.5. S. ½.	Bot. mag. 603.		
5 crassinervia. W.	thick-nerved.	_____	S. America.	1796. S. ½.	Jac. ic. 3. t. 609.		
6 cordata. W.	heart-leaved.	_____	America.	1770. 4. S. ½.	Plum. ic. 26. t. 38.		
7 sagittata. B. M.	arrow-leaved.	_____	W. Ind.	1800. 8. S. ½.	Bot. mag. 1584.		
8 macrophylla. W.	large-leaved.	_____	_____	1794. 5.6. S. ½.	Jac. ic. 3. t. 610.		
9 obtusifolia. H. K.	blunt-leaved.	_____	Barbadoes.	1790. _____ S. ½.			
10 fœtida. H. K.	Schnkweed.	_____	N. America.	1735. 3.4. H. ½.	Bot. mag. 836.		
11 palmata. W.	palmated.	_____	S. America.	1803. 6.7. S. ½.	Plum. amer. 49. t. 64		
12 pentaphylla. W.	five-leaved.	_____	Cayenne.	_____ 10.11. S. ½.	Bot. mag. 1875.		
CURTISIA. W.	HASSAGAY-TREE.	_____					
faginea. W.	Beech-leaved.	_____	C. B. S.	1775. G. ½.	Burma. afr. 285. t. 82.		
CHLORANTHUS. W.	CHULAN.	_____					
1 inconspicuus. W.	trailing.	_____	China.	1781. 5.9. G. ½.	{ L'Herit. sert. ang. 35. t. 2.		
2 erectus.	upright.	_____	_____	1809. 6.8. G. ½.			
ELÆAGNUS. W.	OLEASTER.	Elæagni. J.					
1 angustifolia. W.	narrow-leaved.	_____	S. Europe.	1633. 7. H. ½.	Pall. ross. 1. t. 4.		
2 argentea. Ph.	silvery.	_____	N. America.	1813. 7.8. H. ½.			
3 orientalis. W.	oriental.	_____	Levant.	1748. _____ G. ½.	Pall. ross. 1. t. 5.		
4 latifolia. W.	broad-leaved.	_____	E. Ind.	1712. _____ S. ½.	{ Burm. zeyl. 98. t. 39. f. 2.		
SANTALUM. W.	SANDAL-WOOD.	Santalacæ. B. P.	Sirium. L. & Roxb.				
album. W.	white.	_____	E. Ind.	1804. S. ½.	Roxb. cor. 1. t. 2.		
STRUTHIOIA. W.	STRUTHIOIA.	Thymelææ. B. P.					
1 juniperina. W.	drooping.	_____	C. B. S.	1758. 4.9. G. ½.	Bot. mag. 222.		
2 erecta. W. en.	upright.	_____	_____	1798. _____ G. ½.			
3 ovata. W.	oval-leaved.	_____	_____	1792. 2.6. G. ½.	Bot. rep. 119.		
4 imbricata. H. K.	tilled-leaved.	_____	_____	1794. 4.8. G. ½.	_____ 113.		
5 tomentosa. H. K.	downy-leaved.	_____	_____	1799. 8.9. G. ½.	_____ 334.		
6 virgata. H. K.	twiggy.	_____	_____	1779. 4.8. G. ½.	_____ 139.		
7 ciliata. B. R.	ciliated.	_____	_____	_____ G. ½.	_____ 149.		
8 pubescens. H. K.	downy.	_____	_____	1790. _____ G. ½.	Bot. mag. 1812.		
RIVINA. W.	RIVINA.	Chenopodææ. B. P.					
1 humilis. W.	downy.	_____	W. Ind.	1699. 1.10. S. ½.	Bot. mag. 1781.		
2 canescens. W.	hoary.	_____	_____	1804. 5.8. S. ½.			
3 purpurascens. W. en.	purple.	_____	_____	1815. _____ S. ½.			
4 lævis. W.	smooth.	_____	_____	1783. 2.9. S. ½.	Lam. ill. t. 81. f. 2.		
5 brasiliensis. W.	wave-leaved.	_____	Brazil.	1790. 6.7. S. ½.			
6 octandra. W.	climbing.	_____	W. Ind.	1752. 5.6. S. ½.	Brjam. 149. t. 23. f. 3		
CAMPHOROSMA. W.	CAMPHOROSMA.	Chenopodææ. B. P.					
monsopeliaca. W.	hairy.	_____	S. Europe.	1640. 8.9. G. ½.	Schk. hand. 1. t. 26.		
ALCHEMILLA. W.	LADIES-MANTLE.	Rosacææ. J.					
1 vulgaris. W. en.	common.	_____	Britain. 6.8. H. ½.	Eng. bot. 597.		
2 montana. W. en.	mountain.	_____	Saxony. _____ H. ½.			
3 pubescens. W. en.	pubescent.	_____	Caucasus.	1818. _____ H. ½.	Hort. ber. 2. t. 79.		
4 sericea. W. en.	silky.	_____	_____	_____ H. ½.			
5 alpina. W.	silvery.	_____	Britain. 7. H. ½.	Eng. bot. 244.		
6 pentaphylla. W.	five-leaved.	_____	Switzerland.	1784. _____ H. ½.			
7 Aphanes. W.	Parsley-piert.	_____	Britain. 4.6. H. ½.	Eng. bot. 1011.		

DIGYNIA.

BUFFONIA. W.	BUFFONIA.	Caryophyllææ. J.					
tenuifolia. W.	slender-leaved.	_____	England. 6. H. ½.	Eng. bot. 1313.		
HAMAMELIS. W.	WITCH-HAZEL.	Berberidææ. J.					
virginica. W.	Virginian.	_____	N. Amer.	1736. 11.5. H. ½.	Duham. arb. 1. t. 114		
HYPERICUM. W.	HYPERICUM.	Papaveracææ. J.					
1 procumbens. W.	procumbent.	_____	S. Europe.	1596. 6.7. H. ½.	Schk. hand. 1. t. 27.		
2 pendulum. W.	pendulous.	_____	S. France.	1640. _____ H. ½.	Park. theat. 372. f. 2.		
3 erectum. W.	erect.	_____	Siberia.	1759. 5.6. H. ½.	Amm. ruth. 58. t. 3.		

TETRAGYNIA.

MYGINDA. W.	MYGINDA.	Rhamni. J.					
1 uragoga. W.	saw-leaved.	_____	S. America.	1790. 8.9. S. ½.	Jac. amer. 24. t. 16.		
2 Rhacoma. W.	blunt-leaved.	_____	Jamaica.	1798. S. ½.	Jac. ic. 2. t. 811.		
3 latifolia. W.	broad-leaved.	_____	W. Ind.	1795. 4.5. S. ½.			

PENTANDRIA MONOGYNIA.

39

ILEX. W.	HOLLY.	Rhamni. J.					
1 Aquifolium. W.	common.		Britain.	4.6. H. h.	Eng. bot. 496.	
β heterophylla.	various-leaved.					
γ crassifolia.	thick-leaved.					
δ recurva.	slender.					
ε seras.	hedge-hog.					
ζ flava.	yellow-berried.					
η albo-marginata.	silver-edged.					
θ aureo-marginata.	gold-edged.					
ι medio picta.	painted.					
2 laxiflora. Ph.	loose-flowered.		Carolina.	1811.	H. h.		
3 opaca. W.	Carolina.		Carolina.	1744.	5.6. H. h.	Meerb. ic. 2. t. 5.	
4 crocea. W.	African.		C. B. S.	1794.	G. h.		
5 Perado. W.	thick-leaved.		Madeira.	1760.	4.5. G. h.	Meerb. ic. 2. t. 6.	
6 Prinoides. W.	deciduous.		N. America.	—	7. H. h.		
7 Cassine. Ph.	broad-l ^d . Dahoon.		Carolina.	1726.	8. F. h.	Cat. car. 1. t. 31.	
8 Dahoon. Ph.	Dahoon.			—	5.6. F. h.		
9 angustifolia. W. en.	Myrtle-leaved.			1808.	F. h.		
10 vomitoria. W.	South Sea Tea.		Florida.	1700. F. h.	Cat. car. 2. t. 57.	
11 canadensis. Ph.	Canadian.		N. America.	1808.	4.5. H. h.	Mich. amer. 2. t. 49.	
COLDENIA W.	COLDENIA.	Boragineæ. J.					
procumbens. W.	trailing.		E. Ind.	1699.	7.8. S. ⊙.	Lam. ill. t. 89.	
POTAMOGETON. W.	POND-WEED.	Alismaceæ. B. P.					
1 natans. W.	broad-leaved.		Britain.	8. H. ½.	Eng. bot. 1822.	
2 fluitans. W.	long-leaved.			7.8. H. ½.	— 1286.	
3 heterophyllum. W.	various-leaved.			H. ½.	— 1285.	
4 perfoliatum. W.	perfoliate.			H. ½.	— 168.	
5 densum. W.	close-leaved.			5.7. H. ½.	— 397.	
6 lucens. W.	shining.			6.7. H. ½.	— 376.	
7 crispum. W.	curled.			H. ½.	— 1012.	
8 compressum. W.	flat-stalked.			H. ½.	— 418.	
9 pectinatum. W.	Fennel-leaved.			H. ½.	— 823.	
10 lanceolatum. E. B.	spear-leaved.		England.	7.8. H. ½.	— 1985.	
11 gramineum. W.	Grass-leaved.		Britain.	H. ½.	— 2253.	
12 pusillum. W.	small.			H. ½.	— 215.	
13 setaceum. W.	bristly.			H. ½.		
RUPPIA. W.	RUPPIA.	Naiades. J.					
maritima. W.	sea.		Britain.	7. H. ½.	Eng. bot. 136.	
SAGINA. W.	PEARLWORT.	Caryophyllæ. J.					
1 procumbens. W.	procumbent.		Britain.	5.9. H. ⊙.	Eng. bot. 380.	
2 apetala. W.	small-flowered.			5.6. H. ⊙.	— 881.	
3 maritima. E. B.	sea-side.		Ireland.	5.8. H. ⊙.	— 2195.	
MCENCHIA. P. S.	MCENCHIA.	Caryophyllæ. J.					
glaucæ. P. S.	glaucous.		Britain.	4.5. H. ⊙.	Eng. bot. 609.	
TILLEA. W.	TILLEA.	Sempervivæ. J.					
muscosa. W.	mossy.		England.	6.10. H. ⊙.	Eng. bot. 116.	
RADIOLA. Sm.	RADIOLA.						
millegrana. Sm.	All-seed.		Britain.	7.8. H. ⊙.	Eng. bot. 892.	

CLASS V.

PENTANDRIA MONOGYNIA.

HELIOTROPIUM. W.	TURNSOLE.	Boragineæ. B. P.					
1 peruvianum. W.	Peruvian.		Peru.	1757.	5.9. G. h.	Bot. mag. 141.	
2 corymbosum. P. S.	large-flowered.			1808.	G. h.	— 1609.	
3 parviflorum. W.	small-flowered.		W. Ind.	1732.	7.9. S. ♂.	Dill. elt. t. 146. f. 175.	
4 europæum. W.	European.		S. Europe.	1562.	6.10. H. ⊙.	Jac. aust. 3. t. 207.	
5 curassavicum. W.	glaucous.		W. Ind.	1731.	6.7. S. ♂.	Mor. s. 11. t. 31. f. 12.	
6 humile. B. P.	dwarf.		S. America.	1752.	5.6. S. h.	Plum. ic. 227. f. 2.	
	<i>Tournefortia humilis Willd.</i>						
7 indicum. W.	Indian.		W. Ind.	1713.	6.8. S. ⊙.	Fluk. phyt. 245. f. 4.	
8 supinum. W.	trailing.		S. Europe.	1640.	6.7. H. ⊙.	Gouan. m. 17. c. tab.	
MYOSOTIS. B. P.	SCORPION-GRASS.	Boragineæ. B. P.					
1 scorpioides. W.	marsh.		Britain.	4.6. H. ½.	Eng. bot. 1973.	

TETRANDRIA MONOGYNIA.

4 monandra. Roth.	monandrous.	Gramineæ. B. P.	Spain.	1804.	7.	H.⊙.	Cav. ic. t. 39. f. 1.
5 exaltata. W.	tall.	_____	E. Ind.	1806.	_____	S. ♂.	_____
MICHRUCHLOA. B. P.	MICHRUCHLOA.	Gramineæ. B. P.	<i>Rottballia species Roxb.</i>	_____	_____	_____	_____
setacea. B. P.	bristly.	_____	E. Ind.	1806.	7.	H.⊙.	Roxb. c. 2. p. 13. t. 139
LEERSIA. B. P.	LEERSIA.	Gramineæ. B. P.	<i>Leersia & Asprella Willd. enun.</i>	_____	_____	_____	_____
1 oryzoides. Ph.	Virginian.	_____	N. America.	1798.	7.8.	H. ♀.	Host. gram. 1. t. 35.
2 Hystrix.	rough.	_____	Levant.	1770.	_____	H.⊙.	Jac. ic. 2. t. 305.

TRIGYNIA.

ERIOCAULON. W.	PIPEWORT.	Restiaceæ. B. P.	_____	_____	_____	_____	_____
septangulare. E. B.	jointed.	_____	Scotland.	9.	H. ♀.	Eng. bot. 733.
MONTIA. W.	CHICKWEED.	Portulacæ. J.	_____	_____	_____	_____	_____
fontana. W.	water.	_____	Britain.	4.5.	H.⊙.	Eng. bot. 1206.
KENIGIA. W.	KENIGIA.	Polygonæ. J.	_____	_____	_____	_____	_____
islandica. W.	Iceland.	_____	Iceland.	1773.	4.	H.⊙.	Lam. ill. gen. t. 51.
HOLOSTEUM. W.	HOLOSTEUM.	Caryophyllæ. J.	_____	_____	_____	_____	_____
umbellatum. W.	umbelliferous.	_____	England.	7.8.	H.⊙.	Eng. bot. 27.
POLYCARPON. W.	ALL-SEED.	Caryophyllæ. J.	_____	_____	_____	_____	_____
tetraphyllum. W.	four-leaved.	_____	England.	7.	H.⊙.	Eng. bot. 1031.
MOLLUGO. W.	MOLLUGO.	Caryophyllæ. J.	_____	_____	_____	_____	_____
verticillata. W.	whorled.	_____	Virginia.	1748.	6.8.	H.⊙.	Ehret. pict. t. 6.
MINUARTIA. W.	MINUARTIA.	Caryophyllæ. J.	_____	_____	_____	_____	_____
1 dichotoma. W.	forked.	_____	Spain.	1771.	6.7.	H.⊙.	{ Act. stockh. 1758. t. 1. f. 2.
2 campestris. W.	field.	_____	_____	1806.	_____	H.⊙.	t. 1. f. 3.
3 montana. W.	mountain.	_____	_____	_____	_____	H.⊙.	Loefl. it. rar. t. 1. f. 4.
QUERIA. W.	QUERIA.	Caryophyllæ. J.	_____	_____	_____	_____	_____
hispanica. W.	Spanish.	_____	Spain.	1800.	5.9.	H.⊙.	_____
LECHEA. W.	LECHEA.	Caryophyllæ. J.	_____	_____	_____	_____	_____
1 major. W.	greater.	_____	Canada.	1780.	7.8.	H. ♀.	Lam. ill. 1. t. 52. f. 2.
2 minor. W.	lesser.	_____	_____	1802.	_____	H. ♀.	t. 52. f. 1.

CLASS IV.

TETRANDRIA MONOGYNIA.

PETROPHILA. L. T.	PETROPHILA.	Proteaceæ. B. P.	<i>Protea species Willd.</i>	_____	_____	_____	_____
1 pulchella. L. T.	Fennel-leaved.	_____	N. S. W.	1790.	7.8.	G. ♀.	Bot. mag. 796.
2 diversifolia. L. T.	various-leaved.	_____	N. Holland.	1803.	G. ♀.	_____
ISOPOGON. L. T.	ISOPOGON.	Proteaceæ. B. P.	<i>Protea species Willd.</i>	_____	_____	_____	_____
1 anethifolius. L. T.	Dill-leaved.	_____	N. Holland.	1796.	3.6.	G. ♀.	Cav. ic. 6. t. 549.
2 formosus. L. T.	handsome.	_____	_____	1805.	_____	G. ♀.	_____
3 anemonifolius. L. T.	Anemone-leaved.	_____	_____	1791.	7.8.	G. ♀.	Bot. mag. 697.
4 trilobus. L. T.	three-lobed.	_____	_____	1803.	5.6.	G. ♀.	_____
PROTEA. L. T.	PROTEA.	Proteaceæ. B. P.	<i>Erodendri species Knts. Prot.</i>	_____	_____	_____	_____
1 cynaroides. L. T.	Artichoke-flow ^d .	_____	C. B. S.	1774.	11.3.	G. ♀.	Bot. mag. 770.
2 latifolia. L. T.	ray-flowered.	_____	_____	1806.	7.9.	G. ♀.	1717.
3 compacta. L. T.	compact.	_____	_____	1810.	G. ♀.	_____
4 longiflora. L. T.	milk-coloured.	_____	_____	1795.	1.3.	G. ♀.	Ex. bot. 2. t. 81.
5 speciosa. L. T.	splendid.	_____	_____	1786.	3.6.	G. ♀.	Knight's prot. c. ic.
6 obtusa. Kn. P.	obtuse.	_____	_____	_____	_____	G. ♀.	Bot. rep. 110.
7 formosa. L. T.	crown-flowered.	_____	_____	1789.	5.6.	G. ♀.	Bot. mag. 1713.
8 melaleuca. L. T.	black-fringed.	_____	_____	1786.	3.7.	G. ♀.	Bot. rep. 103.
9 Lepidocarpon. L. T.	crested.	_____	_____	1806.	_____	G. ♀.	301. 2.
10 nerifolia. L. T.	Oleander-leaved.	_____	_____	_____	2.4.	G. ♀.	Bot. reg. 208.
11 pulchella. L. T.	wave-leaved.	_____	_____	1795.	3.8.	G. ♀.	Bot. reg. 20.
12 patens. L. T.	spreading.	_____	_____	1789.	3.6.	G. ♀.	Bot. rep. 543.
13 magnifica. Kn. P.	magnificent.	_____	_____	_____	_____	G. ♀.	438.
14 longifolia. L. T.	long-leaved.	_____	_____	1798.	3.8.	G. ♀.	Bot. reg. 47.
15 umbonalis. Kn. P.	embossed.	_____	_____	_____	_____	G. ♀.	Bot. rep. 144.
16 ligulæfolia. Kn. P.	strap-leaved.	_____	_____	_____	_____	G. ♀.	183.
17 mellifera. L. T.	honey-bearing.	_____	_____	1774.	12.5.	G. ♀.	Bot. mag. 846.
18 grandiflora. L. T.	great-flowered.	_____	_____	1787.	5.6.	G. ♀.	Wein. phyt. 4. t. 891.
19 Scolymus. L. T.	small-flowered.	_____	_____	1780.	_____	G. ♀.	Bot. mag. 698.
20 mucronifolia. L. T.	dagger-leaved.	_____	_____	1803.	7.12.	G. ♀.	933.

4 orientale. W. en.	eastern.	Boragineæ. B. P.	Turkey.	1752.	5.7.	H. ½.	Buxb. cent. 5. t. 68.
5 tauricum. W. en.	Taurian.		Tauria.	1806.	—	H. ½.	Bot. mag. 1787.
6 aspernum. H. K.	roughest.		Caucasus.	1799.	5.9.	H. ½.	— 929.
7 cordatum. W.	heart-leaved.		Transylvan.	1818.	5.7.	H. ½.	Pl. rar. hung. 6. t. 7.
ERINTHE. W.	HONEYWORT.	Boragineæ. B. P.					
1 major. W.	great.		S. Europe.	1596.	7.8.	H. ○.	Bot. mag. 393.
2 aspera. W.	rough.			1633.	—	H. ○.	
3 minor. W.	small.		Austria.	1570.	6.10.	H. ♂.	Jac. aus. 2. t. 124.
ONOSMA. W.	ONOSMA.	Boragineæ. B. P.					
1 simplicissima. W.	linear-leaved.		Siberia.	1768.	4.6.	H. ½.	Gmel. sib. 4. t. 40.
2 taurica. H. K.	golden-flowered.		Caucasus.	1801.	—	H. ½.	Bot. mag. 889.
3 orientalis. W.	oriental.		Levant.	1752.	5.6.	G. ½.	
4 echioides. W.	hairy.		S. Europe.	1683.	3.6.	H. ½.	Jac. aus. 3. t. 295.
5 sericea. W.	silky-leaved.		Levant.	1752.	6.7.	H. ½.	
BORAGO. W.	BORAGE.	Boragineæ. B. P.					
1 officinalis. W.	common.		England.	6.9.	H. ○.	Eng. bot. 86.
2 orientalis. W.	oriental.		Turkey.	1752.	3.5.	H. ½.	Mill. ic. 1. t. 68.
3 laxiflora. B. M.	bell-flowered.		Corsica.	1813.	5.8.	H. ♂.	Bot. mag. 1798.
TRICHODESMA. B. P.	TRICHODESMA.	Boragineæ. B. P.					
1 indica. B. P.	Indian.		Boraginis species Willd.				
			E. Ind.	1759.	6.10.	H. ○.	{ Pluk. alm. 30. t. 76. f. 3.
2 africana. B. P.	African.		C. B. S.	—	7.8.	H. ○.	{ Lamarck. act. par. 1718. t. 11.
3 zeylanica. B. P.	Ceylon.		E. Ind.	1799.	—	S. ○.	{ Jac. ic. 2. t. 314.
ASPERUGO. W.	{ GERMAN MADWORT. }	Boragineæ. B. P.					
procumbens. W.	procumbent.		Britain.	4.5.	H. ○.	Eng. bot. 661.
LYCOPSIS. W.	WILD BUGLOSS.						
1 vesicaria. W.	bladdered.		S. Europe.	1686.	5.7.	H. ○.	
2 pulla. W.	dark-flowered.		Germany.	1648.	6.7.	H. ½.	Jac. aus. 2. t. 188.
3 ciliata. W.	ciliated.		Levant.	1804.	—	H. ○.	
4 variegata. W.	variegated.		Candia.	1683.	—	H. ○.	{ Moris. s. 11. t. 26. f. 10.
6 arvensis. W.	small.		Britain.	5.8.	H. ○.	Eng. bot. 933.
6 lutea. W.	yellow-flowered.		1805.	6.7.	H. ○.	
7 orientalis. W.	oriental.		Levant.	1796.	—	H. ○.	Buxb. cent. 5. t. 30.
ECHIUM. W.	{ VIPER'S BU- GLOSS. }	Boragineæ. B. P.					
1 fruticosum. W.	shrubby.		C. B. S.	1759.	5.6.	G. h.	Bot. reg. 86.
2 candicans. W.	hoary tree.		Madeira.	1777.	—	G. h.	— 43.
3 grandiflorum. H. K.	great-flowered.			1787.	6.7.	G. h.	— 124.
4 ferocissimum. B. K.	prickly-stalked.			1794.	—	G. h.	Bot. rep. 39.
5 giganteum. W.	gigantic.		Canaries.	1779.	7.11.	G. h.	Vent. mal. 71.
6 strictum. W.	upright.			—	5.12.	G. ♂.	Jac. schœn. 1. t. 35.
7 argenteum. W.	silvery.		C. B. S.	1789.	6.7.	G. h.	Bot. rep. 154.
8 lavigatum. W.	smooth-stalked.			1774.	—	G. h.	
9 glabrum. W.	sea-green-leaved.			1791.	5.6.	G. h.	Jac. ic. 2. t. 312.
10 fastuosum. H. K.	fastuous.		Canaries.	1779.	4.8.	G. h.	
11 nervosum. H. K.	sinewy-leaved.		Madeira.	1777.	6.8.	G. h.	
12 spicatum. W.	spiked dwarf.		C. B. S.	1799.	3.5.	G. h.	
13 plantagineum. W.	Plantain-leaved.		Italy.	1776.	7.10.	H. ○.	Barr. ic. t. 1026.
14 italicum. W.	white.		Jersey.	7.	H. ♂.	Eng. bot. 2081.
15 rubrum. W.	red.		Hungary.	1791.	7.8.	H. ♂.	Jac. aus. 5. t. ap. 3.
16 vulgare. W.	common.		Britain.	—	H. ♂.	Eng. bot. 181.
17 violaceum. W.	Violet-flowered.		Austria.	1658.	—	H. ○.	
18 maritimum. W.	sea.		Italy.	1815.	—	H. ○.	Boc. mus. 2. t. 78.
19 pyrenaicum. W. en.	Pyrenean.		Pyrenees.	—	—	H. ♂.	
20 creticum. W.	Cretan.		Levant.	1683.	7.9.	H. ♂.	Bot. mag. 1934.
21 orientale. W.	oriental.			1780.	7.8.	H. ○.	Trew. pl. rar. 1. t. 1.
22 lusitanicum. W.	Portugal.		S. Europe.	1731.	7.8.	H. ○.	
23 parviflorum. H. K.	small-flowered.		Barbary.	1798.	—	H. ○.	
TOURNEFORTIA. B. P.	TOURNEFORTIA.	Boragineæ. B. P.					
1 Messerschmidia.	shrubby.		Canaries.	1779.	6.10.	G. h.	
2 Arguzia.	herbaceous.		Siberia.	1780.	—	H. ½.	Heb. com. pet. 8. t. 11.
3 foetidissima. B. P.	Tobacco-leaved.		Jamaica.	1739.	9.	S. h.	Plum. ic. 226. t. 230.
4 cymosa. B. P.	broad-leaved.			1777.	7.	S. h.	Jac. ic. 1. t. 31.
5 bicolor. B. P.	two-coloured.			1812.	S. h.	
6 anfruticosa. W.	hoary-leaved.			1759.	S. h.	

7 volubilis. W.	climbing.	Boraginæ. B. P.	Jamaica.	1752.	7.8.	S. h.	Slo. jam. 1. t. 148. f. 1
CORDIA. B. P.	CORDIA.	Boraginæ. B. P.	<i>Cordia & Farronia. L. & Willd.</i>				
1 Myxa. W.	smooth-leaved.		E. Ind.	1640.	S. h.	Rheed. mal. 4. t. 37.
2 monoica. W.	Birch-leaved.			1799.	3.4.	S. h.	Roxb. cor. 1. t. 58.
3 Sebestena. W.	rough-leaved.		India.	1728.	7.8.	S. h.	Bot. mag. 794.
4 Geraschanthus. W.	Spanish Elm.		W. Ind.	1789.	5.	S. h.	Brown. jam. t. 226. f. 3
5 macrophylla. W.	broad-leaved.			1752.	S. h.	{ Sloan. jam. 2. t. 221. f. 1.
6 Collococca. W.	long-leaved.		Jamaica.	1759.	S. h.	—, 2. t. 203. f. 2.
7 hirsuta. W.	hairy.		Guiana.	1803.	6.7.	S. h.	Aub. guia. 1. t. 86.
8 elliptica. Sw.	elliptic.		W. Ind.	1804.	S. h.	
9 lineata. W.	round-spiked.			1793.	S. h.	Brown. jam. t. 13. f. 3
10 mirabiloides. W.	jointed.		Hispaniola.	1798.	9.	S. h.	Jac. amer. 41. t. 39.
11 martinicensis. W.	Martinico.		Martinico.	1795.	8.9.	S. h.	— 41. t. 39.
12 curassavica. W.	long-spiked.		S. America.	1759.	S. h.	
13 angustifolia. W.	narrow-leaved.		Santa Cruz.	1808.	S. h.	
14 Patagonula. W.	spear-leaved.		S. America.	1782.	6.8.	G. h.	Lam. ill. t. 96.
BOURRERIA. Gert.	BOURRERIA.	Boraginæ. B. P.	<i>Ehretia species Willd.</i>				
1 succulenta. Jac.	oval-leaved.		W. Ind.	1758.	S. h.	Jac. obs. 2. p. 2. t. 26.
2 exsucca. Jac.	dry-fruited.			1804.	S. h.	Jac. ame. t. 173. f. 17.
EHRETIA. W.	EHRETIA. W.	Boraginæ. B. P.					
1 tinifolia. W.	Timus-leaved.		Jamaica.	1784.	6.7.	S. h.	Trew. ehret. 4. t. 25.
2 aspera. W.	rough-leaved.		E. Ind.	1795.	S. h.	Roxb. cor. 1. t. 55.
HYDROPHYL- } WATER-LEAF.		Boraginæ. J.					
LUM. W. }							
1 appendiculatum. Ph.	appendaged.		N. America.	1813.	5.6.	H. h.	
2 virginicum. W.	Virginian.			1739.	—	H. h.	Schku. hand. 1. t. 35.
3 canadense. W.	Canadian.		Canada.	1759.	—	H. h.	Bot. reg. 242.
ELLISIA. W.	ELLISIA.	Boraginæ. J.					
Nyotelea. W.	cut-leaved.		Virginia.	1755.	7.8.	H. O.	Ehr. na. cur. 2. t. 7. f. 1
NOLANA. W.	NOLANA.	Boraginæ? J.					
prostrata. W.	trailing.		Peru.	1761.	7.9.	H. O.	Bot. mag. 731.
ARETIA. W.	ARETIA.	Primulacæ. B. P.					
1 helvetica. W.	imbricated.		Switzerland.	1775.	5.6.	H. h.	Schku. hand. 1. t. 39.
2 alpina. W.	linear-leaved.					H. h.	Jac. aust. 5. t. app. 18.
3 Vitaliana. W.	Grass-leaved.		Pyrenees.	1787.	—	H. h.	Par. lond. 107.
ANDROSACE. W.	ANDROSACE.	Primulacæ. B. P.					
1 maxima. W.	oval-leaved.		Austria.	1597.	3.6.	H. O.	Jac. aus. 4. t. 331.
2 elongata. W.	cluster-flowered.			1776.	4.5.	H. O.	— 4. t. 330.
3 septentrionalis. W.	tooth-leaved.		Russia.	1755.	—	H. O.	Flor. dan. t. 7.
4 lactiflora. W. en.	milk-coloured.		Siberia.	1815.	6.9.	H. h.	
5 villosa. W.	villous.		Pyrenees.	1790.	6.7.	H. h.	Bot. mag. 748.
6 coronopifolia. B. R.	Buckshorn-leaf ^d		Siberia.	1806.	6.9.	H. h.	Bot. rep. 647.
7 Chamerjasme. W.	Grass-leaved.		Austria.	1768.	6.8.	H. h.	
8 lactea. W.	white-flowered.			1752.	—	H. h.	Bot. mag. 868.
9 carnea. W.	awl-leaved.		Switzerland.	1768.	7.8.	H. h.	Pluk. alm. t. 108. f. 3.
PRIMULA. W.	PRIMROSE.	Primulacæ. B. P.					
1 vulgaris. E. B.	common.		Britain.	3.5.	H. h.	Eng. bot. 4.
2 pleno-carnea. B. M.	flash-col. double.			—	H. h.	Bot. mag. 329.
3 pleno-alba.	double white.			—	H. h.	
4 pleno-sulphurea.	double brimstone.			—	H. h.	
5 pleno-rubra.	double red.			—	H. h.	
6 pleno-cuprea.	double copper.			—	H. h.	
7 pleno-atropurpurea.	double dark purple.			—	H. h.	
8 elatior. W.	Oxlip.			—	H. h.	Eng. bot. 518.
9 veris. W.	Cowslip.			5.6.	H. h.	— 5.
10 farinosa. W.	Bird's-eye.			6.7.	H. h.	— 6.
11 intermedia. B. M.	Siberian Bird's-eye.		Siberia.	1806.	5.6.	H. h.	Bot. mag. 1219.
12 cortusoides. W.	Cortusa-leaved.			1794.	5.7.	H. h.	— 399.
13 dentiflora. B. R.	tooth-flowered.			1806.	—	H. h.	Bot. rep. 451.
14 longifolia. H. K.	long-leaved.		Levant.	1790.	4.5.	H. h.	Bot. mag. 392.
15 villosa. W.	villous-leaved.		Switzerland.	1768.	—	H. h.	— 14.
16 flore albo.	white-flowered.			—	—	H. h.	— 1161.
17 nivalis. W.	snowy.		Dauria.	1780.	—	H. h.	Pal. it. t. G. f. 2.
18 marginata. W.	silver-edged.		Switzerland.	1777.	3.4.	H. h.	Bot. mag. 191.
19 Auricula. W.	Auricula.			1596.	4.5.	H. h.	Jac. aus. 5. t. 413.
20 Palinuri. W. en.	flat-flowered.		Palinuri.	1816.	—	H. h.	
21 integrifolia. W.	entire-leaved.		Pyrenees.	1792.	6.7.	H. h.	Bot. mag. 946.
22 sinmarchica. W.	Norwegian.		Norway.	1798.	5.6.	H. h.	Flor. dan. 183.

PENTANDRIA MONOGYNIA.

63

16 viscosa. W.	clammy.	Primulaceæ. B. P.	Piedmont.	1792.	4.	H. N.	Allion. ped. 1. t. 5. f. 1
17 decora. B. M.	comely.	H. N.	Bot. mag. 1922.
CORTUSA. W.	{ BEAR'S-EAR. SANICLE. }	Primulaceæ. B. P.					
Mathioli. W.	short-calyxed.		Austria.	1596.	4.6.	H. N.	Bot. mag. 987.
SOLDANELLA. W.	SOLDANELLA.	Primulaceæ. B. P.					
1 alpina. W. en.	Alpine.		Switzerland.	1656.	4.	H. N.	Bot. mag. 49.
2 montana. W. en.	mountain.		Bohemia.	1616.	—	H. N.	
DODECATHEON. W.	{ AMERICAN COWSLIP. }	Primulaceæ. B. P.					
Meadia. W.	Mead's.		Virginia.	1744.	4.6.	H. N.	Bot. mag. 12.
CYCLAMEN. W.	CYCLAMEN.	Primulaceæ. B. P.					
1 coum. W.	round-leaved.		S. Europe.	1596.	1.4.	H. N.	Bot. mag. 4.
2 europæum. W.	common.		Austria.	—	4.	H. N.	Jac. aust. 5. t. 401.
3 persicum. W.	Persian.		Cyprus.	1731.	2.4.	G. N.	Bot. mag. 44.
4 hederacifolium. W.	Ivy-leaved.		Britain.	4.	H. N.	— 1001.
HOTTONIA. W.	WATER-VIOLET.	Primulaceæ. B. P.					
palustris. W.	marsh.		England.	7.3.	H. N.	Eng. bot. 364.
LYSIMACHIA. W.	LOOSE-STRIPE.	Primulaceæ. B. P.					
1 vulgaris. W.	common.		Britain.	7.9.	H. N.	Eng. bot. 761.
2 Ephemerum. W.	Willow-leaved.		Spain.	1730.	—	H. N.	{ Mur. com. got. 1782. t. 42. f. 2.
3 angustifolia. Mi.	narrow-leaved.		N. America.	1803.	—	H. N.	
4 dubia. W.	purple-flowered.		Levant.	1759.	—	H. N.	{ Mur. com. got. 1782. t. 1.
5 stricta. W.	upright.		N. America.	1781.	7.8.	H. N.	Bot. mag. 04.
6 thyrsiflora. W.	tufted.		England.	5.7.	H. N.	Eng. bot. 176.
7 capitata. Ph.	headed.		N. America.	1813.	—	H. N.	
8 punctata. W.	punctated.		Holland.	1658.	7.8.	H. N.	Jac. ans. 4. t. 366.
9 quadrifolia. Ph.	four-leaved.		N. America.	1794.	—	H. N.	Lam. ill. 1. t. 101. f. 2.
10 ciliata. Ph.	ciliated.		—	1732.	—	H. N.	Walth. hort. t. 12.
11 quadriflora. H. K.	four-flowered.		—	1798.	—	H. N.	Bot. mag. 660.
12 hybrida. Ph.	hybrid.		—	1806.	—	H. N.	
13 Linum-stellatum. W.	small.		Italy.	1658.	6.	H. N.	Magn. b. mont. t. 162
14 nemorum. W.	wood.		Britain.	5.7.	H. N.	Eng. bot. 527.
15 Nummularia. W.	Moneywort.		6.7.	H. N.	—	528.
ANAGALLIS. W.	PIMPANELLS.	Primulaceæ. B. P.					
1 arvensis. W.	common.		Britain.	6.9.	H. N.	Eng. bot. 529.
2 cœrulea. E. B.	blue.		—	H. N.	—	1823.
3 fruticosa. H. K.	large-flowered.		Morocco.	1803.	5.7.	G. N.	Bot. mag. 331.
4 latifolia. W.	broad-leaved.		Spain.	1759.	—	G. N.	Meerb. ic. 1. t. 22.
5 Monelli. W.	blue Italian.		Italy.	1648.	5.9.	G. N.	Bot. mag. 319.
6 linifolia. W.	Flax-leaved.		Portugal.	1796.	6.7.	G. N.	
7 tenella. W.	bog.		Britain.	8.9.	H. N.	Eng. bot. 520.
DIAPENSIA. W.	DIAPENSIA.	Ericæ. P. L.					
lapponica. W.	obtus-leaved.		Lapland.	1801.	2.3.	H. N.	Bot. mag. 1108.
PYXIDANTHERA Mi.	PYXIDANTHERA.	Ericæ. J.					
barbulata. Mi.	barbed.		Carolina.	1806.	7.	H. N.	Mich. amer. t. 17.
AZALEA. W.	AZALEA.	Rhodorceæ. J.					
1 procumbens. W.	trailing.		Britain.	4.5.	H. N.	Eng. bot. 365.
2 indica. W.	Indian.		China.	1808.	3.5.	G. N.	Bot. mag. 1480.
3 pontica. W.	yellow.		Turkey.	1793.	5.6.	H. N.	— 433.
4 calendulacea. Ph.	Orange.		N. America.	1806.	—	H. N.	— 1721.
5 Anemone.	flame-coloured.		—	1812.	—	H. N.	Bot. reg. 145.
6 canescens. Ph.	downy.		—	—	—	H. N.	
7 nudiflora. W.	naked-flowered.		—	1784.	—	H. N.	
8 cœrulea.	small scarlet.		—	—	—	H. N.	Bot. mag. 180.
9 speciosa.	large scarlet.		—	—	—	H. N.	
10 aurantia.	orange.		—	—	—	H. N.	
11 cuprea.	copper-coloured.		—	—	—	H. N.	
12 rutidana.	deep red.		—	—	—	H. N.	
13 carnea.	pale red.		—	—	—	H. N.	Bot. reg. 190.
14 alba.	candy white.		—	—	—	H. N.	
15 papilionacea.	variegated.		—	—	—	H. N.	
16 partita.	five parted.		—	—	—	H. N.	
17 semiplena.	semidouble.		—	—	—	H. N.	
18 flore pleno.	double-flowered.		—	—	—	H. N.	
19 bicolor. Ph.	two-coloured.		—	—	—	H. N.	Trew chret. t. 48.
20 viscosa. Rh.	viscid.		—	—	7.6.	H. N.	Meerb. ic. 2. t. 9.

<i>a odorata.</i>	common white.	Rhodoraceæ. J.	N. America.	1734.	7.8.	H. h.	
<i>β vittata.</i>	striped-flowered.					H. h.	
<i>γ fissa.</i>	narrow-petaled.					H. h.	
9 nitida. Ph.	shining-leaved.			1812.		H. h.	
10 glauca. Ph.	dwarf glaucous.			1784.	6.	H. h.	
11 hispida. Ph.	tall glaucous.					H. h.	
SPRENGELIA. B. P.	SPRENGELIA.	Epacridææ. B. P.	N. S. W.	1793.	4.8.	H. h.	Bot. mag. 1719.
incarnata. B. P.	flesh-coloured.						
ANDERSONIA. B. P.	ANDERSONIA.	Epacridææ. B. P.	N. Holland.	1803.	8.7.	G. h.	Bot. mag. 1645.
sprengelioides. B. P.	Sprengelia-like.	Epacridææ. B. P.	N. S. W.	1804.	2.4.	G. h.	Cav. ic. 4. t. 346.
LYSINEMA. B. P.	LYSINEMA.						Bot. mag. 1199.
pungens. B. P.	pungent.						
<i>α alba.</i>	white-flowered.						
<i>β rubra.</i>	red-flowered.						
EPACRIS. B. P.	EPACRIS.	Epacridææ. B. P.	N. S. W.	1803.	1.8.	G. h.	Bot. mag. 844.
1 purpurascens. B. P.	rigid.			1804.	4.6.	G. h.	1170.
2 pulchella. B. P.	sweet-scented.			1803.	1.6.	G. h.	982.
3 grandiflora. B. P.	crimson.			1804.	4.8.	G. h.	Ex. bot. 1. t. 40.
4 obtusifolia. B. P.	blunt-leaved.			1812.		G. h.	
5 cæserta. B. P.	erect.						
MONOTOCA. B. P.	MONOTOCA.	Epacridææ. B. P.	N. S. W.	1802.	5.8.	G. h.	Lab. nov. holl. 1. t. 81.
1 elliptica. B. P.	elliptic.			1804.		G. h.	
2 lineata. B. P.	linear.						
LEUCOPOGON. B. P.	LEUCOPOGON.	Epacridææ. B. P.	N. S. W.	1780.	5.8.	G. h.	Bot. rep. 287.
1 lanceolatus. B. P.	small-flowered.			1815.		G. h.	Cav. ic. 4. t. 347. f. 1.
2 ericoides. B. P.	Heath-leaved.					G. h.	Linn. trans. 8. t. 8.
3 amplexicaulis. B. P.	stem-clasping.			1804.	4.6.	G. h.	
4 juniperius. B. P.	Juniper-leaved.						
STENANTHERA. B. P.	STENANTHERA.	Epacridææ. B. P.	N. S. W.	1811.	5.7.	G. h.	Bot. reg. 218.
1 pinifolia. B. P.	Pine-leaved.						
ASTROLOMA. B. P.	ASTROLOMA.	Epacridææ. B. P.	N. S. W.	1807.	4.6.	G. h.	Bot. reg. 24.
humifusum. B. P.	Juniper-leaved.			1791.		G. h.	Bot. rep. 312.
STYPHELIA. B. P.	STYPHELIA.			1786.	5.8.	G. h.	Bot. mag. 1297.
1 longifolia. B. P.	long-leaved.			1802.		G. h.	Smith n. holl. t. 14.
2 viridiflora. B. P.	green-flowered.						
3 triflora. B. P.	three-flowered.						
4 tubiflora. B. P.	crimson.						
PLUMBAGO. W.	LEADWORT.	Plumbaginææ. B. P.	S. Europe.	1596.	9.10.	H. h.	Schb. handb. 1. t. 36.
1 europæa. W.	European.		E. Ind.	1781.	4.9.	S. h.	Rheed. mal. 10. t. 8.
2 zeylanica. W.	Ceylon.			1777.	8.7.	S. h.	Bot. mag. 230.
3 rosea. W.	Rose-coloured.		W. Ind.	1699.	7.8.	S. h.	Slo. jath. 1. t. 133. f. 1.
4 scandens. W.	climbing.		C. B. S.	1792.	5.6.	G. h.	
5 tristis. H. K.	dark-flowered.						
CONVOLVULUS. B. P.	BIND-WEED.	Convolvulææ. B. P.	Britain.	6.9.	H. h.	Eng. bot. 312.
1 arvensis. W.	small.		Levant.	1596.	7.8.	H. h.	Mill. ic. 1. t. 104.
2 Scammonia. W.	Scammony.		1805.	6.9.	G. h.	Bot. reg. 222.
3 pannifolius. H. K.	cloth-leaved.		Canaries.	1690.	5.9.	G. h.	Bot. mag. 1226.
4 canariensis. W.	Cmery.		Madeira.	1777.	5.8.	G. h.	Par. lond. 45.
5 farinosus. W.	mealy-stalked.		N. America.	1782.	6.9.	H. h.	Dill. elt. t. 85. f. 99.
6 panduratus. W.	Virginian.		1816.	7.9.	H. h.	
7 ciliatus. W. en.	hairy.		India.	1697.	S. h.	Rheed. mal. 7. t. 50.
8 Batatas. W.	tuberous.		Ceylon.	1789.	7.	S. h.	11. t. 58.
9 maximus. W.	great Ceylon.		Madeira.	1788.		G. h.	Bot. reg. 188.
10 suffruticosus. H. K.	shrubby.		Peru.	1799.	8.9.	G. h.	Jac. ic. 2. t. 315.
11 Hermannia. W.	Peruvian.		N. S. W.	1803.	7.9.	G. h.	Bot. mag. 1067.
12 erubescens. B. M.	Maiden Blush.		Levant.	1697.	6.9.	H. h.	359.
13 althæoides. W.	Althæa-leaved.		China.	1802.	7.8.	G. h.	946.
14 bryoniaefolius. B. M.	Bryony-leaved.		S. America.	1782.		S. h.	Pium. ic. t. 91. f. 1.
15 macrocarpus. W.	long-fruited.		Cayenne.	1805.	S. h.	Aub. gul. t. 53.
16 glaber. W.	smooth.		S. Europe.	1640.	6.8.	H. h.	Bocc. sic. t. 48.
17 siculus. W.	small-flowered.		Majorca.	1789.	6.	H. h.	Jac. col. 4. t. 22. f. 2.
18 pentapeteloides. W.	Majorca.		S. Europe.	1714.		H. h.	Tri. obs. 91. t. 91. f. 3.
19 lineatus. W.	dwarf.			1796.		G. h.	Bocc. mus. 138. t. 26.
20 saxatilis. W.	rock.		Levant.	1640.	5.9.	G. h.	Bot. mag. 459.
21 Cneorum. W.	silvery-leaved.		1770.		G. h.	289.
22 linearis. W.	narrow-leaved.		S. Europe.	1680.		H. h.	Jac. ans. 8. t. 296.
23 Cantabrica. W.	Flax-leaved.		Levant.	1806.	6.7.	H. h.	
24 Doryenium. W.	silky-leaved.		Canaries.	1738.	5.9.	G. h.	Vent. choix. 24.
25 scoparius. W.	Broom.						

PENTANDRIA MONOGYNIA.

85

26 floridus. W.	many-flowered.	Convolvulaceæ. B.P. Canaries.	1779. 8.9. G. h.	Jac. ic. 1. t. 34.
27 elongatus. W. en.	long-peduncled.	_____	1815. 7.8. H. ○.	_____
28 tricolor. W.	three-coloured.	_____ S. Europe.	1629. — H. ○.	Bot. mag. 27.
29 reptans. W.	creeping.	_____ E. Ind.	1806. S. h.	{ Rumph. amb. 6. t. 156. f. 1.
30 hirtus. W.	hairy-stalked.	_____	1804. 6.8. S. ○.	_____
CALYSTEGIA. B. P.	BEARING.	Convolvulaceæ. B.P. Convolvuli species Willd.	_____	_____
1 sepium. B. P.	great hedge.	_____ Britain. 6.9. H. 2.	Eng. bot. 813.
β incarnata.	red-flowered.	_____ N. America. — H. 2.	Bot. mag. 732.
2 sylvestris. W. en.	wood.	_____ Hungary.	1815. — H. 2.	_____
3 spithamea. Ph.	small upright.	_____ N. America.	1796. 7. H. 2.	_____
4 Soldanella. B. P.	sea.	_____ Britain. 6.7. H. 2.	Eng. bot. 314.
IPOMŒA. B. P.	IRONCA.	Convolvulaceæ. B.P. Ipomœa & Convolvuli species Willd.	_____	_____
1 Quamoclit. W.	wing-leaved.	_____ E. Ind.	1629. 7.9. S. ○.	Bot. mag. 244.
2 luteola. W. en.	common scarlet.	_____ Carolina.	1759. 6.9. H. ○.	_____ 221.
3 coccinea. W. en.	bright scarlet.	_____ W. Ind.	1718. — S. ○.	Bot. rep. 99.
4 diæcta. Ph.	sut-leaved.	_____ Georgia.	1813. — G. 2.	Willd. phy. 1. t. 2. f. 3.
5 carolina. Ph.	Carolina.	_____ Carolina.	1732. 7.8. H. 2.	Dill. elt. t. 84. f. 98.
6 lacunosa. W.	starry.	_____ N. America.	1640. — H. ○.	_____ t. 87. f. 102.
7 solanifolia. W.	Nightsshade-lea ^d .	_____ America.	1759. — S. 2.	Plum. ic. t. 94. f. 1.
8 tuberosa. W.	tuberous-rooted.	_____ W. Ind.	1731. S. 2.	Sloa. jam. 1. t. 96. f. 2.
9 insignis. B. Reg.	splendid.	_____ 6.9. S. h.	Bot. reg. 75.
10 paniculata. B. Reg.	paniced.	_____ E. Ind.	1799. — S. h.	_____ 62.
11 Bons nox. W.	prickly.	_____ W. Ind.	1773. 7.8. S. ○.	Bot. mag. 752.
12 campanulata. W.	bell-flowered.	_____ E. Ind.	1800. 8.9. S. ○.	Rheed. mal. 11. t. 56.
13 violacea. W.	purple-flowered.	_____ S. America.	1732. — S. ○.	Plum. ic. t. 93. f. 1.
14 carnea. W.	flesh-coloured.	_____	1799. — S. ○.	Jac. am. 26. t. 18.
15 sanguinea. B. Reg.	blood-flowered.	_____ W. Ind.	1812. 2.11. S. h.	Bot. reg. 9.
16 repanda. W.	blood-flowered.	_____ W. Ind.	1793. 8. S. 2.	Par. lond. 81.
17 sibirica. P. S.	Siberian.	_____ Siberia.	1779. 7.8. H. ○.	Pall. it. 3. p. 723. t. K
18 medium. W.	arrow-headed.	_____ E. Ind.	1778. — S. ○.	_____
19 denticulata. B. P.	denticulate.	_____	_____ S. ○.	Rheed. mal. 11. t. 56.
20 tridentata. P. S.	trifid.	_____	_____ S. ○.	_____ 11. t. 65.
21 speciosa. P. S.	broad-leaved.	_____	_____ S. h.	Smith ic. pict. 17.
22 purpurea. P. S.	great purple.	_____ America.	1629. 6.9. H. ○.	Bot. mag. 113.
β incarnata.	flesh-coloured.	_____	_____ H. ○.	_____
γ varia.	striped-flowered.	_____	_____ H. ○.	Bot. mag. 1682.
23 discolor. Jac.	spotted-flowered.	_____ 6.9. H. ○.	_____ 1005.
24 tamnifolia. W.	Tamnys-leaved.	_____ Carolina.	1732. 7. H. ○.	Dill. elt. t. 318. f. 410.
25 glaucifolia. W.	glaucous-leaved.	_____ Mexico.	_____ 5.7. S. 2.	_____ t. 87. f. 101.
26 angustifolia. Jac.	narrow-leaved.	_____ India.	1800. 7.8. S. ○.	Jac. ic. rar. t. 317.
27 triloba. W.	three-lobed.	_____ W. Ind.	1752. 6.7. H. ○.	_____
28 hederifolia. W.	Ivy-leaved.	_____ S. America.	1773. 7. H. ○.	Plum. ic. 82. t. 93. f. 3.
29 Nil. P. S.	blue.	_____ America.	1597. 7.9. S. ○.	Bot. mag. 188.
30 hederacea. B. Reg.	five-lobed.	_____ N. America.	1729. — H. ○.	Bot. reg. 85.
31 cuspidata. P. S.	sharp-pointed.	_____ S. America.	1732. 6.7. H. ○.	Fl. per. 2. t. 119. f. 3.
32 pentaphylla. Jac.	five-leaved.	_____ W. Ind.	1739. 8.9. S. ○.	Jac. ic. 2. t. 319.
33 mutabilis. B. Reg.	changeable.	_____ S. America.	1812. 8.9. G. h.	Bot. reg. 39.
34 candicans. B. M.	hoary.	_____ N. America. 6.8. G. 2.	Bot. mag. 1603.
35 grandiflora. B. R.	great-flowered.	_____ E. Ind.	1802. 9. S. h.	Bot. rep. 188.
36 Jalapa. Ph.	Jalap.	_____ America.	1733. 8.9. G. h.	Bot. mag. 1579.
37 umbellata.	umbel-flowered.	_____ W. Ind.	1739. 6.7. S. 2.	Plum. am. 88. t. 102.
38 muricata. Jac.	rough-stalked.	_____ E. Ind.	1777. 7.8. S. ○.	Jac. schœ. 3. t. 323.
39 tuberculata. B. Reg.	tubercled.	_____	1815. 8.9. S. h.	Bot. reg. 86.
40 pendula. B. P.	pendulous.	_____ N. S. W.	1808. 5.10. G. 2.	Bot. rep. 613.
41 hepaticifolia. W.	Hepatica-leaved.	_____ E. Ind.	1759. 8.9. H. ○.	Bur. ind. 50. t. 20. f. 2.
42 Pœ-tigridis. W.	palmated.	_____	1732. 8. S. ○.	Dill. elt. t. 318. f. 411.
43 Pœ-capra.	thick-leaved.	_____	1770. 6.7. S. ○.	Rheed. mal. 11. t. 57.
44 brasiliensis.	Brazilian.	_____ S. America.	1726. — S. 2.	Plum. ame. 89. t. 104.
45 obscura. B. Reg.	hairy.	_____ E. Ind.	1732. 6.8. S. ○.	Bot. reg. 289.
RETZIA. Th.	RETZIA.	Convolvulaceæ? J.	_____	_____
spicata. Th.	spiked.	_____ C. B. S. 5.6. G. h.	Lam. ill. t. 103.
COSCEA. Cav.	COSCEA.	Bignoniaceæ. C.	_____	_____
scandens. Cav.	climbing.	_____ Mexico.	1792. 5.10. G. h.	Bot. mag. 851.
POLEMONIUM. W.	{ GREEK V4- LERIAN. }	Polemoniaceæ. J.	_____	_____
1 reptans. W.	creeping.	_____ N. America.	1756. 4.5. H. 2.	Mill. ic. 2. t. 209.
2 capuleum. W.	blue-flowered.	_____ Britain. 6. H. 2.	Eng. bot. 14.
β alba.	white-flowered.	_____	_____
γ maculata.	spotted-flowered.	_____	_____

PHLOX. W.		LYCHNIDRA.	Polemoniaceæ. J.				
1 paniculata. W.	panicled.			N. America.	1732.	8.9. H. 2.	Mill. ic. 2. t. 205. f. 3.
2 <i>alba</i> .	white.				1813.	—	—
3 undulata. W.	waved-leaved.				1759.	7.8. H. 2.	—
4 acuminata. Ph.	Lyons.				1812.	5.8. H. 2.	—
5 suaveolens. W.	white-flowered.				1766.	7.8. H. 2.	—
6 maculata. W.	spot-stalked.				1740.	—	Jac. vind. 2. t. 127.
7 pyramidalis. H. K.	pyramidal.				1800.	6.8. H. 2.	Ex. bot. 2. t. 87.
8 pilosa. W.	hairy-leaved.				1759.	5.8. H. 2.	Bot. mag. 1807.
9 amœna. B. M.	Fraser's hairy.				1809.	6.7. H. 2.	— 1309.
10 Carolina. W.	rough-stemmed.			Carolina.	1723.	7.9. H. 2.	— 1344.
11 triflora. Mi.	pubescent.				H. 2.	—
12 suffruticosa. W. en.	shining-leaved.			N. America.	1790.	—	Bot. reg. 68.
13 glaberrima. W.	smooth.				1723.	6.8. H. 2.	Dill. elt. t. 166. f. 309.
14 divaricata. W.	early-flowering.				1746.	4.6. H. 2.	Bot. mag. 163.
15 prostrata. H. K.	trailing.				1792.	—	—
16 stolonifera. H. K.	creeping.				1800.	6.9. H. 2.	Bot. mag. 563.
17 ovata. W.	ovate-leaved.				1759.	5.7. H. 2.	— 523.
18 subulata. W.	awl-leaved.				1786.	4.8. H. 2.	— 411.
19 setacea. W.	fine-leaved.				—	4.5. H. 2.	— 415.
VESTIA. W. en.		VESTIA.	Polemoniaceæ. J.				
lycioides. W. en.	Box-thorn-like.			Chili.	1815. G. 2.	—
IPOMOPSIS. Mi.		IPOMOPSIS.	Polemoniaceæ. J.				
1 elegans. Ex. B.	scarlet.			Carolina.	1726.	8.9. G. 2.	Ex. bot. 1. t. 19.
2 inconspicua. H. K.	small blue.			America.	1793.	9.11. H. 2.	— 1. t. 14.
CALDASIA. W. en.		CALDASIA.					
heterophylla. W. en.	various-leaved.			New Spain.	1818.	5.12. S. 2.	Bot. reg. 92.
LIGHTFOOTIA. W.		LIGHTFOOTIA.	Campanulaceæ. B. P.				
1 oxycoccoides. W.	lance-leaved.			C. B. S.	1767.	7. G. 2.	Ex. bot. 2. t. 69.
2 subulata. W.	awl-leaved.			C. B. S.	—	8. G. 2.	L'Her. angl. 4. t. 3.
CAMPANULA. B. P.		BELL-FLOWER.	Campanulaceæ. B. P.				
1 cenisia. W.	ciliated.			Switzerland.	1775.	6.7. H. 2.	All. ped. 1. t. 6. f. 2.
2 Bellardi. All.	Bellardi's.			Italy.	1818.	—	— t. 85. f. 3.
3 pulla. W.	russet.			Austria.	1779.	—	Jac. anst. 3. t. 235.
4 gracilis. B. P.	slender.			N. S. W.	1794.	4.9. G. 2.	Bot. mag. 691.
5 Zeyssii. W.	blunt-leaved.			Carniola.	1818.	6.8. H. 2.	Jac. ic. 2. t. 384.
6 grandiflora. W.	great-flowered.			Siberia.	1782.	—	Bot. mag. 252.
7 carpatica. W.	Carpatian.			Carp. Alps.	1774.	—	— 7.
8 verticillata. W.	whorled-leaved.			Siberia.	1783.	6. H. 2.	Pall. it. 8. t. G. f. 1.
9 rotundifolia. E. B.	round-leaved.			Britain.	6.8. H. 2.	Eng. bot. 366.
10 pumila. B. M.	dwarf.			Switzerland.	—	Bot. mag. 312.
11 Scheuchzeri. Vill.	Scheuchzer's.			Europe.	1813.	—	{ Vill. delph. 2. p. 50. t. 16.
12 pubescens. W.	pubescent.			Bohemia.	—	—	—
13 Lobelioides. W.	small-flowered.			Madaira.	1777.	7.8. H. 2.	—
14 patula. W.	spreading.			Britain.	—	Eng. bot. 42.
15 Rapunculus. W.	Rampion.			—	H. 2.	— 223.
16 persicifolia. W.	Peach-leaved.			Europe.	1696.	7.9. H. 2.	Fl. dan. 1087.
17 <i>β maxima</i> .	large Peach-leaved.			—	—	Bot. mag. 397.
18 pyramidalis. W.	pyramidal.			Carniola.	—	—	—
19 versicolor. H. K.	various-coloured.			Greece.	1788.	—	Bot. rep. 396.
20 americana. W.	American.			Pennsylvania.	1763.	7. H. 2.	—
21 nitida. W.	smooth-leaved.			N. America.	1731.	—	Dodard. mem. 4. t. 119.
22 lilifolia. W.	Lily-leaved.			Siberia.	1784.	5.9. H. 2.	Bot. reg. 236.
23 rhomboidea. W.	Germander-leaf.			Switzerland.	1775.	7. H. 2.	Barrel. ic. 567.
24 obliqua. W. en.	oblique-flowered.			1813.	6.7. H. 2.	—
25 latifolia. W.	giant.			Britain.	7. H. 2.	Eng. bot. 302.
26 urticifolia. W.	Nettle-leaved.			Germany.	1808.	8. H. 2.	—
27 Rapunculoides. W.	creeping.			England.	6.7. H. 2.	Eng. bot. 1363.
28 azurea. B. M.	azure.			Switzerland.	1778.	—	Bot. mag. 551.
29 collina. B. M.	Sage-leaved.			Caucasus.	1808.	7.8. H. 2.	— 927.
30 bononiensis. W.	panicled.			Italy.	1773.	8.9. H. 2.	Mor. h. 9. s. 5. t. 4. f. 39.
31 ruthenica. W. en.	Russian.			Caucasus.	1815.	6.8. H. 2.	—
32 Trachelium. W.	Throatwort.			Britain.	—	Eng. bot. 12.
33 sarmatica. B. Reg.	Betony-leaved.			Siberia.	1803.	—	Bot. reg. 237.
34 glomerata. W.	clustered.			Britain.	5.9. H. 2.	Eng. bot. 90.
35 Carvicaria. W.	wave-leaved.			Germany.	1768.	7. H. 2.	Fl. dan. 787.
36 thyrsoides. W.	long-spiked.			Switzerland.	1785.	6.8. H. 2.	Bot. mag. 1294.
37 peregrina. W.	rough-leaved.			C. B. S.	1794.	—	— 1297.
38 cernua. Th.	nodding-flower.			1804.	—	— G. 2.

TETRANDRIA MONOGYNIA.

21

21	nana. L. T.	dwarf.	Proteaceæ. B. P.	C. B. S.	1787.	4.7.	G. h.	Ex. bot. 1. t. 44.
22	pendula. L. T.	pendulous.			1806.	3.6.	G. h.	
23	tenax. L. T.	tough.			1801.	2.5.	G. h.	Par. lond. 70.
24	canaliculata. L. T.	channel-leaved.			1800.	12.2.	G. h.	Bot. rep. 437.
25	acuminata. B. M.	sharp-pointed.			1809.	3.6.	G. h.	Bot. mag. 1694.
26	acaulis. L. T.	short-stalked.			1802.	5.9.	G. h.	Boerh. lugd. bot. 2. p. 191.
27	glaucophylla. Kn. P.	glaucous-leaved.				7.9.	G. h.	Par. lond. 11.
28	lavis. L. T.	smooth-leaved.			1806.	G. h.	
29	scabra. L. T.	rough-leaved.			1809.	G. h.	
30	repens. L. T.	creeping.			1800.	G. h.	
31	turbiniflora. L. T.	turfy.			1803.	4.8.	G. h.	Par. lond. 108.
32	Scolopendrium. L. T.	Hart's-tongue.			1802.	G. h.	
33	cordata. L. T.	heart-leaved.			1790.	3.5.	G. h.	Bot. rep. 289.
34	amplexicaulis. L. T.	stem-clasping.			1802.	1.3.	G. h.	Par. lond. 67.
35	humilis. L. T.	low-flowering.				6.8.	G. h.	Bot. rep. 532.
36	acerosa. L. T.	Pine-leaved.			1803.	3.5.	G. h.	577.
LEUCOSPERMUM } LEUCOSPERMUM. Proteaceæ. B. P. <i>Leucadendron. Knts. Prot. Protea species Willd.</i>								
	L. T.							
1	linearæ. L. T.	linear-leaved.		C. B. S.	1774.	8.9.	G. h.	Thunb. prot. n. 35. t. 4.
2	tottum. L. T.	smooth-bracted.				6.8.	G. h.	
3	medium. L. T.	oval-leaved.			1794.	G. h.	
4	formosum. Kn. P.	handsome.			1784.	5.8.	G. h.	Bot. rep. 17.
5	ellipticum. L. T.	elliptic.			1803.	G. h.	
6	Conocarpum. L. T.	many-toothed.			1774.	G. h.	Pluk. phyt. t. 200. f. 2
7	grandiflorum. L. T.	great-flowered.			1800.	5.7.	G. h.	Par. lond. 116.
8	puberum. L. T.	dowry-leaved.			1774.	5.8.	G. h.	
9	tomentosum. Kn. P.	cottony.			1789.	8.9.	G. h.	
10	parile. Kn. P.	matched.					G. h.	
11	candicans. B. R.	Rose-scented.			1790.	G. h.	Bot. rep. 294.
12	Hypophyllum. L. T.	trifid-leaved.			1787.	G. h.	Pluk. mant. t. 440. f. 2
MIMETES. L. T. MIMETES. Proteaceæ. B. P. <i>Protea species Willd.</i>								
1	hirta. L. T.	hairy.		C. B. S.	1774.	6.8.	G. h.	Wein. phyt. 4. t. 899. f. a.
2	palustris. Kn. P.	marsh.			1802.	G. h.	Boerh. lugd. 2. p. 194. c. t.
3	cucullata. L. T.	three-toothed.			1789.	G. h.	Pluk. alm. 212. t. 304. f. 6.
4	divaricata. L. T.	divaricate.			1795.	6.9.	G. h.	
5	vacciniifolia.	Vaccinium-leav ^d .			1800.	G. h.	
<i>Diastella vacciniifolia. Knts. Prot.</i>								
6	purpurea. L. T.	Heath-leaved.			1789.	11.12.	G. h.	
SERRURIA. L. T. SERRURIA. Proteaceæ. B. P. <i>Protea species Willd.</i>								
1	abrotanifolia. Kn. P.	Southernwood-l ^d		C. B. S.	1803.	6.8.	H. h.	Bot. rep. 522.
2	millefolia. Kn. P.	thousand-leaved.					G. h.	337.
3	artemisiifolia. Kn. P.	Wormwood-l ^d .			1789.	G. h.	264.
4	pinnata. L. T.	slender.			1803.	G. h.	512.
5	arenaria. L. T.	sand.					G. h.	
6	cyanoides. L. T.	trifid-leaved.					G. h.	Pluk. mant. 61. t. 345. f. 6.
7	pedunculata. L. T.	woolly-headed.			1789.	G. h.	Bot. rep. 264.
8	Niveni. L. T.	Nivens.			1800.	G. h.	349.
9	ciliata. L. T.	ciliated.			1803.	G. h.	
10	phylicoides. L. T.	Phyllis-flowered.			1789.	G. h.	Bot. rep. 507. f. 4.
11	semula. L. T.	grey-branched.			1803.	G. h.	
12	parilis. Kn. P.	matched.					G. h.	Bot. rep. 507.
13	odorata.	sweet-scented.					G. h.	545.
14	emarginata.	emarginated.			1800.	G. h.	536.
<i>Serruria arenaria. Knts. Prot.</i>								
15	glomerata. L. T.	many-headed.			1789.	G. h.	Burm. afr. t. 99. f. 2.
16	decipiens. L. T.	decipient.			1806.	G. h.	
17	Roxburgii. L. T.	Roxburgh's.					G. h.	
18	Burmanni. L. T.	Burmann's.			1786.	G. h.	Burm. afr. t. 99. f. 1.
19	triterinata. L. T.	silvery-flowered.			1802.	G. h.	Bot. rep. 447.
20	elongata. L. T.	long-peduncled.			1800.	G. h.	
NIVENIA. L. T. NIVENIA. Proteaceæ. B. P. <i>Paranomus. Knts. Prot. Protea species Willd.</i>								
1	Sceptum. L. T.	sceptre-like.		C. B. S.	1790.	5.6.	G. h.	Sparr. act. st. 1777. p. 53. t. 1.
2	spatulata. L. T.	maiden-hair-l ^d .				7.8.	G. h.	Thunb. diss. n. 58. t. 5
3	spicata. L. T.	spiked.			1786.	6.8.	G. h.	

17 gracilis. B. P.	slender.	Campanulacæ. B. P.	N. S. W.	1801. 7.10. G. ☉.	Bot. mag. 741.
18 purpurascens. B. P.	purplish.			1809. 6.8. G. ☉.	
19 siphilitica. W.	blue Cardinal.		Virginia.	1665. 8.10. H. ☉.	Jac. ic. 3. t. 597.
20 surinamensis. W.	shrubby.		W. Ind.	1786. 1.7. S. ☉.	Bot. mag. 228.
21 inflata. W.	bladder-podded.		N. America.	1759. 7.8. H. ☉.	Lin. act. up. 1741. t. 1
22 cliffortiana. W.	purple-flowered.			1733. — H. ☉.	Lin. h. clif. 426. t. 26.
23 urens. W.	acid.		England. 6.7. H. ☉.	Eng. bot. 958.
24 goodenioides. H. K.	Goodenia-like.		N. America.	1799. 6.8. H. ☉.	Willd. hort. ber. 30
25 amona. Mi.	beautiful-blue.			1812. — H. ☉.	
26 pallida. Roth.	pale-blue.			1805. — H. ☉.	
27 minuta. W.	small.		C. B. S.	1772. 6.9. G. ☉.	
28 Laurentia. W.	Italian.		Italy.	1778. 7. G. ☉.	Mich. gen. 18. t. 14.
29 Erinus. W.	ascending.		C. B. S.	1752. 6.9. G. ☉.	Bot. mag. 901.
30 erinoides. W.	trailing.			1759. 6.8. G. ☉.	Herm. lugd. bot. 109.
31 pubescens. W.	downy-leaved.			1780. — G. ☉.	Jac. schœn. 2. t. 178.
32 bicolor. H. K.	spotted.			1795. — G. ☉.	Bot. mag. 514.
33 lutea. W.	yellow.			1774. 6.7. G. ☉.	1319.
34 varifolia. B. M.	various-leaved.			1812. — G. ☉.	1692.
35 hirsuta. W.	hairy.			1759. 5.9. G. ☉.	Burm. afr. t. 40. f. 2.
36 coronopifolia. W.	Buck's-horn.			1752. 7.8. G. ☉.	Bot. mag. 644.
37 ilicifolia. B. M.	Holly-leaved.			1815. 5.9. G. ☉.	1826.
38 crenata. W.	notched-leaved.			1794. 4.5. G. ☉.	
39 Speculum. B. M.	Looking-glass.			1812. 7.8. G. ☉.	Bot. mag. 1499.
CYPHIA. W.	CYPHIA.	Campanulacæ. B. P.			
1 volubilis. W.	twining.		C. B. S.	1795. G. ☉.	
2 bulbosa. W.	bulbous.			1791. 8.9. G. ☉.	Burm. afr. t. 28. f. 2.
GOODENIA. B. P.	GOODENIA.	Goodenoviae. B. P.			
1 ovata. B. P.	oval-leaved.		N. S. W.	1793. 6.10. G. ☉.	Bot. rep. 68.
2 grandiflora. B. P.	large-flowered.			1802. 6.8. G. ☉.	Bot. mag. 890.
EUTHALES. B. P.	EUTHALES.	Goodenoviae. B. P.	Goodenia species. H. Mag.		
trinervis. B. P.	three-nerved.		New Holl.	1803. 5.9. G. ☉.	Bot. mag. 1137.
SCÆVOLA. B. P.	SCÆVOLA.	Goodenoviae. B. P.			
1 Lobelia. H. K.	Purslane-leaved.		W. Ind.	1724. S. ☉.	Plum. ic. t. 165. f. 1.
2 crassifolia. B. P.	thick-leaved.		New Holl.	1805. 8.10. G. ☉.	Lab. nov. holl. 1. t. 79
3 microcarpa. B. P.	small-fruited.		N. S. W.	1790. 5.9. G. ☉.	Bot. mag. 287.
4 suaveolens. B. P.	sweet-scented.			1793. 6.9. G. ☉.	Bot. rep. 22.
DAMPIERA. B. P.	DAMPIERA.	Goodenoviae. B. P.			
stricta. B. P.	upright.		N. S. W.	1814. 6.8. G. ☉.	
SAMOLUS. W.	BROOK-WEED.	Primulacæ. B. P.	Sheffieldia. Labill.		
1 Valerandi. B. P.	common.		Britain. 6.8. H. ☉.	Eng. bot. 703.
2 littoralis. B. P.	sea-side.		N. S. W.	1806. 7.9. G. ☉.	Lab. nov. holl. 1. t. 54.
CINCHONA. W.	CINCHONA.	Rubiaceæ. J.			
1 caribæa. W.	Caribæan.		W. Ind.	1780. 6.9. S. ☉.	Bot. rep. 481.
2 floribunda. W.	many-flowered.			1794. S. ☉.	Lamb. cinch. 27. t. 7.
PINCKNEYA. MI.	PINCKNEYA.	Rubiaceæ. J.			
pubens. MI.	downy.		Georgia.	1786. 6.7. F. ☉.	Mich. amer. t. 12.
MUSSÆNDA. W.	MUSSÆNDA.	Rubiaceæ. J.			
pubescens. H. K.	pubescent.		China.	1805. 5.9. G. ☉.	
PORTLANDIA. W.	PORTLANDIA.	Rubiaceæ. J.			
1 grandiflora. W.	great-flowered.		Jamaica.	1775. 6.8. S. ☉.	Bot. mag. 286.
2 coccinea. P. S.	scarlet.			1812. S. ☉.	
3 hexandra. W.	Laurel-leaved.		Gyana.	1803. S. ☉.	Aub. guian. 1. t. 122.
Contarea speciosa.	Aublet. & Pers. syn.				
GENIPA. P. S.	GENIP-TREE.	Rubiaceæ. J.	Durois & Gardenia species Willd.		
1 americana. P. S.	American.		S. America.	1779. S. ☉.	Plum. i. c. 27. t. 126.
2 Meriana. P. S.	hairy.		Cayenne.	1800. S. ☉.	
GARDENIA. P. S.	GARDENIA.	Rubiaceæ. J.			
1 radicans. W.	rooting.		China.	1804. 3.6. G. ☉.	Bot. reg. 73.
2 florida. W.	Cape Jasmine.			1754. 7.10. S. ☉.	Rum. am. 7. t. 14. f. 2.
3 flore pleno.	double.			— S. ☉.	Ehret. pict. t. 15.
3 Thunbergia. W.	starry.		C. B. S.	1773. 1.3. G. ☉.	Bot. mag. 1004.
4 latifolia. W.	broad-leaved.		E. Ind.	1787. S. ☉.	Roxb. cor. 2. t. 134.
5 Rothmannia. W.	spotted-flowered		C. B. S.	1774. 7. G. ☉.	Thunb. act. stock. 1776. t. 2.
6 elingosa. W.	marsh.		E. Ind.	1809. 7.9. S. ☉.	Roxb. cor. 2. t. 134.
7 armata. Sw.	armed.		W. Ind.	1813. S. ☉.	
8 spinosa. W.	thorny.		China.	1804. 7.9. G. ☉.	Thu. gar. n. 7. t. 2. f. 4.
9 Dumetorum. W.	bushy.		E. Ind.	1777. — S. ☉.	Roxb. cor. 2. t. 136.
10 micranthus. W.	small-flowered.		China.	1806. S. ☉.	Thu. gar. n. 8. t. 1. f. 2.
11 amara. B. M.	prison-tipped.		 6.9. S. ☉.	Bot. mag. 1204.

8 marginata. L. T.	various-leaved.	Proteaceae. B. P.	N. S. W.	1804.	5.8.	G. h.	Cav. ic. 6. t. 544.
10 integrifolia. L. T.	entire-leaved.			1738.	G. h.	6.t.545 & 546
11 verticillata. L. T.	verticillate.		N. Holland.	1794.	7.10.	G. h.	
12 coccinea. L. T.	scarlet-flowered.			1803.	G. h.	
13 paludosa. L. T.	marshy.		N. S. W.	1805.	1.4.	G. h.	
14 oblongifolia. L. T.	oblong-leaved.			1788.	5.8.	G. h.	Cav. ic. 6. t. 542.
15 latifolia. L. T.	broad-leaved.		N. S. W.	1802.	5.8.	G. h.	Cav. ic. 6. t. 543.
16 marcescens. L. T.	short-leaved.		N. Holl.	1794.	1.12.	G. h.	Bot. rep. 258.
17 attenuata. L. T.	smooth-flower'd.			G. h.		
18 serrata. L. T.	saw-leaved.		N. S. W.	1788.	7.9.	G. h.	Bot. rep. 82.
19 amula. L. T.	deeply-sawed.			G. h.		
20 quercifolia. L. T.	Oak-leaved.		N. Holland.	1805.	G. h.	
21 speciosa. L. T.	long-leaved.			5.8.	G. h.	
22 grandis. L. T.	great-flowered.			1794.	G. h.	
23 repens. L. T.	creeping.			1803.	G. h.	Voya.deLab.1.t.23.
DRYANDRA. L. T.	DRYANDRA.	Proteaceae. B. P.					
1 floribunda. L. T.	many-flowered.		N. Holland.	1803.	1.12.	G. h.	Bot. mag. 1581.
2 cuneata. L. T.	wedge-leaved.			11.2.	G. h.	
3 armata. L. T.	acute-leaved.			1.12.	G. h.	
4 formosa. L. T.	splendid.			G. h.		
6 plumosa. L. T.	feathered.			G. h.		
6 obtusa. L. T.	obtuse-leaved.			G. h.		
7 nivea. L. T.	white-leaved.			7.9.	G. h.	Voya.deLab.1.t.24.
8 longifolia. L. T.	long-leaved.			1805.	1.12.	G. h.	Bot. mag. 1582.
9 tenuifolia. L. T.	fine-leaved.			1803.	3.5.	G. h.	
LOBULARIA. W.	LOBULARIA.	Globularia.					
1 longifolia. W.	long-leaved.		Madeira.	1775.	7.8.	G. h.	Sloan.jam.1.t.5.f.3.
2 Alypum. W.	three-toothed.		S. Europe.	1640.	8.9.	G. h.	{ Nissolle in act. par. 1712. t. 18.
3 vulgaris. W.	common.		Europe.	5.6.	H. 2.	Schku.hand.1.t.21.
4 spinosa. W.	prickly-leaved.		Spain.	G. 2.		
5 cordifolia. W.	wedge-leaved.		Germany.	1633.	6.7.	H. 2.	Jac. ans. 3. t. 245.
6 nudicaulis. W.	naked-stalked.			1629.	H. 2.	3. t. 230.
ADINA. P. L.	ADINA.	Globularia.					
globiflora. P. L.	globe-flowered.		China.	1804.	7.8.	S. h.	Par. lon. 115.
CEPHALANTHUS. W.	HUTTON-WOOD.	Rubiaceae. J.					
occidentalis. W.	American.		N. Amer.	1735.	8.	H. h.	Schmidt arb. 1. t. 45
DIPSACUS. W.	TEASEL.	Dipsaceae. J.					
1 fullonum. W.	manured.		Britain.	7.	H. 3.	Eng. bot. 2080.
2 sylvestris. W.	wild.			7.	H. 3.	1082.
3 laciniatus. W.	cut-leaved.		Germany.	1683.	7.8.	H. 3.	Jac. aust. 5. t. 403.
4 pilosus. W.	small.		Britain.	8.	H. 3.	Eng. bot. 877.
SCABIOSA. W.	SCABIOUS.	Dipsaceae. J.					
1 alpina. W.	Alpine.		Switzerland.	1570.	6.7.	H. 2.	Bes.cyst.est. t. 9. f. 1
2 albescent. W. en.	whitish.		Siberia.	1804.	H. 2.	
3 rigida. W.	rough-leaved.		C. B. S.	1731.	7.	G. h.	Comm. hort. 2. t. 93.
4 attenuata. W.	narrow-leaved.			1774.	7.9.	G. h.	
5 transylvanica. W.	Transylvanian.		Transylvania.	1699.	7.	H. 2.	Jac. vind. 2. t. 111.
6 syriaca. W.	Syrian.		Syria.	1633.	H. 2.	Mor. bis. 3. t. 14. f. 14
7 leucantha. W.	white-flowered.		France.	9.10.	H. 2.	Ger. emac. 721. f. 3.
8 corniculata. P. S.	horned.		Hungary.	1801.	7.8.	H. 2.	{ Pl. rar. hung. p. 11. t. 13.
9 dichotoma. W. en.	forked.		Sicily.	1804.	6.8.	H. 2.	
10 Succisa. W.	Devil's-bit.		Britain.	8.10.	H. 2.	Eng. bot. 878.
11 integrifolia. W.	red-flowered.		France.	1748.	6.8.	H. 2.	
12 tatarica. W.	Tartarian.		Russia.	1759.	H. 3.	Act. ups. 1744. t. 1.
13 arvensis. W.	field.		Britain.	7.10.	H. 2.	Eng. bot. 659.
14 uralensis. W.	Uralian.		Siberia.	1789.	7.8.	H. 2.	{ Murr. com. got. 1782. t. 4.
15 sylvatica. W.	broad-leaved.		Austria.	1633.	7.	H. 2.	Jac. aus. 4. t. 362.
16 longifolia. P. S.	long-leaved.		Hungary.	1802.	7.8.	H. 2.	Pl. rar. hun. p. 4. t. 5.
17 canescens. P. S.	hoary.			H. 2.		p. 53. t. 58.
18 gramuntia. W.	cut-leaved.		S. Europe.	1597.	7.8.	H. 2.	Ger. herb. 582. f. 2.
19 columbaria. W.	fine-leaved.		Britain.	H. 2.	Eng. bot. 1311.
20 grandiflora. P. S.	great-flowered.		Barbary.	1804.	6.9.	H. 2.	Scop. del. ins. 3. t. 14.
21 lucida. P. S.	shining.		Dauphiny.	1800.	H. 2.	
22 sicula. W.	Sicilian.		Sicily.	1783.	8.	H. 2.	Jac. vind. 1. t. 16.
23 rutæfolia. P. S.	Rue-leaved.			1804.	6.8.	H. 2.	Bocc. sic. t. 52.
24 maritima. W.	sea.		Italy.	1683.	7.	H. 2.	

11 Xyleteum. W.	fly.	Caprifoliae. J.	England.	6.7. H. h.	Eng. bot. 916.
12 pyrenaicum. W.	Pyrenean.	Pyrenees.	1739.	5. H. h.	Mag. hor. mon. 209.	
13 alpicana. W.	red-berried.	Switzerland.	1596.	4.5. H. h.	Schmidt arb. t. 114.	
14 caerulea. W.	blue-berried.		1699.	3.4. H. h.		t. 114.
15 flexuosa. W.	flexuose.		China.	1806.	7.9. F. h.	
SYMPHORIA. Ph.	{ ST. PETER'S } WORT.	Caprifoliae. J.	Lonicera species Linn.			
glomerata. Ph.	common.		N. America.	1730.	8.9. H. h.	Schmidt arb. t. 115.
DIERVILLA. J.	DIERVILLA.	Caprifoliae. J.	Lonicera species Linn.			
humilis. P. S.	yellow-flowered.		N. America.	1739.	6.7. H. h.	Bot. mag. 1796.
TRIONTEUM. W.	FEVERWORT.	Caprifoliae. J.				
1 perfoliatum. W.	perfoliate.		N. America.	1730.	6.7. H. h.	Schku. hand. 1. t. 41.
2 angustifolium. W.	narrow-leaved.		Virginia.	1699.	H. h.	Pluk. alm. t. 104. f. 2.
CONOCARPUS. W.	BUTTON-TREE.	Combretaceae. B. P.				
1 erecta. W.	upright.		Jamaica.	1752.	S. h. Cat. car. 2. t. 33.
2 procumbens. W.	procumbent.		Cuba.	1780.	S. h. Jac. amer. t. 52. f. 2.
THESIUM. W.	{ BASTARD } { TOAD FLAX. }	Santalaceae. B. P.				
1 linophyllum. W.	common.		England.	6.7. H. h.	Eng. bot. 247.
2 alpinum. P. S.	Alpine.		Germany.	1814.	H. h.	Jac. aust. 5. t. 416.
3 ebracteatum. P. S.	obtuse-leaved.				H. h.	{ Schrad. bot. jour. 1800. t. 7.
4 umbellatum. W.	umbelbed.		N. America.	1782.	6. H. h.	Pluk. man. t. 842. f. 1.
5 amplexicaule. W.	heart-leaved.		C. B. S.	1787.	G. h.
MIRABILIS. W.	{ MARVEL OF } PERU.	Nyctagineae. J.				
1 dichotoma. W.	forked.		Mexico.	1640.	7.8. G. h.	
2 Jalapa. W.	common.		India.	1596.	6.9. G. h.	Bot. mag. 371.
3 flava.	yellow-flowered.					
4 alba.	white-flowered.					
5 rubro-alba.	red and white.					
6 rubro-flava.	red and yellow.					
3 hybrida. W. en.	close-flowered.		1813.	6.9. G. h.	
4 longiflora. W.	long-flowered.		Mexico.	1759.	G. h.	Ex. bot. 1. t. 23.
CORIN. W.	CORIN.	Primulaceae. B. P.				
monspeliensis. W.	Montpelier.		S. Europe.	1640.	6.7. G. h.	Park. theat. 571. f. 3.
RAMONDA. P. S.	RAMONDA.	Solanaceae. B. P.	Verbasci species Linn.			
pyrenaica. W. en.	Borage-leaved.		Pyrenees.	1731.	4. H. h.	Bot. mag. 226.
Verbascum Myconi.	Linn.					
VERBASCUM. W.	MULLEIN.	Solanaceae. B. P.				
1 Thapsus. W.	Shepherd's Club		Britain.	7.8. H. h.	Eng. bot. 549.
2 Thapsoides. W.	bastard.		England.	H. h.	
3 ovalifolium. H. K.	oval-leaved.		Caucasus.	1804.	7.9. H. h.	Bot. mag. 1037.
4 Boerhaavii. W.	annual.		S. Europe.	1731.	7.8. H. h.	Mill. ic. 2. t. 273.
5 elongatum. W. en.	long-stalked.		1818.	H. h.	
6 pyramidatum. W. en.	pyramidal.		Caucasus.	1804.	H. h.	
7 hæmorrhoidale. W.	Madeira.		Madeira.	1777.	6.8. G. h.	
8 phlomidis. W.	woolly.		Italy.	1739.	6.7. G. h.	Menchh. n. 170. t. 4.
9 floccosum. P. S.	wool-bearing.		Hungary.	1805.	H. h.	Pl. rar. hung. t. 79.
10 Lychnites. W.	white.		Britain.	6.8. H. h.	Eng. bot. 58.
11 pulverulentum. E. B.	powdered.		England.	H. h.	487.
12 ferrugineum. W.	rusty.		S. Europe.	1683.	5.8. H. h.	Bot. rep. 162.
13 cupreum. B. M.	copper-coloured		Caucasus.	1798.	H. h.	Bot. mag. 1226.
14 nigrum. W.	black-rooted.		England.	H. h.	Eng. bot. 59.
15 phoeniceum. W.	purple-flowered.		S. Europe.	1596.	H. h.	Bot. mag. 885.
16 virgatum. E. B.	slender.		Britain.	8. H. h.	Eng. bot. 550.
17 Blattaria. W.	moth.		7.8. H. h.	393.
18 glabrum. W. en.	smooth.		1805.	H. h.	
19 repandam. W. en.	waved.		1818.	H. h.	
20 sinuatum. W.	scalloped-leaved.		S. Europe.	1570.	H. h.	
21 pinnatifidum. W.	pinnatifid.		Archipelago.	1788.	5. G. h.	
22 bipinnatifidum. B. M.	cut-leaved.		Tauria.	1813.	7.8. H. h.	Bot. mag. 1777.
23 Osbeckii. W.	Osbeck's.		Spain.	1752.	H. h.	Tourn. it. 2. t. 63.
DATURA. W.	THORN-APPLE.	Solanaceae. B. P.				
1 ferox. W.	Chinese.		China.	1731.	7.9. H. h.	Zano. his. 212. f. 161.
2 Stramonium. W.	common.		England.	H. h.	Eng. bot. 288.
3 Tatula. W.	blue.		N. America.	1699.	H. h.	Meerb. ic. 2. t. 13.
4 fastiosa. W.	purple.		Egypt.	H. h.	Knor. thes. 1. t. 5. 11.
5 Metel. W.	downy.		Asia.	1596.	6.9. H. h.	Bot. mag. 1440.
6 lavis. W.	smooth-fruited.		Africa.	1790.	H. h.	Jac. vind. 2. t. 82.

7 <i>ovata</i> Jac.	horn-stalked.	Solanæ. B. P.	Cuba.	1805. 6.8.	H.⊙.	Bot. reg.
BRUGMANSIA. P. S.	BRUGMANSIA.	Solanæ. B. P.	<i>Datura species Willd.</i>			
1 <i>suaveolens</i> . W. en.	smooth-stalked.		Peru.	1738. 8.9.	S. h.	
2 <i>arbores</i> . W. en.	downy-stalked.			1813.	S. h.	
HYOSCYAMUS. W.	HENBANE.	Solanæ. B. P.				
1 <i>niger</i> . W.	common.		Britain. 6.7.	H. ♂.	Eng. bot. 591.
2 <i>albus</i> . W.	white.		S. Europe.	1570. 7.8.	H.⊙.	
3 <i>reticulatus</i> . W.	Egyptian.		Egypt.	1640.	H.⊙.	Com. hort. 77. t. 22.
4 <i>pallidus</i> . W. en.	pale-flowered.		Hungary.	1815.	H.⊙.	
5 <i>Senecionis</i> . W. en.	yellow-flowered.		Egypt.	1812. 3.10.	G. h.	
6 <i>aureus</i> . W.	golden.		Levant.	1640.	G. h.	Bot. mag. 87.
7 <i>canariensis</i> . B. Reg.	various-leaved.		Canaries.	1816. 1.12.	G. h.	Bot. reg. 180.
8 <i>pusillus</i> . W.	dwarf.		Persia.	1691. 7.	H.⊙.	Pluk. alm. t. 37. f. 5.
9 <i>physaloides</i> . W.	purple-flowered.		Siberia.	1777. 3.4.	H. h.	Bot. mag. 652.
10 <i>Scopolia</i> . W.	Nightshade-lea ^d .		Carniola.	1780. 4.5.	H. h.	1126.
NICOTIANA. W.	TOBACCO.	Solanæ. B. P.				
1 <i>Tabacum</i> . W. en.	Virginian.		America.	1570. 7.8.	H.⊙.	Blackw. t. 146.
2 <i>macrophylla</i> . W. en.	large-leaved.			H.⊙.	
3 <i>fruticosa</i> . W.	shrubby.		China.	1699.	G. h.	
4 <i>undulata</i> . B. P.	waved-leaved.		N. S. W.	1800. 5.9.	G. h.	Bot. mag. 678.
5 <i>rustica</i> . W.	common.		America.	1570. 7.9.	H.⊙.	Blackw. t. 437.
6 <i>paniculata</i> . W.	panicked.		Peru.	1752.	H.⊙.	Flor. per. 2. t. 129.
7 <i>glutinosa</i> . W.	clammy.			1759.	H.⊙.	Bot. rep. 484.
8 <i>plumbaginifolia</i> . W. en.	curled-leaved.		America.	1816.	G. h.	
9 <i>pusilla</i> . W.	Primrose-leaved.		Vera Cruz.	1733.	8. S. ♂.	Mill. ic. 2. t. 185. f. 2.
10 <i>quadrivalvis</i> . Ph.	four-valved.		N. America.	1811. 7.8.	H.⊙.	Bot. mag. 1778.
MANDRAGORA. W. en.	MANDRAKE.	Solanæ. B. P.	<i>Atropæ species Linn.</i>			
1 <i>officinalis</i> . W. en.	official.		Levant.	1548. 3.4.	H. h.	Bull. herb. t. 145.
ATROPA. W.	ATROPA.	Solanæ. B. P.				
1 <i>Belladonna</i> . W.	{ Deadly Nightshade. }		Britain. 6.7.	H. h.	Eng. bot. 592.
2 <i>frutescens</i> . W.	shrubby.		Spain.	1737. 1.3.	G. h.	Cav. ic. 2. t. 102.
SOLANDRA. W.	SOLANDRA.	Solanæ. B. P.				
1 <i>grandiflora</i> . W.	great-flowered.		Jamaica.	1781. 3.	S. h.	Jac. schœn. 1. t. 45.
PHYSALIS. W.	{ WINTER CHERRY. }	Solanæ. B. P.				
1 <i>sonnifera</i> . W.	clustered.		Mexico.	1596. 7.8.	G. h.	Cav. ic. 2. t. 103.
2 <i>aristata</i> . W.	bearded.		Canaries.	1779.	G. h.	
3 <i>flexuosa</i> . W.	flexuose.		E. Ind.	1759. 7.9.	G. h.	Rheed. mal. 4. t. 55.
4 <i>arborescens</i> . W.	shrubby.		Campeachy.	1733. 6.8.	S. h.	Mill. ic. 2. t. 206. f. 2.
5 <i>curassavica</i> . W.	Curassavian.		S. America.	1699. 6.9.	S. h.	Pluk. alm. t. 111. f. 5.
6 <i>viscosa</i> . W.	clammy.		America.	1732. 7.	H. h.	Jac. vind. 2. t. 136.
7 <i>pennsylvanica</i> . W.	Pennsylvanian.		N. America.	1726. 7.9.	H. h.	
8 <i>Alkekengi</i> . W.	common.		S. Europe.	1548.	H. h.	
9 <i>Peruviana</i> . W.	eatable.		S. America.	1772. 4.10.	G. h.	Bot. mag. 1068.
10 <i>pubescens</i> . W.	downy.		America.	1640. 7.8.	H.⊙.	Feuill. it. 3. t. 1.
11 <i>angulata</i> . W.	angular-branch.		India.	1732. 6.9.	H.⊙.	Dil. elt. 13. t. 12. f. 12.
12 <i>chenopodiifolia</i> . W.	Goose-foot-leav ^d	1798. 7.8.	H.⊙.	
13 <i>barbadensis</i> . W.	Barbadoes.		W. Ind.		H.⊙.	Jac. ic. 1. t. 39.
14 <i>minima</i> . W.	small.		E. Ind.	1759.	H.⊙.	Rheed. mal. 10. t. 71.
15 <i>pruinosa</i> . W.	hairy-annual.		America.	1726.	H.⊙.	Dill. elt. 10. t. 9. f. 9.
16 <i>prostrata</i> . W.	trailing.		Peru.	1782.	H.⊙.	Bot. rep. 75.
NICANDRA. J.	NICANDRA.	Solanæ. B. P.	<i>Calydermos Fl. per. Atropæ species Linn.</i>			
1 <i>physaloides</i> . P. S.	blue-flowered.		Peru.	1759. 7.9.	H.⊙.	Jac. obs. 4. t. 98.
SOLANUM. W.	NIGHTSHADE.	Solanæ. B. P.				
1 <i>verbascofolium</i> . W.	Mullein-leaved.		W. Ind.	1749. 6.7.	S. h.	Jac. vind. 1. t. 13.
2 <i>ausiculatum</i> . W.	ear-leaved.		Madagascar.	1773.	S. h.	Scop. insub. 3. t. 8.
3 <i>Pseudo-capsicum</i> . W.	Winter-cherry.		Madeira.	1596. 6.9.	G. h.	
4 <i>diphyllum</i> . W.	two-leaved.		W. Ind.	1699. 6.7.	S. h.	Jac. ic. 2. t. 322.
5 <i>Dulcamara</i> . W.	Bitter-sweet.		Britain.	H. h.	Eng. bot. 565.
6 <i>crassifolium</i> . W.	thick-leaved.		C. B. S.	1784.	G. h.	Dill. elt. t. 273. f. 352.
7 <i>quercifolium</i> . W.	Oak-leaved.		Peru.	1787.	H. h.	Few. per. 772. t. 15.
8 <i>laciniatum</i> . W.	cut-leaved.		N. Holland.	1772. 7.8.	G. h.	Bot. mag. 349.
9 <i>radicans</i> . W.	rooting.		Peru.	1771.	G. h.	Linn. fil. dec. 1. t. 10.
10 <i>havanense</i> . W.	Havannah.		W. Ind.	1793.	S. h.	Jac. amer. 49. t. 35.
11 <i>racemosum</i> . W.	wave-leaved.			1781.	S. h.	50. t. 36.
12 <i>corymbosum</i> . W.	corymbed.		Peru.	1786.	S. h.	Jac. ic. 1. t. 40.

13 bonariense. W.	tree.	Solanæ. B. P.	Buen. Ayres. 1727. 6.9. G. h.	{ Dill. elt. 364. t. 272. f. 351.
14 macrocarpon. W.	large-fruited.		Peru. 1759. 5.9. S. h.	Mill. ic. 2. t. 294.
15 tuberosum. W.	Potatoe.		1597. 6.8. H. 4.	Bauh. prod. 89. t. 89.
16 Lycopersicum. W.	Love-Apple.		S. America. 1596. 7.9. H. 0.	{ Rumph. amb. 5. t. 154. f. 1.
17 Pseudo-Lycopersicum. W.	round-fruited.	 1800. — H. 0.	Jac. hort. 1. t. 11.
18 nigrum. W.	black-berried.		Britain. 6.9. H. 0.	Eng. bot. 566.
19 patulum. W.	spreading.		India. — H. 0.	Dill. elt. t. 275. f. 355
20 villosum. W. en.	villous.		Barbadoes. — H. 0.	— t. 274. f. 353
21 guineense. W. en.	large-berried.		Guinea. — H. 0.	— t. 274. f. 354
22 melanocerasum. W. en.	small-berried.		Virginia. — H. 0.	— t. 275. f. 356
23 suffruticosum. W. en.	fringed-leaved.		Barbary. 1804. 5.9. G. h.	
24 Seaforthianum. B. R.	Seaforth's.		Barbadoes. 1804. 7.9. S. h.	Bot. rep. 504.
25 æthiopicum. W.	Ethiopian.		Ethiopia. 1597. — H. 0.	Jac. vind. 1. t. 12.
26 betaceum. P. S.	Beet-leaved.		S. America. 1803. 6.7. S. h.	Bot. rep. 5. 1.
27 Melongena. W.	Egg-plant.		Africa, &c. 1597. — G. 0.	Pluk. phyt. 226. f. 2
28 subinerme. W.	spear-leaved.		W. Ind. 1752. 7.8. S. h.	Jac. amer. t. 40. f. 3.
29 muricatum. W.	warted.		Peru. 1785. — S. h.	Feuill. per. 2. t. 26.
30 ferox. W.	Malabar.		E. Ind. 1795. 8.9. S. 4.	
31 insanum. P. S.	insane.		— 1815. — H. 0.	Pluk. alm. t. 226. f. 3.
32 campechiense. W.	purple-spined.		America. 1732. 7. G. h.	Dill. elt. t. 268. f. 347
33 mammosum. W.	nipple.		W. Ind. 1699. 7.8. S. 0.	Pluk. alm. t. 226. f. 1.
34 virginianum. W.	Virginian.		Virginia. 1662. 5.8. H. 0.	Dill. elt. t. 267. f. 346
35 Jacquini. W.	Jacquin's.		E. Ind. 1804. 9.11. S. 0.	Jac. ic. 2. t. 332.
36 cosgulans. W.	scollop-leaved.		Arabia Felix 1802. 7. S. 0.	
37 indicum. W.	Indian.		India. 1732. — S. h.	Dill. elt. t. 270. f. 349
38 carolinense. W.	Carolina.		Carolina. — 7.9. G. 4.	Jac. ic. 2. t. 331.
39 sodomium. W.	black-spined.		Africa. 1688. 6.7. G. h.	Her. ind. 573. t. 575.
40 Pyracantha. Sm.	Orange-thorned.		Madagascar. 1789. 8.9. S. h.	Ex. bot. 2. t. 64.
41 marginatum. W.	white-margined.		Africa. 1775. 6.9. G. h.	Jac. ic. . t. 45.
42 stramolifolium. W.	broad-leaved.		W. Ind. 1778. — S. h.	— 1. t. 44.
43 tomentosum. W.	woolly.		C. B. S. 1662. 6.7. G. h.	Bocc. sic. 8. t. 5.
44 bahamense. W.	Bahama.		Bahama. 1732. — G. h.	Dill. elt. t. 271. f. 350
45 giganteum. W.	tall.		C. B. S. 1792. — G. h.	Jac. ic. 2. t. 328.
46 Milleri. W.	Miller's.		— 1762. 7.8. G. h.	— 2. t. 330.
47 lanceolatum. W.	spear-leaved.		Mexico. 6.7. S. h.	Cav. ic. 3. t. 245.
48 igneum. W.	red-spined.		S. America. 1714. 3.11. S. h.	Jac. vind. 1. t. 14.
49 trilobatum. W.	three-lobed.		India. 1759. 8. S. h.	Bur. ind. 57. t. 22. f. 3
50 lycioides. W.	spiny.		Peru. 1791. 5.6. S. h.	Jac. ic. t. 46.
51 cordifolium. Vent.	Canary.		Canaries. 1779. 3.4. G. h.	Vent. malm. 85.
52 amazonium. B. M.	Lambert's.		Brazils. 1814. 5.9. S. h.	Bot. reg. 71.
53 Fontanesianum.	Desfontaines'.		— 1813. 7.9. H. 0.	— 177.
54 pinnatifidum.	pinnatifid.		— — — H. 0.	Pur. fl. am. sept. t. 7
<i>Solanum heterandrum. Pursh. vol. ii. Supp.</i>				
CAPSIUM. W.	CAPSIUM.	Solanæ. B. P.	India. 1548. 6.7. H. 0.	Knorr. thes. 2. t. C. 6.
1 annuum. W.	long-podded.	 1807. 4.7. S. h.	
2 sphericum. W. en.	globular-fruited.		— 1731. 6.9. S. h.	Sloa. jam. 1. t. 146. f. 2
3 baccatum. W.	Bird Pepper.		China. 1807. — G. h.	Jac. vind. 3. t. 67.
4 sinense. W.	oval-fruited.		India. 1759. 7. S. 8.	{ Besl. cyst. ant. 1. t. 11. f. 1.
5 grossum. W.	heart-shaped.		— 1656. 6.9. S. h.	Rumph. amb. 5. t. 82.
6 frutescens. W.	shrubby.		W. Ind. 1804. — S. h.	Bot. mag. 1835.
7 bicolor. Jac.	dark-fruited.		— 1759. — H. 0.	
8 cerasiforme. W.	Cherry Pepper.	 1804. 4.7. S. h.	
9 pendulum. W. en.	pendulous.			
CESTRUM. W.	CESTRUM.	Solanæ. J.	W. Ind. 1691. 5.8. S. h.	Smith spicil. 2. t. 2.
1 laurifolium. W.	Laurel-leaved.		— 1812. — S. h.	Vent. choix. 18.
2 macrophyllum. P. S.	large-leaved.		E. Ind. — S. h.	Jac. schœn. 3. t. 329.
3 foetidissimum. W. en.	stinking.		— 1732. 11. S. h.	Dill. elt. t. 153. f. 85
4 nocturnum. W.	night-smelling.		Chili. 1787. 6.7. G. h.	Bot. mag. 1770.
5 Parqui. W.	Willow-leaved.		Peru. 1774. — S. h.	{ L'Her. st. nov. 1. t. 35.
6 auriculatum. W.	ear-leaved.		W. Ind. 1759. 5.7. S. h.	Jac. schœn. 3. t. 328.
7 vespertinum. W.	cluster-flowered.		— 11. S. h.	Bot. mag. 1729.
8 fastigiatum. B. M.	Honeysuckle.		— 1722. — S. h.	Dill. elt. t. 154. f. 106
9 diurnum. W.	day-smelling.			

10 venenatum. W.	poisonous.	Solanæ. B. P.	C. B. S.	1787. 2.4. G. h.	
11 salicifolium. Jac.	Sallow-leaved.	_____	Caracas. 4.6. S. h.	Jac. schoen. 3. t. 326.
12 tomentosum. W.	downy.	_____	S. America.	1790. 6.7. S. h.	
LYCIUM. W.	Box-THORN.	Solanæ. J.			
1 afrum. W.	African.	_____	C. B. S.	1712. 6.7. S. h.	Trew ehret. 4. t. 24.
2 rigidum. W.	rigid.	_____	_____	1795. 4.5. G. h.	_____ t. 24. f. 1.
3 ruthenicum. W.	Russian.	_____	Siberia.	1804. H. h.	{ Murr. comm. goet. 1779. t. 2.
4 barbarum. P. S.	Willow-leaved.	_____	Barbary.	1696. 5.8. H. h.	Sebk. hand. 1. t. 46.
5 turbinatum. P. S.	top-shaped.	_____	China.	1709. H. h.	Duh. ed. n. 119. t. 31.
6 europæum. P. S.	European.	_____	S. Europe.	1730. H. h.	Mich. gen. t. 105. f. 1.
7 lanceolatum. P. S.	spear-leaved.	_____	_____ H. h.	
8 chinense. P. S.	Chinese.	_____	China. H. h.	Duh. ed. nov. t. 30.
9 ovatum. P. S.	oval-leaved.	_____	_____	1696. H. h.	Lam. ill. t. 112. f. 2.
10 horridum. W.	succulent-leaved	_____	C. B. S.	1791. 7.8. G. h.	
11 beerhaavifolium. W.	glaucous-leaved.	_____	Peru.	1780. 4.5. G. h.	L'Her. st. n. 45. t. 23
12 carolinianum. Ph.	Carolina.	_____	Carolina.	1806. 7.9. H. h.	
ARDISIA. W.	ARDISIA.	Myrsinæ. B. P.	Anguillaria. Gert.		
1 acuminata. W.	acuminated.	_____	Guiana.	1803. 7.8. S. h.	Bot. mag. 1678.
2 solanacea. W.	Nightshade-like.	_____	E. Ind.	1798. 6.9. S. h.	_____ 1677.
3 crenulata. P. S.	crenulated.	_____	_____	1809. S. h.	Vent. choix. t. 5.
4 lateriflora. W.	side-flowering.	_____	W. Ind.	1793. S. h.	
5 littoralis. B. R.	sea-side.	_____	E. Ind.	1809. 7.8. S. h.	Bot. rep. 186.
6 elegans. B. R.	elegant.	_____	_____ S. h.	_____ 49.
7 excelsa. W.	Laurel-leaved.	_____	Madeira.	1784. G. h.	Gert. sem. 1. t. 77.
JACQUINIA. W.	JACQUINIA.	Sapotæ. J.			
1 armillaris. W.	obtuse-leaved.	_____	W. Ind.	1768. S. h.	Jac. amer. 53. t. 33.
2 aurantiaca. H. K.	Orange-flowered	_____	Sandwich Isl.	1796. 4.9. S. h.	Bot. mag. 1639.
3 ruscifolia. W.	prickly.	_____	S. America.	1729. S. h.	Dill. elt. t. 129. f. 149
ACHRAS. W.	SAPOTA.	Sapotæ. B. P.			
1 mammosa. W.	Mammeæ.	_____	S. America.	1739. S. h.	Jac. amer. t. 182. f. 19
2 Sapota. W.	common.	_____	_____	1731. S. h.	Jac. amer. 57. t. 41.
β Zapotilla.	Naseberry-tree.	_____	_____ S. h.	_____ 57. t. 41. b
CHRYSEPHYL- LUM. W. }	STAR-APPLE.	Sapotæ. B. P.			
1 Cainito. W.	broad-leaved.	_____	W. Ind.	1737. 5.6. S. h.	Jac. amer. 51. t. 37. f. 1
2 argenteum. W.	narrow-leaved.	_____	Martinico.	1758. S. h.	_____ 53. t. 38. f. 1
SIDEROXYLON. W.	IRON-WOOD.	Sapotæ. B. P.			
inermis. W.	smooth.	_____	C. B. S.	1692. 7. G. h.	Lam. ill. 2. t. 120. f. 1.
SERSALISIA. B. P.	SERSALISIA.	Sapotæ. B. P.	Sideroxyli species Willd.		
sericea. B. P.	silky-leaved	_____	N. Holl.	1772. G. h.	
BUMELIA. W.	BUMELIA.	Sapotæ. B. P.	Sideroxyli species Linn.		
1 lycioides. Ph.	Boxthorn-leaved.	_____	N. America.	1758. 8. H. h.	Duham. arb. 2. t. 68.
2 tenax. W.	silvery-leaved.	_____	Carolina.	1765. 7.8. H. h.	Jac. obs. 3. t. 54.
3 salicifolia. W.	Willow-leaved.	_____	S. America.	1758. S. h.	Cat. car. 2. t. 75.
4 nigra. W.	black.	_____	W. Ind.	1806. S. h.	
5 lanuginosa. Ph.	woolly-leaved.	_____	Carolina. H. h.	
6 reclinata. Ph.	reclined.	_____	_____ H. h.	Vent. choix. 22.
7 serrata. Ph.	serrated.	_____	Missouri.	1812. H. h.	
TECTONA. W.	TEAK-WOOD.	Verbenacæ. J.			
grandis. W.	great.	_____	E. Ind.	1777. S. h.	Roxb. cor. 1. t. 6.
ELÆODENDRUM. W.	OLIVE-WOOD.	Rhamni. J.			
1 Argam. W.	spiny.	_____	Morocco.	1711. 7. H. h.	Comm. hort. 1. t. 83.
2 orientale. W.	oriental.	_____	Mauritius.	1771. S. h.	Jac. ic. 1. t. 48.
3 australe. H. K.	thick-leaved.	_____	N. S. W.	1796. 6.8. G. h.	Vent. malm. 117.
RHAMNUS. W.	BUCKTHORN.	Rhamni. J.			
1 catharticus. W.	purging.	_____	England. 5.6. H. h.	Eng. bot. 1629.
2 infectorius. W.	yellow-berried.	_____	S. Europe.	1683. 6.7. H. h.	Ardui. mem. 78. t. 14
3 lycioides. W.	Boxthorn-like.	_____	Spain.	1752. 9.12. G. h.	Cav. ic. 2. t. 182.
4 oleoides. W.	Olive-leaved.	_____	_____	6.7. H. h.	
5 crenulatus. W.	Teneriffe.	_____	Teneriffe.	1778. 3. G. h.	
6 saxatilis. W.	rock.	_____	Europe.	1752. 5.6. H. h.	Jac. aust. 1. t. 53.
7 Theezans. W.	Thea.	_____	China. G. h.	
8 tetragonus. W.	square-branched.	_____	C. B. S.	1816. G. h.	
9 lanceolatus. Ph.	spear-leaved.	_____	N. America.	1812. H. h.	
10 alpinus. W.	Alpine.	_____	Switzerland.	1752. 5.6. H. h.	Hall. hist. 1. t. 40.
11 pumilus. W.	dwarf.	_____	Carniola.	7. H. h.	Jac. coll. 2. t. 11.
12 Frangula. W.	{ berry-bear ^d Alder.	_____	Britain. 4.5. H. h.	Eng. bot. 250.
13 latifolius. W.	broad-leaved.	_____	Azores.	1778. 7. G. h.	L'Her. ser. ang. t. 8.

14 glandulosus. W.	Madeira.	Rhamni. J.	Canaries.	1785.	6.7.	G. h.	Vent. malm. 34.
15 prinoïdes. W.	Winter-berry-l ^d .		C. B. S.	1778.	8.9.	G. h.	L'Her. sert. t. 2.
16 mystacinus. W.	wiry.		Africa.	1775.	11.	S. h.	
17 alnifolius. W.	Alder-leaved.		N. America.	1778.	5.	H. h.	
<i>franguloides. Ph.</i>							
18 hybridus. P. S.	hybrid.		5.6.	H. h.	
19 Alaternus. W. en.	{ broad-leaved } Alaternus.		S. Europe.	1629.	4.6.	H. h.	
20 Clusii. W. en.	narrow-leaved.					H. h.	
ZIZYPHUS. W.	ZIZYPHUS.	Rhamni. J.					
1 lineatus. W.	lined.		China.	1804.	G. h.	Osb. it. t. 7.
2 volubilis. W.	twining.		Carolina.	1714.	6.7.	H. h.	Jac. ic. 2: t. 236.
3 Pallurus. W.	Christ's-thorn.		S. Europe.	1596.	H. h.	Pall. ross. 2. t. 64.
4 Lotus. W.	Barbary.		Africa.	1731.	G. h.	Desf. acs. 1788. t. 21.
5 Napeca. W.	oblique-leaved.		Ceylon.	1816.	S. h.	Rumph. amb. 2. t. 37.
6 Jujuba. W.	blunt-leaved.		E. Ind.	1759.	4.5.	S. h. 2. t. 36.
7 vulgaris. W.	common.		S. Europe.	1640.	8.9.	G. h.	Pall. ross. 2. t. 59.
CELASTRUS. W.	STAFF-TREE.	Rhamni. J.					
1 lucidus. W.	shining.		C. B. S.	1722.	4.9.	G. h.	Meerb. ic. 1. t. 12.
2 bullatus. W.	Virginian.		Virginia.	1759.	7.	H. h.	Pluk. alm. t. 28. f. 5.
3 octogonus. W.	angular-leaved.		Peru.	1786.	10.11.	G. h.	
4 scandens. W.	climbing.		N. America.	1736.	5.6.	H. h.	Schub. handb. 1. t. 47.
5 cassinioides. W.	crenated.		Canaries.	1779.	8.9.	G. h.	L'Her. sert. 6. t. 10.
6 cernuus. W.	drooping.		C. B. S.	1815.	G. h.	
7 tetragonus. P. S.	four-sided.			1816.	G. h.	
8 buxifolius. W.	Box-leaved.			1752.	5.6.	G. h.	Hout. nat. h. t. 21. f. 1.
9 pyracanthus. W.	Pyracantha-l ^d .			1742.	G. h.	Bot. mag. 1167.
SENACIA. P. S.	SENACIA.	Rhamni. J.	<i>Celastris species Willd.</i>				
undulata. P. S.	wave-leaved.		Bourbon.	1785.	S. h.	
EUONYMUS. W.	SPINDLE-TREE.	Rhamni. J.					
1 japonicus. W.	Japan.		Japan.	1804.	6.8.	G. h.	Kempf. ic. t. 8.
2 europæus. W.	European.		Britain.	5.7.	H. h.	Eng. bot. 862.
3 verrucosus. W.	warted.		Austria.	1763.	5.6.	H. h.	Schmidt arb. t. 72.
4 latifolius. W.	broad-leaved.			1730.	6.7.	H. h. t. 74.
5 atropurpureus. W.	purple.		N. America.	1756.	H. h. t. 73.
6 americanus. W.	evergreen.			1683.	H. h. t. 75.
7 angustifolius. Ph.	narrow-leaved.			1806.	H. h.	
HOVENIA. Th.	HOVENIA.	Rhamni. J.					
dulcis. Th.	sweet.		Japan.	1812.	G. h.	Lam. ill. t. 181.
CEANOTHUS. W.	CEANOTHUS.	Rhamni. J.					
1 americanus. W.	New Jersey Tea.		N. America.	1713.	7.10.	H. h.	Schmidt arb. 182.
2 intermedius. Ph.	intermediate.			1812.	6.7.	H. h.	Pluk. alm. t. 28. f. 6.
3 sanguineus. Ph.	red-stalked.		Missouri.	5.7.	H. h.	
4 microphyllus. Ph.	small-leaved.		N. America.	1806.	6.7.	G. h.	
5 asiaticus. W.	Asiatic.		Ceylon.	1691.	7.8.	S. h.	Cav. ic. 5. t. 440. f. 1.
6 colubrinus. P. S.	{ Bahama Red-wood. }		Bahama.	1726.	6.	S. h.	Jac. vind. 3. t. 50.
<i>Rhamnus colubrinus. W.</i>							
7 reclinatus. P. S.	oval-leaved.		Jamaica.	1758.	8.	S. h.	Brown jam. t. 29. f. 2.
<i>Rhamnus ellipticus. W.</i>							
8 africanus. W.	African.		C. B. S.	1712.	8.4.	G. h.	Pluk. phyt. 126. f. 1.
9 globulosus. H. K.	round-headed.		N. Holland.	1803.	4.5.	G. h.	Lab. nov. holl. 1. t. 85.
POMADERRIS. Lab.	POMADERRIS.	Rhamni. J.					
1 apetala. H. K.	petalless.		N. Holland.	1803.	5.6.	G. h.	Lab. nov. holl. 1. t. 87.
2 elliptica. H. K.	oval-leaved.			1805.	5.7.	G. h.	Bot. mag. 1510.
3 lanigera. B. M.	woolly.			1806.	4.6.	G. h.	1823.
PHYLLICA. W.	PHYLLICA.	Rhamni. J.	C. B. S.				
1 ericoides. W.	Heath-leaved.			1731.	9.4.	G. h.	Bot. mag. 224.
2 parviflora. W.	small-flowered.			1790.	4.7.	G. h.	
3 lanceolata. W.	lance-leaved.			4.5.	G. h.	
4 capitata. W. en.	headed.			1800.	5.8.	G. h.	
5 pubescens. W.	downy.			1774.	2.4.	G. h.	Burm. afr. t. 44. f. 3.
6 eriophora. W.	pale-flowered.			11.	G. h.	Pluk. amalt. t. 445. f. 1.
7 rosmarinifolia. P. S.	Rosemary-leav'd.			1815.	G. h.	
8 axillaris. P. S.	axillary-flowered.			1812.	5.8.	G. h.	
9 plumosa. W.	feathered.			1752.	3.5.	G. h.	Pluk. mant. t. 342. f. 3.
10 villosa. W.	villous.			1790.	5.	G. h.	
11 stipularis. W.	horned.			1786.	5.9.	G. h.	Burm. afr. t. 43. f. 2.
12 cordata. W.	heart-leaved.			1789.	5.6.	G. h.	Comm. rar. 62. t. 12.
13 buxifolia. W.	Box-leaved.			1759.	5.9.	G. h.	Burm. afr. t. 44. f. 1.

14 spicata. W.	spiked.	Rhamni. J.	C. B. S.	1774. 11.12. G. h.	Lam. ill. t. 127. f. 3.
15 myrtifolia. P. S.	Myrtle-leaved.			1816. G. h.	
16 callosa. W.	callous-leaved.			1774. 3.4. G. h.	
17 paniculata. W.	panicled.			1812. 4.6. G. h.	
18 imbricata. W.	imbricated.			1801. 8.11. G. h.	
19 cylindrica. W. en.	cylindrical.		 4.8. G. h.	
20 racemosa. W.	cluster-flowered.			1790. 5.9. G. h.	
21 pinifolia. W.	Pine-leaved.			1789. 5. G. h.	
BRUNIA. W.	BRUNIA.	Rhamni? J			
1 modiflora. W.	imbricated.		C. B. S.	1786. 7.8. G. h.	Breyn. cent. 22. t. 10
2 paleacea. W.	chaffy.			1791. 6.8. G. h.	
3 lanuginosa. W.	woolly.			1774. G. h.	Pluk. alm. t. 318. f. 4.
4 verticillata. W.	whorled.			1794. G. h.	
5 denata. Th.	black-tipped.			1804. G. h.	
6 microphylla. Th.	small-leaved.		 G. h.	
7 laxa. Th.	spiked.			1805. G. h.	
8 alopecuroides. Th.	Fox-tail.			1816. G. h.	
9 abrotanoides. W.	Thyme-leaved.			1787. 5.7. G. h.	Burm. afr. t. 100. f. 1.
10 superba. W.	superb.			1791. G. h.	
11 fragarioides. W.	Strawberry-like.			1794. G. h.	
12 ciliata. L.	ciliated.			1812. G. h.	
STAAVIA. W.	STAAVIA.	Rhamni J.			
1 radiata. W.	rayed.		C. B. S.	1787. 5.6. G. h.	Breyn. cen. 165. t. 82
2 glutinosa. W.	clammy.			1793. 4.5. G. h.	
PLECTRONIA. W.	PLECTRONIA.	Rhamni J			
1 corymbosa. P. S.	corymbed.		C. B. S.	1816. G. h.	
ADENANDRA. W. en.	ADENANDRA.	Diosmeæ. <i>Diosma species Linn.</i>			
1 uniflora. W. en.	one-flowered.		C. B. S.	1775. 4.7. G. h.	Bot. mag. 73.
2 umbellata. W. en.	umbel-flowered.			1789. G. h.	1271.
3 fragrans. B. M.	red-flowered.			1812. 5.7. G. h.	1519.
4? tetragona. W.	tetragonal.			1789. 7.8. G. h.	
BAROSMA. W. en.	BAROSMA.	Diosmeæ. <i>Diosma species Linn.</i>			
1 serratifolia. W. en.	saw-leaved.		C. B. S.	1789. 8.6. G. h.	Bot. mag. 456.
2 latifolia. W.	broad-leaved.		 7.8. G. h.	Bot. rep. 38.
3 crenata. W.	crenated.			1774. 1.8. G. h.	
4 ovata. W.	oval-leaved.			1790. 2.9. G. h.	Bot. mag. 1616.
DIOSMA. W. en.	DIOSMA.	Diosmeæ.			
1 oppositifolia. W.	opposite-leaved.		C. B. S.	1752. 3.7. G. h.	Comm. rar. 1. t. 1.
2 linearis. W.	linear-leaved.			1800. G. h.	
3 alba. Th.	white-flowered.		 G. h.	
4 hirsuta. W.	hairy-leaved.			1781. G. h.	Comm. rar. 3. t. 3.
5 rubra. W.	red-calyxed.			1752. 2.5. G. h.	2. t. 2.
6 cricifolia. B. R. 451.					
7 pectinata. W. en.	pectinated.			1812. 4.6. G. h.	Wend. coll. pl. 1. t. 3.
8 ericoides. W.	Heath-leaved.			1756. 3.7. G. h.	Mill. ic. 1. t. 124. f. 2.
9 cupressina. W.	Cypress-leaved.			1790. 6.7. G. h.	Pluk. alm. t. 279. f. 2.
10 tenuifolia. W. en.	slender-leaved.		 4.6. G. h.	
AGATHOSMA. W. en.	AGATHOSMA.	Diosmeæ. <i>Diosma species Linn.</i>			
1 hispida. W.	rough-leaved.		C. B. S.	1786. 6.8. G. h.	
2 ciliata. W.	ciliated.			1774. 4.6. G. h.	
3 capitata. W.	pale purple.			1790. 5.6. G. h.	
4 villosa. W.	shaggy.			1786. 6.8. G. h.	Wend. coll. pl. 1. t. 2.
5 imbricata. W.	imbricated.			1774. 4.6. G. h.	pl. 1. t. 9.
6 acuminata. W. en.	acuminate.			1812. G. h.	pl. 1. t. 28.
7 marginata. Th.	marginate.			1806. G. h.	Pluk. alm. t. 411. f. 3.
8 cerefolia. Ven.	Chervil-scented.			1790. G. h.	Vent. malm. 93.
9 pubescens. W. en.	pubescent.			1798. 5.8. G. h.	{ Wend. coll. pl. 1.
10 pulchella. W.	blunt-leaved.			1787. 2.9. G. h.	{ t. 13 et 14.
LASIOPETALUM. Vent.	LASIOPETALUM.				Bot. mag. 1857.
1 parviflorum. L. T.	small-flowered.		N. Holland.	1810. 4.7. G. h.	{ Linn. trans. v. 10.
2 ferrugineum. B. R.	rusty.			1791. G. h.	{ t. 19. f. 2.
3 purpureum. H. K.	purple.			1808. G. h.	Bot. mag. 1766.
4 arborescens. H. K.	Nettle-tree-leav ^d			1802. G. h.	1755.
5 solanaceum. B. M.	Solanum-like.			1803. G. h.	Bot. mag. 1486.
6 quercifolium. H. K.	Oak-leaved.		 G. h.	1485.

BURSARIA. Cav.	BURSARIA.	Pittosporæ. Br.				
spinosa. Cav.	thorny.		N. S. W.	1793. 8.12. G. h.	Bot. mag. 1767.	
BILLARDIERA. Sm.	APPLE-BERRY.	Pittosporæ. Br.				
1 scandens. W.	climbing.		N. S. W.	1790. 6.8. G. h.	Bot. mag. 801.	
2 mutabilis. H. K.	changeable.			1795. 6.9. G. h.	1313.	
3 longiflora. B. M.	blue-berried.		Van Diem.	1810. — G. h.	1507.	
PITTOSPORUM. W.	PITTOSPORUM.	Pittosporæ. Br.				
1 coriaceum. W.	thick-leaved.		Madeira.	1787. 5. G. h.	Bot. rep. 151.	
2 viridiflorum. B. M.	green-flowered.		C. B. S.	1806. 5.6. G. h.	Bot. mag. 1684.	
3 Tobira. H. K.	glossy-leaved.		China.	1804. 3.8. G. h.	1396.	
4 undulatum. H. K.	wave-leaved.		N. S. W.	1789. 2.6. G. h.	Bot. reg. 16.	
5 revolutum. H. K.	downy-leaved.			1795. 2.4. G. h.	186.	
6 ferrugineum. H. K.	rusty-leaved.		Guinea.	1787. 2.5. S. h.		
CYRILLA. L.	CYRILLA.	Ericæ. J.				
caroliniana. Ph.	Carolina.		Carolina.	1766. 6.8. G. h.	Jac. ic. 1. t. 47.	
BROSSÆA. L.	BROSSÆA.	Ericæ. J.				
coccinea. L.	scarlet.		S. America. S. h.	Plu.gen.7.ic.64.f.3.	
ITEA. L.	ITEA.	Saxifragæ. P. S.				
virginica. W.	Virginian.		N. America.	1744. 6.8. H. h.	Trew.chret.55.t.98	
GALAX. W.	GALAX.		Blandfordia. B. Rep.			
aphylla. W.	heart-leaved.		N. America.	1786. 6.7. H. h.	Bot. mag. 754.	
CEDRELA. W.	BASTARD CEDAR.	Meliæ? J.				
odorata. W.	Barbadoes.		W. Ind.	1739. S. h.	{ Brown. jam. 168. t. 10. f. 1.	
CALODENDRUM. W.	CALODENDRUM.					
capense. W.	Cape.		C. B. S.	1789. G. h.	Hout.nat.his.4.t.44	
MANGIFERA. W.	MANGO-TREE.	Terebintacæ. J.				
indica. W.	Indian.		E. Ind.	1690. 6.9. S. h.	Bot. rep. 425.	
HIRTELLA. W.	HIRTELLA.	Rosacæ. J.				
americana. W.	American.		W. Ind.	1782. S. h.	Aub. guian. 1. t. 94.	
RIBES. W.	CURRENT.	Cacti. J.				
1 rubrum. W.	red.		Britain. 4.5. H. h.	Eng. bot. 1289.	
β album.	white.		 H. h.		
2 petraum. W.	rock.		England. 5. H. h.	Eng. bot. 705.	
3 procumbens. W.	trailing.		Dauria.	1804. 5.6. H. h.	Pall. ross. 2. t. 65.	
4 prostratum. Ph.	glandulous.		N. America.	1777. 4.5. H. h.	L'Her. stirp. 1. t. 13.	
5 resinsum. Ph.	clammy.			1800. — H. h.	Bot. mag. 1583.	
6 alpinum. W.	Alpine.		Britain. — H. h.	Eng. bot. 704.	
7 spicatum. Sm.	acid.		England. — H. h.	1290.	
8 nigrum.	black.		Britain. — H. h.	1291.	
9 aureum. Ph.	golden.		Missouri.	1812. — H. h.	Bot. reg. 125.	
10 floridum. W.	Pennsylvanian.		N. America.	1729. — H. h.	Dill.elt.t.244.f.315	
11 laxiflorum. Ph.	loose-flowered.			1812. — H. h.		
12 hirtellum. Ph.	hairy.			— H. h.		
13 gracile. Ph.	slender.			— H. h.		
14 triflorum. Ph.	three-flowered.			— H. h.	Will.bor.ber.1.t.61	
15 Diacantha. W.	two-spined.		Siberia.	1781. 5.6. H. h.	Schmidt arb. t. 97.	
16 reclinatum. W.	procumbent.		Germany.	1683. 4.5. H. h.		
17 Grossularia. W.	{ rough Goose- berry.		England. 3.4. H. h.	Eng. bot. 1292.	
18 Uva-crispa. W.	{ smooth Gooseberry.		 — H. h.	2057.	
19 oxyacanthoides. W.	Hawthorn-leav.		N. America.	1705. 4.5. H. h.	Dill.elt.t.139.f.166.	
20 lacustris. Ph.	swamp.			1812. — H. h.		
21 Cynosbati. W.	prickly-fruited.		Canada.	1759. 4. H. h.	Schmidt arb. 98.	
HEDERA. W.	IVY.	Caprifoliæ. J.				
Helix. W.	common.		Britain. 10.11. H. h.	Eng. bot. 1267.	
VITIS. P. S.	VINE.	Vites. J.				
1 vitifera. W.	common Grape.		Various. 6.7. H. h.	Jac. ic. 1. t. 50.	
2 indica. W.	Indian.		India.	1692. S. h.	Rheed. mal. 7. t. 6.	
3 Labrusca. W.	downy-leaved.		N. America.	1656. H. h.	Jac. schœm. 426.	
β baccis albis.	Bland's Grape.					
4 vulpina. W.	Fox-grape.		 H. h.	425.	
5 cordifolia. Ph.	Winter-grape.			1806. H. h.	427.	
6 riparia. Ph.	sweet-scented.		 5.6. H. h.		
7 rotundifolia. Ph.	Bull-grape.		 H. h.		
8 laciniosa. W.	Parsley-leaved.			1648. 6.7. H. h.	Schmidel ic. 34. t. 2.	
LEEA. W.	LEEA.	Meliæ. J.				
1 sambucina. W.	Elder-leaved.		E. Ind.	1790. S. h.	Cav. diss. 7. t. 21.	
2 squata. W.	shrubby.			1777. S. h.		

PENTANDRIA MONOGYNIA.

47

crispa. W.	fringed-stalked.	Meliaz. J.	Bengal.	1676.	8.10.	S. 2.	Bot. rep. 356.
GRONOVIA. W.	GRONOVIA.	Cucurbitaceæ. J.	Jamaica.	1781.	6.7.	S. 2.	Jac. ic. 2. t. 338.
scandens. W.	climbing.		E. Ind.	1596.	7.10.	S. 2.	Blackw. t. 583.
IMPATIENS. W.	BALSAM.	Geraniæ. J.	N. America.	1808.	6.9.	H. 2.	Bot. mag. 1256.
1 Balsamina. W.	garden.		England.	H. 2.		
2 coccinea. H. K.	glandular-leaved		Levant.	1640.	6.7.	H. 2.	Lam. ill. t. 242.
3 biflora. Ph.	two-flowered.	Umbelliferae. J.	N. America.	1748.	3.5.	H. 2.	Bot. mag. 941.
4 Nolitangere. W.	Touch me not.		1789.	H. 2.	Par. lond. 71.	
LAGECIA. W.	CUMIN.	Portulacæe. J.	1812.	H. 2.		
cuminoides. W.	wild.		Siberia.	1768.	5.8.	H. 2.	Act. stock. 1746. t. 5.
CLAYTONIA. W.	CLAYTONIA.		Nootka Sd.	1794.	3.6.	H. 2.	Bot. mag. 1809.
1 virginica. Ph.	Virginian.		N. America.	1794.	5.8.	H. 2.	1336.
2 caroliniana. H. K.	spatula-leaved.		N. America.	1752.	5.6.	H. 2.	Bot. mag. 535.
3 lanceolata. Ph.	spear-leaved.		S. Europe.	1752.	H. 2.	89.
4 sibirica. W.	Siberian.		N. America.	1775.	7.	H. 2.	Gmel. sib. 4. t. 49. f. 4.
5 alsinoides. Ph.	Chickweed-like.		1759.	6.7.	H. 2.	Gmel. sib. 4. t. 49. f. 2.	
6 perfoliata. W.	small-flowered.		1762.	5.6.	H. 2.		
VIOLA. W.	VIOLET.		1772.	5.7.	H. 2.	Bot. mag. 1795.	
1 palmata. W.	palmated.	Violaæ.	1802.	H. 2.	Willd. hort. ber. 24.	
2 pedata. W.	cut-leaved.		1783.	4.6.	H. 2.		
3 pinnata. W.	winged-leaved.		1802.	H. 2.	Willd. hort. ber. 72.	
4 sagittata. W.	arrow-leaved.		England.	4.5.	H. 2.	Eng. bot. 894.
5 lanceolata. W.	spear-leaved.		N. America.	1800.	5.6.	H. 2.	
6 obliqua. W.	oblique-flowered.		Pennsylvania.	5.	H. 2.	
7 cucullata. W.	hollow-leaved.		Britain.	5.6.	H. 2.	Eng. bot. 444.
8 blanda. Ph.	white-flowered.		3.5.	H. 2.	619.	
9 primulifolia. Ph.	Primrose-leaved.						
10 sororia. Ph.	white-rooted.						
11 hirta. W.	hairy.						
12 papilionacea. Ph.	variegated.						
13 clandestina. Ph.	small-flowered.						
14 palustris. W.	marsh.						
15 odorata. W.	sweet.						
α purpurea.	purple-flowered.						
β alba.	white-flowered.						
γ cærulea.	blue-flowered.						
δ purpureo-plena.	double purple.						
ε albo-plena.	double white.						
ζ cæruleo-plena.	double blue.						
η pallido-plena.	Neapolitan.						
16 canina. W.	dog's.		Britain.	4.6.	H. 2.	Eng. bot. 620.
17 lactea. E. B.	cream-coloured.		England.	5.	H. 2.	445.
18 montana. W.	mountain.		Alps of Eur.	1683.	5.8.	H. 2.	Bot. mag. 1595.
19 cenisia. W.	Alpine.		Mt. Cenis.	1759.	6.7.	H. 2.	All. ped. 2. t. 22. f. 6.
20 valderia. W. en.	fringed-leaved.		1805.	5.6.	H. 2.	t. 24. f. 3.	
21 canadensis. W.	Canadian.		N. America.	1783.	H. 2.	
22 striata. W.	streaked.		1772.	6.7.	H. 2.		
23 pubescens. W.	downy.		H. 2.		
24 mirabilis. W.	broad-leaved.		Germany.	1732.	6.8.	H. 2.	Flor. dan. 1045.
25 biflora. W.	two-flowered.		Alps of Eur.	1752.	4.5.	H. 2.	46.
26 uniflora. W.	Siberian.		Siberia.	1774.	6.7.	H. 2.	Gmel. sib. 4. t. 48. f. 5.
27 Nuttallii. Ph.	Nuttall's.		Missouri.	1812.	5.6.	H. 2.	
28 coscolor. L. T.	green-flowered.		N. America.	1788.	6.7.	H. 2.	Linn. trans. 6. t. 28.
29 Zorzi. W.	crenated.		Carinthia.	7.9.	H. 2.	Jac. coll. 4. t. 11. f. 1.
30 altaica. B. Reg.	Tartarian.		Siberia.	1805.	3.6.	H. 2.	Bot. reg. 54.
31 arvensis. P. S.	corn.		Britain.	4.9.	H. 2.	
32 tricolor. P. S.	Heart's-ease.		H. 2.		
33 amoena. E. B.	purple.		5.7.	H. 2.	Eng. bot.	
34 rothomagensis. P. S.	Rouen.		France.	1733.	5.8.	H. 2.	Bot. mag. 1498.
35 sudetica. W. en.	tooth-flowered.		1805.	H. 2.		
36 lutea. E. B.	yellow-flowered.		Britain.	H. 2.	Eng. bot. 721.	
37 grandiflora. L.	great-flowered.		Switzerland.	H. 2.	Hall. helv. 566. t. 17	
38 calcarata. W.	spurred.		1752.	3.6.	H. 2.		
39 cornuta. W.	horned.		Pyrenees.	1776.	5.6.	H. 2.	Bot. mag. 791.
40 arborescens. W.	shrubby.		Spain.	1779.	4.5.	G. 2.	Barr. ic. 568.
IONIDIUM. Vent.	IONIDIUM.						
polygalæfolium. V.	whorl-leaved.	Violaæ. Viola species W.	S. America.	1797.	4.8.	G. 2.	Vent. majm. 27.
HELICONIA. W.	HELICONIA.	Musaceæ. P. S.					
1 Bihai. W.	Plantain-leaved.		W. Ind.	1786.	4.5.	S. 2.	Swart. ob. 96. t. 5. f. 2.
2 humilis. W.	dwarf.		Caracas.	1798.	5.6.	S. 2.	Jac. schæ. 1. t. 43. 49

3 Psittacorum. W.	Parrot-beaked.	Musaceæ. P. S.	W. Ind.	1797. 8.9. S. 2.	Bot. mag. 509.
STRELITZIA. H. K.	STRELITZIA.	Musaceæ. P. S.			
1 augusta. H. K.	august.		C. B. S.	1791. 2.5. S. 2.	
2 reginæ. H. K.	Canna-leaved.			1773. 4.5. S. 2.	Red. lil. 77. 78.
3 ovata. H. K.	ovate-leaved.			1777. 2.4. S. 2.	Bot. mag. 119. 12.
4 farinosa. H. K.	mealy-stalked.			1795. 2.3. S. 2.	
5 angustifolia. H. K.	narrow-leaved.			1778. 5.6. S. 2.	
6 parvifolia. H. K.	rush-leaved.			1796. 5.7. S. 2.	
GOMPHRENA. B. P.	{ GLOBE AMARANTH. }	Amaranthaceæ. B. P.			
1 globosa. W.	annual.		India.	1714. 5.10. S. 2.	Rheed. mal. 10. 13.
2 perennis. W.	perennial.		S. America.	1732. 7.10. S. 2.	Dill. elt. 24. t. 20. f. 2
3 arborescens. W.	tree.			1802. — S. 2.	
4 interrupta. W.	trailing.		W. Ind.	1788. 7.8. S. 2.	Jac. ic. 1. t. 51.
PHILOXERUS. B. P.	PHILOXERUS.	Amaranthaceæ. B. P.	Gomphrena species Linn.		
1 vermiculatus. B. P.	creeping.		S. America. 7.10. S. 2.	Herm. parad. t. 11
2 brasiliensis. B. P.	upright.		Brasil.	1790. — S. 2.	Jac. ic. 2. t. 346.
ACHYRANTHES. W.	ACHYRANTHES.	Amaranthaceæ. B. P.			
1 argentea. W.	upright.		Sicily.	1713. 5.10. S. 2.	Bocc. sic. 16. t. 9.
2 aspera. W.	rough.		India.	1761. — S. 2.	Mill. ic. 1. t. 11. f. 1
3 muricata. W.	prickly.			1777. 8.11. S. 2.	Rumph. amb. 5. t. 8
4 alternifolia. W.	alternate-leaved.		E. Ind.	1789. 7.8. S. 2.	Pluk. alm. t. 260. f.
5 porrigens. H. K.	crimson-flowerd.		1802. 4.8. S. 2.	Bot. mag. 830.
6 nivea. W.	white.		Canaries.	1780. 5.7. G. 2.	
PUPALIA. Juss.	PUPALIA.	Amaranthaceæ. B. P.	Achyranthis species W.		
1 lappacea. J.	Burry.		E. Ind.	1759. 8.10. S. 2.	Rheed. mal. 10. t. 59
2 prostrata. B. P.	prostrate.			1793. 7.8. S. 2.	
DEERINGIA. B. P.	DEERINGIA.	Amaranthaceæ. B. P.	Celosia species W.		
celosioides. B. P.	Berry-bearing.		E. Ind.	1804. 8.10. S. 2.	
CELOSIA. B. P.	COCK'S-COMB.	Amaranthaceæ. B. P.			
1 argentea. W.	silvery-spiked.		China.	1714. 6.9. S. 2.	Mart. dec. 1. t. 7.
2 cristata. W.	common.		Asia.	1570. — S. 2.	Lam. ill. t. 168. f. 1
3 comosa. W.	tufted.		E. Ind.	1802. — S. 2.	
4 cocqinea. W.	scarlet.		China.	1597. — S. 2.	
5 cernua. B. R.	drooping.		E. Ind.	1809. 7.8. S. 2.	Bot. rep.
6 castrensis. W.	branched.			1739. 7.9. S. 2.	Bar. rar. t. 1195.
7 Monsonia. W.	downy.			1778. — S. 2.	Pluk. alm. 11. t. 384. f. 4.
8 nodiflora. W.	knotted.			1780. — S. 2.	Jac. vind. 1. t. 96.
LESTIBUDESIA. B. P.	LESTIBUDESIA.	Amaranthaceæ. B. P.	Celosia species W.		
1 paniculata. B. P.	panicked.		Jamaica.	1733. 6.9. S. 2.	Sloa. jam. 1. t. 91. f. 1
2 trigyna. B. P.	oval-leaved.		Senegal.	1777. 8.10. S. 2.	Jac. vind. 3. t. 15
3 virgata. B. P.	wave-leaved.		1815. — S. 2.	Jac. ic. 2. t. 339.
ALTERNANTHERA. B. P.	{ ALTERNANTHERA. }	Amaranthaceæ. B. P.	Illecebr species Linn.		
1 Achyrantha. B. P.	creeping.		Buenos Ayres.	1732. 6.8. S. 2.	Dill. elt. 8. t. 7. f.
2 polygonoides. B. P.	Persicaria-leaved.		America.	1781. — G. 2.	Herm. par. 17.
3 sessile. B. P.	sessile-flowered.		E. Ind.	1778. 7.10. S. 2.	Rheed. mal. 10. t. 1
ÆRUA. Juss.	ÆRUA.	Amaranthaceæ. B. P.	Illecebr species W.		
1 lanata. J.	woolly.		E. Ind.	1691. 4.8. S. 2.	Mill. ic. 1. t. 11. f.
2 javanica. J.	spear-leaved.			1768. — S. 2.	Burm. ind. t. 65. f.
ILLECEBRUM. Juss.	KNOT-GRASS.	Amaranthaceæ. Juss.			
verticillatum. W.	whorled.		England. 7. H. 2.	Eng. bot. 895.
PARONYCHIA. G.	PARONYCHIA.	Amaranthaceæ. Juss.	Illecebr species W.		
1 nitida. G.	mountain.		S. Europe.	1640. 5.8. H. 2.	
2 capitata. Juss.	Spanish.		Spain.	1683. 6.8. G. 2.	Lobel. ic. 420. f.
3 nivea. P. S.	villous.			1812. — G. 2.	
4 alsinifolia. J.	Chickweed-leavd.	 H. 2.	Scop. del. ins. t. 1
ANYCHIA. Mich.	ANYCHIA.	Amaranthaceæ. J.			
dichotoma. Ph.	forked.		N. America.	1806. 5.8. H. 2.	Ort. dec. t. 15. f.
Queria canadensis. W.					
MOLLIA. W.	MOLLIA.	Amaranthaceæ. J.	Polycarpea. Lam. Hagea. P. S.		
1 diffusa. H. K.	forked.		Canaries.	1779. 7.8. G. 2.	Willd. hort. ber. 1
2 avistata. H. K.	bearded.			1780. 6.7. G. 2.	
CHENOLEA. W.	CHENOLEA.	Chenopodæ. B. P.			
diffusa. W.	silky.		C. B. S.	1758. 8.9. G. 2.	
GLAUX. W.	BLK.-SALT-IVORT.	Salicariæ. J.			
maritima. W.	sea.		Britain. 5.6. H. 2.	Eng. bot. 12.
MENYANTHES. B. P.	BUCK-BEAN.	Gentianæ? B. P.			
triplicata. W.	common.		Britain. 7. H. 2.	Eng. bot. 495.

VILLARSIA. B. P.	VILLARSIA.	Gentianæ. B. P.	<i>Mengyanthis species W.</i>	
1 <i>nymphoides. W.</i>	fringed.		England. 6.7. H. 2.	Eng. bot. 217.
2 <i>lacunosa. V.</i>	smooth-flowered.		N. America. 1812. G. 2.	Vent. choix. 9.
3 <i>sarmentosa. B. M.</i>	running.		N. Holland. 1806. G. 2.	Bot. mag. 1323.
4 <i>indica. W.</i>	Indian.		C. B. S. 1792. 5.8. S. 2.	658.
5 <i>parnassifolia. B. P.</i>	tall.		N. S. W. 1805. 6.10. G. 2.	1029.
6 <i>ovata. V.</i>	oval-leaved.		C. B. S. 1786. 6.7. G. 2.	Vent. choix. 9.
LOGANIA. B. P.	LOGANIA.	Gentianæ. B. P.	<i>Euosma. B. Rep.</i>	
1 <i>latifolia. B. P.</i>	broad-leaved.		N. Holland. 1816. G. 2.	Lab. nov. holl. 1. t. 61
2 <i>floribunda. B. P.</i>	many-flowered.		N. S. W. 1797. 4.5. G. 2.	Bot. rep. 520.
<i>Euosma albiflora. B. R.</i>				
SPIGELIA. W.	WORM-GRASS.	Gentianæ. B. P.		
1 <i>Anthelmia. W.</i>	annual.		W. Ind. 1759. 7. S. 2.	Brown. jam. t. 87. f. 3
2 <i>marilandica. W.</i>	perennial.		N. America. 1694. 7.8. H. 2.	Bot. mag. 80.
LISIANTHUS. W.	LISIANTHUS.	Gentianæ. B. P.		
1 <i>longifolius. W.</i>	long-leaved.		Jamaica. 1798. 6.7. S. 2.	Brown. jam. t. 9. f. 1.
2 <i>glaucofolius. Jac.</i>	glaucous-leaved.	 S. 2.	Jac. ic. rar. 1. t. 33.
3 <i>exsertus. W.</i>	oval-leaved.		W. Ind. 1793. S. 2.	
4 <i>cordifolius. W.</i>	heart-leaved.		Jamaica. 1816. S. 2.	
CHIRONIA. B. P.	CHIRONIA.	Gentianæ. B. P.		
1 <i>jasminoides. L. T.</i>	Jasmine-leaved.		C. B. S. 1812. 4.7. G. 2.	Bot. reg. 197.
2 <i>lychnoides. L. T.</i>	Lychnis-flower ^d .		1816. G. 2.	
3 <i>linoides. W.</i>	Flax-leaved.		1787. 7.9. G. 2.	Bot. mag. 511.
4 <i>baccifera. W.</i>	berry-bearing.		1759. 6.7. G. 2.	233.
5 <i>angustifolia. H. K.</i>	narrow-leaved.		1800. 6.8. G. 2.	818.
6 <i>frutescens. W.</i>	shrubby.		1756. 6.9. G. 2.	37.
7 <i>decussata. H. K.</i>	cross-leaved.		1789. G. 2.	707.
SABBATIA. P. L.	SABBATIA.	Gentianæ. B. P.	<i>Chironia species W.</i>	
1 <i>gracilis. Ph.</i>	slender.		N. America. 7. H. 2.	Par. lond. 32.
2 <i>calycosa. Ph.</i>	dichotomous.		1812. 6.8. H. 2.	Bot. mag. 1690.
3 <i>chloroides. Ph.</i>	Chloro-like.		1817. H. 2.	
ERYTHRÆA. P. S.	ERYTHRÆA.	Gentianæ. B. P.	<i>Chironia species W.</i>	
1 <i>Centaurium. P. S.</i>	common.		Britain. 7.8. H. 2.	Eng. bot. 417.
2 <i>pulchella. E. B.</i>	dwarf-branched.		England. 8.9. H. 2.	458.
3 <i>littoralis. E. B.</i>	dwarf-simple.		Britain. 6.7. H. 2.	2305.
4 <i>maritima. P. S.</i>	procumbent.		S. Europe. 1777. 7.8. G. 2.	Cav. ic. 3. t. 296. f. 1.
EUSTOMA. P. L.	EUSTOMA.	Gentianæ. B. P.		
1 <i>silenefolium. P. L.</i>	Silene-leaved.		I. Providence 1804. 7. H. 2.	Par. lond.
SCOPOLIA. W.	SCOPOLIA.		<i>Toddalia P. S.</i>	
1 <i>aculeata. W.</i>	prickly.		E. Ind. 1790. S. 2.	Lam. ill. t. 139.
BUTTNERIA. W.	BUTTNERIA.	Malvaceæ. J.		
1 <i>scabra. W.</i>	rough-leaved.		W. Ind. 1793. 7. S. 2.	Cav. diss. 5. t. 148. f. 1
2 <i>microphylla. W.</i>	small-leaved.		S. America. 1816. S. 2.	t. 148. f. 2.
AYENIA. W.	AYENIA.	Malvaceæ. J.		
1 <i>pusilla. W.</i>	small.		Jamaica. 1756. 7.9. S. 2.	Mill. ic. 79. t. 118.
2 <i>lavigata. P. S.</i>	smooth.	 S. 2.	
STRYCHNOS. W.	STRYCHNOS.	Apocynæ. B. P.		
1 <i>Nux-vomica. W.</i>	Poison-nut.		E. Ind. 1778. S. 2.	Roxb. cor. 1. t. 4.
2 <i>potatorum. W.</i>	Clearing-nut.		1794. S. 2.	1. t. 5.
GELSEMIUM. J.	GELSEMIUM.	Apocynæ. B. P.	<i>Bignonia species L.</i>	
1 <i>sempervirens. H. K.</i>	evergreen.		N. America. 1640. 6.7. H. 2.	Cates. car. 1. t. 53.
RAUWOLFIA. W.	RAUWOLFIA.	Apocynæ. B. P.		
1 <i>nitida. W.</i>	shining.		S. America. 1752. 6.9. S. 2.	Plum. ic. t. 236. f. 1.
2 <i>canescens. W.</i>	hoary.		Jamaica. 1739. S. 2.	t. 236. f. 2.
CARISSA. W.	CARISSA.	Apocynæ. B. P.		
1 <i>Carandas. W.</i>	Jasmine-flower ^d .		E. Ind. 1790. 7. S. 2.	Rox. cor. 1. t. 77.
2 <i>spinarum. W.</i>	spiny.		1809. 8.12. S. 2.	Lam. ill. t. 118. f. 2.
ARDUINA. W.	ARDUINA.	Apocynæ. B. P.		
1 <i>bispinosa. W.</i>	two-spined.		C. B. S. 1760. 3.8. G. 2.	Mill. ic. 2. t. 300.
CERBERA. W.	CERBERA.	Apocynæ. B. P.		
1 <i>Ahouai. W.</i>	oval-leaved.		Brasil. 1739. 6.7. S. 2.	Bot. mag. 737.
2 <i>Manghas. W.</i>	spear-leaved.		India. 1759. 9. S. 2.	Rheed. mal. 1. t. 39.
3 <i>maculata. W.</i>	waved-leaved.		Bourbon. 1782. 6.7. S. 2.	Bot. rep. 130.
4 <i>ovata. W.</i>	oval-leaved.		N. Spain. S. 2.	Cav. ic. 3. t. 270.
5 <i>Thevetia. W.</i>	linear-leaved.		S. America. 1735. S. 2.	Jac. amer. 48. t. 84.
ALLAMANDA. W.	ALLAMANDA.	Apocynæ. B. P.		
1 <i>cathartica. W.</i>	Willow-leaved.		Guiana. 1785. 6.7. S. 2.	Bot. mag. 388.
VINCA. W.	PERIWINKLE.	Apocynæ. B. P.		
1 <i>herbacea. W. en.</i>	herbaceous.		Hungary. 1816. 6.7. H. 2.	Pl. rar. hung. 1. t. 2.
2 <i>minor. W.</i>	lesser.		Britain. 3.9. H. 2.	Eng. bot. 917.

PENTANDRIA DIGYNIA.

3 major. W.	greater.	Apocynæ. B. P.	England.	3.9.	H. h.	Eng. bot. 514.
4 parviflora. W.	small-flowered.	_____	E. Ind.	1778.	8.	S. ☉.	{ Murr. comm. gotk t. 2. f. 1.
5 rosea. W.	Madagascar.	_____	_____	1756.	3.10.	S. h.	Bot. mag. 248.
β alba.	white-flowered.	_____	_____	_____	_____	_____	_____
γ ocellata.	red-eyed.	_____	_____	_____	_____	_____	_____
NERIUM. B.	OLEANDER.	Apocynæ. B. P.	_____	_____	_____	_____	_____
1 tinctorium. A. R.	dyer's.	_____	E. Ind.	1812.	S. h.	_____
2 Oleander. W.	common.	_____	S. Europe.	1598.	6.10.	G. h.	Lam. ill. t. 174.
β alba.	white-flowered.	_____	_____	_____	_____	_____	_____
γ splendens.	double-hybrid.	_____	_____	1814.	_____	G. h.	_____
3 odorum. W.	sweet-scented.	_____	E. Ind.	1683.	6.8.	G. h.	Rheed. mal. 9. t. 2.
β carnea.	flesh-coloured.	_____	_____	_____	_____	_____	_____
γ plena.	double-flowered.	_____	_____	_____	_____	S. h.	Bot. reg. 74.
WRIGHTIA. B.	WRIGHTIA.	Apocynæ. B. P.	_____	_____	_____	_____	_____
1 antidysenterica. B.	oval-leaved.	_____	E. Ind.	1778.	S. h.	Rheed. mal. 1. t. 47.
2 seylanica. B.	spear-leaved.	_____	_____	_____	_____	S. h.	Burm. zeyl. t. 12. f. 2.
ECHITES. B.	ECHITES.	Apocynæ. B. P.	_____	_____	_____	_____	_____
1 biflora. W.	twin-flowered.	_____	W. Ind.	1783.	7.	S. h.	Jac. amer. 30. t. 21.
2 suberecta. W.	Savanna-flower.	_____	Jamaica.	1759.	6.8.	S. h.	Bot. mag. 1064.
3 torulosa. W.	climbing.	_____	_____	1778.	_____	S. h.	Jac. amer. 33. t. 27.
4 umbellata. W.	umbelled.	_____	_____	1738.	7.	S. h.	_____ 30. t. 22.
5 difformis. Ph.	deformed.	_____	Carolina.	1806.	_____	G. h.	_____
6 bispinosa. W.	twin-spined.	_____	C. B. S.	1795.	7.11.	S. h.	_____
ICHNOCARPUS. B.	ICHNOCARPUS.	Apocynæ. B. P.	_____	_____	_____	_____	_____
frutescens. H. K.	shrubby.	_____	E. Ind.	1759.	7.8.	S. h.	Burm. zeyl. t. 12. f. 1.
PLUMERIA. W.	PLUMERIA.	Apocynæ. B. P.	_____	_____	_____	_____	_____
1 rubra. W.	red.	_____	Jamaica.	1690.	7.8.	S. h.	Bot. mag. 278.
2 acuminata. H. K.	acuminated.	_____	E. Ind.	1790.	6.9.	S. h.	Bot. reg. 114.
3 alba. W.	white.	_____	Jamaica.	1783.	7.8.	S. h.	Jac. amer. t. 174. f. 2.
4 obtusa. W.	blunt-leaved.	_____	W. Ind.	_____	_____	S. h.	Cat. car. 1. t. 93.
5 pudica. Jac.	wax-flowered.	_____	S. America.	7.8.	S. h.	_____
CAMERARIA. W.	{ BASTARD MANGENEEL }	Apocynæ. B. P.	_____	_____	_____	_____	_____
1 latifolia. W.	broad-leaved.	_____	Havannah.	1783.	8.	S. h.	Bot. rep. 261.
2 lutea. W.	yellow-flowered.	_____	Cayenne.	1783.	10.11.	S. h.	Aub. guian. l. t. 102.
3 dubia. B. M.	doubtful.	_____	E. Ind.	5.8.	S. h.	Bot. mag. 1646.
4 angustifolia. W.	narrow-leaved.	_____	S. America.	1752.	9.	S. h.	Plum. ic. t. 72. f. 2.
TABERNÆMON- TANA. W. }	{ TABERNÆ- MONTANA. }	Apocynæ. B. P.	_____	_____	_____	_____	_____
1 citrifolia. W.	Citron-leaved.	_____	Jamaica.	1734.	S. h.	Plum. ic. t. 248. f. 2.
2 laurifolia. W.	Laurel-leaved.	_____	W. Ind.	1768.	S. h.	{ Sloan. jan. 2. t. 186. f. 2.
3 coronaria. H. K.	Rose-bay like.	_____	E. Ind.	1770.	6.9.	S. h.	Bot. mag. 1865.
AMSONIA. Mich.	AMSONIA.	Apocynæ. B. P.	_____	_____	_____	_____	_____
1 latifolia. Ph.	broad-leaved.	_____	N. America.	1759.	5.6.	H. 2.	Bot. reg. 151.
2 salicifolia. Ph.	Willow-leaved.	_____	_____	1812.	_____	H. 2.	Bot. mag. 1873.
3 angustifolia. Ph.	hairy-stalked.	_____	_____	1774.	_____	H. 2.	Vent. choix. 29.
DIGYNIA.							
APOCYNUM. B.	DOG'S-BANE.	Apocynæ. B. P.	_____	_____	_____	_____	_____
1 androsæmifolium. W.	Tutsan-leaved.	_____	N. America.	1688.	7.9.	H. 2.	Bot. mag. 289.
2 cannabinum. W.	Hemp-like.	_____	_____	1699.	_____	H. 2.	Mor. hist. 3. t. 3. f. 14.
3 hypericifolium. W.	Hypericum-leav.	_____	_____	1758.	6.7.	H. 2.	Jac. vind. 3. t. 66.
4 venetum. W.	Venetian.	_____	Adriatic Isl.	1690.	_____	H. 2.	Lobel. ic. 372.
MELODINUS. W.	MELODINUS.	Apocynæ. B. P.	_____	_____	_____	_____	_____
scandens. W.	climbing.	_____	N. Caledonia.	1775.	S. h.	Lam. ill. t. 179.
PERIPLOCA. B.	PERIPLOCA.	Asclepiadæ. B. P.	_____	_____	_____	_____	_____
1 græca. W.	common.	_____	Syria.	1597.	7.8.	H. h.	Lam. ill. t. 177.
2 lavigata. W.	smooth.	_____	Canaries.	1779.	G. h.	Cav. ic. 3. t. 217.
HEMIDESMUS. B.	HEMIDESMUS.	Asclepiadæ. B. P.	_____	_____	_____	_____	_____
indicus. H. K.	Indian.	_____	Ceylon.	1796.	S. h.	Burm. zeyl. t. 83. f. 1.
SECAMONE. B.	SECAMONE.	Asclepiadæ. B. P.	_____	_____	_____	_____	_____
1 ægyptiaca. H. K.	Egyptian.	_____	Egypt.	1752.	7.	G. h.	{ Alp. ægypt. 133. t. 134.
2 emetica. B. P.	narrow-leaved.	_____	India.	1816.	S. h.	Willd. phy. 1. t. 5. f. 2.
MICROLOMA. B.	MICROLOMA.	Asclepiadæ. B. P.	_____	_____	_____	_____	_____
sagittatum. H. K.	arrow-leaved.	_____	C. B. S.	1775.	7.8.	G. h.	Jac. schœn. 1. t. 38.
SARCOSTEMMA. B.	SARCOSTEMMA.	Asclepiadæ. B. P.	_____	_____	_____	_____	_____
virinale. H. K.	twisting.	_____	E. Ind.	1781.	7.	S. h.	Alp. ægypt. t. 190.

DAEMIA. B.	DAEMIA.	Asclepiadæ. B. P.	<i>Cynanchi species W.</i>	
extensa. H. K.	smooth-leaved.	_____	E. Ind.	1777. 7.8. S. h. Jac. ic. 1. t. 54.
CYNANCHUM. B.	CYNANCHUM.	Asclepiadæ. B. P.		
1 acutum. B.	acute-leaved.	_____	Spain.	1596. 7. H. h. Trew ehret. 44. t. 82
2 monspeliacum. B.	Montpelier.	_____	S. Europe.	_____ 8.9. H. h. Jac. ic. 2. t. 340.
3 obtusifolium. B.	obtuse-leaved.	_____	C. B. S.	1816. G. h.
4 pilosum. B.	hairy.	_____	_____	1726. 6.9. G. h. Bot. reg. 111.
5 vincetoxicum. B.	official.	_____	Europe.	1596. 5.8. H. h. Flor. dan. 648.
β lutea.	yellow-flowered.	_____	_____	_____
6 nigrum. B.	black.	_____	S. Europe.	_____ 6.8. H. h.
7 sibiricum. B.	Siberian.	_____	Siberia.	1775. 7.8. H. h. Murr. gott. 2. t. 7.
8 davoricum. B.	Davurian.	_____	Davuria.	1816. H. h.
9 undatum. B. R.	wave-leaved.	_____	W. Ind.	1803. S. h. Bot. rep. c. 10.
10 mucronatum. B. R.	sharp-pointed.	_____	Trinidad.	1804. S. h. c. ic.
11 viridiflorum. B. M.	green-flowered.	_____	E. Ind.	1814. 10.12. S. h. Bot. mag. 1929.
OXYSTELMA. B.	OXYSTELMA.	Asclepiadæ. B. P.	<i>Periploca species L.</i>	
esculentum. B.	esculent.	_____	E. Ind.	1816. S. h. Roxb. cor. 1. t. 11.
GYMNEMA. B.	GYMNEMA.	Asclepiadæ. B. P.	<i>Periploca species W.</i>	
sylvestris. B.	netted-leaved.	_____	Ceylon.	1816. S. h. Willd. phy. 1. t. 5. f. 3
CALOTROPIS. B.	CALOTROPIS.	Asclepiadæ. B. P.	<i>Asclepiadis species W.</i>	
1 procera. H. K.	bell-flowered.	_____	Persia.	1714. 7.9. S. h. Bot. rep. 271.
2 gigantea. H. K.	curled-flowered.	_____	E. Ind.	1690. S. h. Bot. reg. 56.
XYSMALOBIUM. B.	XYSMALOBIUM.	Asclepiadæ. B. P.	<i>Asclepiadis species W.</i>	
undulatum. H. K.	waved-leaved.	_____	C. B. S.	1783. 7. G. h. Comm. rar. t. 16.
GOMPHOCARPUS. B.	GOMPHOCARPUS.	Asclepiadæ. B. P.	<i>Asclepiadis species W.</i>	
arborescens. H. K.	broad-leaved.	_____	C. B. S.	1714. 12. G. h. Jac. schœn. 1. t. 50.
2 crispus. H. K.	curled-leaved.	_____	_____	1774. 7. G. h. Comm. rar. t. 17.
3 fruticosus. H. K.	Willow-leaved.	_____	_____	1714. 6.9. G. h. Bot. mag. 1698.
ASCLEPIAS. B.	SWALLOW-WORT.	Asclepiadæ. B. P.		
1 syriaca. W.	Virginian.	_____	N. America.	1629. 7.8. H. h. Blackw. t. 521.
2 phytolaccoides. Ph.	Phytolacca-like.	_____	_____	1812. H. h.
3 amœna. W.	oval-leaved.	_____	_____	1732. H. h. Dill. elt. t. 27. f. 30.
4 purpurascens. W.	purple.	_____	_____	_____ H. h. t. 28. f. 31.
5 variegata. W.	variegated.	_____	_____	1597. H. h. Bot. mag. 1182.
6 curassavica. W.	Curassavian.	_____	S. America.	1692. 6.9. H. h. Bot. reg. 81.
7 nivea. W.	Almond-leaved.	_____	N. America.	1730. 7.9. H. h. Bot. mag. 1181.
8 parviflora. W.	small-flowered.	_____	_____	1774. 7.10. G. h.
9 incarnata. W.	flesh-coloured.	_____	_____	1710. 7.8. H. h. Bot. reg. 250.
10 pulchra. W. en.	hairy.	_____	_____ H. h.
11 decumbens. W.	decumbent.	_____	_____	1731. H. h.
12 verticillata. W.	whorl-leaved.	_____	_____	1759. H. h. Pluk. man. t. 336. f. 3
13 longifolia. Ph.	long-leaved.	_____	_____	1816. H. h.
14 tuberosa. W.	tuberous-rooted.	_____	_____	1690. 7.9. H. h. Bot. reg. 76.
15 linaria. W.	Flax-leaved.	_____	Mexico.	1802. G. h. Cav. ic. 1. t. 57.
GONOLOBUS. B.	GONOLOBUS.	Asclepiadæ. B. P.	<i>Cynanchi species W.</i>	
1 hirsutus. M.	hairy.	_____	N. America.	1806. 6. H. h.
2 lævis. M.	smooth.	_____	_____ H. h.
3 suberosus. H. K.	Cork-barked.	_____	America.	1732. 7.9. S. h. Dill. elt. t. 229. f. 396
4 discolor. B. M.	Virginian.	_____	N. America.	1809. 7.8. H. h. Bot. mag. 1273.
5 crispiflorus. H. K.	curled-flowered.	_____	S. America.	1741. S. h. Plum. ic. t. 216. f. 1.
6 diadematus.	red-crowned.	_____	Mexico.	1812. 9.10. S. h. Bot. reg. 252.
PERGULARIA. B.	PERGULARIA.	Asclepiadæ. B. P.		
1 odoratissima. H. K.	large.	_____	E. Ind.	1784. 6.7. S. h. Bot. rep. 185.
2 minor. H. K.	small.	_____	_____	1790. 5.8. S. h. Bot. mag. 755.
MARSDENIA. B.	MARSDENIA.	Asclepiadæ. B. P.	<i>Cynanchi species W.</i>	
1 erecta. B.	upright.	_____	Syria.	1697. 7.8. S. h. Jac. vind. 1. t. 38.
2 suaveolens. B.	sweet-scented.	_____	N. S. W.	1816. G. h. Lin. tran. 10. t. 21. f. 1
HOYA. B.	HOYA.	Asclepiadæ. B. P.	<i>Asclepiadis species W.</i>	
carnea. B.	fleshy-leaved.	_____	Asia.	1802. 7.8. S. h. Bot. mag. 788.
STAPELIA. B.	STAPELIA.	Asclepiadæ. B.		
1 ciliata. W.	ciliated.	_____	C. B. S.	1795. 10.12. D. S. h. Mass. stap. 9. t. 1.
2 revoluta. W.	revolute-flowerd.	_____	_____	1790. 6.9. D. S. h. Bot. mag. 724.
3 glauca. W. en.	glaucous.	_____	_____	1799. 6.11. D. S. h. Jac. stap. c. ic.
4 lepida. W. en.	pretty.	_____	_____ 7.8. D. S. h. c. ic.
5 hirsuta. W.	hairy.	_____	_____	1710. 6.8. D. S. h. Jac. misc. 1. t. 3.
6 grandiflora. M. S.	great-flowered.	_____	_____	1795. 9.12. D. S. h. Mass. stap. 13. t. 17.
7 spectabilis. H. S.	showy.	_____	_____	1802. 11.1. D. S. h. Bot. mag. 565.
grandiflora. B. M.		_____	_____	_____
8 ambigua. W.	ambiguous.	_____	_____	1795. 6.11. D. S. h. Mass. stap. 13. t. 12.
9 pulvinata. W.	cushioned.	_____	_____	D. S. h. Bot. mag. 1240.
10 Asterias. W.	Star-fish.	_____	_____	5.11. D. S. h. 536.

PENTANDRIA DIGYNIA.

11 sororia. W. en.	sister.	Asclepiadæ. B. P. C. B. S.	1797. 6.8. D.S. h. Mass. stap. 23. t. 39.
12 patula. W. en.	spreading. D.S. h. Jac. stap. c. ic.
13 deflexa. J. S.	deflexed.	1806. — D.S. h. Bot. mag. 1890.
14 gemmiflora. M. S.	gem-flowered.	1795. 10.11. D.S. h. Mass. stap. 4. t. 15.
15 hircosa. W. en.	stinking. 6.8. D.S. h. Jac. stap. c. ic.
16 juvencula. W. en.	short-flowered. D.S. h. — c. ic.
17 divaricata. W.	straddling.	1793. 6.11. D.S. h. Bot. mag. 1007.
18 rufa. W.	rusty brown.	1795. — D.S. h. Mass. stap. 16. t. 20.
19 acuminata. W.	acuminated. 7.9. D.S. h. — 15. t. 17.
20 radiata. H. K.	starry. D.S. h. Bot. mag. 619.
21 Jacquinii.	Jacquin's.	1802. — D.S. h. Jac. stap. c. ic.
<i>radiata. J. S.</i>			
22 reclinata. W.	reclining.	1795. — D.S. h. Mass. stap. 19. t. 26.
23 roriflua. W. en.	dew-bearing.	1802. — D.S. h. Jac. stap. c. ic.
24 elegans. W.	elegant.	1795. — D.S. h. Bot. mag. 1184.
25 hirtella. W. en.	small hairy. D.S. h. Jac. stap. c. ic.
26 caespitosa. W.	tufted.	1790. 5.8. D.S. h. Mass. stap. 20. t. 29.
27 arida. W.	dry.	1795. 8. D.S. h. — 21. t. 33.
28 parviflora. W.	small-flowered. 6.8. D.S. h. — 22. t. 35.
29 serrulata. W. en.	sawed.	1805. — D.S. h. Jac. stap. c. ic.
30 concinna. W.	spruce.	1795. — D.S. h. Mass. stap. 5. t. 18.
31 glanduliflora. W.	gland-flowered. 8.11. D.S. h. — 16. t. 19.
32 glandulifera. H. S.	hairy-glanded. D.S. h. —
33 pedunculata. W.	long-peduncled.	1790. 6.11. D.S. h. Bot. mag. 793.
34 aperta. W.	open-flowered.	1795. 7.8. D.S. h. Mass. stap. 23. t. 37.
35 pilifera. W.	hairy-tubercled.	1790. 6.8. D.S. h. — 17. t. 23.
36 articulata. W.	jointed.	1774. 7.11. D.S. h. — 20. t. 20.
37 Gordonii. M. S.	Gordon's.	1796. D.S. h. — 24. t. 40.
38 mammillaris. W.	prickly.	1774. 6.7. D.S. h. Burm. afr. 27. t. 11.
39 pruinosa. W.	frosted.	1795. — D.S. h. Mass. stap. 24. t. 41.
40 ramosa. W.	branched. D.S. h. — 21. t. 32.
41 incarnata. W.	flesh-coloured.	1793. 4.8. D.S. h. — 22. t. 34.
42 punctata. W.	purple-dotted.	1795. 7.11. D.S. h. — 18. t. 24.
43 geminata. W.	twin-flowered. 5.11. D.S. h. Bot. mag. 1326.
44 decora. W.	neat. D.S. h. Mass. stap. 19. t. 26.
45 Vetula. W.	{ purple smooth-flow'd }	1793. — D.S. h. — 15. t. 16.
46 Simsii. H. S.	Sims's.	1800. — D.S. h. Bot. mag. 1234.
<i>Vetula. B. M.</i>			
47 pulchella. W.	beautiful.	1795. — D.S. h. Mass. stap. 22. t. 36.
48 verrucosa. W.	warty-flowered. 6.10. D.S. h. — 11. t. 8.
49 irrorata. W.	dewy. 7.9. D.S. h. — 12. t. 9.
50 pulchra. H. S.	beautiful sulphur	1800. 8.10. D.S. h. Bot. mag. 786.
51 picta. H. K.	painted.	1799. 6.9. D.S. h. — 1169.
52 marginata. W. en.	marginated.	1805. — D.S. h. —
53 obliqua. W. en.	oblique-flowered D.S. h. —
54 paniculata. W. en.	panicked. D.S. h. —
55 clavigera. J. S.	clubbed.	1795. — D.S. h. Jac. stap. c. ic.
56 maculosa. J. S.	spotted.	1804. — D.S. h. Bot. mag. 1833.
57 bufonia. W. en.	toad.	1806. — D.S. h. — 1676.
58 variegata. H. S.	variegated	1727. — D.S. h. Bradl. succ. 3. t. 22.
59 Curtisii. H. S.	Curtis's.	1690. — D.S. h. Bot. mag. 26.
<i>variegata. B. M.</i>			
60 orbicularis. B. R.	orbicular.	1799. 7.11. D.S. h. Bot. rep. 448.
61 planiflora. W. en.	plain-flowered.	1805. — D.S. h. Jac. stap. c. ic.
62 rugosa. W. en.	wrinkled. 5.8. D.S. h. — c. ic.
63 conspurcata. W. en.	dirtied.	1795. 6.10. D.S. h. — c. ic.
PIARANTHUS. B.	PIARANTHUS.	Asclepiadæ. B. P.	<i>Stapelia species W.</i>
<i>pullus. H. S.</i>	many-flowered.	C. B. S.	1774. 8.9. D.S. h. Bot. mag. 1648.
HUERNIA. B.	HUERNIA.	Asclepiadæ. B. P.	<i>Stapelia species W.</i>
1 reticulata. H. S.	netted.	C. B. S.	1793. 7.8. D.S. h. Bot. mag. 1662.
2 campanulata. H. S.	bell-shaped.	1795. 7.10. D.S. h. — 1227.
3 venusta. H. S.	handsome. 6.7. D.S. h. Mass. stap. 10. t. 3.
4 lentiginosa. H. S.	freckled. 7.11. D.S. h. Bot. mag. 506.
5 guttata. H. S.	red-spotted.	1795. 8.11. D.S. h.	Mass. stap. 10. t. 4.
6 humilis. H. S.	humble. D.S. h. — 10. t. 6.
7 tubata. W. en.	tube-flowered.	1805. — D.S. h. Jac. stap. c. ic.
8 barbata. H. S.	bearded.	1795. —	D.S. h. Mass. stap. 11. t. 7.
CARALLUMA. B.	CARALLUMA.	Asclepiadæ. B. P.	<i>Stapelia species W.</i>
1 adscendens. H. S.	ascending.	E. Ind.	1804. 7. D.S. h. Roxb. cor. 1. t. 36.

PENTANDRIA DIGYNIA.

53

2 umbellata. H. S.	umbelled.	Asclepiadæ. B. P. E. Ind.	1804. D. S. h.		
HERNARIARIA. W.	RUFFLE-WORT	Amaranthaceæ. J.			
1 glabra. W.	smooth.	England. 7. H. 2.	Eng. bot. 206.	
2 hirsuta. W.	hairy.	Spain. 7.8. H. 2.	1879.	
3 fruticosa. W.	shrubby.	Spain.	1814. 5.8. H. 2.	Lob. ic. 85.	
4 polygonoides. W.	Knot-grass.	S. Europe.	1752. — G. h.	Cav. ic. 2. t. 131.	
CHENOPODIUM. W.	GOOSE-FOOT.	Chenopodææ. B. P.			
1 Bonus-Henricus. W.	English Mercury	Britain. 5.8. H. 2.	Eng. bot. 1033.	
2 urbicum. W.	upright.	China. 8. H. 2.	717.	
3 Atriplicis. W.	purple.	China.	1780. 8.9. H. 2.	Jac. vind. 3. t. 80.	
4 rubrum. W.	red.	Britain. — H. 2.	Eng. bot. 1721.	
5 guineense. W.	Guinea.	Guinea.	1790. — H. 2.	Jac. ic. rar. 2. t. 345.	
6 murale. W.	nettle-leaved.	Britain. — H. 2.	Eng. bot. 1722.	
7 album. W.	white.	Britain. 7.9. H. 2.	1723.	
8 scifolium. H. K.	Fig-leaved.	England. 8.9. H. 2.	1724.	
9 hybridum. W.	Maple-leaved.	Britain. — H. 2.	1919.	
10 rhombifolium. W. en	angular-leaved.	N. America.	1807. 7.9. H. 2.		
11 Botrys. W.	cut-leaved.	S. Europe.	1548. 6.9. H. 2.	Zorn. ic. 225.	
12 botryoides. E. B.	many-clustered.	Britain. 6.8. H. 2.	Eng. bot. 2247.	
13 ambrosioides. W.	Mexican.	Mexico.	1640. 6.10. H. 2.	Moris. s. 5. t. 85. f. 8.	
14 multifidum. W.	Buenos Ayres.	Buen. Ayres.	1732. — G. 2.	Dill. elt. t. 66. f. 77.	
15 anthelminticum. W.	American.	America.	7.8. G. h.	t. 66. f. 76.	
16 glaucum. W.	Oak-leaved.	England. — H. 2.	Eng. bot. 1454.	
17 acutifolium. E. B.	acute-leaved.	Britain. — H. 2.	1481.	
18 Vulvaria. W.	stinking.	Britain. — H. 2.	1034.	
19 polyspermum. W.	Allseed.	Britain. — H. 2.	1480.	
20 caudatum. W.	oval-leaved.	Guinea.	1806. — H. 2.	Jac. ic. 2. t. 344.	
21 laterale. W.	oblong-leaved.	1781. 8.9. S. 2.		
22 Scoparia. W.	Summer Cypress.	Greece.	1629. 6.9. H. 2.		
23 aristatum. W.	bearded.	Virginia.	1771. — H. 2.	Gmel. sib. 3. t. 15. f. 1	
24 lanceolatum. W. en.	spear-leaved.	Pensylvania.	1809. 7. H. 2.		
25 maritimum. W.	Sea Blite.	Britain. 8. H. 2.	Eng. bot. 633.	
26 altissimum. W. en.	Grass-leaved.	Italy.	1775. 7.8. H. 2.	Forsk. ic. t. 9.	
<i>Salsola altissima. W.</i>					
27 salsum. B. P.	Saltwort.	Astracan.	1732. 8.9. H. 2.	Jac. vind. 3. t. 83.	
<i>Salsola salsa. W.</i>					
28 fruticosa. W. en.	shrubby.	England. — H. 2.	Eng. bot. 635.	
<i>Salsola fruticosa. E. B.</i>					
BETA. W.	BEET.	Chenopodææ. B. P.			
1 vulgaris. W.	common.	S. Europe.	1548. 8. H. 2.	Schkuh. han. 1. t. 56.	
2 patula. W.	spreading.	Madira.	1778. — G. 2.		
3 cicla. W.	white.	Portugal.	1570. — H. 2.		
4 trigyna. H. K.	Hungarian.	Hungary.	1796. 7.8. H. 2.	Pl. rar. hung. 1. t. 35.	
5 maritima. W.	sea.	Britain. 8. H. 2.	Eng. bot. 285.	
SALSOLA. W.	SALTWORT.	Chenopodææ. B. P.			
1 Kali. W.	prickly.	Britain. 7.8. H. 2.	Eng. bot. 634.	
2 rosacea. W.	rose-coloured.	Asia.	1759. — H. 2.	Schkuh. han. 1. t. 57.	
3 Soda. W.	long fleshy-lea ^d .	S. Europe.	1683. — H. 2.	Jac. vind. 1. t. 68.	
4 sativa. W.	cultivated.	Spain.	1783. — H. 2.	Cav. ic. 3. t. 291.	
5 trigyna. W.	slender-leaved.	Spain.	1804. — H. 2.	3. t. 289.	
6 hirsuta. W.	hairy.	Denmark.	1791. — H. 2.	Fl. dan. 187.	
7 laniflora. W.	woolly.	Siberia.	1797. 6.8. H. 2.	Pall. it. 2. p. 736. t. P.	
8 prostrata. W.	trailing.	S. Europe.	1780. — G. h.	Jac. aust. 3. t. 294.	
9 vermiculata. W.	small-leaved.	Siberia.	1759. 7.8. H. 2.	Cav. ic. 3. t. 287.	
10 muricata. W.	Egyptian.	Egypt.	1773. — H. 2.	Al. mis. tau. 3. t. 4. f. 2	
KOCHIA. Roth.	KOCHIA.	Chenopodææ. B. P.			
1 hyssopifolia. R.	Hyssop-leaved.	Siberia.	1801. 6.8. H. 2.	Pall. it. 1. p. 491. t. H.	
2 dentata. Ph.	tooth-leaved.	N. America.	1803. — H. 2.	Will. hor. ber. 1. t. 28	
ANABASIS. W.		Chenopodææ. B. P.			
1 tamariscifolia. W.	Tamarisk-leaved	Spain.	1752. 6.7. G. h.	Cav. ic. 3. t. 283.	
BOSEA. W.	GOLDEN ROD.	Chenopodææ. B. P.			
1 Yervamora. W.	tree.	Canaries.	1728. G. h.	Walth. hort. 24. t. 170	
ULMUS. W.	ELM-TREE.	Amentaceæ. J.			
1 campestris. W.	common English	Britain. 4.5. H. 2.	Eng. bot. 1686.	
2 suberosa. W.	cork-barked.	Britain. — H. 2.	2161.	
3 glabra. E. B.	smooth.	Britain. — H. 2.	2248.	
4 effusa. W.	Wych.	Britain. — H. 2.	1887.	
<i>montana. E. B.</i>					
5 americana. Ph.	white.	N. America.	1752. — H. 2.	Mich. arb. t. . .	
6 pendula. W. en.	drooping.	Britain. — H. 2.		

PENTANDRIA DIGYNIA.

7 nemoralis. W.	Hornbeam-lea ^d .	Amentaceæ. J.	N. America.	1760.	4.5.	H. h.	
8 fulva. Ph.	slippery.		Siberia.	—	H. h.	Mich. arb. t. . .
9 pumila. W.	dwarf.		China.	1771.	—	H. h.	Pall. ross. 1. t. 48.
10 chinensis. P. S.	China.		China.	—	G. h.	
HEUCHERA. W.	HEUCHERA.	Saxifragæ. J					
1 americana. W.	viscid.		N. America.	1656.	5.7.	H. h.	Pluk. alm. t. 58. f. 1.
2 pubescens. Ph.	pubescent.		—	1812.	—	H. h.	
3 villosa. Ph.	villos.		—	—	—	H. h.	
4 caulescens. Ph.	caulescent.		—	—	—	H. h.	
VELEZIA. W.	VELEZIA.	Caryophyllæ. J.					
rigida. W.	rigid.		Spain.	1683.	7.	H. ⊙.	Barr. rar. t. 1018.
SWERTIA. W.	FELWORT.	Gentianæ. B. P.	England.	7.8.	H. h.	Eng. bot. 1441.
perennis. W.	marsh.						
GENTIANA. W	GENTIAN.	Gentianæ. B. P	Alps of Eur.	1596.	6.7.	H. h.	Rene. spec. 64. t. 68.
1 lutea. W.	yellow.		—	1768.	—	H. h.	Bot. rep. 117.
2 purpurea. W.	purple.		—	—	H. h.	Jac. aus. 2. t. 136.
3 pannonica. W.	round-petalled.		—	1775.	—	H. h.	— 5. t. app. 32.
4 punctata. W.	spotted-flowered		Levant.	1804.	—	H. h.	Bot. mag. 1939.
5 septemfida. W.	crested.		Austria.	1629.	7.8.	H. h.	— 1078.
6 asclepiadea. W.	Swallow-wort-l ^d .		Siberia.	1796.	—	H. h.	Pall. ross. 2. t. 96.
7 macrophylla. W.	long-leaved.		Austria.	1596.	6.7.	H. h.	Jac. aus. 4. t. 378.
8 cruciata. W.	Crosswort.		N. America.	1803.	8.9.	H. h.	Bot. mag. 1551.
9 ochroleuca. W.	pale-flowered.		—	1812.	10.	H. h.	— 1856.
10 incarnata. B. M.	flesh-coloured.		—	1776.	8.9.	H. h.	— 1039.
11 Saponaria. W	barrel-flowered.		—	1803.	6.7.	H. h.	Bot. rep. 418.
12 Catesbeii. H. K.	Catesby's.		England.	8.9.	H. h.	Eng. bot. 20.
13 Pneumonanthe. W.	Calathian Violet.		Caucasus.	1804.	7.	H. h.	Bot. mag. 1038.
14 caucasea. H. K.	Caucasian.		Siberia.	1799.	6.7.	H. h.	— 705. & 728.
15 adscendens. W.	porcelain-flow ^d .		—	1807.	—	H. h.	Pall. ross. t. 93. f. 1.
16 triflora. Pall.	three-flowered.		—	1808.	—	H. h.	— 2. t. 95.
17 algida. W.	narrow-leaved.		Wales.	8.5.	H. h.	Eng. bot. 1594.
18 acaulis. W.	dwarf.		England.	4.5.	H. h.	— 493.
19 verna. W.	spring.		Germany.	1775.	7.	H. h.	Vill. delph. 2. t. 10.
20 bavarica. W.	Bavarian.		Scotland.	8.	H. ⊙.	Eng. bot. 898.
21 nivalis. W.	small Alpine.		Britain.	—	H. ⊙.	— 236.
22 Amarella. W.	autumnal.		—	—	H. ⊙.	— 237.
23 campestris. W.	field.		Germany.	1759.	8.9.	H. h.	Bot. mag. 639.
24 ciliata. W.	fringe-flowered.		N. America.	1804.	6.7.	H. h.	Bot. rep. 509.
25 crinita. Ph.	jagged-flowered.						
FALKIA. P. S.	FALKIA.	Convolvulacæ. B. P.					
repens. W.	creeping.		C. B. S.	1774.	5.8.	G. h.	Bot. rep. 257.
DICHONDRA. W.	DICHONDRA.	Convolvulacæ. B. P.					
1 repens. B. P.	creeping.		N. S. W.	1803.	6.8.	G. h.	Smith ined. 1. t. 4.
2 sericea. W.	silky.		Jamaica.	1793.	—	S. h.	
EVOLVULUS. W.	EVOLVULUS.	Convolvulacæ. B. P.					
1 emarginatus. W.	kidney-leaved.		E. Ind.	1816.	10.	S. ⊙.	Burm. ind. t. 30. f. 1.
2 nummularius. W.	round-leaved.		Jamaica.	—	—	S. ⊙.	Jac. amer. t. 260. f. 18.
3 alsinoides. W.	Chickweed-leav ^d .		E. Ind.	1733.	6.7.	S. ⊙.	Rheed. mal. 11. f. 44.
4 linifolius. W.	Flax-leaved.		Jamaica.	1782.	8.9.	S. ⊙.	Brown. jam. t. 10. f. 3.
HYDROLEA. W.	HYDROLEA.	Convolvulacæ. J.					
spinosa. W.	thorny.		S. America.	1791.	S. h.	Aub. guian. 1. t. 14.
CUSCUTA. W.	DODDER.	Convolvulacæ. B. P.					
1 europæa. H. K.	great.		England.	8.9.	H. ⊙.	Eng. bot. 378.
2 Epithymum. H. K.	lesser.		China.	1803.	—	G. ⊙.	— 55.
3 chinensis. W.	Chinese.						
PHYLLIS. W.	{ BASTARD HARE'S EAR. }	Rubiaceæ. J.					
Nobla. W.	Canary.		Canaries.	1699.	6.7.	G. h.	Dil. elt. t. 299. f. 36.
CUSSONIA. W.	CUSSONIA.	Araliæ. J.					
1 thyrsiflora. W.	Thyrse-flowered.		C. B. S.	1795.	G. h.	{ Thunb. in nov. act. ups. 3. t. 12. 3. t. 13.
2 spicata. W.	spike-flowered.		—	1789.	G. h.	
ERYNGIUM. W.	ERYNGO.	Umbellifereæ. J					
1 foetidum. W.	stinking.		W. Ind.	1714.	8.10.	S. h.	Herm. lugd. t. 237.
2 aquaticum. W.	marsh.		N. America.	1699.	7.9.	H. h.	Jac. ic. 2. t. 347.
3 virginianum. Ph.	Virginian.		—	—	H. h.	Delar. eryng. t. 19.
4 virgatum. Ph.	oval-leaved.		—	1810.	6.7.	H. h.	— t. 29.
5 planum. W.	flat-leaved.		Europe.	1596.	7.9.	H. h.	Jac. aust. 4. t. 391.
6 pusillum. W.	dwarf.		Spain.	1640.	6.8.	H. h.	Delar. eryng. t. 16.
7 tricuspidatum. W.	trifid.		—	1699.	9.	H. h.	— t. 9.

leatum. B.M.	horned.	Umbelliferae. J.	Portugal.	1803.	6.8.	H. 2.	Bot. mag. 1427.
timum. W.	Sea-bolly.		Britain.	7.10.	H. 2.	Eng. bot. 718.
estre. W.	field.		-----	7.8.	H. 2.	----- 57.
ides. P. S.	Galium-leaved.		Portugal.	1810.	-----	H. 2.	-----
hystinum. W.	amethystine.		Styria.	1648.	-----	H. 2.	Moris. s. 7. t. 85. f. 2.
leum. P. S.	blue-flowered.		Caspia.	1816.	-----	H. 2.	----- t. 37. f. 13
um. P. S.	stiff.		France.	-----	-----	H. 2.	-----
um. W.	Alpine.		Switzerland.	1597.	-----	H. 2.	Bot. mag. 922.
rgati. W.	cut-leaved.		S. France.	1731.	6.8.	H. 2.	Gouan. ill. 7. t. 3.
OCOTYLE. W.	PENNYWORT.	Umbelliferae. J.					
aris. W.	marsh.		Britain.	5.6.	H. 2.	Eng. bot. 751.
icana. Ph.	American.		N. America.	1790.	5.8.	H. 2.	-----
ellata. Ph.	umbelled.		-----	1795.	7.8.	H. 2.	-----
ica. W.	thick-leaved.		C. B. S.	1690.	-----	G. 2.	Rheed. mal. 10. t. 36.
oda. Ph.	Pilewort-leaved.		N. America.	1806.	6.7.	G. 2.	-----
sa. W.	hairy-leaved.		C. B. S.	1795.	8.	G. 2.	-----
NTHE. Jac.	SPANANTHE.	Umbelliferae. J.	Hydrocotyles species W.				
culata. P. S.	panicled.		Caracas.	1795.	7.8.	S. 2.	Jac. ic. 2. t. 350.
ULA. W.	SANICLE.	Umbelliferae. J.					
psa. W.	wood.		Britain.	6.7.	H. 2.	Eng. bot. 98.
densa. W.	Canadian.		Canada.	1800.	-----	H. 2.	-----
landica. W.	Maryland.		N. America.	1765.	-----	H. 2.	Jac. ic. 2. t. 348.
NTIA. W.	MASTERWORT.	Umbelliferae. J.					
ima. B. M.	Hellebore-leav ^d .		Caucasus.	1804.	6.7.	H. 2.	Bot. mag. 1553.
r. W.	great black.		Alps of Eur.	1596.	5.9.	H. 2.	Exot. bot. 2. t. 76.
r. W.	small.		Switzerland.	1686.	5.6.	H. 2.	----- 2. t. 77.
iolica. W.	Carniolian.		Carniola.	1812.	-----	H. 2.	Jac. aust. 6. app. t. 10.
URUM. W.	HARE'S EAR.	Umbelliferae. J.					
ndifolium. W.	round-leaved.		England.	6.7.	H. 2.	Eng. bot. 99.
atum. W.	starry.		Switzerland.	1775.	5.7.	H. 2.	Hal. bel. n. 771. t. 18.
um. W.	rock.		-----	1768.	-----	H. 2.	Pluk. phyt. t. 50. f. 5.
sinifolium. W.	Grass-leaved.		-----	-----	-----	H. 2.	Jac. ic. 1. t. 56.
losum. W.	angular-leaved.		-----	1769.	-----	H. 2.	-----
naicum. W.	Pyrenian.		Pyrenees.	1814.	-----	H. 2.	Gouan. ill. t. 4. f. 1. 2.
ifolium. W.	long-leaved.		Switzerland.	1713.	-----	H. 2.	Camer. hort. t. 38.
zonerefo- } { Scorzoner- }	leaved.						
um. W. ca. }	twisted-stalked.		Baical.	1816.	-----	H. 2.	-----
tum. W.	tall.		Germany.	1739.	5.9.	H. 2.	Jac. aust. 2. t. 158.
tatum. P. S.	narrow-leaved.		Tauria.	1807.	7.	H. 2.	-----
stites. W.	dwarf.		Italy.	1749.	6.8.	H. 2.	Jac. vind. 3. t. 91.
icompositum. W.	Crowfoot-like.		Spain.	1778.	-----	H. 2.	Gouan. ill. t. 7. f. 1.
neuloides. W.	slender.		Pyrenees.	1790.	7.8.	H. 2.	Park. theatr. f. 7.
issimum. W.	branching.		England.	-----	H. 2.	Eng. bot. 478.
ardi. W.	linear-leaved.		S. Europe.	1804.	-----	H. 2.	Jac. aus. 3. t. 256.
um. W.	naked-stalked.		-----	1722.	-----	H. 2.	-----
um. W.	shrubby.		C. B. S.	1778.	10.	G. 2.	-----
icosum. W.	thick-leaved.		S. Europe.	1596.	7.8.	H. 2.	-----
peum. W.	Grass-1 ^d shrubby		Gibraltar.	1784.	G. 2.	Jac. ic. 2. t. 351.
iescens. W.	hoary.		Spain.	1752.	8.2.	G. 2.	Cav. ic. 2. t. 106.
scens. P. S.	thorny.		Barbary.	1809.	-----	G. 2.	-----
osum. W.	various-leaved.		Spain.	1752.	-----	G. 2.	Gouan. ill. s. t. 2. f. 3
rme. W.			C. B. S.	-----	-----	G. 2.	-----
IOPHORA. W.	SEA-PARSNEP.	Umbelliferae. J.					
osa. W.	prickly.		England.	7.	H. 2.	Eng. bot. 2413.
ifolia. W.	fine-leaved.		Apulia.	1731.	7.8.	H. 2.	Moris. s. 9. t. 1. f. 2.
ELQUISTIA. W.	HASSELQUISTIA.	Umbelliferae. J.					
ptiaca. W.	Egyptian.		Egypt.	1768.	7.	H. 2.	Jac. vind. 1. t. 37.
lata. W.	heart-leaved.		1787.	-----	H. 2.	----- 2. t. 193.
LIUM. W.	HARTWORT.	Umbelliferae. J.					
teum. W.	Syrian.		Syria.	1597.	7.	H. 2.	Jac. vind. 1. t. 54.
inale. W.	official.		England.	-----	H. 2.	Eng. bot. 2440.
grinum. W.	oriental.		Levant.	1596.	-----	H. 2.	Camer. hort. 37. t. 11.
um. W.	small.		Italy.	1739.	-----	H. 2.	Jac. vind. 1. t. 53.
inum. W.	great.		England.	6.7.	H. 2.	Eng. bot. 1173.
lium. W.	red-flowered.		Carniola.	1816.	-----	H. 2.	Scop. car. 194. t. 8.
nthifolium. P. S.	Wormwood-lea ^d .		Persia.	-----	7.8.	H. 2.	Vent. choix. t. 22.
ALIS. W.	BUR-PARSLEY.	Umbelliferae. J.					
idiflora. W.	great-flowered.		S. Europe.	1648.	7.8.	H. 2.	Jac. aus. 1. t. 54.
oides. W.	small.		England.	6.	H. 2.	Eng. bot. 197.
plis. W.	broad-leaved.		-----	7.8.	H. 2.	----- 129.

4 pumilia. W.	dwarf.	Umbelliferae. J.	S. Europe.	1640.	7.8.	H.⊙.	Cav. ic. 2. t. 101.
5 orientalis. W.	oriental.	_____	Levant.	1699.	6.7.	H.⊙.	Moris. a.9. t. 14. f.3.
6 pulcherrima. W. en.	beautiful.	_____	Caucasus.	1816.	_____	H.⊙.	Buxb. cent. 3. t. 32.
7 platycarpus. W.	broad-seeded.	_____	S. Europe.	1800.	7.8.	H.⊙.	Moris. a.9. t. 14. f.2.
8 leptophylla. W.	fine-leaved.	_____	Europe.	1739.	_____	H.⊙.	Schlk. handb. 1. t. 61.
9 humilis. Desf.	long-seeded.	_____	Barbary.	1804.	_____	H.⊙.	Jac. hort. 2. t. 195.
10 Anthriscus. W.	upright.	_____	Britain.	_____	H.⊙.	Eng. bot. 987.
11 infesta. H. K.	spreading.	_____	_____	_____	H.⊙.	_____ 1314.
_____ <i>arvensis. W.</i>	_____	_____	_____	5.7.	H.⊙.	_____ 199.
12 nodosa. W.	knotted.	_____	_____	_____	_____	_____	_____
ARTEDIA. W.	ARTEDIA.	Umbelliferae. J.	_____	_____	_____	_____	_____
_____ squamata. W.	Fennel-leaved.	_____	Levant.	1740.	7.	H.⊙.	Lam. ill. t. 193.
DAUCUS. W.	CARROT.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 Carota. W.	wild.	_____	Britain.	6.7.	H.⊙.	Eng. bot. 1174.
_____ <i>a lutea.</i>	yellow garden.	_____	_____	_____	_____	_____	_____
_____ <i>β aurantia.</i>	long Orange.	_____	_____	_____	_____	_____	_____
_____ <i>γ præcox.</i>	early horn.	_____	_____	_____	_____	_____	_____
2 maritimus. P. S.	sea-side.	_____	_____	_____	_____	H.⊙.	Eng. bot. 2569.
3 mauritanicus. W.	fine-leaved.	_____	Spain.	1768.	_____	H.⊙.	All. ped. 2. t. 61. f.1.
4 lauridus. W.	shining.	_____	S. Europe.	1807.	7.8.	H.⊙.	Moris. 3. s. 9. t. 13. f.4.
5 crinitus. P. S.	whorl-leaved.	_____	Barbary.	1804.	6.7.	H.⊙.	Desf. atl. t. 62.
6 Gingidium. W.	shining-leaved.	_____	France.	1722.	_____	H.⊙.	Moris. a.9. t. 9. f.10.
7 muricatus. W.	prickly-seeded.	_____	Barbary.	1683.	_____	H.⊙.	_____ t. 14. f.4.
8 hispidus. P. S.	hispid.	_____	_____	1804.	_____	H.⊙.	Desf. atl. t. 63.
9 coticus. P. S.	Egyptian.	_____	Egypt.	1773.	_____	H.⊙.	Jac. vind. 2. t. 196.
VISNAGA. G.	TOOTH-PICK.	Umbelliferae. J.	_____	_____	_____	_____	_____
_____ daucoides. G.	Carrot-like.	_____	S. Europe.	1596.	6.8.	H.⊙.	Gertn. de fr. 1. t. 107.
AMMI. W.	BISHOP'S-WEED	Umbelliferae. J.	_____	_____	_____	_____	_____
1 majus. W.	great.	_____	S. Europe.	1551.	6.7.	H.⊙.	Blackw. t. 447.
2 glaucifolium. P. S.	glaucous-leaved.	_____	France.	1816.	_____	H.⊙.	_____
3 daucifolium. W.	Carrot-leaved.	_____	Pyrenees.	1734.	7.8.	H.⊙.	Scop. carn. t. 10.
BUNIAM. W.	EARTH-NUT.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 Bulbocastanum. W.	great.	_____	Britain.	5.6.	H.⊙.	Flor. dan. 230.
2 flexuosum. H. K.	common.	_____	England.	_____	H.⊙.	Eng. bot. 988.
CONIUM. W.	HEMLOCK.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 maculatum. W.	common.	_____	Britain.	6.7.	H.⊙.	Eng. bot. 1191.
2 rigens. W.	fine-leaved.	_____	C. B. S.	1787.	_____	G.⊙.	_____
3 africanum. W.	Rue-leaved.	_____	_____	1759.	6.9.	G.⊙.	Jac. vind. 2. t. 194.
4 dichotomum. P. S.	dichotomous.	_____	Barbary.	1800.	6.7.	H.⊙.	Desf. atl. 1. t. 66.
SELINUM. W.	MILK-PARSLEY.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 palustre. W.	marsh.	_____	Britain.	7.8.	H.⊙.	Eng. bot. 229.
2 montanum. W. en.	mountain.	_____	Switzerland.	1816.	_____	H.⊙.	_____
3 austriacum. W.	Austrian.	_____	Austria.	1804.	_____	H.⊙.	Jac. aust. 1. t. 71.
4 Carvifolia. W.	Caraway-leaved.	_____	_____	1774.	_____	H.⊙.	_____ 1. t. 16.
5 Chabrei. W.	fine-leaved.	_____	_____	1791.	_____	H.⊙.	_____ 1. t. 79.
6 Segueri. W.	Fennel-leaved.	_____	Italy.	1774.	_____	H.⊙.	Jac. vind. 1. t. 61.
7 Monnier. W.	annual.	_____	S. Europe.	1771.	_____	H.⊙.	_____ 1. t. 62.
8 latifolium. M. B.	broad-leaved.	_____	Caucasus.	1816.	_____	H.⊙.	_____
9 decipiens. W.	shrubby.	_____	Madeira.	1785.	6.7.	G.⊙.	Schr. sers. han. 3. t. 13.
ATHAMANTA. W.	SPIONELL.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 Libanotis. W.	mountain.	_____	England.	6.7.	H.⊙.	Eng. bot. 138.
2 Cervaria. W.	broad-leaved.	_____	Europe.	1597.	7.8.	H.⊙.	Jac. aust. 1. t. 68.
3 sibirica. W.	Siberian.	_____	Siberia.	1771.	_____	H.⊙.	{ Gmel. sib. 1. t. 44. f. 1. 2.
4 condensata. W.	close-headed.	_____	_____	1773.	7.9.	H.⊙.	Gouan. ill. 83. t. 26.
5 incana. W.	hoary.	_____	_____	1802.	7.8.	H.⊙.	_____
6 Oreoselinum. W.	divaricated.	_____	Germany.	1768.	_____	H.⊙.	Jac. aust. 1. t. 62.
7 sicula. W.	Flixweed-leaved.	_____	Sicily.	1686.	6.7.	H.⊙.	Zanon. hist. 70. t. 49.
8 Matthioli. W.	fine-leaved.	_____	Carniola.	1802.	_____	H.⊙.	Jac. ic. rar. 1. t. 57.
9 cretensis. W.	Candy-carrot.	_____	Austria.	1596.	_____	H.⊙.	Jac. aust. 1. t. 62.
10 annua. W.	annual.	_____	Candia.	1731.	_____	H.⊙.	_____
PEUCEDANUM. W.	SULPHURWORT.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 officinale. W.	official.	_____	England.	5.7.	H.⊙.	Eng. bot. 1767.
2 arenarium. P. S.	sand.	_____	Hungary.	1816.	6.7.	H.⊙.	Pl. rar. hung. 1. t. 20.
3 italicum. P. S.	Italian.	_____	Italy.	6.7.	H.⊙.	_____
4 alpestre. W.	Alpine.	_____	France.	1739.	6.7.	H.⊙.	_____
5 sibiricum. W.	Siberian.	_____	Siberia.	1804.	_____	H.⊙.	Pl. rar. hung. 1. t. 20.
6 Silaus. W.	meadow.	_____	England.	6.8.	H.⊙.	Eng. bot. 2142.
7 alsaticum. W.	small-headed.	_____	Austria.	1774.	_____	H.⊙.	Jac. aust. 1. t. 79.
8 aureum. W.	golden.	_____	Canaries.	1779.	6.	G.⊙.	_____

CRITHMUM. W.	SAMPHIRE.	Umbelliferae. J					
1 maritimum. W.	sea.		Britain.	7.9.	H. 2.	Eng. bot. 819.
2 latifolium. W.	wedge-leaved.		Canaries.	1780.	7.	G. 3.	
CACHRYIS. W.	CACHRYIS.	Umbelliferae. J.					
1 Libanotis. W.	smooth-seeded.		Sicily.	1570.	7.8.	H. 2.	Schku. hand. 1. t. 65.
2 Morisoni. W.	Morison's.		S. Europe.	1710.	—	H. 2.	Moris. umb. t. 3. f. 1.
3 sicula. W.	hairy-seeded.		Sicily.	1640.	—	H. 2.	— t. 3. f. 2.
4 panacisfolia. W.	Parsnep-leaved.		—	1752.	—	H. 2.	Boc. sic. 1. t. 1.
FERULA. W.	GIANT-FENNEL.	Umbelliferae. J					
1 communis. W.	common.		S. Europe.	1597.	6.7.	H. 2.	Moris. s. 9. t. 15. f. 3.
2 sibirica. W.	Siberian.		Siberia.	1816.	—	H. 2.	Pall. it. 2. app. t. N.
3 glauca. W.	glaucous.		Italy.	1596.	—	H. 2.	—
4 tingitana. W.	Tangier.		Barbary.	1680.	—	H. 3.	Herm. par. t. 165.
5 orientalis. W.	eastern.		Levant.	1759.	7.8.	H. 2.	Tourn. it. 3. t. 289.
6 nodiflora. W.	knotted.		S. Europe.	1596.	6.7.	H. 2.	Jac. aust. 5. t. app. 5.
7 persica. W.	stinking.		Persia.	1782.	7.8.	H. 2.	Bot. rep. 558.
LASERPITUM. W.	LASERPITUM.	Umbelliferae. J.					
1 latifolium. W.	broad-leaved.		Europe.	1640.	6.7.	H. 2.	Jac. aust. 2. t. 146.
2 trilobum. W.	three-lobed.		Levant.	—	5.7.	H. 2.	—
3 aquilegifolium. W.	Columbine-leav ^d		Austria.	1796.	—	H. 2.	Jac. aust. 2. t. 147.
4 gallicum. W.	French.		S. Europe.	1683.	6.7.	H. 2.	Pluk. phyt. t. 198. f. 6
5 triquetrum. P. S.	winged.		{ Constantinople }	1816.	—	H. 2.	Vent. hor. cels. t. 97.
6 angustifolium. W.	narrow-leaved.		S. Europe.	1738.	—	H. 2.	Moris. s. 9. t. 19. f. 9.
7 prutenicum. W.	Prussian.		Germany.	1759.	7.8.	H. 2.	Jac. aust. 2. t. 153.
8 silaifolium. W.	Sulphurwort-1 ^d .		Italy.	1791.	6.7.	H. 2.	Jac. aust. 5. t. app. 44
9 pencedanoides. W.	fine-leaved.		—	—	H. 2.	Jac. ic. 2. t. 350.
10 Siley. W.	mountain.		Austria.	1640.	5.7.	H. 2.	Jac. aust. 2. t. 145.
11 lucidum. W.	shining.		Switzerland.	1775.	7.	H. 3.	—
12 ferulaceum. W.	Fennel-leaved.		Levant.	1752.	6.	H. 2.	Tourn. it. 2. t. 121.
13 pilosum. W. en.	sulphur-colour ^d	1759.	6.7.	H. 3.	—
14 hirsutum. W. en.	hairy.		Alps.	—	—	H. 2.	—
HERACLEUM. W.	COW-PARSNEP.	Umbelliferae. J.					
1 Sphondylium. W.	common.		Britain.	5.6.	H. 2.	Eng. bot. 939.
2 flavescens. W.	yellowish.		Austria.	1789.	6.7.	H. 2.	Jac. aust. 2. t. 173.
3 angustifolium. W.	narrow-leaved.		Britain.	5.6.	H. 2.	— 2. t. 174.
4 elegans. W.	rough-leaved.		Austria.	1800.	—	H. 2.	—
5 sibiricum. W.	Siberian.		Siberia.	1768.	—	H. 2.	Gmel. sib. 1. t. 50.
6 Panaces. W.	Fig-leaved.		—	1596.	7.8.	H. 2.	Lobel. ic. 701.
7 austriacum. W.	Austrian.		Austria.	1752.	6.7.	H. 2.	Jac. aust. 1. t. 61.
8 alpinum. W.	Alpine.		Switzerland.	1739.	—	H. 2.	Barr. ic. 55.
9 pyrenaicum. W. en.	Pyrenean.		Pyrenees.	1798.	—	H. 2.	—
10 pumilum. P. S.	dwarf.		Dauphiny.	1800.	5.7.	H. 2.	Vill. delp. 2. t. 14.
LIGUSTICUM. W.	LOVAGE.	Umbelliferae. J.					
1 Levisticum. W.	common.		Italy.	1596.	6.7.	H. 2.	Blackw. t. 275.
2 scoticum. W.	Scotch.		Britain.	—	H. 2.	Eng. bot. 1207.
3 peloponense. W.	Hemlock-leaved.		Switzerland.	1596.	5.7.	H. 2.	Jac. aust. 5. t. app. 13.
4 austriacum. W.	Austrian.		Austria.	—	6.8.	H. 2.	— 2. t. 151.
5 cornubiense. W.	Cornish.		England.	—	7.8.	H. 2.	Eng. bot. 683.
6 pyrenaicum. W.	Pyrenean.		Pyrenees.	1804.	—	H. 2.	Gouan. ill. p. 14. t. 10
7 candicans. W.	pale.		1780.	—	H. 2.	—
8 peregrinum. W.	Parsley-leaved.		Portugal.	1633.	6.7.	H. 3.	Jac. vind. 3. t. 18.
9 balearicum. W.	Minorca.		Minorca.	1804.	—	H. 2.	—
10 longifolium. W.	long-leaved.		Siberia.	—	—	H. 2.	Moris. s. 9. t. 15. f. 1.
ANGELICA. W.	ANGELICA.	Umbelliferae. J.					
1 Archangelica. W.	garden.		England.	6.8.	H. 3.	Flor. dan. t. 206.
2 sylvestris. W.	wild.		Britain.	—	H. 2.	Eng. bot. 1128.
3 Razonii. P. S.	decurent-leaf ^d .		Pyrenees.	1816.	—	H. 2.	Gouan. ill. 13. t. 6.
4 verticillaris. W.	whorled-flower ^d .		Italy.	1683.	7.	H. 2.	Jac. vind. 2. t. 180.
5 atropurpurea. W.	dark purple.		Canada.	1759.	7.8.	H. 2.	Corn. canad. t. 199.
6 lucida. W.	shining.		—	1640.	—	H. 3.	Jac. vind. 3. t. 24.
NUM. W.	WATER-PARSNEP.	Umbelliferae. J.					
1 latifolium. W.	broad-leaved.		Britain.	7.8.	H. 2.	Eng. bot. 204.
2 angustifolium. W.	narrow-leaved.		—	—	H. 2.	— 139.
3 nodiflorum. W.	procumbent.		—	—	H. 2.	— 639.
4 repens. W.	creeping.		—	6.	H. 2.	— 1431.
5 Sisarum. W.	Skirret.		China.	1548.	7.8.	H. 2.	Schku. hand. 1. t. 69.
6 rigidus. W.	Virginian.		Virginia.	1774.	—	H. 2.	Moris. s. 9. t. 7. f. 1.
7 Falcaria. W.	decurent.		Europe.	1726.	—	H. 2.	Jac. aust. 3. t. 257.
8 siculum. W.	Sicilian.		Sicily.	1686.	—	H. 2.	Jac. vind. 2. t. 183.

SISON. W.	HONEWORT.	Umbelliferae. J.					
1 Amonum. W.	hedge.	_____	Britain.	7.8. H.⊙	Eng. bot. 954.	
2 segetum. W.	corn.	_____	England.	— H.⊙	— 328.	
3 inundatum. W.	water.	_____	Britain.	5.6. H.⊙	— 327.	
4 verticillatum. W.	whorled-leaved.	_____	_____	7.8. H.⊙	— 395.	
5 salsum. W.	fine-leaved.	_____	Siberia.	1804.	— H.⊙	{ Pall. act. pet. 1779. t. 8. f. 1. 3.	
BUBON. W.	BUBON.	Umbelliferae. J.					
1 macedonicum. W.	Macedonian.	_____	Greece.	1596.	6.8. G. ♂	Blackw. t. 382.	
2 rigidus. W.	stiff-leaved.	_____	Sicily.	1710.	— H. ♂	Boec. mus. 2. t. 76.	
3 Galbanum. W.	Lovage-leaved.	_____	C. B. S.	1596.	7.8. G. h.	Jac. vind. 3. t. 36.	
4 laevigatum. W.	smooth.	_____	_____	1774.	12.3. G. h.	—	
5 gummiferum. W.	gum-bearing.	_____	_____	1731.	7. G. h.	Comm. hort. 2. t. 58.	
CUMINUM. W.	CUMIN.	Umbelliferae. J.					
Cuminum. W.	official.	_____	Egypt.	1594.	6.7. H.⊙	Cav. ic. 4. t. 360.	
CENANTHE. W.	{ WATER-DROPWORT. }	Umbelliferae. J.					
1 fistulosa. W.	common.	_____	Britain.	6.8. H.⊙	Eng. bot. 363.	
2 crocata. W.	Hemlock.	_____	_____	— H.⊙	— 2313.	
3 prolifera. W.	proliferous.	_____	Italy.	1739.	— H.⊙	Jac. vind. 3. t. 62.	
4 globulosa. W.	globe-headed.	_____	Portugal.	1710.	— H. ♂	Gouan. ill. 18. t. 9.	
5 apiifolia. W. en.	Parsley-leaved.	_____	_____	1804.	— H.⊙	—	
6 peucedanifolia.	Sulphurwort.	_____	England.	— H.⊙	Eng. bot. 348.	
7 pimpinelloides. W.	Burnet-Saxifrage.	_____	_____	— H.⊙	— 347.	
8 inebrians. Th.	various-leaved.	_____	C. B. S.	1816.	8.9. G.⊙	—	
PHELLANDRIUM. W.	WATERHEMLOCK.	Umbelliferae. J.					
aquaticum. W.	common.	_____	Britain.	6.7. H. ♂	Eng. bot. 684.	
CICUTA. W.	COWBANE.	Umbelliferae. J.					
1 virosa. W.	long-leaved.	_____	Britain.	7. H.⊙	Eng. bot. 479.	
2 maculata. W.	spotted.	_____	N. America.	1759.	7.8. H.⊙	Pluk. alm. t. 76. f. 1.	
ÆTHUSA. P. S.	FOOL'S-PARSLEY.	Umbelliferae. J.					
1 Cynapium. W.	common.	_____	Britain.	7.9. H.⊙	Eng. bot. 1194.	
2 fatua. W.	fine-leaved.	_____	_____	1781.	— H.⊙	—	
MEUM. G.	BAWD-MONEY.	Umbelliferae. J.					
1 Bunius.	Coriander-leav ^d .	_____	Pyrenees.	1778.	7. H. ♂	Jac. vind. 2. t. 198.	
2 Mutellina. P. S.	Alpine.	_____	Austria.	1774.	7.8. H.⊙	Gært. de fruct. 1. t. 23	
3 athamanticum. J.	common.	_____	Britain.	4.6. H.⊙	Jac. aust. 4. t. 303.	
CORIANDRUM. W.	CORIANDER.	Umbelliferae. J.					
1 sativum. W.	common.	_____	England.	6. H.⊙	Eng. bot. 67.	
2 testiculatum. W.	twin-fruited.	_____	S. Europe.	1640.	6.7. H.⊙	Pluk. alm. t. 169. f. 1.	
MYRRHIS. P. S.	MYRRH.	Umbelliferae. J.					
odorata. P. S.	sweet-scented.	_____	Britain.	5.6. H.⊙	Eng. bot. 697.	
SCANDIX. P. S.	CICELY.	Umbelliferae. J.					
1 Pecten. W.	Venus's Comb.	_____	Britain.	6.7. H.⊙	Eng. bot. 1397.	
2 australis. W.	radiated.	_____	S. Europe.	1713.	5.6. H.⊙	Col. cephr. 1. t. 90	
3 pinnatifida. P. S.	cut-leaved.	_____	Persia.	1805.	— H.⊙	Vent. cels. 14.	
OLIVERIA. V.	OLIVERIA.	Umbelliferae. J.					
decumbens. V.	Thyme-scented.	_____	Bagdad.	1616.	5.7. H.⊙	Vent. cels. 21.	
ANTHRISCUS. P. S.	ROUGH-CHERVIL.	Umbelliferae. J.					
1 vulgaris. P. S.	common.	_____	Britain.	5.6. H.⊙	Eng. bot. 818.	
2 nodosa. P. S.	knotted.	_____	Sicily.	1656.	— H.⊙	Jac. vind. 3. t. 25.	
CHEEROPHYLLUM. P. S.	CHERVIL.	Umbelliferae. J.					
1 sylvestre. W.	smooth.	_____	Britain.	5.6. H.⊙	Eng. bot. 759.	
2 sativum. P. S.	garden.	_____	England.	— H.⊙	— 1268.	
3 procumbens. Ph.	procumbent.	_____	Virginia.	1699.	6.7. H.⊙	Moris. s. 9. t. 11. f. 1.	
4 bulbosum. W.	bulbous-rooted.	_____	Europe.	1736.	— H. ♂	Jac. aust. 1. t. 63	
5 tenulum. W.	rough.	_____	Britain.	7.8. H. ♂	Eng. bot. 1521.	
6 hirsutum. W.	hairy-leaved.	_____	Switzerland.	1759.	6.7. H.⊙	Jac. aust. 2. t. 14	
7 aromaticum. W.	aromatic.	_____	Germany.	1736.	6.8. H.⊙	— 2. t. 15	
8 canadense. Ph.	three-leaved.	_____	N. America.	1699.	7.8. H.⊙	Riv. pent. t. 53.	
<i>Sison canadense. W.</i>							
9 Claytoni. Ph.	sweet-rooted.	_____	_____	1806.	— H.⊙	—	
10 coloratum. W.	yellow.	_____	Illyria.	—	— H.⊙	Moris. s. 9. t. 10. f. 1	
11 aureum. W.	golden.	_____	Scotland.	— H.⊙	Eng. bot. 2103.	
IMPERATORIA. W.	MASTERWORT.	Umbelliferae. J.					
Ostruthium. W.	common.	_____	Scotland.	5.7. H.⊙	Eng. bot. 1300.	
SESELL. W.	{ MEADOW-SAXIFRAGE. }	Umbelliferae. J.					
1 pimpinelloides. W.	nodding-flower ^d .	_____	S. Europe.	1796.	7. H.⊙	—	

2 leucospermum. W.	en. woolly-headed.	Umbelliferae. J.	Hungary.	1805.	7.	H. 2.	Pl. rar. hung. 89.
3 montanum. W.	mountain.	_____	Italy.	1658.	6.7.	H. 2.	Jac. vind. 2. t. 129.
4 glaucum. W.	glaucous.	_____	France.	1759.	7.8.	H. 2.	Jac. aust. 2. t. 144.
5 aristatum. W.	bearded.	_____	Pyrenees.	1739.	6.7.	H. 2.	_____
6 ammoides. W.	Milfoil-leaved.	_____	S. Europe.	1759.	_____	H. 2.	Jac. vind. 1. t. 52.
7 tortuosum. W.	crooked.	_____	_____	1597.	10.	H. 2.	_____
8 divaricatum. Ph.	shining-leaved.	_____	N. America.	1812.	6.7.	H. 2.	Bot. mag. 1742.
9 Hippomara- thrum. W.	} various-leaved.	_____	Austria.	1656.	7.	H. 2.	Jac. aust. 2. t. 148.
10 pyrenæum. W.		_____	Pyrenees.	1731.	6.7.	H. 2.	Gouan. ill. 11. t. 5.
11 gracile. W. en.	slender.	_____	Hungary.	1805.	_____	H. 2.	Pl. rar. hung. 2. t. 117.
12 elatum. W.	tall.	_____	Austria.	1710.	7.8.	H. 2.	Gouan. ill. 16. t. 8.
13 gummiferum. Ex.B.	gum-bearing.	_____	Crimea.	1804.	7.9.	H. 2.	Exot. bot. t. 120.
THAPSIA. W.	DEADLY CARROT	Umbelliferae. J.	_____	_____	_____	_____	_____
1 villosa. W.	villous.	_____	S. Europe.	1710.	6.7.	H. 2.	Moris. s. 9. t. 18. f. 3.
2 foetida. W.	stinking.	_____	Spain.	1596.	7.8.	H. 2.	_____ t. 18. f. 7.
3 Asclepium. W.	oriental.	_____	Levant.	_____	_____	H. 2.	_____ t. 18. f. 9.
4 garganica. W.	Garganian.	_____	Barbary.	1683.	_____	H. 2.	Gouan. ill. 18. t. 10.
PASTINACA. W.	PARSNIP.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 lucida. W.	shining-leaved.	_____	S. Europe.	1771.	6.7.	H. 2.	Jac. vind. 2. t. 199.
2 sativa. W.	garden.	_____	_____	_____	7.	H. 2.	Flor. dan. t. 1206.
3 <i>arvensis</i> . P. S.	field.	_____	England.	_____	_____	H. 2.	Eng. bot. 556.
4 Opopanax. W.	rough.	_____	S. Europe.	1640.	6.7.	H. 2.	Gou. ill. 19. t. 12. 14.
5 dissecta. V.	cut-leaved.	_____	Levant.	1816.	_____	H. 2.	Vent. cels. t. 78.
SMYRNIUM. W.	ALEXANDERS.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 perfoliatum. W.	perfoliate.	_____	Italy.	1596.	5.	H. 2.	Pl. rar. hung. 1. t. 23.
2 Olusatrum. W.	common.	_____	Britain.	_____	5.6.	H. 2.	Eng. bot. 230.
3 apiifolium. W.	Smallage-leaved.	_____	Candia.	1731.	5.7.	H. 2.	_____
4 cordatum. Ph.	heart-leaved.	_____	N. America.	1759.	6.7.	H. 2.	_____
Thapsia trifoliata. W.	_____	_____	_____	_____	_____	_____	_____
5 aureum. W.	golden.	_____	_____	1699.	5.6.	H. 2.	_____
6 integerrimum. W.	entire-leaved.	_____	_____	1759.	6.	H. 2.	_____
ANETHUM. W.	DILL.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 graveolens. W.	common.	_____	Spain.	1570.	6.7.	H. 2.	_____
2 segetum. W.	Portugal.	_____	Portugal.	1796.	_____	H. 2.	_____
3 Sowa. Roxb.	Indian.	_____	E. Ind.	1810.	_____	H. 2.	_____
4 Foeniculum. W.	Fennel.	_____	England.	_____	7.8.	H. 2.	Eng. bot. 1208.
CARUM. W.	CARAWAY.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 Carvi. W.	common.	_____	Britain.	_____	5.6.	H. 2.	Eng. bot. 1503.
2 simplex. W.	simple-stalked.	_____	Siberia.	1816.	_____	H. 2.	_____
PIMPINELLA. W.	{ BURNET SAXIFRAGE. }	Umbelliferae. J.	_____	_____	_____	_____	_____
1 Saxifraga. W.	common.	_____	Britain.	_____	6.8.	H. 2.	Eng. bot. 407.
2 nigra. W.	black-rooted.	_____	Germany.	1683.	_____	H. 2.	_____
3 magna. W.	great.	_____	England.	_____	_____	H. 2.	Eng. bot. 408.
4 dissecta. W.	cut-leaved.	_____	France.	_____	_____	H. 2.	Retz. obs. 3. t. 2.
5 peregrina. W.	nodding.	_____	Italy.	1640.	_____	H. 2.	Jac. vind. 2. t. 131.
6 Anisum. W.	Anise.	_____	Egypt.	1801.	_____	H. 2.	_____
7 bubonoides. P. S.	Bubon-like.	_____	Portugal.	1814.	_____	H. 2.	_____
8 dichotoma. W.	dichotomous.	_____	Spain.	1798.	_____	H. 2.	_____
9 dioica. W.	dwarf.	_____	England.	_____	5.6.	H. 2.	Eng. bot. 1209.
10 glauca. W.	glaucous.	_____	Hungary.	1803.	6.8.	H. 2.	Pl. rar. hung. t. 72.
APIUM. W.	PARSLEY.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 Petroselinum. W.	garden.	_____	Sardinia.	1548.	6.7.	H. 2.	_____
2 graveolens. W.	Celery.	_____	Britain.	_____	6.8.	H. 2.	Eng. bot. 1210.
EGOPODIUM. W.	GOUT-WEED.	Umbelliferae. J.	_____	_____	_____	_____	_____
Podagraria. W.	common.	_____	Britain.	_____	5.7.	H. 2.	Eng. bot. 940.

TRIGYNIA.

RHUS. W.	SUMACH.	Terebinthaceae. J.	_____	_____	_____	_____	_____
1 Coriaria. W.	Elm-leaved.	_____	S. Europe.	1596.	7.	H. 2.	Ludw. etc. t. 122.
2 typhinum. W.	Virginian.	_____	N. America.	1629.	7.8.	H. 2.	Park. par. t. 609. f. 6.
3 javanicum. W.	Java.	_____	Java.	1799.	7.9.	S. 2.	_____
4 glabrum. W.	smooth.	_____	N. America.	1726.	_____	H. 2.	Dil. elt. t. 243. f. 314.
5 elegans. W.	scarlet.	_____	_____	_____	7.	H. 2.	Catesb. car. 3. t. 4.
6 viridiflorum. Ph.	green-flowered.	_____	_____	_____	_____	H. 2.	_____
7 pumilum. Ph.	dwarf poisonous.	_____	_____	1806.	_____	H. 2.	_____
8 Vernix. W.	Varnish.	_____	_____	1713.	_____	H. 2.	Dil. elt. t. 292. f. 377.
9 succedaneum. W.	red Lac.	_____	China.	1768.	6.	G. 2.	Kempf. am. t. 795.

10 semialatum. W.	Service-leaved.	Umbelliferae. J.	Macao.	1780.	G. h.	Murr.com.got.6.t.3
11 Copallinum. W.	Lentiscus-leaved	_____	N. America.	1688. 8.9.	H. h.	Jac.schoen.3.t.341.
12 Toxicodendron. Ph.	Poison Oak.	_____	_____	1640. 6.7.	H. h.	Bot. mag. 1806.
<i>a vulgare.</i>	common.	_____	_____	_____	_____	_____
<i>β quercifolium.</i>	sinuate-leaved.	_____	_____	_____	_____	_____
<i>γ microcarpon.</i>	small-fruited.	_____	_____	_____	_____	_____
13 aromaticum. Ph.	sweet.	_____	_____	1759. 5.	H. h.	{ Turp. in Ann. mus. 5. t. 30.
<i>aromaticum & staveolens W. is male and female of the same species Ph.</i>						
14 pendulinum. W. en.	pendulous.	_____	C. B. S.	G. h.	_____
15 dentatum. W.	rough-stalked.	_____	_____	1798.	G. h.	_____
16 cuneifolium. W.	wedge-leaved.	_____	_____	1816.	G. h.	_____
17 incisum. W.	cut-leaved.	_____	_____	1789.	G. h.	_____
18 tomentosum. W.	woolly-leaved.	_____	_____	1691.	G. h.	Comm.hort.1.t.99.
19 villosum. W.	hairy.	_____	_____	1714. 7.	G. h.	Pluk.alm. t.219.f.8.
20 pubescens. W.	pubescent.	_____	_____	1800.	G. h.	_____
21 viminalis. W.	Willow-leaved.	_____	_____	1774.	G. h.	Jac.schoen.3.t.344.
22 angustifolium. W.	narrow-leaved.	_____	_____	1714.	G. h.	Pluk.alm. t.219.f.6.
23 rosmarinifolium. W.	Rosemary-leav ^d .	_____	_____	1800.	G. h.	Burm. afr. t.91. f.1.
24 pentaphyllum. W.	various-leaved.	_____	Barbary.	1816.	G. h.	Desf. atl. 1. t. 77.
25 lævigatum. W.	polished-leaved.	_____	C. B. S.	1758.	G. h.	_____
26 lucidum. W.	shining-leaved.	_____	_____	1697. 7.8.	G. h.	Burm. afr. t.91. f.2.
<i>β minor.</i>	small shining-le.	_____	_____	_____	G. h.	Comm. hort.1.t.93.
27 Cotinus. W.	Venice.	_____	S. Europe.	1656. 6.7.	H. h.	Jac. aust. 3. t. 210.
VIBURNUM. W.	VIBURNUM.	Caprifoliæ. J.	_____	_____	_____	_____
1 Tinus. P. S.	{ common Laurestine.	_____	S. Europe.	1596. 12.3.	H. h.	Bot. mag. 38.
2 lucidum. P. S.	{ shining-lea ^d Laurestine.	_____	Spain.	_____	H. h.	Clus. hist. 49.
3 strictum.	{ upright Lau- restine.	_____	S. Europe.	_____	H. h.	_____
4 rugosum. P. S.	{ large-leaved Laurestine.	_____	Canaries.	1796.	G. h.	_____
5 prunifolium. W.	Plum-leaved.	_____	N. America.	1731. 5.6.	H. h.	Duham. 2. t. 38.
6 pyrifolium. Ph.	Pear-leaved.	_____	_____	H. h.	_____
7 Lentago. W.	tree.	_____	_____	1761. 7.	H. h.	_____
8 nudum. W.	oval-leaved.	_____	_____	1752. 5.6.	H. h.	Mill. ic. 2. t. 274.
9 dauricum. W.	Siberian.	_____	Dahuria.	1785. 6.7.	H. h.	Pall. ross. 1. t. 38.
10 obovatum. Ph.	obovate-leaved.	_____	N. America.	1812. 5.6.	H. h.	_____
11 cassinoides. W.	thick-leaved.	_____	_____	1761. 6.7.	H. h.	_____
12 lævigatum. W.	{ Cassioberry- Bush.	_____	_____	1724. 7.8.	H. h.	{ Mill. ic. 1. t. 83 f. 1.
13 nitidum. W.	shining-leaved.	_____	_____	1758. 5.6.	H. h.	_____
14 dentatum. Ph.	tooth-leaved.	_____	_____	1786. 6.7.	H. h.	Jac. vind. 1. t. 36.
15 pubescens. Ph.	downy tooth-le ^d .	_____	_____	H. h.	_____
16 lantanoides. Ph.	Lantana-like.	_____	_____	5.6.	H. h.
17 Lantana. W.	Wayfaring-tree.	_____	Britain.	H. h.	Eng. bot. 331.
18 molle. Ph.	soft.	_____	N. America.	1812. 6.7.	H. h.	_____
19 acerifolium. W.	Maple-leaved.	_____	_____	1736. _____	H. h.	Vent. cels. 72.
20 Opulus. W.	Gelder Rose.	_____	Britain.	5.6.	H. h.
<i>β rosea.</i>	<i>Snowball-tree.</i>	_____	_____	_____	_____	Eng. bot. 332.
21 Oxycoccus. Ph.	Cranberry-like.	_____	N. America.	7.	H. h.
22 edule. Ph.	eatable-fruited.	_____	_____	1812. _____	H. h.	_____
CASSINE. W.	CASSINE.	Rhamni. J.	_____	_____	_____	_____
1 capensis. W.	Cape Phillyrea.	_____	C. B. S.	1629. 7.8.	G. h.	Burm. afr. t. 85.
2 Colpoon. W.	Colpoon-tree.	_____	_____	1791.	G. h.	_____
3 Maurocenia. W.	{ Hottentot Cherry.	_____	_____	1690. _____	G. h.	{ Dill. elt. t. 121. 147.
4 lævigata. W.	smooth.	_____	_____	1816.	G. h.	_____
5 xylocarpa. P. S.	bony-seeded.	_____	Antilles.	_____	S. h.	Vent. choix. t. 23.
SAMBUCUS. W.	ELDER.	Caprifoliæ. J.	_____	_____	_____	_____
1 Ebulus. W.	dwarf.	_____	Britain.	6.7.	H. h.
2 nigra. W.	common.	_____	_____	5.7.	H. h.
<i>β viridis.</i>	<i>green-fruited.</i>	_____	_____	_____	_____	_____
<i>γ laciniosa.</i>	<i>Parsley-leaved.</i>	_____	_____	_____	_____	_____
3 canadensis. W.	Canadian.	_____	N. America.	1761. 6.8.	H. h.	Schmidt arb. 142.
4 pubescens. Ph.	pubescent.	_____	_____	1812.	H. h.	_____
5 racemosa. W.	red-berried.	_____	S. Europe.	1596. 5.6.	H. h.	Jac. ic. 1. t. 59.
SPATHIELIA. W.	SPATHIELIA.	Terebintaceæ. J.	_____	_____	_____	_____
simplex. W.	Sumach-leaved.	_____	Jamaica.	1778.	S. h.	Sloan. jam. t. 171.

STAPHYLEA. W.	BLADDER-NUT.	Rhamni. J.							
1 pinnata. W.	five-leaved.	_____	England.	4.6.	H. h.	Eng. bot. 1560.		
2 trifolia. W.	three-leaved.	_____	N. America.	1640.	5.6.	H. h.	Schmidt arb. t. 80.		
TAMARIX. W.	TAMARISK.	Portulacæ. J.							
1 gallica. W.	French.	_____	England.	5.10.	H. h.	Eng. bot. 1318.		
2 articulata. W.	Indian.	_____	E. Ind.	S. h.	Vahl symb. 2. t. 32.		
3 germanica. W.	German.	_____	Germany.	1592.	6.9.	H. h.	Mill. ic. t. 262. f. 2.		
XYLOPHYLLA. W. en.	XYLOPHYLLA.	Euphorbiæ. J.							
1 ramiflora. W. en.	oval-leaved.	_____	Siberia.	1785.	7.8.	H. h.	Pall. it. 3. t. E. f. 2.		
2 obovata. W. en.	obovate-leaved.	_____	H. h.	^		
TURNERA. W.	TURNERA.	Portulacæ. J.							
1 ulmifolia. W.	Elm-leaved.	_____	Jamaica.	1733.	6.9.	S. h.	Hort. cliff. t. 10.		
2 angustifolia. B. M.	narrow-leaved.	_____	_____	_____	4.9.	S. h.	Bot. mag. 281.		
3 Pumilea. W.	Nettle-leaved.	_____	_____	1796.	7.	S. O.	Slo. jam. 1. t. 127. f. 6.		
4 cistoides. W.	Betony-leaved.	_____	America.	1774.	6.10.	H. O.	Plum. ic. t. 150. f. 1.		
5 racemosa. W.	clustered.	_____	1789.	7.8.	S. O.	Jac. vind. 3. t. 94.		
TELEPHIUM. W.	ORPINE.	Portulacæ. J.							
Imperati. W.	true.	_____	S. Europe.	1658.	6.8.	H. 2.	Lam. ill. t. 213.		
CORRIGIOLA. W.	STRAFWORT.	Portulacæ. J.							
littoralis. W.	sand.	_____	England.	7.8.	H. O.	Eng. bot. 668.		
PHARNACEUM. W.	PHARNACEUM.	Caryophyllæ. J.							
1 Cerviana. W.	umbelled.	_____	Russia.	1771.	6.	H. O.	Gmel. sib. 3. t. 20. f. 2.		
2 lineare. W.	linear-leaved.	_____	C. B. S.	1795.	5.6.	G. h.	Bot. rep. 326.		
3 Mollugo. W.	Ladies' Bedstraw	_____	E. Ind.	1752.	7.8.	S. h.	Burm. ind. t. 5. f. 4.		
4 incanum. W.	hoary.	_____	C. B. S.	1782.	5.10.	G. h.	Bot. mag. 1883.		
5 dichotomum. W.	forked.	_____	_____	1783.	7.	G. O.	_____		
DRYPIS. W.	DRYPIS.	Caryophyllæ. J.							
spinosa. W.	prickly.	_____	Italy.	1775.	6.7.	H. 3.	Jac. vind. 1. t. 49.		
BASELLA. W.	{ MALABAR NIGHT-SHADE. }	Chenopodæ. B. P.							
1 rubra. W.	red.	_____	E. Ind.	1731.	7.9.	S. 3.	Rheed. mal. 7. t. 24.		
2 alba. W.	white.	_____	_____	1688.	7.11.	S. 3.	Pluk. alm. t. 63. f. 1.		
3 lucida. W.	shining.	_____	_____	1802.	S. O.	_____		
4 cordifolia. P. S.	heart-leaved.	_____	_____	S. O.	_____		
PORTULACARIA. W.	{ PURSLANE-TREE. }	Portulacæ. J.							
afa. W.	African.	_____	Africa.	1782.	G. h.	Jac. coll. 1. t. 22.		

TETRAGYNIA.

PARNASSIA. W.	{ GRASS OF PARNASSUS. }	Capparides ? J.							
1 palustris. W.	marsh.	_____	Britain.	7.8.	H. 2.	Eng. bot. 82.		
2 caroliniana. Ph.	Carolina.	_____	N. America.	1802.	5.6.	H. 2.	Bot. mag. 1459.		
3 asarifolia. Ph.	Asarum-leaved.	_____	_____	1812.	7.8.	H. 2.	Vent. malm. t. 39.		

PENTAGYNIA.

ARALIA. W.	ARALIA.	Araliæ. J.							
1 capitata. W.	cluster-flowered.	_____	W. Ind.	1777.	8.	S. h.	Smith ic. pict. 4.		
2 Sciodaphyllum. W.	long-spiked.	_____	Jamaica.	1793.	6.8.	S. h.	Broj. jam. t. 19. f. 1. 2.		
3 spinosa. W.	Angelica-tree.	_____	Virginia.	1688.	9.	H. h.	Comm. hort. 1. t. 47.		
4 hispida. Ph.	hispid.	_____	N. America.	1799.	6.7.	H. h.	Bot. mag. 1085.		
5 racemosa. Ph.	berry-bearing.	_____	_____	1658.	6.9.	H. 2.	Moris. s. 1. t. 2. f. 9.		
6 nudicaulis. Ph.	naked-stalked.	_____	_____	1731.	6.7.	H. 2.	Pluk. alm. t. 238. f. 6.		
ARMERIA. W. en.	THRIFT.	Plumbaginæ. B. P.	Statice species L.						
1 vulgaris. W. en.	common.	_____	Europe.	6.8.	H. 2.	_____		
2 maritima. W. en.	sea-side.	_____	Britain.	5.7.	H. 2.	Eng. bot. 226.		
3 alpina. W. en.	flat-stemmed.	_____	Carinthia.	5.8.	H. 2.	_____		
4 arenaria. P. S.	sand.	_____	France.	H. 2.	_____		
5 littoralis. W. en.	ciliated.	_____	S. Europe.	H. 2.	_____		
6 alliacea. W.	Garlic-leaved.	_____	Spain.	1798.	5.6.	H. 2.	Cav. ic. 2. t. 109.		
7 denticulata. Sch.	toothed.	_____	1816.	H. 2.	_____		
8 plantaginea. W. en.	Plantain-leaved.	_____	S. Europe.	H. 2.	_____		
9 scorzoneraefolia. W. en.	large-headed.	_____	_____	H. 2.	_____		
10 latifolia. W. en.	broad-leaved.	_____	Algarbia.	1740.	5.7.	H. 2.	Jac. vind. 1. t. 42.		
Statice cephalotes. W.	_____	_____	_____	4.8.	H. h.	Vent. eels. t. 38.		
11 fasciculata. W. en.	bundled.	_____	Portugal.	4.8.	H. h.	Vent. eels. t. 38.		

STATICE. W. en.		SEA-LAVENDER. Plumbaginæ. B.P.				
1	graminifolia. W.	Grass-leaved.	Siberia.	1780.	6.7.	H. 2.
2	Limonium. W.	common.	England.	5.8.	H. 2. Eng. bot. 102.
3	Gmelini. W.	Gmelin's.	Siberia.	1796.	6.8.	H. 2. Gmel. sib. 2. t. 2.
4	scoparia. W.	Broom.	-----	-----	-----	H. 2.
5	latifolia. W.	broad-leaved.	-----	1791.	5.7.	H. 2.
6	oleaeifolia. W.	Olive-leaved.	Italy.	1688.	5.8.	H. 2. Scop. ins. 1. t. 16.
7	auriculæfolia. W.	Auricula-leaved.	Barbary.	1781.	7.8.	F. 2.
8	emarginata. W. en.	emarginate.	Gibraltar.	5.7.	F. 2.
9	cordata. W.	blunt-leaved.	S. Europe.	1752.	-----	F. 2. Barr. ic. 805.
10	scabra. W.	rough-branched.	C. B. S.	1788.	-----	G. 2.
11	virgata. W. en.	twiggy.	Spain.	6.8.	H. 2.
12	reticulata. W. en.	matted.	England.	7.8.	H. 2. Eng. bot. 328.
13	caspia. W. en.	Caspian.	Caspian Sea.	-----	H. 2. Gmel. sib. 2. t. 89. f. 2.
14	echioides. W.	rough-leaved.	S. Europe.	1752.	-----	G. 2. Gouan. ill. t. 2. f. 4.
15	spatulata. P. S.	spatula-leaved.	Barbary.	1804.	6.8.	F. 2. Bot. mag. 1617.
16	speciosa. W.	Plantain-leaved.	Russia.	1776.	7.8.	F. 2. ----- 656.
17	conspicua. B. M.	showy.	-----	1804.	-----	F. 2. ----- 1629.
18	tatarica. W.	Tartarian.	-----	1781.	6.	H. 2. Gmel. sib. 2. t. 2.
19	flexuosa. W.	zigzag.	Siberia.	1791.	7.8.	H. 2.
20	purpurata. W.	purple.	C. B. S.	1800.	6.7.	G. 2.
21	minuta. W.	small.	{ Mediter- ranean. }	1658.	-----	H. 2. Pluk. alm. t. 200. f. 3.
22	pectinata. W.	triangular-stalk'd.	Canaries.	1780.	9.10.	G. 2.
23	suffruticosa. W.	narrow-leaved.	Siberia.	1779.	5.9.	G. 2. Gmel. s. 2. t. 88. f. 3.
24	monopetala. W.	Sicilian shrubby.	Sicily.	1781.	7.8.	G. 2. Boc. sic. t. 16. 17.
25	ferulacea. W.	Fennel-leaved.	Siberia.	1796.	5.	H. 2. Pluk. alm. t. 28. f. 4.
26	sinuata. W.	scollop-leaved.	Levant.	1629.	5.9.	G. 2. Bot. mag. 71.
27	alata. W. en.	winged.	-----	1806.	6.8.	G. 2.
28	mucronata. W.	curled.	Barbary.	1784.	-----	G. 2. L'Her. stirp. t. 18.
LINUM. W.		FLAX.	Caryophyllæ J.			
1	usitatissimum. W.	common.	Britain.	5.7.	H. 2. Eng. bot. 1357.
2	perenne. W.	perennial.	England.	6.8.	H. 2. ----- 40.
3	trigynum. H. K.	three-styled.	E. Ind.	1799.	10.1.	G. 2. Bot. mag. 1100.
4	hirsutum. W.	hairy.	Austria.	1789.	7.8.	H. 2. Jac. enst. 1. t. 31.
5	hypericifolium. H. K.	Mallow-flowered.	Caucasus.	1807.	6.7.	H. 2. Bot. mag. 1048.
6	ascyrfolium. H. K.	blue and white.	Portugal.	1800.	7.8.	H. 2. ----- 1087.
7	marbonense. W.	Narbonne.	S. France.	1759.	5.7.	F. 2.
8	reflexum. W.	reflex-leaved.	S. Europe.	1777.	7.	H. 2.
9	tenuifolium. W.	slender-leaved.	Europe.	1759.	6.7.	H. 2. Jac. aust. 3. t. 215.
10	angustifolium. H. K.	narrow-leaved.	England.	7.	H. 2. Eng. bot. 381.
11	gallicum. W.	annual yellow.	France.	1777.	7.8.	H. 2. Ger. prov. t. 15. f. 1.
12	maritimum. W.	sea.	S. Europe.	1596.	-----	H. 2. Jac. vind. 2. t. 154.
13	alpinum. W.	Alpine.	Austria.	1739.	-----	H. 2. Jac. aust. 4. t. 321.
14	austriacum. W.	Austrian.	-----	1775.	6.7.	H. 2. Bot. mag. 1088.
15	virginianum. W.	Virginian.	N. America.	1807.	7.	H. 2.
16	rigidum. Ph.	stiff-leaved.	Missouri.	-----	-----	H. 2.
17	flavum. W.	yellow.	Austria.	1793.	6.8.	H. 2. Bot. mag. 312.
18	tauricum. W. en.	Taurian.	Tauria.	1795.	-----	H. 2.
19	campanulatum. W.	glaucous-leaved.	Europe.	-----	-----	H. 2.
20	strictum. W.	upright.	S. Europe.	1759.	5.7.	H. 2.
21	suffruticosum. W.	Spanish.	Spain.	-----	8.	G. 2. Cav. ic. 2. t. 102.
22	arboreum. W.	tree.	Candia.	1788.	5.8.	G. 2. Bot. mag. 234.
23	africanum. W.	African.	C. B. S.	1771.	6.7.	G. 2. ----- 403.
24	nodiflorum. W.	knotted.	Italy.	1759.	7.8.	H. 2. Moris. 2. 5. t. 6. f. 11.
25	catharticum. W.	purging.	Britain.	6.8.	H. 2. Eng. bot. 382.
26	quadrifolium. W.	four-leaved.	C. B. S.	1787.	5.6.	G. 2. Bot. mag. 431.
DROSER. W.		SUNDEW.	Capparides J.			
1	rotundifolia. W.	round-leaved.	Britain.	7.8.	H. 2. Eng. bot. 867.
2	longifolia. W.	long-leaved.	-----	-----	-----	H. 2. ----- 868.
3	anglica. H. K.	great.	England.	-----	H. 2. ----- 869.
4	filiformis. Ph.	thready-leaved.	New Jersey.	1811.	5.6.	H. 2.
GISEKIA. W.		GISEKIA.	Portulacæ. J.			
pharnacioides. W.		trailing.	E. Ind.	1783.	6.	S. 2. Roxb. cor. 2. t. 188.
LAROCHEA. P. S.		LAROCHEA.	Sempervivæ. J.			
1	falcata. P. S.	sickle-leaved.	Crassulæ species W.			
2	coccinea. P. S.	scarlet.	C. B. S.	1785.	6.9.	G. 2. Dec. pl. grass. 108.
3	cymosa. H. S.	cymose.	-----	1710.	6.8.	G. 2. Bot. mag. 495.
4	flava. H. S.	yellow.	-----	1800.	8.	G. 2.
5	odoratissima. H. S.	sweet-scented.	-----	1802.	8.9.	G. 2. Pluk. alm. t. 314. f. 2.
			-----	1793.	6.7.	G. 2. Bot. rep. 26.

PENTANDRIA POLYGYNIA.

63

FLA. W.	CRASSULA.	Sempervivæ. J.				
lata.	perfoliate.		C. B. S.	1725.	7.8.	G. h. Plant. grass. 12.
sa. W.	branching.			1774.	—	G. h.
sona. W.	square-leaved.			1711.	8.	G. h. Plant. grass. 19.
s. W.	soft.			1774.	—	G. h.
olia. P. S.	acute-leaved.		Greece?	1795.	9.11.	G. h. Plant. grass. t. 2.
escens. W.	tree.		C. B. S.	1739.	5.6.	G. h. Bot. mag. 384.
ledon. B. M.						
sa. W.	oblique-leaved.			1759.	4.5.	G. h. Plant. grass. 79.
s. W.	white.			1774.	9.10.	G. h. Bot. mag. 1771.
s. W.	ciliated.			1732.	7.8.	G. h. Plant. grass. 7.
lata. H. S.	wave-leaved.			1797.	8.11.	G. h.
a. W.	rough-leaved.			1730.	6.7.	G. h. Dill.elt. t. 99. f. 117.
veva. H. S.	double-convex.			1800.	8.	G. h.
anaris. W.	columnar.			1789.	G. h. Burm. afr. t. 9. f. 2.
icata. W.	imbricated.			1760.	6.7.	G. h.
ata. P. S.	filed.			1785.	9.	G. h. Scop. del. ins. 3. t. 6.
tata. W.	dotted.			1759.	4.8.	G. h.
inalis. W.	marginated.			1774.	7.8.	G. h.
cida. W.	pellucid.			1782.	6.9.	G. h. Dill.elt. t. 100. f. 119
ulata. W.	notched-leaved.			1774.	7.9.	G. h. Plant. grass. 49.
sta. W.	heart-leaved.			—	5.8.	G. h. — 121.
sta. W.	sharp-leaved.			1782.	7.8.	G. h. Trew. pl. rar. 2. t. 12.
llata. W.	Houscleek-leav ^d			1795.	—	G. h. Plant. grass. 61.
scens.	grey.			1800.	—	G. h.
ulea canescens. H. S.						
caulia. W.	naked-stemmed.			1732.	5.9.	G. h. Plant. grass. 133.
ntosa. W.	downy.			1790.	4.5.	G. h.
uefolia. H. S.	tongue-leaved.			1803.	8.	G. h.
ledon. W.	Cotyledon-leav ^d .			1800.	G. h.
ularis. W.	starry.			1731.	7.9.	G. h.
flexa. W.	Orange-flowered			1788.	6.	G. h.
lata. W.	channelled.			1774.	6.8.	G. h.
auroides. W.	Centaury-flow ^d .			—	5.8.	G. h. Bot. mag. 1765.
otoma. W.	forked.			—	6.7.	G. h. Herm. lugdb. t. 553.
erata. W.	rough, cluster'd.			—	8.10.	G. h. Plant. grass. 67.
ra. H. S.	smooth, cluster'd			—	6.10.	G. h.
ides. W.	Aloe-like.			—	6.8.	G. h.
tella. W.	square-spiked.			1774.	7.8.	G. h.
ns. W.	annual red.		Italy.	1759.	5.6.	H. h. Plant. grass. 55.
icillaris. W.	whorl-flowered.		S. Europe.	1788.	7.	H. h.
asa. W.	awl-leaved.		C. B. S.	1774.	6.7.	G. h.
sa. W.	alternate-leaved.			—	—	G. h.
sa. W.	diffuse.			—	—	G. h.
chata. W.	musky.		N. S. W.	1794.	5.11.	G. h.
RNIA. W.	MAHERNIA.	Tiliacæ? J				
ata. W.	winged-leaved.		C. B. S.	1752.	6.8.	G. h. Bot. mag. 277.
sa. W.	procumbent.			1774.	—	G. h. Jac. schoen. 2. t. 201.
a. W.	cut-leaved.			1792.	7.9.	G. h. Bot. mag. 353.
bella. W.	neat.			—	—	G. h. Cav. diss. t. 77. f. 3.
rata. W.	sweet-scented.			1789.	4.5.	G. h. Bot. rep. 85.
idiflora. B. Reg.	large-flowered.			1791.	5.8.	G. h. Bot. reg. 224.
ERSONIA. W.	COMMERSONIA.					
yphylla. B. M.	broad-leaved.		Moluccas.	1806.	6.7.	S. h. Bot. mag. 1813.
phylla. B. R.	hairy-leaved.		N. Holland.	1808.	4.5.	G. h. Bot. rep. 603.
LDIA. W.	SIBBALDIA.	Rosacæ. J				
umbens. P. S.	procumbent.		Britain.	6.8.	H. h. Eng. bot. 897.
iflora. P. S.	small-flowered.		Cappadocia.	—	H. h.
ta. W.	upright.		Siberia.	1806.	—	H. h. Am. ruth. 112. t. 15.

POLYGYNIA.

URUS. W.	MOUSE-TAIL.	Ranunculacæ. J				
imus. W.	small.		Britain.	4.5.	H. h. Eng. bot. 435.
FOCEPHA- } { CERATOCE- }		Ranunculacæ. J.				
JS. P. S. } { PHALUS. }						
itus. P. S.	sickle-seeded.		S. Europe.	1739.	5.	H. h. Jac. aust. t. 48.
isunculus falcatus. IV.						
HORHIZA. W.	YELLOW-ROOT.	Ranunculacæ. J.				
folia. W.	Parsley-leaved.		N. America.	1766.	2.4.	H. h. Bot. mag. 1736.

CLASS VI.

HEXANDRIA MONOGYNIA.

MUSA. W.	PLANTAIN-TREE, Musaceæ. P. S.				
1 paradisiaca. W.	common.	India.	1690. 10.12. S. h.	Trew. chr. 3. t. 1830	
2 sapientum. W.	Banana-tree.	W. Ind.	1729. 10.3. S. h.	4. t. 21.33	
3 rosacea. W.	rose-coloured.	Mauritius.	1806. 2.5. S. h.	Jac. schœn. 4. t. 445.	
4 coccinea. W.	scarlet-flowered.	China.	1792. 12.3. S. h.	Bot. mag. 1559.	
URANIA. W.	URANIA. Musaceæ. P. S. Ravennalia. Juss.				
speciosa. W.	Plantain-leaved.	Madagascar. S. h.	Jac. schœn. 1. t. 93.	
BROMELIA. W.	PINE-APPLE. Bromeliæ. J.				
1 Ananas. W.	common.	S. America.	1690. 1.12. S. h.	Bot. mag. 1554.	
2 semiserrata. W. en.	half-sawed-leaf. S. h.		
3 lucida. W. en.	shining-leaved. S. h.	Dil. elt. 25. t. 21. f. 92.	
4 Pinguin. W.	broad-leaved.	W. Ind.	1690. 3.4. S. h.	Jac. am. ed. pict. f. 91.	
5 Karatas. W.	upright-leaved.	1739. S. h.	Jac. vind. 1. t. 31.32.	
6 nudicaulis. W.	naked-stalked.	Rio Janeiro.	2.3. S. h.	Bot. reg. 203.	
7 lingulata. W.	tongue-leaved.	S. America.	1759. 5.6. S. h.	Plum. ic. t. 64. f. 1.	
8 bracteata. W.	red-bracted.	Jamaica.	1785. 9.10. S. h.	Par. lond. 40.	
9 humilis. W.	dwarf.	1789. 3. S. h.	Jac. ic. 1. t. 60.	
PITCAIRNIA. W.	PITCAIRNIA. Bromeliæ. J.				
1 bromeliæfolia. W.	scarlet.	Jamaica.	1781. 6. S. h.	Bot. mag. 924.	
2 angustifolia. W.	narrow-leaved.	Santa Cruz.	1777. 12.1. S. h.	1547.	
3 integrifolia. B. M.	entire-leaved.	W. Ind.	1800. 8. S. h.	1462.	
4 latifolia. W.	broad-leaved.	1785. 8.9. S. h.	856.	
5 bracteata. H. K.	large bracted-red.	1799. 4.5. S. h.	Redouté lilia. 73.74	
6 sulphurea. B. R.	yellow-flowered.	1797. 6.8. S. h.	Bot. mag. 1416.	
7 furfuracea. W. en.	drooping-leaved.	S. America.	1816. — S. h.		
TILLANDSIA. W.	TILLANDSIA. Bromeliæ. J.				
1 utriculata. W.	bottle.	S. America.	1793. S. h.		
2 serrata. W.	saw-leaved.	Jamaica.	6. S. h.	Plum. ic. 63. t. 75. f. 1.	
3 lingulata. W.	tongue-leaved.	1776. 6.7. S. h.	Jac. amer. t. 62.	
4 flexuosa. W.	flexuose.	W. Ind.	1790. S. h.	t. 63.	
5 nutans. W.	nodding.	Jamaica.	1793. 8. S. h.		
6 stricta. B. M.	stiff-leaved.	Brazil.	1810. 11. S. h.	Bot. mag. 1529.	
7 recurvata. W.	recurve-leaved.	Jamaica.	1793. 7. S. h.	Slojam. 1. t. 121. f. 1.	
8 xiphioides. B. Reg.	Air-plant.	Buen. Ayres. S. h.	Bot. reg. 105.	
TRADESCANTIA. W.	SPIDERWORT. Commelinæ. B. P.				
1 virginica. W.	common.	N. America.	1629. 5.10. H. h.	Bot. mag. 105.	
2 rosea. Ph.	rose-flowered.	Carolina.	1802. — H. h.	Vent. cels. t. 24.	
3 subaspera. B. M.	Lyon's.	N. America.	1812. — H. h.	Bot. mag. 1597.	
4 crassifolia. W.	thick-leaved.	Mexico.	1796. 7.10. H. h.	1598.	
5 erecta. W.	upright.	1794. 7.8. H. h.	1340.	
6 discolor. W.	purple-leaved.	S. America.	1783. 4.9. S. h.	1192.	
7 malabarica. W.	Grass-leaved.	E. Ind.	1776. 7.8. S. h.	Rheed. mal. 9. t. 62.	
8 geniculata. W.	knotted.	W. Ind.	1783. — S. h.	Jac. amer. t. 64.	
9 cristata. W.	crested.	Ceylon.	1770. 7.9. S. h.	Bot. mag. 1425.	
10 Zanonía. W.	Gentian-leaved.	W. Ind.	1759. 7.12. S. h.	Red. lil. 192.	
<i>Zanonía bibracteata. Cramer enum. pl. p. 75.</i>					
PONTEDERIA. W.	PONTEDERIA. Asphodelæ?				
1 cordata. Ph.	heart-leaved.	N. America.	1759. 6.8. H. h.	Bot. mag. 1156.	
2 angustifolia. Ph.	narrow-leaved.	1806. — H. h.		
3 dilatata. H. K.	spreading.	E. Ind.	5. S. h.	Bot. rep. 490.	
HÆMANTHUS. W.	BLOOD-FLOWER. Amaryllidæ. B. P.				
1 coccineus. W.	salmon-coloured.	C. B. S.	1629. 8.10. G. h.	Bot. mag. 1075.	
2 coarctatus. W.	compressed.	1795. 2.3. G. h.	Bot. reg. 181.	
3 rotundifolius. B. M.	round-leaved.	1790. 6.10. G. h.	Bot. mag. 1618.	
4 puniceus. W.	waved-leaved.	1722. 5.9. G. h.	1815.	
5 multiflorus. W.	many-flowered.	Sierra Leone.	1783. — S. h.	961.	
6 tigrinus. W.	tiger-spotted.	C. B. S.	1790. 12.2. G. h.	1705.	
7 quadrivalvis. W.	four-valved.	9.10. G. h.	1522.	
8 pubescens. W.	pubescent.	1774. 8. G. h.		
9 <i>β albiflorus. W.</i>	white-flowered.	1791. 4.8. G. h.	Jac. schœn. 1. t. 59.	
9 maculatus. J.	spotted-leaved.	1790. — G. h.		
10 lanceæfolius. W.	spear-leaved.	1794. 9.10. G. h.	Jac. schœn. 1. t. 60.	
11 carinatus. W.	keel-leaved.	1759. 8.9. G. h.		
12 pumilio. W.	dwarf.	1789. — G. h.	Jac. schœn. 1. t. 61.	

GALANTHUS. W.	SNOWDROP.	Amaryllideæ. B. P.			
<i>nivalis. W.</i>	common.	Britain.	1.3. H. 4.	Eng. bot. 19.
LEUCOJUM. W.	SNOW-FLAKE.	Amaryllideæ. B. P.			
1 <i>vernum. W.</i>	spring.	Germany.	1596.	1.3. H. 4.	Bot. mag. 46.
2 <i>æstivum. W.</i>	summer.	England.	4.5. H. 4.	Eng. bot. 621.
3 <i>pulchellum. P. L.</i>	neat.	H. 4.	Par. lond.
4 <i>autumnale. W.</i>	autumnal.	Portugal.	1629.	9. H. 4.	Bot. mag. 960.
5 <i>trichophyllum. P. S.</i>	winter.	Barbary.	1812.	1.2. H. 4.	Red. lil. 150. f. 2.
STRUMARIA. Jac.	STRUMARIA.	Amaryllideæ. B. P.			
1 <i>truncata. W.</i>	truncated.	C. B. S.	1795.	4.5. G. 4.	Jac. ic. 2. t. 357.
2 <i>rubella. W.</i>	pale red.	5.6. G. 4.	2. t. 358.
3 <i>angustifolia. W.</i>	narrow-leaved.	4.5. G. 4.	2. t. 359.
4 <i>linguæfolia. W.</i>	tongue-leaved.	G. 4.	2. t. 356.
5 <i>filifolia. H. K.</i>	fine-leaved.	1774.	11. G. 4.	2. t. 361.
6 <i>spiralia. H. K.</i>	spiral.	4.8. G. 4.	Bot. mag. 1868.
7 <i>crispa. B. M.</i>	curled-flowered.	1790.	G. 4.	1868.
8 <i>stellaris. B. M.</i>	starry.	1794.	10.11. G. 4.	Jac. schœn. 1. t. 71.
9 <i>gemmata. B. M.</i>	gynandrous.	1812.	8. G. 4.	Bot. mag. 1620.
CRINUM. W.	CRINUM.	Amaryllideæ. B. P.			
1 <i>americanum. W.</i>	American.	S. America.	1752.	7.8. S. 4.	Bot. mag. 1084.
2 <i>erubescens. W.</i>	blush-coloured.	W. Ind.	1789.	6.8. S. 4.	1222.
3 <i>Commelin. K. R.</i>	Commelin's.	S. America.	1798.	S. 4.	Jac. schœn. 2. t. 209.
4 <i>defixum. K. R.</i>	marsh.	E. Ind.	1810. S. 4.	Rheed. mal. 11. t. 38.
5 <i>amœnum. K. R.</i>	delightful.	S. 4.	
6 <i>sumatranum. K. R.</i>	Sumatra.	Sumatra.	S. 4.	
7 <i>longifolium. K. R.</i>	long-leaved.	Bengal.	S. 4.	
8 <i>cruentum. K. R.</i>	red-flowered.	E. Ind.	6.8. S. 4.	Bot. reg. 171.
9 <i>asiaticum. W.</i>	Poison-bulb.	China.	1782.	S. 4.	Bot. mag. 1073.
10 <i>amabile. K. R.</i>	beautiful.	E. Ind.	1810.	S. 4.	1605.
11 <i>bracteatum. W.</i>	bracteated.	Mauritius.	S. 4.	Bot. reg. 179.
12 <i>canaliculatum. K. R.</i>	channel-leaved.	S. 4.	
13 <i>pedunculatum. B. R.</i>	long-peduncled.	N. S. W.	1790.	6.8. G. 4.	Bot. reg. 52.
CYRTANTHUS. H. K.	CYRTANTHUS.	Amaryllideæ. B. P.			
1 <i>angustifolius. W.</i>	narrow-leaved.	C. B. S.	1774.	5.6. G. 4.	Bot. mag. 271.
2 <i>collinus. B. Reg.</i>	hill.	1816.	5.8. G. 4.	Bot. reg. 162.
3 <i>spiralis. B. Reg.</i>	spiral-leaved.	1790.	G. 4.	167.
4 <i>obliquus. W.</i>	oblique-leaved.	1774.	G. 4.	Bot. mag. 1132.
5 <i>uniflorus. B. Reg.</i>	one-flowered.	1816.	G. 4.	Bot. reg. 168.
BRUNSVIGIA. Ker.	BRUNSVIGIA.	Amaryllideæ. B. P.			
1 <i>Josephinæ. R. L.</i>	Josephine's.	C. B. S.	1814.	6.8. G. 4.	{ Lil. à Redouté, t. 370. 372.
2 <i>minor. B. Reg.</i>	smaller.	G. 4.	Bot. reg. 192 & 193.
3 <i>multiflora. H. K.</i>	many-flowered.	1752.	G. 4.	Bot. mag. 619.
4 <i>marginata. H. K.</i>	red-margined.	1795.	9.10. G. 4.	Jac. schœn. 1. t. 65.
5 <i>Radula. H. K.</i>	rasp-leaved.	1790.	4.8. G. 4.	1. t. 68.
6 <i>striata. H. K.</i>	striated.	1795.	9.10. G. 4.	1. t. 70.
7 <i>falcata. B. M.</i>	sickle-leaved.	1774.	5.6. G. 4.	Bot. mag. 1443.
8 <i>Amaryllis falcata. W.</i>					
9 <i>toxicaria. B. Reg.</i>	Poison-bulb.	9.10. G. 4.	Bot. mag. 1217.
10 <i>Hemanthus toxicarius. W.</i>					
11 <i>ciliaris. B. Reg.</i>	fringed.	1752. G. 4.	Breyn. cent. t. 89.
12 <i>Hemanthus ciliaris. W.</i>					
AMARYLLIS. W.	AMARYLLIS.	Amaryllideæ. B. P.			
1 <i>colchiciflora. K. R.</i>	Colchicum-flow ^d	Hungary.	1816.	9.10. H. 4.	Pl. rar. hung. 2. t. 157.
2 <i>Clusiana. K. R.</i>	Clusius's.	{ Constantinople. }	H. 4.	Clus. hist. 1. t. 163.
3 <i>lutea. W.</i>	yellow.	S. Europe.	1596.	H. 4.	Bot. mag. 290.
4 <i>chloroleuca. K. R.</i>	one-leaved.	5.8. G. 4.	Ker's rev. pl. 8. f. 2.
5 <i>Pumilio. W.</i>	dwarf.	C. B. S.	1774.	11. G. 4.	
6 <i>pudica. K. R.</i>	modest.	1795.	5.7. G. 4.	Ker's rev. pl. 8. f. 8.
7 <i>tubispatha. K. R.</i>	tube-sheathed.	S. America.	S. 4.	Bot. mag. 1586.
8 <i>Atamasco. W.</i>	Atamasco Lily.	N. America.	1629.	5.6. H. 4.	239.
9 <i>formosissima. W.</i>	Jacobs Lily.	S. America.	1658.	G. 4.	47.
10 <i>aulica. K. R.</i>	crowned.	Brazil.	5.8. S. 4.	
11 <i>psittacina. B. Reg.</i>	parrot-like.	1816.	S. 4.	Bot. reg. 199.
12 <i>calyptrata. K. R.</i>	green-flowered.	S. 4.	164.
13 <i>equestris. W.</i>	Barbadoes Lily.	W. Ind.	1710.	7.10. S. 4.	Bot. mag. 305.
14 <i>regina. W.</i>	larger.	S. 4.	Bot. reg. 234.
15 <i>advena. B. M.</i>	Mexican Lily.	America.	1725.	5.6. S. 4.	453.
	stretched-flower ^d .	S. America.	1807.	S. 4.	1195.

16 reticulata. W.	netted-veined.	Amaryllidæ. B. P. Brazil.	1777. 4.5.	S. Y.	Bot. reg. 657.
<i>β major. K. R.</i>	<i>striped-leaved.</i>	_____	1815. _____	S. Y.	_____
17 crocata. K. R.	saffron-coloured.	_____	_____	S. Y.	Bot. reg. 38.
18 rutila. K. R.	fiery.	_____	_____	S. Y.	_____ 23.
19 fulgida. B. Reg.	striped-tubed.	_____	_____	S. Y.	_____ 226.
20 blanda. K. R.	charming.	C. B. S.	1754. 5.6.	G. Y.	Bot. mag. 1450.
21 Belladonna. W.	Belladonna Lily.	W. Ind.	1712. 7.9.	H. Y.	_____ 733.
<i>β pallida.</i>	<i>pale-flowered.</i>	C. B. S.	_____	G. Y.	Red. lil. 470.
22 vittata. W.	superb.	_____	1769. 4.5.	G. Y.	Bot. mag. 129.
23 purpurea. W.	beautiful.	C. B. S.	1774. 5.7.	G. Y.	_____ 1430.
24 coranica. K. R.	sickle-leaved.	_____	1816. 7.8.	G. Y.	Bot. reg. 139.
25 aurea. W.	golden.	China.	1777. 8.9.	G. Y.	Bot. mag. 409.
26 curvifolia. W.	Fothergill's.	C. B. S.	_____	5.9. G. Y.	_____ 725.
27 corusca. B. M.	glittering.	_____	1809. 7.8.	G. Y.	_____ 1089.
28 sarniensis. W.	Guernsey.	Japan.	1659. 9.10.	G. Y.	_____ 294.
29 venusta. B. M.	Poppy-coloured.	C. B. S.	1806. 6.7.	G. Y.	_____ 1090.
30 radiata. W.	Snowdrop-leav'd.	China.	1758. _____	G. Y.	Bot. rep. 95.
31 undulata. W.	waved-flowered.	C. B. S.	1767. 4.6.	G. Y.	Bot. mag. 369.
32 humilis. W.	small.	_____	1795. 6.7.	G. Y.	_____ 728.
33 flexuosa. W.	zigzag.	_____	9.10. G. Y.	Bot. reg. 172.	
34 longifolia. W.	long-leaved.	_____	1752. 7.	G. Y.	Bot. mag. 661.
35 revoluta. W.	revolute.	_____	1774. 9.	G. Y.	_____ 915. 1171
36 zeylanica. W.	Ceylon.	Ceylon.	1771. 7.8.	S. Y.	_____ 1171.
37 ornata. W.	Yucca-flowered.	Guinea.	1740. 6.7.	S. Y.	_____ 1253.
38 gigantea. K. R.	gigantic.	Sierra Leone.	1792. 7.8.	S. Y.	_____ 923.
39 latifolia. W.	broad-leaved.	E. Ind.	1806. 7.9.	S. Y.	Rheed. mal. 11. t. 3
40 hyacinthina. K. R.	hyacinthine.	Brazil.	1815. 6.9.	S. Y.	Bot. reg. 163.
NARCISSUS. W.					
1 poeticus. Sal.	Poet's.	Amaryllidæ. B. P.	_____	S. Europe.	_____ 5. H. Y. Park. par. 76.
2 recurvus. H. S.	drooping-leaved.	_____	_____	_____	_____ H. Y.
3 patellaris. Sal.	spreading-flow'.	_____	_____	England.	_____ H. Y. Eng. bot. 275.
<i>poeticus. E. B.</i>	_____	_____	_____	_____	_____
4 angustifolius. H. K.	narrow-leaved.	_____	S. Europe.	1570. 4.5.	H. Y. Bot. mag. 193.
5 biflorus. W.	two-flowered.	_____	Britain.	_____	H. Y. Eng. bot. 276.
6 tenuior. H. K.	slender.	_____	_____	1789. 5.	H. Y. Bot. mag. 379.
7 crenulatus. L. T.	Bazelman minor	_____	Spain.	_____ 8.4.	H. Y.
8 Trewianus. B. M.	Bazelman major.	_____	_____	_____	H. Y. Bot. mag. 940.
<i>Hermione grandiflora. H. S.</i>	_____	_____	_____	_____	_____
9 floribundus. Sal.	Primo Citronier.	_____	_____	_____	H. Y.
10 fistulosus. H. S.	hollow-stalked.	_____	_____	4.	H. Y.
11 cerinus. H. S.	waxen-cupped.	_____	_____	_____	H. Y.
12 Tazetta. W.	Polyanthus.	Spain.	1759. 3.4.	H. Y.	Bot. mag. 925.
13 orientalis. L.	oriental.	Lerant.	_____	H. Y.	_____ 948.
14 papyraceus. B. M.	paper.	_____	_____	_____	H. Y. _____ 947.
15 italicus. B. M.	Italian.	S. Europe.	_____	H. Y.	_____ 1188.
16 tereticaulis. L. T.	round-stalked.	Spain.	_____	H. Y.	_____
17 compressus. L. T.	flat-stalked.	_____	_____	H. Y.	_____
18 bifrons. B. M.	Jonquil-scented.	S. Europe.	_____	H. Y.	Bot. mag. 1186.
19 primulinus. H. S.	Cowslip-cupped.	_____	_____	H. Y.	_____ 1299.
20 Jonquilla. W.	Jonquil.	Spain.	1596. 4.5.	H. Y.	_____ 15.
<i>β flore pleno.</i>	<i>double.</i>	_____	_____	_____	H. Y.
21 viridiflorus. B. M.	green-flowered.	Barbary.	1629. 8.11.	H. Y.	Bot. mag. 1687.
22 serotinus. P. S.	late-flowered.	_____	_____	H. Y.	Clus. hist. t. 352.
23 calathinus. L.	great Jonquil.	S. Europe.	1629. 4.5.	H. Y.	Bot. mag. 78.
<i>odorus. B. M.</i>	<i>lætus. K. H.</i>	_____	_____	_____	_____
24 odorus. L.	sweet-scented.	_____	_____	H. Y.	Bot. mag. 934.
<i>calathinus. B. M.</i>	_____	_____	_____	_____	_____
25 nutans. H. K.	nodding.	_____	1789. 3.5.	H. Y.	Bot. mag. 945.
<i>trilobus. B. M.</i>	_____	_____	_____	_____	_____
26 infundibulus.	funnel-flowered.	_____	_____	H. Y.	Park. par. 92.
27 pulchellus. S. P.	neat.	Spain.	_____	H. Y.	Bot. mag. 1262.
28 triandrus. B. M.	Rush-leaved.	Portugal.	1629. 4.5.	H. Y.	_____ 48.
29 capax. Sal.	capacious.	_____	_____	H. Y.	Red. lil. 177.
30 montanus. B. Reg.	mountain.	Portugal.	_____	H. Y.	Bot. reg. 123.
31 galanthifolius. H. S.	Snowdrop-leav'd.	_____	_____	5.	H. Y. Park. par. 73.
32 albianus. H. S.	whitish.	_____	1789. 3.4.	H. Y.	_____ 106.
33 Balbocodium. W.	Hoop-petticoat.	Portugal.	1629. _____	H. Y.	Bot. mag. 88.
34 inflatus. L. T.	inflated.	_____	_____	H. Y.	_____
35 lobulatus. M. N.	lobed.	_____	_____	4.5.	H. Y.
36 tenuifolius. L. T.	slender-leaved.	_____	_____	H. Y.	_____

HEXANDRIA MONOGYNIA.

67

marabilis. W.	peerless.	Amaryllideæ. B. P.	Portugal.	1629.	4.5.	H. ½.	Bot. mag. 181.
us. M. N.	twisted-petaled.		Spain.	—	4.	H. ½.	— 924.
atus. L.	musk.		—	1759.	3.4.	H. ½.	— 1300.
is. M. N.	serrated.		S. Europe.	—	H. ½.	—
s. H. S.	spurious.		England.	4.	H. ½.	—
Narcissus.	Daffodil.		—	3.4.	H. ½.	Eng. bot. 17.
rus. S. P.	tube-flowered.		—	3.4.	H. ½.	—
B. M.	two-coloured.		Spain.	1629.	4.5.	H. ½.	Bot. mag. 1187.
ria. S. P.	Sibthorp's.		—	3.4.	H. ½.	— 1301.f.inf.
q. B. M. 1301. f. inf.			—	—	—	—	—
B. M.	large.		—	1629.	—	H. ½.	— 51.
quus. S. P.	allied.		—	—	—	H. ½.	— 1301.f.spp.
β. B. M. 1301. f. sup.			—	—	—	—	—
H. S.	noble.		—	—	H. ½.	—
	great.		—	—	H. ½.	—
Telamon. H. S.			—	—	—	—	—
is. S. P.	low.		Spain.	—	H. ½.	Pass. hort. 8.
W.	small.		—	1629.	3.5.	H. ½.	Bot. mag. 6.
TIUM. W.	PANCRATIUM.	Amaryllideæ. B. P.	—	—	—	—	—
icum. W.	one-flowered.		Ceylon.	1752.	6.7.	S. ½.	Par. lond. 86.
ndum. K. R.	Narcissus-leaved.		E. Ind.	1776.	6.8.	S. ½.	Rheed. mal. 11.t.46.
num. K. R.	sea.		S. Europe.	1597.	5.7.	H. ½.	Bot. reg. 161.
ianum. K. R.	Carolina.		Carolina.	1759.	6.7.	G. ½.	Cat. car. 3. t. 5.
ense. K. R.	Canary.		Canaries.	1815.	—	G. ½.	Bot. reg. 174.
im. K. R.	Illyrian.		S. Europe.	1615.	5.6.	H. ½.	Bot. mag. 718.
ense. W.	heart-leaved.		Amboyna.	1759.	—	S. ½.	— 1419.
cacs. K. R.	Narcissus-flow ^d .		Peru.	1804.	6.7.	S. ½.	— 1224.
num. K. R.	cup-flowered.		Brazils.	—	S. ½.	Bot. reg. 215.
K. R.	nodding.		—	—	S. ½.	Bot. mag. 1561.
stum. K. R.	wave-leaved.		S. America.	—	S. ½.	—
le. K. R.	fan-leaved.		—	1758.	5.8.	S. ½.	Bot. mag. 1879.
dri. K. R.	tall.		—	—	S. ½.	— 825.
um. K. R.	narrow-leaved.		—	—	S. ½.	Bot. reg. 221.
m. K. R.	large-crowned.		Carolina.	1803.	7.9.	S. ½.	Bot. ma. 1082 & 827.
num. K. R.	Mexican.		Mexico.	1732.	8.	S. ½.	Dill. elt. 1. 222. f. 289.
um. K. R.	Caribbean.		W. Ind.	1730.	5.8.	S. ½.	Bot. mag. 826.
um. K. R.	handsome.		Guiana.	1790.	—	S. ½.	— 1467.
a. K. R.	oval-leaved.		W. Ind.	—	S. ½.	Bot. reg. 43.
um. K. R.	large.		—	1759.	—	S. ½.	Bot. mag. 1453.
IA. B. Reg.	EUCROSIA.	Amaryllideæ. B. P.	—	—	—	—	—
r. B. Reg.	two-coloured.		Cape Horn.	1816.	4.5.	S. ½.	Bot. reg. 207.
THES. B. P.	DORYANTHES.	Amaryllideæ. B. P.	—	—	—	—	—
a. B. P.	gigantic.		N. S. W.	1800.	7.8.	G. ½.	Bot. mag. 1685.
LIS. H. K.	GETHYLLIS.	Amaryllideæ. B. P.	—	—	—	—	—
s. W.	spiral-leaved.		C. B. S.	1780.	6.7.	G. ½.	Bot. mag. 1088.
W.	fringed.		—	1788.	—	G. ½.	Jac. schoen. 1. t. 79.
W.	hairy.		—	1787.	—	G. ½.	—
lata. W.	spear-leaved.		—	1790.	6.	G. ½.	—
ORDIA. B. P.	BLANDFORDIA.	Hemerocallideæ. B. P.	—	—	—	—	—
l. B. P.	noble.		N. S. W.	1803.	7.8.	G. ½.	Exot. bot. 1. t. 4.
flora. B. P.	large-flowered.		—	1812.	—	G. ½.	Lab. nov. ho. 1. t. 111.
THUS. W.	AFRICAN LILY.	Hemerocallideæ. B. P.	—	—	—	—	—
latus. W.	large-flowered.		C. B. S.	1692.	8.1.	G. ½.	Bot. mag. 500.
t. W. en.	small-flowered.		—	—	G. ½.	—
OCALLIS. W.	DAY LILY.	Hemerocallideæ. B. P.	—	—	—	—	—
sea. H. K.	narrow-leaved.		Siberia.	1759.	6.7.	H. ½.	Bot. mag. 873.
H. K.	yellow.		—	1596.	6.	H. ½.	— 19.
ia. B. M.	fan-like.		China.	1798.	5.7.	H. ½.	Kamp. am. exot. 872.
W.	copper-coloured.		Levant.	1596.	6.8.	H. ½.	Bot. mag. 64.
um. W. en.	Savoy-Spiderwort.		Switzerland.	1629.	5.6.	H. ½.	— 318.
ricum Liliastum. L.			—	—	—	—	—
ica. B. M.	white-flowered.		Japan.	1790.	8.9.	H. ½.	— 1433.
a. H. K.	blue-flowered.		—	—	5.7.	H. ½.	— 894.
S. W.	ALETIS.	Hemerocallideæ. B. P.	—	—	—	—	—
ia. W.	Colic-root.		N. America.	1768.	6.	H. ½.	Bot. mag. 1418.
Ph.	golden-tipped.		—	1811.	7.8.	H. ½.	Willd. hort. ber. 8.
A. B. M.	TRITOMA.	Hemerocallideæ. B. P.	—	—	—	—	—
t. H. K.	great.		C. B. S.	1707.	8.9.	F. ½.	Bot. mag. 758.
H. K.	lesser.		—	1789.	12.6.	F. ½.	— 744.
a. H. K.	least.		—	1774.	9.11.	F. ½.	— 764.

VELTHEIMIA. H. K.	VELTHEIMIA.	Hemerocallideæ. B. P.			
1 viridifolia. W.	green-leaved.	C. B. S.	1768. 11.4. G. Y.	Bot. mag. 501.	
2 glauca. W.	glaucous.		1781. 1.4. G. Y.	1091.	
POLIANTHES. L.	TUBEROSE.	Hemerocallideæ. B. P.			
tuberosa. W.	common.	E. Ind.	1629. 8.9. G. Y.	Bot. reg. 63.	
β flore pleno.	double.				
SANSEVIERA. W.	SANSEVIERA.	Hemerocallideæ. B. P.			
1 glauca. H. S.	spread ^d -glaucous.	 S. Y.		
2 polyphylla. H. S.	upright-glaucous.	 S. Y.		
3 guineensis. W.	Guinea.	Guinea.	1690. 6.11. S. Y.	Bot. mag. 1180.	
4 læte-virens. H. S.	light-green.	 S. Y.		
5 spicata. H. S.	spiked.	E. Ind.	1790. S. Y.	Cav. ic. 3. t. 246.	
6 zeylanica. W.	Ceylon.	Ceylon.	1781. 6.11. S. Y.	Bot. reg. 160.	
7 lanuginosa. W.	woolly.	E. Ind. S. Y.	Rheed. 11. t. 42.	
8 grandicuspis. H. S.	large-pointed.	 S. Y.		
9 pumila. H. S.	dwarf.	C. B. S.	1796. S. Y.		
10 carnea. H. K.	flesh-coloured.	China.	1792. 3.6. H. Y.	Bot. rep. 361.	
sessiliflora. B. M.					
TULBAGIA. W.	TULBAGIA.	Hemerocallideæ. B. P.			
1 alliacea. W.	Narcissus-leav'd.	C. B. S.	1774. 5.7. G. Y.	Bot. mag. 806.	
2 cepacea. W.	Onion-scented.		1795. 4. G. Y.		
EUCOMIS. W.	EUCOMIS.	Asphodeleæ. J.			
1 nana. W.	dwarf.	C. B. S.	1774. 5. G. Y.	Bot. mag. 1495.	
2 purpureocaulis. H. K.	purple-stalked.		1794. 8.4. G. Y.	Bot. rep. 369.	
3 bifolia. W.	two-leaved.		1792. 4.5. G. Y.	Bot. mag. 840.	
4 regia. W.	tongue-leaved.		1704. 3.5. G. Y.	Dill. elt. t. 92. f. 109.	
5 undulata. W.	waved-leaved.		1760. G. Y.	Bot. mag. 1083.	
6 punctata. W.	spotted.		1783. 7. G. Y.	913.	
7 striata. H. K.	streaked.		1790. 6.12. G. Y.	1539.	
FRITILLARIA. W.	FRITILLARY.	Liliæ. J.			
1 Imperialis. W.	Crown Imperial.	Persia.	1596. 3.4. H. Y.		
α rubra.	red-flowered.			Bot. mag. 194.	
β flava.	yellow-flowered.			1215.	
2 persica. W.	Persian.		4.5. H. Y.	1537.	
β minor.	dwarf Persian.			962.	
3 obliqua. B. M.	oblique-leaved.	Caucasus. 4. H. Y.	857.	
4 pyrenaica. H. K.	cluster-flowered.	1605. 5.6. H. Y.	952.	
5 nigra. B. M.	Pyrenean.	Pyrenees.	1596. 5. H. Y.	664.	
6 nervosa. W. en.	nerved-leaved.	Caucasus.	4.5. H. Y.		
7 lutea. M. B.	yellow-flowered.		1812. G. Y.	Bot. mag. 1538.	
8 latifolia. W.	broad-leaved.		1804. H. Y.	858.	
9 Melcugria. W.	chequered.	Britain. 3.5. H. Y.	Eng. bot. 622.	
10 lanceolata. Ph.	spear-leaved.	Camtschatka	1759. 5. H. Y.	Linn. trans. 10. t. 1	
Lilium camtschatcense. H.					
LILIUM. W.	LILY.	Liliæ. J.			
1 candidum. W.	white.	Levant.	1596. 6.7. H. Y.	Bot. mag. 278.	
2 japonicum. W.	Japan.	China.	1804. 7.8. H. Y.	1591.	
3 bulbiferum. W.	Orange.	Italy.	1596. 6.7. H. Y.	36.	
β umbellatum.	umbel ^d -fl. Orange.	 H. Y.	1018.	
4 dauricum. Ker.	Daurian.	Dauria.	1754. H. Y.	1910, in note.	
penzylanicum. B. M. 872.					
5 concolor. H. K.	self-coloured.	China.	1806. 7. H. Y.	1163.	
6 Catesbæi. W.	Catesby's.	Carolina.	1787. 7.8. H. Y.	959.	
7 philadelphicum. W.	Philadelphian.	N. America.	1757. H. Y.	819.	
8 canadense. W.	Canadian.		1629. H. Y.	800.	
β rubra.	red-flowered.			858.	
9 superbum. W.	superb.		1727. 6.8. H. Y.	936.	
10 Martagon. W.	Turk's Cap.	Germany.	1596. 6.7. H. Y.	893.	
11 chalcodonium. W.	Scarlet Martagon.	Levant. H. Y.	80.	
12 pyrenaicum. W. en.	Pyrenean.	Pyrenees. H. Y.	Red. lib. 146.	
13 pomponium. W.	Scarlet Pompon.	Siberia.	1629. 5.6. H. Y.	Bot. mag. 971.	
14 monadelphum. B. M.	monadelphous.	Caucasus.	1800. 6.7. H. Y.	1408.	
15 tigrisum. H. K.	tiger-spotted.	China.	1804. 7.3. H. Y.	1227.	
16 pumilum. R. L.	dwarf.	1816. 6. H. Y.	Bot. reg. 129.	
TULIPA. W.	TULIP.	Liliæ. J.			
1 sylvestris. W.	wild.	England. 4.6. H. Y.	Eng. bot. 63.	
2 turcica. W. en.	narrow waved-l ^d H. Y.		
3 oculus solis. R. L.	Sun's-eye.	Italy.	1816. 4. H. Y.	Bot. reg. 204.	
4 Gesneriana. W.	common.	Levant.	1577. 4.5. H. Y.	Bot. mag. 1123.	
5 suaveolens. W.	Van Toll.	S. Europe.	1603. 3.4. H. Y.	828.	

6 Clusiana. B. M.	Clusius's.	Liliæ. J.	Sicily.	1636.	6.	H. 2.	Bot. mag. 1390.
7 Celsiana. P. S.	Cels's.	_____	Levant.	6.7.	H. 2.	717.
8 cornuta. R. L.	horned.	_____	_____	1816.	8.	H. 2.	Bot. reg. 127.
9 biflora. L.	two-flowered.	_____	Russia.	1806.	4.	H. 2.	{ Pall. it. 3. spp. 86. t. D. f. 3.
ERYTHRONIUM. W. { Dog's-TOOTH VIOLET. } Liliæ. J.							
1 Dens canis. W.	common.	_____	Europe.	1596.	3.	H. 2.	Bot. mag. 5.
2 americanum. H. K.	yellow-flowered.	_____	N. America.	1665.	4.8.	H. 2.	1113.
GLORIOSA. W. Liliæ. J. Methonica. J.							
1 superba. W.	superb.	_____	E. Ind.	1690.	7.8.	S. 2.	Bot. reg. 77.
2 simplex. L.	blue-flowered.	_____	Senegal.	1756.	_____	S. 2.	_____
BULBOCODIUM. W. Melanthaceæ. B. P.							
1 verum. W.	spring-flowering.	_____	Spain.	1629.	2.3.	H. 2.	Bot. mag. 153.
UVULARIA. W. Melanthaceæ. B. P.							
1 perfoliata. W.	perfoliate.	_____	N. America.	1710.	5.6.	H. 2.	Ex. bot. 1. t. 49.
2 flava. Ph.	yellow-flowered.	_____	_____	_____	H. 2.	1. t. 50.
3 lanceolata. W.	spear-leaved.	_____	_____	1710.	6.8.	H. 2.	Corn. canad. t. 41.
4 grandiflora. H. K.	large yellow.	_____	_____	1802.	5.6.	H. 2.	Ex. bot. 1. t. 51.
5 sessilifolia. W.	sessile-leaved.	_____	_____	1790.	6.	H. 2.	1. t. 52.
6 chinensis. B. M.	brown-flowered.	_____	China.	1801.	9.11.	G. 2.	Bot. mag. 916.
BRODIAEA. L. T. Hemerocallidæ?							
1 grandiflora. L. T.	large-flowered.	_____	B. P. Hookera. P. L.	_____	_____	_____	_____
2 congesta. L. T.	close-headed.	_____	Georgia.	1806.	6.	G. 2.	Par. lond. t. 98.
PELIOSANTHES. B. R. } PELIOSANTHES.							
1 humilis. B. R.	small.	_____	E. Ind.	1809.	5.6.	S. 2.	Bot. mag. 1532.
2 Teta. B. R.	green-flowered.	_____	_____	1807.	4.	S. 2.	1302.
APHYLLANTHES W. LILY PINK. Asphodelæ. B. P.							
1 monspeliensis. W.	Rush-like.	_____	France.	1791.	6.7.	H. 2.	Bot. mag. 1132.
SOWERBÆA. L. T. Asphodelæ. B. P.							
1 juncea. B. P.	Rush-leaved.	_____	N. S. W.	1792.	5.7.	G. 2.	Bot. mag. 1104.
ALLIUM. W. Asphodelæ. B. P.							
1 Ampeloprasum. W.	{ great round-headed. }	_____	England.	7.8.	H. 2.	Eng. bot. 1657.
2 Porrum. W.	Leek.	_____	Switzerland.	1569.	4.5.	H. 2.	Blackw. t. 421.
3 lineare. W.	linear-leaved.	_____	Siberia.	1752.	6.7.	H. 2.	{ Gmel. sib. 1. t. 13. 14. f. 1. }
4 suaveolens. W.	sweet-smelling.	_____	Austria.	1801.	_____	H. 2.	Jac. ic. 2. t. 364.
5 Victorialis. W.	long-rooted.	_____	_____	1739.	5.	H. 2.	Bot. mag. 1222.
6 subhirsutum. W.	hairy.	_____	S. Europe.	1596.	_____	H. 2.	774.
7 obliquum. W.	oblique-leaved.	_____	Siberia.	1759.	6.7.	H. 2.	1408.
8 acutangulum. W. en	acute-angled.	_____	1816.	_____	H. 2.	_____
9 magicum. B. M.	Homer's Moly.	_____	Austria.	1596.	_____	H. 2.	Bot. mag. 1146.
10 tartaricum. W.	Tartarian.	_____	Siberia.	1787.	_____	H. 2.	1142.
11 roseum. W.	Rose-coloured.	_____	France.	1754.	6.	H. 2.	973.
12 spirale. W. en.	spiral.	_____	Germany.	1802.	6.7.	H. 2.	_____
13 controversum. W. en	unequal-spathed	_____	1816.	_____	H. 2.	_____
14 sativum. W.	cultivated.	_____	Sicily.	1548.	_____	H. 2.	Moris. s. 4. t. 15. f. 5.
15 Scorodoprasum. W.	Rocamboles.	_____	Denmark.	1596.	7.	H. 2.	_____
16 arenarium. W.	sand.	_____	Britain.	6.	H. 2.	Eng. bot. 1858.
17 carinatum. W.	mountain.	_____	England.	5.6.	H. 2.	1658.
18 sphaerocephalum. W.	small-headed.	_____	Europe.	1759.	7.	H. 2.	Bot. mag. 1764.
19 parviflorum. W.	small-flowered.	_____	S. Europe.	1781.	6.7.	H. 2.	_____
20 carneum. W. en.	flesh-coloured.	_____	1816.	_____	H. 2.	_____
21 descendens. W.	purple-headed.	_____	Switzerland.	1766.	7.	H. 2.	Bot. mag. 251.
22 flavum. W.	sulphur-colour'd	_____	Austria.	1759.	6.7.	H. 2.	1330.
23 pallens. W.	pale-flowered.	_____	S. Europe.	1779.	_____	H. 2.	1420.
24 paniculatum. W.	panicked.	_____	_____	1780.	_____	H. 2.	1432.
25 caucasicum. B. M.	Caucasian.	_____	Caucasus.	_____	H. 2.	973.
26 visuale. W.	orew.	_____	Britain.	6.	H. 2.	Eng. bot. 1974.
27 olereum. W.	purple-striped.	_____	England.	7.	H. 2.	480.
28 nutans. W.	nodding.	_____	Siberia.	1785.	7.8.	H. 2.	Bot. mag. 1146.
29 ascalonicum. W.	Shallot.	_____	Palestine.	1548.	6.7.	H. 2.	Mor. his. s. 4. t. 14. f. 3.
30 senecens. W.	Narcissus-leav'd.	_____	Germany.	1596.	_____	H. 2.	Bot. mag. 1150.
31 gracile. W.	Carolina.	_____	Carolina.	1776.	3.4.	H. 2.	1129.
inodorum. W. & fragrans. Vent.							
32 angustatum. W.	angular-stalked.	_____	Germany.	1739.	6.7.	H. 2.	Bot. mag. 1149.

VELTHEIMIA. H. K.	VELTHEIMIA.	Hemerocallideæ. B. P.			
1 viridifolia. W.	green-leaved.	C. B. S.	1768. 11.4. G. Y.	Bot. mag. 801.	
2 glauca. W.	glaucous.		1781. 1.4. G. Y.	1091.	
POLIANTHES. L.	TUBEROSE.	Hemerocallideæ. B. P.			
tuberosa. W.	common.	E. Ind.	1629. 8.9. G. Y.	Bot. reg. 63.	
β flore pleno.	double.				
SANSEVIERA. W.	SANSEVIERA.	Hemerocallideæ. B. P.			
1 glauca. H. S.	spread ^d -glaucous.	 S. Y.		
2 polyphylla. H. S.	upright-glaucous.	 S. Y.		
3 guineensis. W.	Guinea.	Guinea.	1690. 6.11. S. Y.	Bot. mag. 1180.	
4 læte-virens. H. S.	light-green.	 S. Y.		
5 spicata. H. S.	spiked.	E. Ind.	1790. S. Y.	Cav. ic. 3. t. 246.	
6 zeylanica. W.	Ceylon.	Ceylon.	1781. 6.11. S. Y.	Bot. reg. 160.	
7 lanuginosa. W.	woolly.	E. Ind. S. Y.	Rheed. 11. t. 42.	
8 grandicuspis. H. S.	large-pointed.	 S. Y.		
9 pumila. H. S.	dwarf.	C. B. S.	1796. S. Y.		
10 carnea. H. K.	flesh-coloured.	China.	1792. 3.6. H. Y.	Bot. rep. 361.	
<i>sessiliflora. B. M.</i>					
TULBAGIA. W.	TULBAGIA.	Hemerocallideæ. B. P.			
1 alliacea. W.	Narcissus-leav'd.	C. B. S.	1774. 5.7. G. Y.	Bot. mag. 806.	
2 cepacea. W.	Onion-scented.		1795. 4. G. Y.		
EUCOMIS. W.	EUCOMIS.	Asphodeleæ. J.			
1 nana. W.	dwarf.	C. B. S.	1774. 5. G. Y.	Bot. mag. 1496.	
2 purpureocaulis. H. K.	purple-stalked.		1794. 8.4. G. Y.	Bot. rep. 369.	
3 bifolia. W.	two-leaved.		1792. 4.5. G. Y.	Bot. mag. 840.	
4 regia. W.	tongue-leaved.		1704. 3.5. G. Y.	Dill. elt. t. 92. f. 109.	
5 undulata. W.	waved-leaved.		1760. G. Y.	Bot. mag. 1083.	
6 punctata. W.	spotted.		1783. 7. G. Y.	918.	
7 striata. H. K.	streaked.		1790. 6.12. G. Y.	1539.	
FRITILLARIA. W.	FRITILLARY.	Liliæ. J.			
1 Imperialis. W.	Crown Imperial.	Persia.	1596. 3.4. H. Y.		
α rubra.	red-flowered.			Bot. mag. 194.	
β flava.	yellow-flowered.			1216.	
2 persica. W.	Persian.		4.5. H. Y.	1537.	
β minor.	dwarf Persian.			969.	
3 obliqua. B. M.	oblique-leaved.	Caucasus. 4. H. Y.	857.	
4 pyrenaica. H. K.	cluster-flowered.	1605. 5.6. H. Y.	852.	
5 nigra. B. M.	Pyrenean.	Pyrenees.	1596. 5. H. Y.	664.	
6 nervosa. W. en.	nerved-leaved.	Caucasus.	4.5. H. Y.		
7 lutea. M. B.	yellow-flowered.		1812. G. Y.	Bot. mag. 1538.	
8 latifolia. W.	broad-leaved.		1604. H. Y.	853.	
9 Melcugris. W.	chequered.	Britain. 3.5. H. Y.	Eng. bot. 622.	
10 lanceolata. Ph.	spear-leaved.	Camtschatka	1759. 5. H. Y.	Linn. trans. 10. t. 11	
<i>Lilium camtschatcense. W.</i>					
LILIUM. W.	LILY.	Liliæ. J.			
1 candidum. W.	white.	Levant.	1596. 6.7. H. Y.	Bot. mag. 278.	
2 japonicum. W.	Japan.	China.	1804. 7.8. H. Y.	1591.	
3 bulbiferum. W.	Orange.	Italy.	1596. 6.7. H. Y.	36.	
β umbellatum.	umbel-ld. Orange.	 H. Y.	1016.	
4 dauricum. Ker.	Daurian.	Dauria.	1754. H. Y.	1910, in note	
<i>penusylvanicum. B. M. 872.</i>					
5 concolor. H. K.	self-coloured.	China.	1806. 7. H. Y.	1165.	
6 Catesbæi. W.	Catesby's.	Carolina.	1787. 7.8. H. Y.	259.	
7 philadelphicum. W.	Philadelphian.	N. America.	1757. H. Y.	819.	
8 canadense. W.	Canadian.		1629. H. Y.	900.	
β rubra.	red-flowered.			858.	
9 superbum. W.	superb.		1727. 6.8. H. Y.	986.	
10 Martagon. W.	Turk's Cap.	Germany.	1596. 6.7. H. Y.	893.	
11 chalcodonium. W.	Scarlet Martagon.	Levant. H. Y.	30.	
12 pyrenaicum. W. en.	Pyrenean.	Pyrenees. H. Y.	Red. M. 146.	
13 pomponium. W.	Scarlet Pompon.	Siberia.	1629. 5.6. H. Y.	Bot. mag. 971.	
14 monadelphum. B. M.	monadelphous.	Caucasus.	1800. 6.7. H. Y.	1408.	
15 tigrinum. H. K.	tiger-spotted.	China.	1804. 7.9. H. Y.	1287.	
16 pumilum. R. L.	dwarf.	1816. 6. H. Y.	Bot. reg. 189.	
TULIPA. W.	TULIP.	Liliæ. J.			
1 sylvestris. W.	wild.	England. 4.6. H. Y.	Eng. bot. 63.	
2 turcica. W. en.	narrow waved-ld. H. Y.		
3 oculus solis. R. L.	Sun's-eye.	Italy.	1816. 4. H. Y.	Bot. reg. 204.	
4 Gesneriana. W.	common.	Levant.	1577. 4.5. H. Y.	Bot. mag. 1124.	
5 suaveolens. W.	Van Toll.	S. Europe.	1603. 8.4. M. Y.	282.	

6 Clusiana. B. M.	Clusius's.	Liliæ. J.	Sicily.	1636.	6.	H. 2.	Bot. mag. 1890.
7 Celsiana. P. S.	Cels's.	_____	Levant.	6.7.	H. 2.	717.
8 cornuta. R. L.	horned.	_____	_____	1816.	5.	H. 2.	Bot. reg. 127.
9 biflora. L.	two-flowered.	_____	Russia.	1806.	4.	H. 2.	{ Pall. it. 8. app. 86. t. D. f. 3.
ERYTHRONIUM. W. { Dog's-TOOTH VIOLET. } Liliæ. J.							
1 Dens canis. W.	common.	_____	Europe.	1596.	3.	H. 2.	Bot. mag. 5.
2 americanum. H. K.	yellow-flowered.	_____	N. America.	1665.	4.5.	H. 2.	1113.
GLORIOSA. W. Liliæ. J. Methonica. J.							
1 superba. W.	superb.	_____	E. Ind.	1690.	7.8.	S. 2.	Bot. reg. 77.
2 simplex. L.	blue-flowered.	_____	Senegal.	1756.	_____	S. 2.	_____
BULBOCODIUM. W. Melanthaceæ. B. P.							
vernum. W.	spring-flowering.	_____	Spain.	1629.	2.3.	H. 2.	Bot. mag. 163.
UVULARIA. W. Melanthaceæ. B. P.							
1 perfoliata. W.	perfoliate.	_____	N. America.	1710.	5.6.	H. 2.	Ex. bot. 1. t. 49.
2 flava. Ph.	yellow-flowered.	_____	_____	_____	H. 2.	1. t. 50.
3 lanceolata. W.	spear-leaved.	_____	_____	1710.	6.8.	H. 2.	Corn. canad. t. 41.
4 grandiflora. H. K.	large yellow.	_____	_____	1802.	5.6.	H. 2.	Ex. bot. 1. t. 51.
5 sessilifolia. W.	sessile-leaved.	_____	_____	1790.	6.	H. 2.	1. t. 52.
6 chinensis. B. M.	brown-flowered.	_____	China.	1801.	9.11.	G. 2.	Bot. mag. 916.
BRODIAEA. L. T. Hemerocallidæ? B. P. Hookera. P. L.							
grandiflora. L. T.	large-flowered.	_____	Georgia.	1806.	6.	G. 2.	Par. lond. t. 98.
2 congesta. L. T.	close-headed.	_____	_____	_____	5.	G. 2.	Linn. trans. v. 10. t. 1.
PELIOSANTHES. B. R. } PELIOSANTHES.							
1 humilis. B. R.	small.	_____	E. Ind.	1809.	5.6.	S. 2.	Bot. mag. 1582.
2 Teta. B. R.	green-flowered.	_____	_____	1807.	4.	S. 2.	1302.
APHYLLANTHES W. LILY PINK. Asphodeleæ. B. P.							
monspeliensis. W.	Rush-like.	_____	France.	1791.	6.7.	H. 2.	Bot. mag. 1132.
SOWERBAEA. L. T. Asphodeleæ. B. P.							
junceæ. B. P.	Rush-leaved.	_____	N. S. W.	1799.	5.7.	G. 2.	Bot. mag. 1104.
ALLIUM. W. Asphodeleæ. B. P.							
1 Ampeloprasum. W.	{ great round- headed. }	_____	England.	7.8.	H. 2.	Eng. bot. 1657.
2 Porrum. W.	Leek.	_____	Switzerland.	1662.	4.5.	H. 2.	Blackw. t. 421.
3 lineare. W.	linear-leaved.	_____	Siberia.	1752.	6.7.	H. 2.	{ Gmel. sib. 1. t. 13. 14. f. 1.
4 suaveolens. W.	sweet-smelling.	_____	Austria.	1801.	_____	H. 2.	Jac. ic. 2. t. 364.
5 Victorialis. W.	long-rooted.	_____	_____	1739.	5.	H. 2.	Bot. mag. 1222.
6 subhirsutum. W.	hairy.	_____	S. Europe.	1596.	_____	H. 2.	774.
7 obliquum. W.	oblique-leaved.	_____	Siberia.	1759.	6.7.	H. 2.	1408.
8 acutangulum. W. en	acute-angled.	_____	1816.	_____	H. 2.	_____
9 magicum. B. M.	Homer's Moly.	_____	Austria.	1596.	_____	H. 2.	Bot. mag. 1146.
10 tataricum. W.	Tartarian.	_____	Siberia.	1787.	_____	H. 2.	1142.
11 roseum. W.	Rose-coloured.	_____	France.	1754.	6.	H. 2.	973.
12 spirale. W. en.	spiral.	_____	Germany.	1802.	6.7.	H. 2.	_____
13 controversum. W. en	unequal-spathed	_____	1816.	_____	H. 2.	_____
14 sativum. W.	cultivated.	_____	Sicily.	1548.	_____	H. 2.	Moris. s. 4. t. 13. f. 3.
15 Scorodoprasum. W.	Rocambole.	_____	Denmark.	1596.	7.	H. 2.	_____
16 arenarium. W.	sand.	_____	Britain.	6.	H. 2.	Eng. bot. 1858.
17 carinatum. W.	mountain.	_____	England.	5.6.	H. 2.	1658.
18 sphaerocephalum. W.	small-headed.	_____	Europe.	1759.	7.	H. 2.	Bot. mag. 1764.
19 parviflorum. W.	small-flowered.	_____	S. Europe.	1781.	6.7.	H. 2.	_____
20 carneum. W. en.	flesh-coloured.	_____	1816.	_____	H. 2.	_____
21 descendens. W.	purple-headed.	_____	Switzerland.	1766.	7.	H. 2.	Bot. mag. 251.
22 flavum. W.	sulphur-colour'd	_____	Austria.	1759.	6.7.	H. 2.	1330.
23 pallens. W.	pale-flowered.	_____	S. Europe.	1779.	_____	H. 2.	1420.
24 paniculatum. W.	panicled.	_____	_____	1780.	_____	H. 2.	1432.
25 caucasicum. B. M.	Caucasian.	_____	Caucasus.	_____	H. 2.	973.
26 viscale. W.	orew.	_____	Britain.	6.	H. 2.	Eng. bot. 1974.
27 olereum. W.	purple-striped.	_____	England.	7.	H. 2.	488.
28 nutans. W.	nodding.	_____	Siberia.	1785.	7.8.	H. 2.	Bot. mag. 1146.
29 scabellum. W.	Shallot.	_____	Palestine.	1848.	6.7.	H. 2.	Mor. his. s. 4. t. 14. f. 3.
30 senecens. W.	Narcissus-leaf'd.	_____	Germany.	1596.	_____	H. 2.	Bot. mag. 1150.
31 gracile. W.	Carolina.	_____	Carolina.	1776.	3.4.	H. 2.	1129.
inodorum. W. & fragrans. Vent.							
32 angustatum. W.	anguis-stalked.	_____	Germany.	1739.	6.7.	H. 2.	Bot. mag. 1149.

33 ochroleucum. W. en.	pale yellow.	Asphodelez. B. P.	Hungary.	1816.	6.7.	H. 2.	Pl. rar. hun. 2. t. 186.
34 striatum. W.	streaked-leaved.	_____	America.	1800.	5.6.	H. 2.	Bot. m. 1035 & 1324
35 narcissiflorum. W.	Narcissus-flow ^d .	_____	France.	7.8.	H. 2.	Vill. delph. 2. t. 6.
36 canadense. W.	Canadian.	_____	N. America.	1739.	6.7.	H. 2.	
37 ursinum. W.	Ramson.	_____	Britain.	4.5.	H. 2.	Eng. bot. 122.
38 triquetrum. W.	triangular-stalk ^d	_____	Spain.	1759.	5.8.	H. 2.	Bot. mag. 869.
39 Clusianum. W.	Clusius's.	_____	S. Europe.	1803.	6.8.	H. 2.	Clus. hist. 1. p. 192.
40 Ceps. W.	common Onion.	_____	6.7.	H. 2.	
<i>β bulbifera.</i>	<i>tree Onion.</i>	_____	H. 2.	Bot. mag. 1469.
41 Moly. W.	great-yellow.	_____	S. Europe.	1604.	6.	H. 2.	Bot. mag. 499.
42 tricocum. W.	three-seeded.	_____	N. America.	1770.	7.	H. 2.	
43 fistulosum. W.	Welsh Onion.	_____	Siberia.	1629.	4.8.	H. 2.	Bot. mag. 1230.
44 Schenoprasum. W.	Chives.	_____	Britain.	5.6.	H. 2.	Eng. bot. 2438.
45 sibiricum. W.	Siberian.	_____	Siberia.	1777.	7.8.	H. 2.	Bot. mag. 1141.
46 setaceum. P. S.	bristly.	_____	Hungary.	1805.	H. 2.	Pl. rar. hung. t. 68.
47 cernuum. B. M.	drooping.	_____	N. America.	1806.	6.	H. 2.	Bot. mag. 1324.
48 stellatum. B. M.	Missouri.	_____	1811.	H. 2.	1576.
49 bisulcum. B. M.	furrowed.	_____	Siberia.	7.	H. 2.	1381.
50 baicalense. W. en.	Baical.	_____	1816.	6.7.	H. 2.	
51 rubens. W. en.	red.	_____	Germany.	1805.	H. 2.	
52 Chama-Moly. W.	dwarf Moly.	_____	S. Europe.	1774.	1.2.	F. 2.	Bot. mag. 1203.
ALBUCA. W.	ALBUCA.	Asphodelez. B. P.					
1 altissima. W.	tall.	_____	C. B. S.	1780.	4.5.	G. 2.	Jac. ic. 1. t. 63.
2 major. W.	great.	_____	_____	1759.	G. 2.	Bot. mag. 804.
3 minor. W.	small.	_____	_____	1768.	5.6.	G. 2.	720.
4 flaccida. Jac.	flaccid.	_____	_____	1791.	G. 2.	Jac. ic. 2. t. 444.
5 viridiflora. W.	green-flowered.	_____	_____	1794.	6.7.	G. 2.	Bot. mag. 1656.
6 coarctata. W.	channel-leaved.	_____	_____	1774.	5.8.	G. 2.	
7 fastigiata. W.	level-topped.	_____	_____	G. 2.	Bot. rep. 450.
8 caudata. W.	upright-flowered	_____	_____	1791.	5.7.	G. 2.	Jac. ic. 2. t. 442.
9 setosa. W.	bristly.	_____	_____	1795.	G. 2.	Bot. mag. 1481.
10 vittata. B. M.	ribbon.	_____	_____	1802.	7.8.	G. 2.	1329.
11 physodes. B. M.	dingy-flowered.	_____	_____	1804.	6.7.	G. 2.	1046.
12 exuviata. B. M.	Adder-skin.	_____	_____	1795.	6.7.	G. 2.	871.
13 Anthericoides.	stripe-flowered.	_____	_____	1788.	8.	G. 2.	
<i>Anthericum albucoides. IP.</i>							
14 fragrans. W.	sweet-scented.	_____	_____	1791.	6.7.	G. 2.	Jac. schœn. 1. t. 81.
15 viscosa. W.	clammy-leaved.	_____	_____	1779.	5.6.	G. 2.	Jac. ic. 2. t. 445.
16 spiralis. W.	spiral-leaved.	_____	_____	1795.	6.	G. 2.	2. t. 439.
XANTHOR-							
RHCEA. B. P. }	XANTHORHCEA	Asphodelez. B. P.					
1 hostile. B. P.	yellow-gum.	_____	N. S. W.	1803.	4.5.	G. 2.	
2 minor. B. P.	small.	_____	_____	1804.	G. 2.	
3 bracteata. B. P.	long-bracted.	_____	_____	1810.	G. 2.	
THYSANOTUS. B. P.	THYSANOTUS.	Asphodelez. B. P.	<i>Chlamysporum. P. I.</i>				
juncus. B. P.	Rush-like.	_____	N. S. W.	1804.	8.9.	G. 2.	Par. lond. 103.
ERIOSPERMUM. W.	ERIOSPERMUM.	Asphodelez. B. P.					
1 latifolium. W.	broad-leaved.	_____	C. B. S.	1800.	6.8.	G. 2.	Bot. mag. 1382.
2 lanceifolium. W.	spear-leaved.	_____	_____	1795.	G. 2.	Jac. ic. 2. t. 491.
3 parvifolium. W.	small-leaved.	_____	_____	G. 2.	2. t. 422.
4 folioliferum. B. R.	leaflet-bearing.	_____	_____	1806.	G. 2.	Bot. rep. 521.
GAGEA. Sal.	GAGEA.	Asphodelez. B. P.	<i>Ornithogali species. W.</i>				
1 lutea. B. M.	bundle-flowered.	_____	Britain.	3.4.	H. 2.	Bot. mag. 1200.
2 sylvatica. W. en.	wood.	_____	Europe.	H. 2.	{ Pers. in ust. N. An. 5. t. 1. f. 1.
3 spathacea. W.	sheathed.	_____	Germany.	1759.	5.	H. 2.	{ Hayne in ust. an. 15. t. 1.
4 minima. P. S.	starry.	_____	Sweden.	H. 2.	{ Pers. in ust. ann. t. 1. f. 2.
<i>stellaris. Sal.</i>							{ Fall. it. 8. app. t. D. f. 2.
5 circinata. L.	netted.	_____	Siberia.	1789.	5.6.	H. 2.	{
6 serotina. B. M.	mountain.	_____	Wales.	6.	H. 2.	Eng. bot. 793.
<i>Anthericum serotinum. E. B.</i>							
ORNITHOGA-							
LUM. W. }	{ STAR OF BETHLEHEM }	Asphodelez. B. P.					
1 uniflorum. W.	one-flowered.	_____	Siberia.	1781.	5.6.	H. 2.	{ Nov. com. pet. 18. t. 6. f. 3.
2 ixioideis. H. K.	Ixia-like.	_____	California.	1796.	F. 2.	
3 niveum. W.	snowy.	_____	C. B. S.	1774.	G. 2.	Bot. reg. 235.
4 umbellatum. W.	common.	_____	England.	4.6.	H. 2.	Eng. bot. 130.

HEXANDRIA MONOGYNIA.

71

rum. W.	spiked.	Asphodeleæ. B. P.	England.	6.7.	H. ½.	Eng. bot. 499.
des. W.	close-spiked.		S. Europe.	1771.	4.7.	H. ½.	Reuealm. spec. t. 90.
l. W.	milk-white.		C. B. S.	1796.	6.7.	G. ½.	Bot. mag. 1134.
um. W.	revolute-flower ^d .			1795.	3.6.	G. ½.	653.
B. R.	tall.		Egypt.	1804.	6.7.	G. ½.	Bot. rep. 528.
ma. W.	broad-leaved.			1629.	—	F. ½.	Bot. mag. 876.
sa. W.	squill-like.		C. B. S.	1795.	—	G. ½.	Jac. schœn. 1. t. 888
m. B. Reg.	green-flowered.			1816.	—	G. ½.	Bot. reg. 158.
m. W.	short-spiked.		Austria.	1596.	6.8.	H. ½.	Jac. ic. 2. t. 426.
lale. W.	pyramidal.		Spain.	1752.	6.7.	H. ½.	2. t. 425.
m. W.	sweet-scented.		C. B. S.	1795.	5.6.	G. ½.	Bot. rep. 260.
um. W.	bearded.			—	5.7.	G. ½.	Jac. schœn. 1. t. 91.
ium. W.	Rush-leaved.			1794.	7.8.	F. ½.	Bot. mag. 972.
e. W.	rock.			1795.	5.8.	G. ½.	—
m. W.	great-flowered.		Egypt.	1629.	3.4.	F. ½.	Bot. mag. 728.
les. W.	thyrsé-flowering.		C. B. S.	1757.	6.7.	G. ½.	1164.
. W.	golden.			1790.	—	G. ½.	Bot. mag. 190.
num. Jac.	great yellow.			1804.	—	G. ½.	Jac. ic. t. 436.
tum. W.	close-flowered.			—	—	G. ½.	t. 435.
um. W.	long-spiked.			1774.	2.8.	G. ½.	Bot. mag. 805.
um. B. M.	one-leaved.		Gibraltar.	1805.	6.7.	G. ½.	953 & 935
. B. M.	official Squill.		S. Europe.	1629.	4.5.	F. ½.	918.
<i>maritima. W.</i>							
B. M.	SQUILL.	Asphodeleæ. B. P.					
W.	Italian.		Switzerland.	1605.	4.7.	H. ½.	Bot. mag. 663.
ma. W.	corymbose.		Spain.	1607.	5.	H. ½.	749.
ca. W.	Portugal.		Portugal.	1777.	—	H. ½.	Rud. clys. 2. f. 4.
} <i>lycinthus</i>	Lily-rooted.		S. Europe.	1597.	5.7.	H. ½.	Red. lil. 205.
			Levant.	1596.	3.4.	H. ½.	Bot. mag. 341.
. W.	nodding.		Siberia.	1796.	2.3.	H. ½.	Bot. mag. 1325.
. H. K.	Siberian.		1790.	3.4.	H. ½.	—
. W.	early-flowering.		Britain.	4.5.	H. ½.	Eng. bot. 23.
W.	vernal.		Portugal.	5.6.	H. ½.	—
hylla. Link.	one-leaved.		Madeira.	1585.	8.	H. ½.	Bot. mag. 1140.
hoides. W.	Hyacinth.		England.	8.9.	H. ½.	Eng. bot. 78.
ialis. W.	autumnal.		2.4.	H. ½.	—	24.
W.	two-leaved.		Spain.	1633.	5.6.	H. ½.	Bot. mag. 127 & 1102.
ulata. W.	Spanish.		Britain.	3.6.	H. ½.	Eng. bot. 377.
ipta. W.	Harebells.		—	—	H. ½.	Bot. mag. 1461.
sa.	flesh-coloured.		C. B. S.	1811.	1.	G. ½.	1468.
lia. B. M.	short-leaved.		—	1793.	8.12.	H. ½.	{ Bot. mag. 1478 in note.
osa. B. M.	Cape.						
ia. B. M.	<i>corymbosa. B. M.</i> 991.		N. America.	1811.	5.7.	H. ½.	Bot. mag. 1574.
ta. B. M.	Quamash.		Italy.	1596.	5.	H. ½.	939.
i. B. M.	Roman.						
zita operculata. Picot.		Asphodeleæ. B. P.					
IA. W.	MASSONIA.		C. B. S.	1775.	3.4.	G. ½.	Bot. mag. 848.
a. W.	broad-leaved.			1790.	4.5.	G. ½.	559.
ta. H. K.	prickly-leaved.			—	1.4.	G. ½.	642.
ata. B. M.	chagreen-leaved.						
H. K.							
ta. W.	rough-leaved.			—	5.	G. ½.	—
ora. H. K.	few-flowered.			—	—	G. ½.	—
ifolia. W.	narrow-leaved.			1775.	3.4.	G. ½.	Bot. mag. 736.
ta. W.	waved-leaved.			1791.	4.	G. ½.	—
ia. B. M.	trumpet-flower'd.			1790.	9.2.	G. ½.	Bot. mag. 554.
ELUS. W.	ANPHEDEL.	Asphodeleæ. B. P.					
W.	yellow.		Sicily.	1596.	5.6.	H. ½.	Bot. mag. 773.
s. W. en.	Taurian.		Tauria.	1812.	—	H. ½.	—
us. W.	branched.		S. Europe.	1551.	5.	H. ½.	Bot. mag. 799.
W.	upright.		—	—	H. ½.	Blackw. t. 238.
us. W.	Onion-leaved.			1596.	6.9.	H. ½.	Bot. mag. 984.
s. W.	channel-leaved.		Siberia.	1800.	5.6.	H. ½.	Act. petr. 1779. t. 10
ICUM. J.	ANTHERICUM.	Asphodeleæ. B. P.	Bulbine. W. en.				
ens. P. S.	shrubby.		C. B. S.	1702.	3.8.	G. ½.	Bot. mag. 816.
um. P. S.	beaked.			1812.	—	G. ½.	Jac. ic. 2. t. 403.
s. P. S.	Aloe-leaved.			1732.	4.8.	G. ½.	Bot. mag. 1317.
. P. S.	nodding.			1812.	—	G. ½.	Jac. ic. 2. t. 407.
um. P. S.	broad-leaved.			—	—	G. ½.	2. t. 408.

6 pugioniforme. P. S.	dagger-leaved.	Asphodeleæ. B. P. C. B. S.	1793. 4.6.	G. 2.	Bot. mag. 1454.	
7 asphodeloides. P. S.	upright-leaved.	_____	1759. 6.8.	G. 3.	Jac. vind. t. 181.	
8 longiscapum. B. M.	glaucous-leaved.	_____	_____	4.8.	G. 2.	Bot. mag. 1889.
9 annuum. P. S.	annual.	_____	1731. 5.6.	H. 1.	_____	1451.
10 hispidum. P. S.	hairy-leaved.	_____	1774. _____	G. 2.	Jac. ic. 2. t. 409.	
11 fragrans. W.	sweet-scented.	C. B. S.	1795. 4.5.	G. 2.	Jac. schœn. 1. t. 14.	
12 flexifolium. W.	flexuous-leaved.	_____	_____	5.6.	G. 2.	Jac. ic. 2. t. 412.
13 filiforme. W.	thread-leaved.	_____	1774. 4.	G. 2.	_____	_____
14 floribundum. W.	thick-spiked.	_____	_____	3.4.	G. 2.	_____
15 revolutum. W.	curled-flowered.	_____	1731. 9.12.	G. 2.	Bot. mag. 1044.	
16 vespertinum. W.	afternoon-flow ^{er} .	C. B. S.	1803. 5.9.	G. 2.	_____	1040.
17 graminifolium. W.	waved-leaved.	_____	1794. 6.	G. 2.	Jac. ic. 2. t. 411.	
18 triflorum. W.	three-flowered.	_____	1789. 8.10.	G. 2.	_____	2. t. 410.
19 canaliculatum. W.	channel-leaved.	C. B. S.	1774. 4.5.	G. 2.	Bot. mag. 1124.	
ARTHROPODIUM. B. P.						
ARTHROPODIUM. Asphodeleæ. B. P.						
paniculatum. B. P.	panicked.	N. S. W.	1800. 5.9.	G. 2.	Bot. mag. 1421.	
PHALANGIUM. J	PHALANGIUM.	Asphodeleæ. B. P.	Anthericum. W. en.			
1 ramosum. B. M.	branching.	S. Europe.	1570. 5.6.	H. 2.	_____	1055.
2 Liliago. P. S.	Grass-leaved.	S. Europe.	1596. 5.6.	H. 2.	_____	914.
CHLOROPHYTUM. B. M.						
CHLOROPHYTUM. Asphodeleæ. B. P.						
1 inornatum. B. M.	green-flowered.	Sierra Leone. 6.8.	S. 2.	Bot. mag. 1071.	
2 elatum. B. P.	tall.	C. B. S.	1751. 8.9.	G. 2.	Regd. lil. 191.	
<i>Anthericum elatum. H. K.</i>						
CÆSIA. B. P.	CÆSIA.	Asphodeleæ. B. P.				
vittata. B. P.	nodding-flower ^d .	N. S. W.	1816. 7.8.	G. 2.	_____	_____
NARTHECIUM. B. M.	NARTHECIUM.	Asphodeleæ. B. P.	Antherici species H. K.			
1 ossifragum. E. B.	{ Lancashire Asphodel. }	Britain. 7.8.	H. 2.	Eng. bot. 535.	
2 americanum. B. M.	American.	N. America.	1811. _____	H. 2.	Bot. mag. 1505.	
DIANELLA. B. P.	DIANELLA.	Asphodeleæ. B. P.				
1 ensifolia. W.	sword-leaved.	E. Ind.	1731. 8.	S. 2.	Bot. mag. 1404.	
2 cerulea. B. P.	blue.	N. S. W.	1783. 5.8.	G. 2.	_____	505.
3 divaricata. B. P.	divaricated.	_____	1805. 7.8.	G. 2.	_____	_____
EUSTREPHUS. B. P.	EUSTREPHUS.	Asphodeleæ. B. P.				
latifolius. B. P.	broad-leaved.	N. S. W.	1800. 6.7.	G. 2.	Bot. mag. 1245.	
ASPARAGUS. W.	ASPARAGUS.	Asphodeleæ. B. P.				
1 officinalis. W.	common.	England. 6.8.	H. 2.	Eng. bot. 339.	
2 sylvaticus. W. en.	wood.	_____	H. 2.	Pl. rar. hun. 3. t. 201.	
3 verticillaris. M. B.	whorl-leaved.	Caucasus.	1752. _____	H. 2.	Buxb. cent. 6. t. 37	
4 declinatus. W.	long-leaved.	C. B. S.	1759.	G. 2.	_____	_____
5 decumbens. W.	decumbent.	_____	1792. 5.	G. 2.	Jac. schœn. 1. t. 97.	
6 scandens. W.	climbing.	_____	1795.	G. 2.	_____	_____
7 falcatus. W.	sickle-leaved.	E. Ind.	1792.	S. 2.	Burm. zeyl. t. 12. f. 2.	
8 racemosus. W.	branching.	_____	1808.	S. 2.	_____	_____
9 retrofractus. W.	Larch-leaved.	Africa.	1759. 8.9.	G. 2.	Pluk. alm. t. 375. f. 3.	
10 asiaticus. W.	Asiatic.	Asia.	_____	G. 2.	Pluk. alm. t. 15. f. 4.	
11 æthiopicus. W.	angular-stalked.	C. B. S.	1816.	G. 2.	_____	_____
12 albus. W.	white.	Spain.	1540.	F. 2.	Moris. s. 1. t. 1. f. 2.	
13 acutifolius. W.	needle-leaved.	_____	1640.	F. 2.	Park. theat. f. 3.	
14 flexuosus. W.	flexuous.	C. B. S. 7.8.	G. 2.	_____	_____
15 aphyllus. W.	prickly.	S. Europe.	1640.	G. 2.	Moris. s. 1. t. 1. f. 2.	
16 subulatus. W.	awl-leaved.	C. B. S.	1811.	G. 2.	_____	_____
17 capensis. W.	Cape.	_____	1691. 4.5.	G. 2.	Jac. schœn. 3. t. 266.	
18 sarmentosus. W.	linear-leaved.	Ceylon.	1710. 8.	S. 2.	Rheed. mal. 10. t. 10.	
DRIMIA. Jac.						
DRIMIA. Asphodeleæ. B. P.						
1 altissima. B. M.	tallest.	C. B. S.	1791. 8.9.	G. 2.	Bot. mag. 1074.	
2 elata. B. M.	tall.	_____	1799. 10.11.	G. 2.	_____	822.
3 ciliaris. B. M.	ciliated.	_____ 9.	G. 2.	_____	1444.
4 pusilla. W.	dwarf.	_____	1793. 5.6.	G. 2.	Jac. ic. 2. t. 374.	
5 lanceifolia. B. M.	Copperas-leaved.	_____	1800. 9.10.	G. 2.	Bot. mag. 643.	
6 revoluta.	reflex-flowered.	_____	1774. 8.	G. 2.	_____	1380.
<i>Hyacinthus revolutus. H. K.</i>						
UROPETALON. B. } UROPETALON. Asphodeleæ. B. P. Zuccagnia. W. en.						
Reg.						
1 viride. B. Reg.	green-flowered.	C. B. S.	1774. 8.	G. 2.	Red. ill. 203.	
2 glaucum. B. Reg.	glaucous-leaved.	_____	1816. 7.8.	G. 2.	Bot. reg. 156.	
3 crispum. B. Reg.	curled-leaved.	_____	G. 2.	_____	_____
4 serotinum. B. Reg.	late-flowering.	Spain.	1629. 6.8.	F. 2.	Bot. mag. 859.	

HEXANDRIA MONOGYNIA.

73

s.	tile-red.	Asphodelea. B. P. Mogador.	1808.	6.8.	F. 2.	Bot. mag. 118b
<i>infus fulvus.</i> Cav.						
THUS. B. M.	HYACINTH.	Asphodelea. B. P.				
ystians. W.	Amethyst-colour'd.	S. Europe.	1759.	4.5.	H. 2.	Red. lil. 14.
alis. W.	garden.	Levant.	1596.	3.4.	H. 2.	Bot. mag. 937
U. B. M.	{ GRAPE HYACINTH. }	Asphodelea. B. P. <i>Hyacinthi species L.</i>				
stem. B. M.	musk.	Levant.	1596.	4.5.	H. 2.	Bot. mag. 784.
ss. B. M.	yellow.				H. 2.	1565.
um. R. L.	purple.	S. Europe.			H. 2.	133.
strosam.	feathered.				H. 2.	Moris. s. 4. t. 11. f. 2.
ides. B. M.	blue.	Italy.			H. 2.	Bot. mag. 157.
osum. B. M.	starch.	Britain.	4.	H. 2.	122.
VALIA. W.	LACHENALIA.	Asphodelea. B. P.				
na. W.	sea-green.	C. B. S.	1795.	3.4.	G. 2.	Jac. ic. 2. t. 391.
ides. W.	Orchis-like.		1752.	2.4.	G. 2.	Bot. mag. 1269.
l. W.	pale-flowered.		1782.	3.4.	G. 2.	Red. lil. 22.
thoides. W.	Hyacinth-flower'd.		1812.		G. 2.	Jac. ic. 2. t. 382.
tifolia. W.	narrow-leaved.		1798.	4.5.	G. 2.	Bot. mag. 785.
ninata. W.	contaminated.		1774.	2.3.	G. 2.	1401.
. W.	spreading-flower'd.		1795.	4.5.	G. 2.	Jac. ic. 2. t. 384.
na. W.	sweet-scented.		1798.	3.5.	G. 2.	Jac. schœn. 1. t. 82.
or. B. M.	self-coloured.		1806.	5.6.	G. 2.	Bot. mag. 1373.
. B. M.	glossy-leaved.		1798.	3.5.	G. 2.	1372.
osa. B. M.	starch.		1811.	5.	G. 2.	1517.
ata. W.	blistered.		1790.	1.4.	G. 2.	817.
reo-cerulea. f.	purple-blue.		1798.	4.5.	G. 2.	745.
na. B. M.	nerved-leaved.		1810.	6.	G. 2.	1497.
ca. W.	violet.		1795.	3.4.	G. 2.	Jac. ic. 2. t. 394.
. B. M.	cowled-leaved.		1813.		G. 2.	Bot. mag. 1611.
B. R.	rose-coloured.		1800.	4.5.	G. 2.	Bot. rep. 1. 296.
ia. W.	one-leaved.		1795.	3.4.	G. 2.	Bot. mag. 766.
flora. B. R.	sessile-flowered.		1804.	5.6.	G. 2.	Bot. rep. 460.
ala. W.	equal-flowered.				G. 2.	Jac. ic. 2. t. 401.
or. W.	three-coloured.		1774.	4.5.	G. 2.	Bot. mag. 82.
a. Jac.	yellow.				G. 2.	Jac. ic. 2. t. 395.
icolor. B. M.	four-coloured.		1789.	3.5.	G. 2.	{ Bot. mag. 588 and 1097.
. W.	dotted-flowered.		1803.	9.10.	G. 2.	993.
ia. B. M.	pendulous.		1774.	3.4.	G. 2.	590.
NA. W.	DRAGON-TREE.	Asphodelea. B. P.				
. W.	common.	E. Ind.	1640.	S. 2.	Blackw. t. 358.
lia. H. S.	sword-leaved.	1800.	S. 2.	
culifera. W.	umbel-flowered.	Mauritius.	1788.	S. 2.	Jac. schœn. 1. t. 95.
. W.	drooping.			S. 2.	1. t. 96.
. H. K.	purple.	China.	1771.	3.4.	S. 2.	Red. lil. 91.
na. H. K.	sweet-scented.	Africa.	1768.	2.6.	S. 2.	Bot. mag. 1081.
B. M.	oval-leaved.	Sierra Leone.	3.9.	S. 2.	1180.
MA. B. M.	PHYLLOMA.	Asphodelea. B. P.				
rum. B. M.	Aloc-leaved.	Bourbon.	1766.	4.	S. 2.	Bot. mag. 1585.
ma marginata. H. K.						
EMERIA. W.	ALSTRÆMERIA.	Asphodelea. B. P.				
ina. W.	spotted-flower'd.	Peru.	1753.	6.9.	G. 2.	Bot. mag. 139.
. W.	striped-flowered.		1776.	2.3.	S. 2.	125.
a. B. M.	estable-rooted.	S. America.	1806.	6.7.	S. 2.	1613.
IUM. W.	FLAX-LILY.	Asphodelea. B. P.				
. W.	Iris-leaved.	New Zealand	1788.	8.	G. 2.	Cook. it. v. 2. t. 96.
S. W.	HYPOXIS.	Asphodelea. B. P.				
. W.	upright.	N. America.	1752.	6.7.	H. 2.	Bot. mag. 710.
era. W.	creeping.	C. B. S.	1774.	6.9.	G. 2.	711.
. W.	villous.				G. 2.	Jac. ic. 2. t. 307.
ibens. W.	decumbent.	Jamaica.	1755.		S. 2.	Mill. ic. 1. t. 89. f. 2.
a. W.	oblique-leaved.	C. B. S.	1795.	6.7.	G. 2.	Bot. rep. 195.
ca. W.	water.		1787.		G. 2.	
. W.	white.		1806.	6.	G. 2.	Jac. coll. 4. t. 2. f. 1.
. B. Reg.	obtuse.		1816.		G. 2.	Bot. reg. 159.
. W.	smooth-leaved.		1806.	2.5.	G. 2.	Bot. mag. 1010.
a. W.	star-flowered.		1752.	4.6.	G. 2.	662.
na. P. S.	white star-flow'd.				G. 2.	1222.

HEXANDRIA MONOGYNIA.

11 veratrifolia. W.	plaited-leaved.	Asphodeleæ. B. P.	C. B. S.	1788. 6.7. G. 2.	Jac. i
12 linearis. B. R.	linear-leaved.			1792. 4.5. G. 2.	Bot. i
13 serrata. W.	saw-leaved.			1788. 6.7. G. 2.	Bot.
14 juncea. W.	rushy.		Carolina.	1787. — F. 2.	Smitl
CURCULIGO. H. K.	CURCULIGO.	Asphodeleæ. B. P.			
1 plicata. H. K.	plaited-leaved.		C. B. S.	1788. 6.7. G. 2.	Jac. i
2 orchoides. W.	narrow-leaved.		E. Ind.	1800. — S. 2.	Roxb
3 brevifolia. H. K.	short-leaved.			1804. 5.7. S. 2.	Bot.
4 latifolia. H. K.	broad-leaved.		PooloPinang	1804. 5.8. S. 2.	Rum
5 recurvata. H. K.	recurved-leaved.		Bengal.	1805. S. 2.	
CYANELLA. W.	CYANELLA.	Asphodeleæ. J.			
capensis. W.	purple-flowered.		C. B. S.	1768. 7.8. G. 2.	Bot.
2 lutea. W.	yellow-flowered.			1788. — G. 2.	
YUCCA. W.	ADAM'S NEEDLE	Liliæ. J.			
1 gloriosa. W.	superb.		America.	1596. 7.8. H. h.	Bot. i
2 aloifolia. W.	Aloe-leaved.		S. America.	1696. 8.9. G. h.	
3 draconis. W.	drooping-leaved.			1732. — G. h.	Dill.
4 obliqua. H. S.	oblique-leaved.	 S. h.	
5 serrulata. H. S.	rough-edged.		Carolina.	1808. G. h.	
6 recurvifolia. Ph.	recurved-leaved.		Georgia.	1795. 8. H. h.	Par. i
7 filamentos. W.	thready.		Virginia.	1675. 9.10. H. h.	Bot. i
8 angustifolia. Ph.	narrow-leaved.		Missouri.	1811. 7.8. H. h.	
BUONAPARTEA. F. P.	BUONAPARTEA.				
juncea. Fl. P.	Rush-leaved.		Peru.	1800. S. h.	Fl. pe
ALOE. W.	ALOE.	Hemerocallidæ. B. P.			
1 vulgaris. H. K.	yellow-flowered.		{ Aloe. Gasteria & Haworthia. H. S.		
2 purpurascens. H. K.	purple.		{ Aloe & Apicra. W. en. supp.		
3 soccotrina. H. K.	succotrine.		Levant.	1596. 5.8. D.S. h.	Plant
4 arborescens. H. K.	tree.		C. B. S.	1789. 7.10. G. h.	Bot. i
6 ferox. H. K.	great hedgehog.			1731. 2.4. G. h.	
6 supralævis. H. K.	upright hedgehog.			11.3. G. h.	
7 flavispina. H. S.	yellow-spined.			1759. 4.5. G. h.	Plant
8 picta. H. K.	great soap.			1731. G. h.	Com.
9 latifolia. H. S.	broad-leaved soap.			1790. 8. G. h.	
10 saponaria. H. S.	common soap.			1727. 8.10. G. h.	Bot. i
11 serrulata. H. K.	saw-leaved.			1795. 7.8. G. h.	
12 mitreiformis. H. S.	common mitre.			1727. — G. h.	
13 nobilis. H. S.	great mitre.			1789. — G. h.	
14 distans. H. S.	small mitre.			1732. 8. G. h.	Bot. i
15 albisipina. H. S.	white-spined.			1732. — G. h.	Bot. i
16 brevifolia. H. K.	short-leaved.			1796. ... D.S. 2.	
17 depressa. H. K.	flat-leaved.			1731. 6.8. G. h.	Plant.
18 suberecta. H. S.	lesser hedgehog.			8. G. h.	Bot. i
19 acuminata. H. S.	middle hedgehog.			1789. 3.6. G. 2.	
20 tuberculata. H. S.	{ tubercled			1795. 3.5. G. 2.	Bot. i
	{ hedgehog.			1796. — G. 2.	
21 humilis. H. S.	dwarf hedgehog.			1796. — G. 2.	Plant.
22 incurva. H. S.	incurv'd hedgehog.			1731. 3.6. G. 2.	Bot. i
23 striata. H. K.	streaked.			1796. G. 2.	
24 lineata. H. K.	lined red-spined.			1789. ... D.S. 2.	
25 glauca. H. K.	glaucous.			1731. 1.9. G. h.	Bot. i
26 spicata. W.	spike-flowered.			1795. ... D.S. h.	
27 africana. H. K.	African.			1731. 7. G. h.	
28 virens. H. S.	Apple-green.			1790. 8.9. G. 2.	Bot. i
29 dichotoma. W.	smooth-stem'd.			1780. ... D.S. h.	
30 plicatilis. W.	fan.		Africa.	1723. 6.7. G. h.	Bot. i
31 variegata. W.	partridge-breast.		C. B. S.	1720. 3.9. G. h.	
32 obliqua. H. S.	broad-marbled.			1759. 6.8. D.S. h.	
33 maculata. H. K.	narrow-marbled.			7.8. D.S. h.	
Gasteria pulchra. H. S.					
34 nigricans. H. S.	dark-tongue.			1790. 6.7. G. 2.	
35 glabra. H. S.	smooth-keeled.			1796. — G. 2.	
36 carinata. H. S.	rough-keeled.			1731. — G. 2.	Bot. i
37 lingua. W.	common-tongue.		 3.11. G. 2.	
Gasteria latifolia. H. S.					
38 angulata. H. S.	retuse-tongue.			1791. — G. 2.	
39 angustifolia. H. S.	narrow-tongue.			1731. — G. 2.	Bot. i
40 longifolia. H. S.	long-1 ^d . tongue.			1796. — G. 2.	

41 obtusifolia.	short-l ^d . tongue. Hemerocallidæ. B.P. C. B. S.	1809. 7.8. G. 2.	
<i>Gasteria brevifolia. H. S.</i>			
42 intermedia. H. S.	middle-tongue.	1790. 3.11. G. 2.	
43 verrucosa. W.	warted.	1731. — G. 2.	Bot. mag. 837.
44 spiralis. H. S.	great-spiral.	1790. 8.9. G. 2.	
45 spirella. H. S.	small-spiral.	1808. 8. G. 2.	
46 pentagona. H. S.	five-sided.	1731. 6.7. G. 2.	Bot. mag. 1338.
47 imbricata. H. S.	rough-flowered.	— G. 2.	1455.
<i>spiralis. B. M.</i>			
48 foliolosa. H. S.	small-leaved.	1795. 6.8. G. 2.	Bot. mag. 1352.
49 tortuosa. H. S.	twisted.	1797. 5.9. G. 2.	1337.
50 rigida. Pl. gr.	rigid.	1795. — G. 2.	Plant. grass. 62.
51 aspera. H. S.	rough.	— 6. D.S. 2.	
52 viscosa. H. S.	clammy.	1727. 6.7. G. 2.	Bot. mag. 814.
53 albicans. H. K.	white-edged.	1795. 7. D.S. 2.	1452.
54 cymbiformis. H. S.	boat-leaved.	1795. 5.8. G. 2.	802.
55 reticulata. H. S.	netted.	1794. — G. 2.	1314.
56 recurva. H. S.	recurve-leaved.	1795. 8. S. 2.	1353.
57 retusa. W.	smooth cushion.	1720. 5.7. G. 2.	455.
58 mirabilis. H. S.	rough cushion.	1795. 5.8. G. 2.	1354.
59 translucens. H. K.	transparent.	— D.S. 2.	1417.
60 pumila. H. S.	small cobweb.	1752. 5. G. 2.	1361.
61 arachnoides. H. S.	cobweb.	1727. 8. D.S. 2.	756.
62 radula. H. S.	raspy-pearl.	1805. — G. 2.	Jac. schœn. t. 35.
63 attenuata. H. S.	chalky-pearl.	1790. 5.8. G. 2.	Bot. mag. 1345.
<i>radula. B. M.</i>			
64 minima. H. S.	least-pearl.	1725. 5.9. G. 2.	Bot. mag. 1360.
65 minor. H. S.	lesser-pearl. 5.8. G. 2.	815.
66 margaritifera. H. K.	larger-pearl.	1739. 5.9. G. 2.	Bradl. succ. 3. t. 21.
67 Haworthii.	largest-pearl.	1801. 8. G. 2.	
<i>Haworthia maxima. H. S.</i>			
AGAVE. H. K.	AGAVE. Bromeliæ. J.		
1 americana. W.	common Amer.	S. America. 1640. 8.10. G. 2.	Bot. rep. 438.
2 Milleri. H. S.	Miller's. 1768. G. 2.	
3 flaccida. H. S.	flaccid.	S. America. 1790. ... D.S. 2.	
4 lurida. W.	Vera Cruz.	Vera Cruz. 1731. 6.7. D.S. 2.	Bot. mag. 1522.
5 angustifolia. H. S.	narrow-leaved. 1790. G. 2.	
6 Karatto. H. S.	Karatto.	S. America. 1768. ... D.S. 2.	
7 vivipara. W.	viviparous.	1731. 8.10. D.S. 2.	Comm. præl. t. 15.
8 virginica. W.	Virginian.	N. America. 1765. 9. F. 2.	Bot. mag. 1157.
9 geminiflora.	pair-flowered.	America. 1810. G. 2.	Jour. of sc. No. 3. t. 1.
FURCRAEA. V.	FURCRAEA. Bromeliæ. J.		
1 gigantea. Vent.	gigantic.	S. America. 1690. 9.1. D.S. 2.	Plant. grass. 126.
2 tuberosa. H. K.	tubercous.	1739. 8.9. D.S. 2.	
3 cubensis. H. S.	Cuba. D.S. 2.	Jac. amer. t. 260. f. 25
4 rigida. H. S.	rigid.	1768. ... D.S. 2.	
5 australis. H. S.	entire-leaved. 1811. D.S. 2.	
STREPTOPUS. M.	STREPTOPUS. Smilacæ. B. P.		
1 amplexifolius. R. L.	heart-leaved.	<i>Uvularia species W.</i>	
2 roseus. Ph.	rose-coloured.	Hungary. 1752. 5. H. 2.	Red. lil. 259.
3 lanuginosus. Ph.	woolly.	N. America. 1806. 6.7. H. 2.	Bot. mag. 1489.
CONVALLARIA. } { LILY OF THE VALLEY. } Smilacæ. B. P.		1812. — H. 2.	1490.
Desf.			
1 majalis. W.	common.	Britain. 5.6. H. 2.	Eng. bot. 1035.
2 rubra.	red-flowered.		
3 flore pleno.	double.		
SMILACINA. D.	SMILACINA. Smilacæ. B. P.		
1 umbellata. D.	umbel-flowered.	<i>Convallaria species W.</i>	
2 borealis. D.	oval-leaved.	N. America. 1778. 5.6. H. 2.	Bot. mag. 1155.
3 bifolia. D.	least. H. 2.	1408.
4 trifolia. D.	three-leaved.	N. Europe. 1596. — H. 2.	510.
5 stellata. D.	star-flowered.	N. America. 1812. 6.7. H. 2.	Gmel. sib. 1 t. 6.
6 racemosa. D.	cluster-flowered.	1633. 5.6. H. 2.	Bot. mag. 1043.
		1640. — H. 2.	899.
POLYGONATUM. D.	SOLOMON'S-SEAL. Smilacæ. B. P.	<i>Convallaria species IV.</i>	
1 verticillatum. D.	whorl-leaved.	Scotland. 5.6. H. 2.	Eng. bot. 1035.
2 canaliculatum. Ph.	channelled.	N. America. 1812. 6. H. 2.	
3 pubescens. Ph.	pubescent. 5.6. H. 2.	Willd. hort. ber. 45.
4 vulgare. D.	angular.	England. — H. 2.	Eng. bot. 280.
5 multiflorum. D.	common.	Britain. — H. 2.	279.
6 latifolium. D.	broad-leaved.	Germany. 1802. — H. 2.	Jac. aust. 3. t. 232.

OPHIPOGON. B. M.	Snake's BEARD.	Smilacæ. B. P.	<i>Slateria. Desv. Fluggea. Rich.</i>				
japonicus. B. M.	Japan.		Japan.	1784.	6.	F. 2.	Bot. mag. 1053.
LOPHIOIA. B. M.	LOPHIOIA.	Hæmodoracæ. B. P.	<i>Conostylis. Ph.</i>				
aurea. B. M.	golden-flowered.		N. America.	1811.	5.7.	H. 2.	Bot. mag. 1596.
LANARIA. W.	LANARIA.	Hæmodoracæ. B. P.	<i>Argolasia. J.</i>				
plumosa. W.	woolly.		C. B. S.	1787.	G. 2.	
ANIGOZANTHOS. } B. P.	ANIGOZANTHOS.	Hæmodoracæ. B. P.					
flavida. B. P.	russet-green-fl ^d .		N. Holland.	1803.	5.9.	G. 2.	Bot. mag. 1151.
LEONTICE. W.	LEONTICE.	Berberides. J.					
1 Chrysogonum. W.	Oak-leaved.		Levant.	1740.	3.6.	H. 2.	Moris. s. 3. t. 15. f. 7.
2 Leontopetalon. W.	Lion's-leaf.			1597.	4.5.	G. 2.	t. 15. f. 6.
CAULOPHYLLUM } Mi.	CAULOPHYLLUM.	Berberides. J.					
thalictroides. Ph.	Columbine-leav ^d		N. America.	1755.	5.	H. 2.	Mich. amer. 1. t. 31.
DIPHYLLEIA. Mi.						
cymosa. Mi.	blue-berried.		N. America.	1812.	5.6.	H. 2.	Bot. mag. 1666.
ACORUS. W.	ACORUS.	Aroideæ. B. P.					
1 Calamus. W.	Sweet-flag.		Britain.	6.7.	H. 2.	Eng. bot. 356.
2 gramineus. W.	grass-leaved.		China.	1786.	2.	H. 2.	Smith spic. 15. t. 17.
ORONTIUM. W.	ORONTIUM.	Aroideæ. B. P.					
1 aquaticum. W.	aquatic.		N. America.	1775.	6.	H. 2.	Lam. ill. t. 251.
2 japonicum. W.	Japan.		Japan.	1783.	1.4.	H. 2.	Bot. mag. 898.
TUPISTRA. B. M.	TUPISTRA.	Aroideæ. B. P.					
squalida. B. M.	Amboyna.		Amboyna.	1810.	4.	S. 2.	Bot. mag. 1655.
TACCA. W.	TACCA.	Aroideæ? B. P.					
1 pinnatifida. W.	Salap.		E. Ind.	1793.	S. 2.	Lam. ill. t. 239.
2 integrifolia. B. M.	entire-leaved.			1810.	5.7.	S. 2.	Bot. mag. 1488.
CORYPHA. W.	FAN PALM.	Palmeæ. B. P.					
umbraculifera. W.	great.		E. Ind.	1742.	S. 2.	{ Rheed. mal. 3. t. 1-12.
LICUALA. W.	LICUALA.	Palmeæ. B. P.					
spinosa. W.	spiny.		E. Ind.	1802.	S. 2.	Rumph. amb. 1. t. 9.
THRINAX. W.	THRINAX.	Palmeæ. B. P.					
parviflora. W.	small.		Jamaica.	1778.	S. 2.	
CALAMUS. W.	CALAMUS.	Palmeæ. B. P.					
1 albus. P. S.	common.		E. Ind.	1812.	S. 2.	Rumph. amb. 5. t. 52.
2 Zalacca. W.	Java.				S. 2.	Gert. fr. 2. t. 139. f. 2.
JUNCUS. B. P.	RUSH.	Juncæ. B. P.					
1 acutus. W.	great sharp sea.		Britain.	7.8.	H. 2.	Eng. bot. 1614.
2 maritimus. P. S.	lesser sharp sea.			8.	H. 2.	1795.
3 conglomeratus. W.	common.			6.7.	H. 2.	835.
4 effusus. W.	soft.			5.8.	H. 2.	836.
5 glaucus. W.	hard.		England.	7.	H. 2.	665.
6 filiformis. W.	least.		Britain.	8.	H. 2.	1175.
7 trifidus. W.	three-leaved.		Scotland.	7.	H. 2.	1482.
8 squarrosus. W.	Goose-corn.		Britain.	6.7.	H. 2.	933.
9 gracilis. E. B.	slender.		Scotland.	7.8.	H. 2.	2174.
10 lampocarpus. L. T.	shining-fruited.		Britain.	6.8.	H. 2.	2143.
11 acutiflorus. L. T.	sharp-flowered.			7.8.	H. 2.	238.
12 obtusiflorus. L. T.	blunt-flowered.			8.	H. 2.	2144.
13 uliginosus. H. K.	little bulbous.		England.	6.7.	H. 2.	801.
14 supinus. W.	supine.			7.8.	H. 2.	Flor. dan. t. 1099.
15 bulbosus. W.	bulbous-rooted.		Britain.		H. 2.	Eng. bot. 934.
16 bufonius. W.	toad.				H. 2.	802.
17 triglumis. W.	three-flowered.			7.	H. 2.	899.
18 biglumis. W.	two-flowered.		Scotland.	8.	H. 2.	898.
19 castaneus. H. K.	black-spiked.			7.	H. 2.	900.
LUZULA. B. P.	LUZULA.	Juncæ. B. P.	<i>Junci species L.</i>				
1 pilosa. W.	hairy.		Britain.	3.5.	H. 2.	Eng. bot. 736.
2 Forsteri. E. B.	Forster's.		England.	5.6.	H. 2.	1293.
3 maxima. W.	wood.		Britain.	5.	H. 2.	737.
4 lutea. W.	yellow.		Switzerland.	5.6.	H. 2.	
5 albida. W.	white.				H. 2.	Leers. herb. t. 13. f. 6.
6 nivea. W.	snowy.			1770.		H. 2.	Scheu. gram. t. 7. f. 7.
7 campestris. W.	field.		Britain.	4.5.	H. 2.	Eng. bot. 672.
8 congesta. P. S.	close-headed.		France.	1805.	6.	H. 2.	
9 spicata. W.	spiked.		Scotland.	7.	H. 2.	Eng. bot. 1176.
PRINOS. W.	WINTER BERRY.	Rhamni. J.					
1 verticillatus. W.	deciduous.		N. America.	1736.	7.8.	H. 2.	Duham. arb. 1. t. 23.

HEXANDRIA DIGYNIA.

77

rus. Ph.	Carolina.	Rhamni. J.	Carolina.	1812.	H. h.	
stus. Ph.	smooth.	_____	N. America.	7.8. H. h.	
latus. Ph.	scarlet-berried.	_____	Carolina.	1811. 6.7.	H. h.	
. W.	evergreen.	_____	Canada.	1759. 7.8.	H. h.	
s. W.	shining.	_____	1778. 6.7.	F. h.	
IS. W.	BARBERRY.	Berberides. J.				
is. W.	common.	_____	England.	4.5. H. h.	Eng. bot. 49.
acea.	purple-fruited.	_____				
ensis. Ph.	Canada.	_____	Canada.	1759. —	H. h.	
lia. W.	Holly-leaved.	_____	{ Tierra- del- Fuego }	1791. 7.8.	H. h.	
l. W.	Cretan.	_____	Candia.	1759. 4.5.	H. h.	Alp. exot. 21. t. 20.
a. W.	Siberian.	_____	Siberia.	1790. 6.7.	H. h.	Pall. ross. 2. t. 67.
inata. W. en.	{ emarginate- petalled. }	_____		—	4.5. H. h.	
IA. W.	NANDINA.				
tica. W.	garden.	_____	China.	1804. 6.7.	G. h.	Bot. mag. 1109.
. W.	HILLIA.	Rubiaceæ. J.				
lora. W.	long-flowered.	_____	W. Ind.	1789. 2.3.	S. h.	Bot. mag. 721.
dra. W.	mountain.	_____	Jamaica.	1793. 6.7.	S. h.	
LDIA. L.	RICHARDIA.	Rubiaceæ. J.				
l. L.	rough.	_____	Vera Cruz.	S. h.	Lam. ill. t. 254.
INA. W.	CANARINA.	Campanulaceæ. J.				
anula. W.	Canary.	_____	Canaries.	1696. 1.3.	G. h.	Bot. mag. 444.
ENIA. W.	SEA HEATH.	Caryophyllæ? J.				
W.	smooth.	_____	England.	7.8. H. h.	Eng. bot. 205.
ia. W.	Cape.	_____	C. B. S.	1816. 6.8.	G. h.	{ Berg. cap. 171. t. 1. f. 2.
a. W.	hairy.	_____	Siberia.	1789. 6.7.	H. h.	Mich. gen. t. 22. f. 2.
rulenta. W.	powdery.	_____	England.	7. H. h.	Eng. bot. 2222.
W.	{ WATER PURSLANE. }	Salicariæ. J.				
la. W.	common.	_____	Britain.	7.9. H. h.	Eng. bot. 1211.
SA. W.	BAMBOO CANE.	Gramineæ. J.				
linacea. W.	common.	_____	India.	1730.	S. h.	Roxb. cor. 1. t. 79.
illata. W.	whorl-flowered.	_____		1802.	S. h.	— 1. t. 80.
RTA. W.	EHRHARTA.	Gramineæ. B. P.				
ea. W.	Panic-grass.	_____	C. B. S.	1790. 5.7.	G. h.	Smith ined. 1. t. 9.

DIGYNIA.

. W.	RICE.	Gramineæ. J.				
l. W.	common.	_____	Ethiopia.	1596. 7.	S. h.	
l. W.	FALKIA.	Convolvulaceæ. B. P.				
is. W.	creeping.	_____	C. B. S.	1774. 5.8.	G. h.	Bot. rep. 257.
HAXIS. W.	ATRAPAXIS.	Polygonæ. J.				
sa. W.	prickly.	_____	Levant.	1732. 8.	G. h.	L'Her. stirp. 1. t. 14.
lata. W.	waved-leaved.	_____	C. B. S.	—	6.7. G. h.	Dill. elt. t. 32. f. 36.

TRIGYNIA.

l. W.	Dock.	Polygonæ. J.				
ntia. W.	Patience.	_____	Italy.	1573. 6.7.	H. h.	
lineus. W.	bloody-veined.	_____	England.	H. h.	Eng. bot. 1535.
as. W.	curled.	_____	Britain.	H. h.	— 1998.
anicus. W.	Virginian.	_____	N. America.	H. h.	
carioides. W.	Persicaria-like.	_____		1773. —	H. h.	
tacus. W.	Egyptian.	_____	Egypt.	1734. —	H. h.	Till. pis. t. 37. f. 1.
stus. W.	dentated.	_____		1732. 7.8.	H. h.	Dil. elt. t. 158. f. 191.
timus. W.	golden.	_____	Britain.	H. h.	Eng. bot. 725.
stria. H. K.	yellow marsh.	_____	England.	H. h.	— 1932.
ticus. H. K.	great water.	_____	Britain.	H. h.	— 2104.
icatus. W.	spreading.	_____	Italy.	1793. —	H. h.	Till. pis. t. 37. f. 2.
is. W.	sharp.	_____	Britain.	6.7. H. h.	Eng. bot. 724.
sifolius. W.	broad-leaved.	_____		6.8. H. h.	— 1999.
ter. W.	Fiddle.	_____		H. h.	— 1576.
phalophorus }	Basil-leaved.	_____	Italy.	1683. 6.	H. h.	Cav. ic. 1. t. 41. f. 1.
ria. W.	tree.	_____	Canaries.	1698. 6.7.	G. h.	Fluk. alm. t. 252. f. 3.
arius. W.	bladder.	_____	Africa.	1656. 7.8.	H. h.	Moris. 2. 5. t. 28. f. 7.
a. W.	rose.	_____	Egypt.	1737. —	H. h.	

19 tingitanus. W.	Tangier.	Polygonæ. J.	Barbary.	1680. 6.8. H. 2.	Zanon. hist. 9. t. 6.
20 scutatus. W.	French Sorrel.		France.	1596. 6.7. H. 2.	
21 digynus. W.	mountain.		Britain. 6.7. H. 2.	Eng. bot. 910.
22 alpinus. W.	Alpine.		France.	1597. — H. 2.	Zorn. ic. 261.
23 confertus. W. en.	heart-leaved.		1796. 7. H. 2.	
24 spinosus. W.	prickly-seeded.		Candia.	1656. 6.7. H. 2.	
25 giganteus. H. K.	tall.		Sandwich Isl.	1796. 6.8. G. 2.	
26 tuberosus. W.	tuberous-rooted.		Italy.	1752. — H. 2.	
27 Acetosa. W.	common Sorrel.		Britain. 6.7. H. 2.	Eng. bot. 127.
28 Acetosella. W.	Sheep's Sorrel.		5.7. H. 2.	1674.
29 arifolius. W.	halberd-leaved.		Africa.	1775. 12.4. G. 2.	Jac. rind. 3. t. 98.
FLAGELLARIA. W.	FLAGELLARIA.	Juncæ. B. P.	India.	1782. 6.7. S. 2.	Red. lil. 287.
indica. W.	Indian.		England. 5.6. H. 2.	Eng. bot. 1801.
SCHEUCHZERIA. W.	SCHEUCHZERIA.	Alismaceæ. B. P.	Britain. 7.8. H. 2.	Eng. bot. 366.
palustris. W.	marsh.		C. B. S.	1806. 10. G. 2.	Bot. mag. 1445.
TRIGLOCHIN. W.	ARROW-GRASS.	Alismaceæ. B. P.	Britain. 5.8. H. 2.	Eng. bot. 255.
1 palustre. W.	marsh.		Northecium. J.		
2 bulbosum. B. M.	bulbous-rooted.		Britain. 7.8. H. 2.	Eng. bot. 536.
3 maritimum. W.	sea.		N. America.	1790. 4.5. H. 2.	Pluk. man. t. 342. f. 3.
TOFIELDIA. H. K.	TOFIELDIA.	Melanthaceæ. J.			
1 palustris. H. K.	Scotch.				
2 pubens. H. K.	downy.				
MYRSIPHYLLUM. W. en.	{ MYRSIPHYLLUM. }	Smilacæ? B. P.	Medeola sp. H. K.		
1 asparagoides. W. en.	broad-leaved.		C. B. S.	1702. 10.3. G. 2.	Herm. lugd. t. 681.
2 angustifolium. W.	narrow-leaved.			1752. 12.3. G. 2.	Till. pis. 17. t. 12. f. 2.
MELANTHIUM. B. M.	MELANTHIUM.	Melanthaceæ. B. P.	C. B. S.	1788. 5.6. G. 2.	Bot. mag. 1291.
1 monopetalum. B. M.	bell-flowered.			1788. — G. 2.	Bot. mag. 694.
Hermbia campanulata. H. K.				1800. — G. 2.	
2 spicatum. B. M.	spiked.			— G. 2.	
3 pumilum. B. M.	dwarf.			1788. 6.11. G. 2.	Bot. mag. 558.
4 longiflorum. B. M.	long-flowered.			1812. — G. 2.	Lam. ill. t. 269. f. 2.
5 junceum. H. K.	Rush-leaved.			1768. 5.6. G. 2.	
6 secundum. W.	side-flowering.			1787. 6.7. G. 2.	Bot. mag. 767.
7 capense. W.	spotted-flowered.			1794. 3.5. G. 2.	641.
8 uniflorum. H. K.	yellow.			1788. 10.11. G. 2.	994.
9 eucomoides. W.	dwarf.				
10 viride. B. M.	branching.				
Ornithoglossum viride. H. K.					
MEDEOLA. W. en.	MEDEOLA.	Smilacæ. B. P.	Virginia.	1759. 6. H. 2.	Bot. mag. 1316.
virginica. W.	{ Indian Cucumber. }		N. America.	1759. 4.5. H. 2.	Bot. mag. 40.
TRILLIUM. W.	TRILLIUM.	Smilacæ. B. P.		1811. — H. 2.	
1 sessile. W.	sessile-leaved.			— 5.6. H. 2.	
2 petiolatum. Ph.	Plantain-leaved.			1812. — H. 2.	
3 erythrocarpum. Mi.	painted-flowered.		Carolina.	— G. 2.	
pictum. Ph. undulatum. W. Hort. Ber.			N. America.	1758. 4.5. H. 2.	Bot. mag. 954.
4 ovatum. Ph.	purple-flowered.			1759. — H. 2.	470.
5 pumilum. Ph.	dwarf.			1805. — H. 2.	W. hort. ber. 1. t. 35.
6 cernuum. W.	drooping-flowerd.			1799. 4.6. H. 2.	Far. lond. 1.
7 erectum. W.	stinking.				
8 pendulum. Ph.	pendulous.				
9 grandiflorum. Ph.	large-flowered.				
COLCHICUM. W.	{ MEADOW SAFFRON. }	Melanthaceæ. B. P.	Britain. 9.10. H. 2.	Eng. bot. 133.
1 autumnale. W.	common.		Hungary.	1816. — H. 2.	Pl. rar. hung. 2. t. 179.
2 arenarium. W. en.	sand.		Levant.	1629. 9.10. H. 2.	Bot. mag. 1192.
3 byzantium. B. M.	broad-leaved.		Greece.	— 8.10. H. 2.	1028.
4 variegatum. W.	chequer-flowerd.				
HELONIAS. B. M.	HELONIAS.	Melanthaceæ. B. P.	N. America.	1759. 7.8. H. 2.	Bot. mag. 1062.
1 lutea. B. M.	spiked-flowering.			1758. 4.5. H. 2.	747.
2 bullata. W.	spear-leaved.			1770. 6. H. 2.	803.
3 læta. B. M.	channel-leaved.			1811. 5.6. H. 2.	1680.
4 glaberrima. B. M.	smooth.			— H. 2.	1703.
5 bracteata. B. M.	large-bracted.		 H. 2.	Ph. amer. 1. t. 9.
6 teuax. Ph.	tough-leaved.			1765. 5.6. H. 2.	Bot. mag. 748.
7 asphodeloides. W.	Grass-leaved.			1812. — H. 2.	1599.
8 graminea. B. M.	panicled.				
NOLINA. Mi.	NOLINA.	Melanthaceæ. B. P.	Georgia.	1812. 7.8. H. 2.	Pluk. man. t. 342. f. 1.
georgiana. Mi.	Georgian.				

HEPTANDRIA MONOGYNIA.

79

APONOGETON. W.	APONOGETON.	Naiades. J.					
1 monostachyon. W.	simple-spiked.		E. Ind.	1803. 8.10.	S. 2.	Bot. rep. 406.	
2 distachyon. W.	broad-leaved.		C. B. S.	1788. 5.7.	G. 2.	Bot. mag. 1293.	
3 angustifolium. W.	narrow-leaved.		—	—	4.9.	G. 2.	1268.
SABAL. P. S.	SABAL.	Palmae. B. P.					
Adansoni. B. M.	Adanson's.		Florida.	1810. 6.8.	S. 2.	Bot. mag. 1434.	
POLYGYNIA.							
WENDLANDIA. W.	WENDLANDIA.	Menispermæ. J.					
populifolia. W.	Poplar-leaved.		N. America.	1759. 6.7.	H. 2.	Wen. hor. her. 3. t. 16	
DAMASONIUM. W.	DAMASONIUM.	Hydrocharideæ. B. P.	Ottelia. P. S.				
indicum. W.	Indian.		E. Ind.	1800. 7.9.	S. 2.	Bot. mag. 1201.	
ACTINOCARPUS. } B. P.	ACTINOCARPUS.	Alismaceæ. B. P.	Damasonium. J. Alisma sp. L.				
1 minor. B. P.	small.		N. S. W.	5.8.	G. 2.	
2 Damasonium.	common.		England.	6.8.	H. 2.	Eng. bot. 1615.
ALISMA. W.	{ WATER PLANTAIN. }	Alismaceæ. B. P.					
1 Plantago. W.	greater.		Britain.	6.7.	H. 2.	Eng. bot. 837.
2 lanceolata. With.	spear-leaved.		—	—	—	H. 2.	
3 trivialis. Ph.	blunt-leaved.		N. America.	1816. —	—	H. 2.	
4 natans. W.	floating.		Wales.	7.8.	H. 2.	Eng. bot. 775.
5 ranunculoides. W.	lesser.		Britain.	8.	H. 2.	— 326.

CLASS VII.

HEPTANDRIA MONOGYNIA.

TRIENTALIS. W.	WINTER-GREEN. Primulaceæ. B. P.						
1 europea. W.	oval-leaved.		Britain.	5.6.	H. 2.	Eng. bot. 15.
2 americana. Ph.	spear-leaved.		N. America.	1816. 7.8.	H. 2.		
DISANDRA. W.	DISANDRA.	Pedicularæ. J.					
prostrata. W.	trailing.		Madeira.	1771. 5.8.	G. 2.	Bot. mag. 218.	
PISONIA. W.	PISONIA.	Nyctagineæ. B. P.					
1 aculeata. W.	prickly.		Jamaica.	1739. 3.4.	S. 2.	Lam. ill. t. 861.	
2 nigricans. W.	black.		W. Ind.	1806.	S. 2.		
3 grandis. B. P.	superb.		N. Holland.	1805.	G. 2.		
PETIVERIA. W.	PETIVERIA.	Chenopodæ. B. P.					
1 alliacea. W.	Garlic-scented.		Jamaica.	1759. 6.7.	S. 2.	Trew. ehret. 33. t. 67	
2 octandra. W.	dwarf.		W. Ind.	1737. —	S. 2.	Plum. ic. 213. t. 219.	
ÆSCULUS. W.	HORSECHESNUT	Acere. J.					
1 Hippocastanum. W.	common.		Asia.	1629. 4.5.	H. 2.	Schmidt arb. 1. t. 38.	
2 Pavia. W.	red-flowered.		N. America.	1711. 5.6.	H. 2.	— 1. t. 39.	
3 discolor. Ph.	dwarf.		Georgia.	1812. 5.	H. 2.		
4 flava. W.	yellow-flowered.		N. America.	1764. 5.6.	H. 2.	Sch. arb. 1. t. 40.	
5 glabra. W. en.	smooth-leaved.		—	1812. —	H. 2.		
6 pallida. W. en.	pale-flowered.		—	—	6.	H. 2.	
7 parviflora. H. K.	small-flowered.		—	1786. 7.8.	H. 2.		
JONESIA. W.	JONESIA.						
pinna. W.	winged-leaved.		E. Ind.	1798. —	S. 2.	Rheed. mal. 5. t. 59.	
DRACONTIUM. W.	DRAGON.	Aroideæ. B. P.					
1 polyphyllum. W.	purple-stalked.		India.	1759. 3.6.	S. 2.	Herm. parad. 93.	
2 spinosum. W.	prickly.		Ceylon.	—	4.5.	S. 2.	
3 pertusum. W.	perforated.		W. Ind.	1752. 4.6.	S. 2.	Jac. sch. 2. t. 184. 5.	
CALLA. W.	CALLA.	Aroideæ. B. P.					
1 æthiopica. W.	Ethiopian.		C. B. S.	1731. 1.5.	G. 2.	Bot. mag. 832.	
2 palustris. W.	marsh.		N. Europe.	1768. 7.8.	H. 2.	— 1831.	
DIGYNIA.							
LIMEUM. W.	LIMEUM.	Portulacæ. J.					
africanum. W.	African.		C. B. S.	1774. 6.7.	G. 2.		
TETRAGYNIA.							
SAURURUS. W.	LIZARD'S TAIL.	Naiades. J.					
cernuus. W.	drooping.		Virginia.	1759. 9.	H. 2.	Lam. ill. t. 1.	

SEPTAS. W.		HEPTAGYNIA.	
1 capensis. W.	Septas.	Sempervivæ. J.	
2 globifera. B. M.	Cape.	C. B. S.	1774. 8.9. G. 2. Bot. rep. 90.
3 umbella. H. S.	globe-flowered.		1809. 3.4. G. 2. Bot. mag. 1472.
	skreen.		1800. 7. G. 2. Jac. vind. 2. t. 352.

CLASS VIII.

OCTANDRIA MONOGYNIA.

TROPÆOLUM. W.		INDIAN CRESS. Geraniæ? J.	
1 minus. W.	small.	Peru.	1596. 6.10. H. 2. Bot. mag. 92.
β flore pleno.	double-flowered.		G. 2.
2 majus. W.	great.		1686. H. 2. Bot. mag. 23.
β flore pleno.	double-flowered.		G. 2.
3 peregrinum. W.	fringe-flowered.		1775. G. 2. Bot. mag. 1351.
4 pinnatum. B. R.	pinnate-flowered		G. 2. Bot. rep. 535.
5 hybridum. W.	hybrid.	6.8. G. 2. Berg. act. hol. 32. t. 1.
OSBECKIA. W.		Melastomæ. J.	
zeylanica. W.	Ceylon.	Ceylon.	1799. 7.8. S. 2. Pluk. alm. t. 173. f. 4.
RHEXIA. W.		Melastomæ. J.	
1 mariana. W.	Maryland.	N. America.	1759. 6.8. H. 2. Lam. ill. t. 283. f. 1.
2 ciliosa. Ph.	ciliated.	Carolina.	1812. F. 2. Ph. amer. 1. t. 10.
3 virginica. W.	Virginian.	N. America.	1759. H. 2. Bot. mag. 968.
4 aquatica. W.	marsh.	S. America.	1793. S. 2. Aub. guian. 1. t. 169.
CENOTHERA. W.		Onagraræ. J.	
1 biennis. W.	common.	N. America.	1629. 6.9. H. 2. Flor. dan. 446.
2 grandiflora. W.	great-flowered.		1778. 6.8. H. 2.
3 parviflora. W.	small-flowered.		1757. H. 2. Meerb. ic. 1. t. 34.
4 muricata. W.	prickly-stalked.		1789. 7.8. H. 2. Mur. com. got. 6. t. 1.
5 longiflora. W.	long-flowered.	Buen. Ayres.	1776. 7.9. H. 2. Bot. mag. 365.
6 mollissima. W.	soft wave-leaved.		1732. 6.10. H. 2. Sch. handb. 1. t. 105.
7 odorata. P. S.	sweet-scented.	S. America.	1790. 4.8. H. 2. Bot. reg. 147.
8 nocturna. W.	night-smelling.	C. B. S.	G. 2. Jac. ic. 3. t. 455.
9 villosa. W.	villosus.		1791. 7.8. G. 2.
10 sinuata. W.	scollop-leaved.	N. America.	1770. 7. H. 2. Mur. com. got. 5. t. 9.
11 tetraptera. W.	white-flowered.	Mexico.	1796. 6.8. H. 2. Bot. mag. 468.
12 caespitosa. B. M.	turfy.	N. America.	1811. 6.7. H. 2. 1593.
13 missouriensis. B. M.	Missouri.		H. 2. 1592.
14 glauca. Ph.	glaucous.		1812. 5.10. H. 2. 1606.
15 Fraseri. Ph.	Fraser's.		1811. H. 2. 1674.
16 tetragona. Roth.	obtuse-leaved.	 6.8. H. 2.
17 fruticosa. W.	shrubby.		1737. H. 2. Bot. mag. 332.
18 pumila. W.	dwarf.		1757. 5.9. H. 2. 355.
19 rosea. W.	rosy-flowered.	Peru.	1783. 5.8. F. 2. 347.
20 purpurea. W.	purple-flowered.	N. America.	1794. H. 2. 352.
21 albicaulis. Ph.	white-stalked.		1811. H. 2.
GAURA. W.		Onagraræ. J.	
1 biennis. W.	biennial.	N. America.	1762. 8.10. H. 2. Bot. mag. 389.
2 coccinea. Ph.	scarlet.	Louisiana.	1811. H. 2.
3 fruticosa. W.	shrubby.	S. America.	1816. S. 2. Jac. ic. 3. t. 457.
4 mutabilis. W.	changeable.		1795. 7.8. F. 2. Bot. mag. 388.
5 tripetala. Cav.	three-petalled.	Mexico.	1804. 8. H. 2. Cav. ic. 4. t. 396. f. 1.
EPILOBIUM. W.		Onagraræ. J.	
1 angustifolium. W.	Rose-bay.	Britain. 7.8. H. 2. Eng. bot. 1947.
2 angustissimum. W.	linear-leaved.	Alps of Eur.	1775. H. 2. Bot. mag. 76.
3 latifolium. W.	Orache-leaved.	N. Europe.	1779. H. 2. Par. lond. 58.
4 hirsutum. W.	Codlins & Cream.	Britain. H. 2. Eng. bot. 838.
5 parviflorum. E. B.	small-flowered.	 H. 2. 795.
6 villosum. W.	Cape.	C. B. S.	1799. G. 2.
7 montanum. W.	broad smooth-l ^d .	Britain. 6.7. H. 2. Eng. bot. 1177.
8 roseum. H. K.	pale smooth-le ^d .	England. 7. H. 2. 693.
9 alsinifolium. H. K.	Chickweed-leav ^d .	Britain. H. 2. 2000.
10 tetragonum. W.	square-stalked.	 H. 2. 1948.
11 coloratum. Ph.	Pink-flowered.	N. America.	1805. H. 2.

re. W.	round-stalked.	Onagraceæ. J.	Britain.	7.	H. 2.	Eng. bot. 346.
ma. W.	Alpine.			6.	H. 2.	2001.
A. W.	GRISLEA.	Salicariæ. J.	Woodfordia. Par. Lond.				
rosa. W.	downy.		E. Ind.	1804.	5.6.	S. h.	Bot. reg. 30.
RGHIA. W.	ROXBURGHIA.						
sa. P. S.	Gloriosa-leaved.		E. Ind.	1803.	4.	S. 2.	Bot. mag. 1500.
LA. Sm.	BORONIA.					
ta. Sm.	Hawthorn-scented.		N. S. W.	1794.	2.5.	G. h.	Bot. mag. 1763.
ata. Sm.	Rose-scented.			1816.	G. h.	Smith's tracts, t. 5.
THECA. W.	TETRATHECA.					
a. W.	rushy.		N. S. W.	1803.	7.8.	G. h.	Sm. nov. holl. 1. t. 2.
A. W.	CORREA.	Diosmaceæ.					
H. K.	white-flowered.		N. S. W.	1793.	4.7.	G. h.	Bot. rep. 18.
sa. B. R.	red-flowered.			1806.	—	G. h.	Bot. reg. 26.
i. H. K.	green-flowered.			1800.	11.5.	G. h.	3.
OPS. W.	MIMUSOPS.	Sapotæ. B. P.					
i. W.	pointed-leaved.		E. Ind.	1786.	S. h.	Roxb. cor. 1. t. 14.
i. W.	obtuse-leaved.				S. h.	Rumph. amb. 3. t. 8.
ta. B. P.	oval-leaved.		India.	1804.	S. h.	
LOPHE. W.	ORNITROPHE.	Sapindi. J.					
a. W.	saw-leaved.		E. Ind.	1804.	S. h.	Roxb. cor. 1. t. 61.
nia. W.	yellow-berried.		Jamaica.	1759.	S. h.	Slojam. 2. t. 308. f. 1.
ARPUS. W.	DIMOCARPUS.	Sapindi. J.	Euphoria. J.				
i. W.	Lee-Chee.		China.	1786.	5.6.	S. h.	Lam. ill. t. 306.
an. H. K.	many-petalled.					S. h.	Buchoz. ic. t. 89.
OCCA. W.	HONEY-BERRY.	Sapindi. J.					
a. W.	winged-leaved.		Jamaica.	1778.	S. h.	Jac. amer. 108. t. 72.
A. H. K.	AKEE-TREE.	Sapindi. J.	Ahecia. Tus.				
i. H. K.	Ash-leaved.		Africa.	1783.	S. h.	Ann. bot. 2. t. 16. 17.
JS. W.	EPHIELIA.	Sapindi? J.	Mataiba. Aub.				
lea. W.	Ash-leaved.		Guiana.	1803.	S. h.	Aub. guian. 1. t. 128.
EUTERIA. W.	KOELREUTERIA.	Sapindi. J.					
ulata. W.	panicled.		China.	1763.	7.8.	H. h.	Laxm. comp. pet. t. 18.
A. W.	GUAREA.	Meliæ. J.					
lioides. W.	Ash-leaved.		S. America.	1752.	5.6.	S. h.	Cav. diss. 7. t. 210.
S. W.	AMYRIS.	Terebintaceæ. J.					
ama. W.	simple-leaved.		Chili.	1790.	6.7.	S. h.	Cav. ic. 3. t. 239.
tica. W.	wood.		Carthagena.	1793.	—	S. h.	{ Jac. amer. ed. pict. t. 188.
IA. W.	XIMENIA.	Aurantiaæ. J.					
icana. W.	American.		W. Ind.	1759.	S. h.	Jac. amer. pict. t. 107.
IA. W.	FUCHSIA.	Santalaceæ. B. P.					
nea. W.	scarlet.		Chili.	1788.	5.8.	G. h.	Bot. mag. 97.
ides. W.	Boxthorn-leaved.			1796.	4.10.	G. h.	1024.
LIFERA. W.	JANBOLIFERA.					
nculata. W.	peduncled.		E. Ind.	1800.	S. h.	Vahl symb. 3. t. 61.
A. L. T.	BÆCKIA.	Myrti. J.					
scens. Sm.	Chinese.		China.	1806.	9.12.	G. h.	Osborn. iter. t. 1.
ta. Sm.	twiggy.		N. S. W.	—	8.10.	G. h.	Bot. rep. 598.
folia. Sm.	close-leaved.			—	G. h.	
IA. W.	YELLOW-WORT.	Gentianeæ. J.					
liata. W.	perfoliate.		Britain.	6.7.	H. 2.	Eng. bot. 60.
YLON. W.	MEMECYLON.	Santalaceæ. B. P.					
ellatum. W.	Ceylon.		E. Ind.	1796.	7.	S. h.	Burm. zeyl. 76. t. 20.
UXIA. W.	MICHAUXIA.	Campanulaceæ. J.	Mindimp. J.				
anuloides. W.	rough-leaved.		Levant.	1787.	5.8.	G. 2.	Bot. mag. 219.
ISONIA. Ph.	JEFFERSONIA.	Papaveraceæ. J.					
ylla. Ph.	two-leaved.		N. America.	1792.	5.	H. 2.	Bot. mag. 1613.
ÆA. W.	DODONÆA.	Terebintaceæ? J.					
sa. W.	clammy.		S. America.	1690.	6.7.	S. h.	Cav. ic. pl. 4. t. 327.
stra. W.	three-sided.		N. S. W.	1790.	6.8.	G. h.	Bot. rep. 230.
stifolia. W.	narrow-leaved.		C. B. S.	1758.	5.8.	G. h.	
ONIA. W.	LAWSONIA.	Salicariæ. J.					
nis. W.	smooth.		Egypt.	1759.	S. h.	Rauw. ic. 60. t. 7.
sa. W.	prickly.		E. Ind.	—	S. h.	Rheed. mal. 1. t. 40.
OCUS. P. S.	CRANBERRY.	Ericæ. J.	Vaccinii species W.				
stria. P. S.	common.		Britain.	5.6.	S. h.	Eng. bot. 319.
rocarpus. Ph.	large-fruited.		N. America.	1760.	—	H. h.	Hort. Kew. 2. t. 7.
brocarpus. P. S.	upright.			1806.	—	H. h.	

CALLUNA. W. en. vulgaris. W. en. <i>β alba.</i> <i>γ flore pleno.</i>	CALLUNA. common. <i>white-flowered.</i> <i>double-flowered.</i>	Ericæ. J. <i>Ericæ sp. H. K.</i> Britain. 6.8. H. h. Eng. bot. 1013.			
ERICA. W.	HEATH.	Ericæ. J.			
1 Plukenetiana. H. K.	Plukenet's.	C. B. S.	1774. 4.7.	G. h.	Andr. heaths, vol. 1.
2 penicillata. A. H.	pencilled.			G. h.	vol. 2.
3 Banksii. H. K.	Banks's.		1787. 2.7.	G. h.	vol. 1.
4 monadelphæ. B. M.	monadelphous.		1789. 5.6.	G. h.	Bot. mag. 1370.
5 Petiveriana. H. K.	Petiver's.		1774. 3.7.	G. h.	Lam. ill. t. 288. f. 3.
6 follicularis. H. K.	yellow-pencilled.		1794. 2.7.	G. h.	And. heaths, vol. 1.
7 melastoma. A. H.	black-anthered.		1795. 4.7.	G. h.	vol. 1.
8 Sebana. H. K.	Seba's.		1774. 3.6.	G. h.	vol. 1.
9 socciflora. H. K.	green-pencilled.		1799. 4.5.	G. h.	vol. 1.
10 furfurosa. H. K.	columnar-thread ^d .		1789. 8.12.	G. h.	vol. 1.
11 penicilliflora. H. K.	white-pencilled.		1792. 5.8.	G. h.	{ Wendl. eric. 4. p. 4. c. ic.
12 leucanthera. H. K.	white-tipped.		1803. 1.5.	G. h.	
13 melanthera. W.	dark-anthered.			G. h.	
14 cristatiflora. L. T.	crested.			G. h.	
15 flexuosa. H. K.	zigzag.		1792. 4.7.	G. h.	And. heaths, vol. 1.
16 villosa. H. K.	villosa.		1800. 2.6.	G. h.	vol. 3.
17 spumosa. H. K.	spumous.		1786. 5.8.	G. h.	
18 sexfaria. H. K.	six-angled.		1774. —	G. h.	And. heaths, vol. 2.
19 imbricata. H. K.	imbricated.		1786. —	G. h.	
20 tiaræflora. H. K.	turban-flowered.		1800. —	G. h.	And. heaths, vol. 3.
21 velleriflora. H. K.	woolly-flowered.		1774. 2.6.	G. h.	vol. 1.
22 Bruniades. H. K.	Brunia-like.		1790. 4.6.	G. h.	{ Wend. eric. 16. p. 53. c. ic.
23 umbellata. H. K.	umbelled.	Portugal.	1782. 5.7.	G. h.	And. heaths, vol. 2.
24 staminea. H. K.	reflex'd-stamen'd.	C. B. S.	1799. 6.9.	G. h.	vol. 3.
25 latifolia. H. K.	broad-leaved.		1800. 5.8.	G. h.	vol. 2.
26 nudiflora. H. K.	small-bracted.		1783. 7.8.	G. h.	Smith ined. 3. t. 57.
27 carnea. H. K.	early-fl ^d . dwarf.	Germany.	1763. 1.4.	H. h.	Bot. mag. 11.
28 mediterranea. W.	Mediterranean.	Portugal.	1848. 3.5.	H. h.	471.
29 vagans. W. <i>β alba.</i>	Cornish. <i>white-flowering.</i>	Cornwall. 7.8.	H. h.	Eng. bot. 3.
30 multiflora. W.	many-flowered.	France.	1731. 6.11.	G. h.	And. heaths, vol. 2.
31 grandiflora. H. K.	great-flowered.	C. B. S.	1775. 5.9.	G. h.	Bot. mag. 189.
32 Ewerana. H. K.	Ewer's.		1793. 7.11.	G. h.	And. heaths, vol. 2.
33 cruenta. H. K.	bloody-flowered.		1774. 9.5.	G. h.	vol. 1.
34 speciosa. H. K.	specious.		1800. 6.9.	G. h.	vol. 2.
35 discolor. H. K.	different-colour ^d .		1788. 11.3.	G. h.	vol. 1.
36 mutabilis. H. K.	mutable.		1798. 2.10.	G. h.	vol. 3.
37 mammosa. A. H.	nipple.		1762. 7.10.	G. h.	vol. 1.
38 verticillata. A. H.	verticillate.		1774. —	G. h.	vol. 1.
39 densifolia. W.	dense-leaved.		1811. 3.8.	G. h.	
40 gelida. H. K.	green-verticillate.		1790. 4.7.	G. h.	And. heaths, vol. 2.
41 clavæflora. H. K.	club-flowered.		1799. 8.10.	G. h.	vol. 2.
42 spicata. H. K.	spiked.		1789. 1.12.	G. h.	vol. 1.
43 Patersoni. H. K.	Paterson's.		1791. 3.8.	G. h.	vol. 1.
44 fascicularis. H. K.	cluster-flowered.		1787. 2.6.	G. h.	vol. 1.
45 perspicua. H. K.	clear-flowered.		1790. 3.6.	G. h.	Wen. eric. 3. p. 5. c. ic.
46 versicolor. H. K.	various-colour ^d .		— 11.5.	G. h.	And. heaths, vol. 1.
47 costata. H. K.	ribbed-flowered.		1795. 2.8.	G. h.	vol. 1.
48 Aitoniana. H. K.	Aiton's.		1780. 6.9.	G. h.	Bot. mag. 429.
49 Niveni. H. K.	Niven's.		1799. 2.7.	G. h.	And. heaths, vol. 2.
50 tubiflora. H. K.	tube-flowered.		1775. 4.7.	G. h.	vol. 1.
51 lanata. W.	woolly.		— 2.5.	G. h.	Wen. eric. 5. p. 5. c. ic.
52 cylindrica. A. H.	cylindric.		1798. 5.6.	G. h.	And. heaths, c. ic.
53 ignescens. H. K.	fiery.		1792. 3.6.	G. h.	vol. 2.
54 splendens. P. S.	splendid.		— 4.9.	G. h.	Wen. eric. 8. p. 5. c. ic.
55 simpliciflora. H. K.	single-flowered.		1774. 3.7.	G. h.	— 17. p. 69.
56 spuria. H. K.	spurious.		1796. 4.8.	G. h.	And. heaths, vol. 1.
57 procera. W.	lofty.		1791. 4.6.	G. h.	
58 conspicua. H. K.	conspicuous.		1774. 5.8.	G. h.	And. heaths, vol. 2.
59 sordida. H. K.	sordid.		1790. 8.3.	G. h.	vol. 1.
60 flammea. H. K.	flame-flowered.		1798. 10.5.	G. h.	vol. 2.
61 concinna. H. K.	blush.		1773. 9.10.	G. h.	vol. 2.
62 curviflora. H. K.	curve-flowered.		1774. 7.10.	G. h.	vol. 1.

63 serratifolia. H. K.	saw-leaved.	Ericæ. J.	C. B. S.	1790. 8.12. G. h.	And. heaths, vol. 1.
64 transparent. W.	transparent.	_____	_____	1800. 5. G. h.	_____
65 pellucida. H. K.	pellucid.	_____	_____	1800. 11.6. G. h.	And. heaths, vol. 3.
66 glandulosa. W.	glandular-haired.	_____	_____	1801. 5.6. G. h.	_____
67 Sparrmanni. H.K.	Sparrmann's.	_____	_____	1794. 9.3. G. h.	And. heaths, vol. 3.
68 Linneana. H. K.	Linneus's.	_____	_____	1790. 1.5. G. h.	_____ vol. 2.
69 erubescens. H. K.	reddish.	_____	_____	1800. 3.7. G. h.	_____ vol. 3.
70 Leeana. H. K.	Lee's.	_____	_____	1788. 8.1. G. h.	_____ vol. 1.
71 onosmodora. H.K.	Onosma-flowered.	_____	_____	1789. 9.3. G. h.	_____ vol. 1.
72 viridis. H. K.	green-flowered.	_____	_____	1800. 5.9. G. h.	_____ vol. 2.
73 longifolia. H. K.	long-leaved.	_____	_____	1787. 2.7. G. h.	Icon. hort. kew. 4.
74 pinea. H. K.	Pine-tree-leaved.	_____	_____	1790. 8.12. G. h.	_____
75 aurea. H. K.	gold-coloured.	_____	_____	1799. 7.9. G. h.	And. heaths, vol. 2.
76 purpurea. H. K.	purple-flowered.	_____	_____	1789. 1.12. G. h.	_____ vol. 2.
77 coccinea. H. K.	scarlet-flowered.	_____	_____	1788. _____ G. h.	_____ vol. 1.
78 Archeriana. H. K.	Lady Archer's.	_____	_____	1796. 8.11. G. h.	_____ vol. 2.
79 Hibbertiana. H.K.	Hibbert's.	_____	_____	1800. 6.9. G. h.	_____ vol. 3.
80 Massoni. H. K.	Masson's.	_____	_____	1787. 7.10. G. h.	Bot. mag. 336.
81 elata. H. K.	tall.	_____	_____	1790. 7.9. G. h.	And. heaths, vol. 2.
82 exurgens. H. K.	quiver-formed.	_____	_____	1792. 1.12. G. h.	_____ vol. 1.
83 vestita. H. K.	tremulous.	_____	_____	1789. _____ G. h.	_____
a alba.	white.	_____	_____	_____ G. h.	And. heaths, vol. 1.
b incarnata.	flesh-coloured.	_____	_____	_____ G. h.	_____ vol. 2.
c purpurea.	purple.	_____	_____	_____ G. h.	_____ vol. 1.
d rosea.	rose-coloured.	_____	_____	_____ G. h.	_____ vol. 2.
e fulgida.	bright-red.	_____	_____	_____ G. h.	_____ vol. 2.
f coccinea.	scarlet.	_____	_____	_____ G. h.	_____ vol. 1.
g lutea.	yellow.	_____	_____	_____ G. h.	_____ vol. 3.
84 radiata. H. K.	radiated.	_____	_____	1798. 8.11. G. h.	_____ vol. 1.
85 rosea. H. K.	rose-coloured.	_____	_____	_____ 6.10. G. h.	_____ vol. 2.
86 inflata. H. K.	inflated.	_____	_____	1800. 5.9. G. h.	{ Thunb. eric. 67. t. 2. f. 2.
87 ventricosa. H. K.	Porcelain.	_____	_____	1787. 4.9. G. h.	Bot. mag. 350.
88 prugnans. A. H.	swelled.	_____	_____	1796. 5.7. G. h.	And. heaths, c. ic.
89 blanda. H. K.	charming.	_____	_____	1800. 4.9. G. h.	_____ vol. 3.
90 Monsoniæ. H. K.	Lady Monson's.	_____	_____	1787. _____ G. h.	Bot. mag. 1915.
91 Halicacaba. H. K.	bladder-flowered.	_____	_____	1780. 5.8. G. h.	And. heaths, vol. 2.
92 lanuginosa. H. K.	large brown-fl ^d .	_____	_____	1803. 9.1. G. h.	_____ vol. 3.
93 tetragona. H. K.	square-flowered.	_____	_____	1789. 7.9. G. h.	_____ vol. 3.
94 jasmíniflora. H. K.	Jasmine-flower'd.	_____	_____	1794. 6.11. G. h.	_____ vol. 1.
95 ampullacea. H. K.	flask.	_____	_____	1790. 6.8. G. h.	Bot. mag. 303.
96 retorta. H. K.	recurved-leaved.	_____	_____	1787. 5.8. G. h.	_____ 362.
97 ferruginea. H. K.	rusty.	_____	_____	1798. 5.7. G. h.	And. heaths, vol. 3.
98 princeps. H. K.	fine red.	_____	_____	1800. _____ G. h.	_____ vol. 2.
99 metulæflora. H. K.	nine-pin.	_____	_____	1798. 6.8. G. h.	Bot. mag. 612.
100 cerinthoides. H.K.	Honeywort-flow ^d .	_____	_____	1774. 5.11. G. h.	_____ 220.
101 tumida. B. Reg.	tumid.	_____	_____	1812. 5.9. G. h.	Bot. reg. 65.
102 tenuiflora. A. H.	yellow slender-fl ^d .	_____	_____	1800. 4.6. G. h.	And. heaths, vol. 3.
103 fistulæflora. L. T.	white slender-fl ^d .	_____	_____	_____ 9. G. h.	_____ vol. 3.
104 Lawsoni. B. M.	red slender-fl ^d .	_____	_____	1802. 4.6. G. h.	Bot. mag. 1720.
105 Hyacinthoides. } H. K.	Hyacinth-flow'd.	_____	_____	1798. 6.8. G. h.	And. heaths, vol. 3.
106 aristata. H. K.	awned.	_____	_____	1801. 3.8. G. h.	_____ vol. 3.
107 tricolor.	three-coloured.	_____	_____	1803. 7. G. h.	_____ vol. 3.
aristata minor. A. H.	_____	_____	_____	_____	_____
108 obbata. H. K.	bottle.	_____	_____	1796. 4.7. G. h.	And. heaths, vol. 2.
109 acuminata. H. K.	pointed-leaved.	_____	_____	1800. 7.10. G. h.	_____ vol. 3.
110 Irbyana. A. H.	Irby's.	_____	_____	_____ 6.10. G. h.	_____ vol. 3.
111 crisfolia. H. K.	Coris-leaved.	_____	_____	1774. 8.12. G. h.	Bot. mag. 423.
112 glauca. H. K.	glaucous.	_____	_____	1792. 5.7. G. h.	_____ 580.
113 andromedaflora } H. K.	{ Andromeda- flowered. }	_____	_____	1803. 3.6. G. h.	_____ 1250.
114 pyrolæflora. L. T.	Pyrola-flowered.	_____	_____	1790. 5.7. G. h.	_____
115 elegans. H. K.	elegant.	_____	_____	1799. 11.3. G. h.	Bot. mag. 966.
116 triflora. H. K.	three-flowered.	_____	_____	1774. 3.6. G. h.	Wendl.eric.12.p.13
117 laxa. H. K.	loose-flowered.	_____	_____	1800. 9.2. G. h.	And. heaths, vol. 3.
118 lucida. H. K.	lucid.	_____	_____	_____ 4.6. G. h.	_____ vol. 2.
119 squamosa. H. K.	scaly-cupped.	_____	_____	1794. _____ G. h.	_____ vol. 3.
120 togata. B. M.	large-cupped.	_____	_____	1812. 6.7. G. h.	Bot. mag. 1626.
121 lachneifolia. H.K.	Lachnea-leaved.	_____	_____	1792. 5.7. G. h.	And. heaths, vol. 3.

122 nigrita. H. K.	black-tipped.	Ericem. J.	C. B. S.	1790. 3.6.	G. h.	And. heaths, vol. 1.	
123 baccans. H. K.	Arbutus-flower ^d .			1774. 4.6.	G. h.	Bot. mag. 358.	
124 oppositifolia. A. H.	opposite-leaved.			1804. 3.5.	G. h.	And. heaths.	
125 tenuifolia. H. K.	slender-leaved.			1794. 4.5.	G. h.	Seb. mus. t. 78. f. 6.	
126 canaliculata. H. K.	channelled.			1799. 8.2.	G. h.	And. heaths, vol. 3.	
127 patens. A. H.	spreading.			1800. 3.6.	G. h.	vol. 3.	
128 Thunbergii. H. K.	Thunberg's.			1794. 5.8.	G. h.	Bot. mag. 1214.	
129 taxifolia. H. K.	Yew-leaved.			1788. 7.11.	G. h.	And. heaths, vol. 1.	
130 petiolata. H. K.	Rosemary-leav ^d .			1774. 3.7.	G. h.	vol. 3.	
131 capitata. H. K.	downy-headed.				G. h.	vol. 1.	
132 horizontalis. H. K.	horizontal-leav ^d .			1800. 7.9.	G. h.	vol. 2.	
133 globosa. H. K.	globular-flower ^d .			1789.	G. h.		
134 nitida. H. K.	nitid.			1800. 7.10.	G. h.	And. heaths, vol. 3.	
135 ardens. H. K.	ardent.				4.6.	G. h.	Bot. reg. 115.
136 physodes. H. K.	sticky.			1788. 3.7.	G. h.	Bot. mag. 443.	
137 obliqua. H. K.	oblique-leaved.			1789. 8.10.	G. h.	And. heaths, vol. 1.	
138 resinosa. H. K.	varnished.			1803. 5.8.	G. h.	Bot. mag. 139.	
139 Lambertiana. H. K.	Lambert's.			1800.	G. h.	And. heaths, vol. 2.	
140 odorata. H. K.	perfumed.			1804. 4.7.	G. h.	vol. 3.	
141 flava. H. K.	three-le ^d . yellow			1795. 9.4.	G. h.	vol. 2.	
142 Blandfordiana. H. K.	Lord Blandford's.			1803. 3.6.	G. h.	vol. 3.	
143 decora. H. K.	graceful.			1790. 11.1.	G. h.	vol. 3.	
144 cinerea. H. K.	fine-leaved.		Britain. 6.9.	H. h.	Eng. bot. 1013.	
β alba.	white-flowered.						
145 stricta. H. K.	straight-branch ^d		S. Europe.	1765. 8.11.	H. h.	And. heaths, vol. 2.	
146 Tetralix. H. K.	cross-leaved.		Britain. 6.8.	H. h.	Eng. bot. 1014.	
β alba.	white-flowered.						
147 lutea. H. K.	yellow.		C. B. S.	1774. 2.5.	G. h.	And. heaths, vol. 1.	
148 urceolaris. H. K.	pitcher-flowered.			1778. 5.7.	G. h.	Icon. hort. kew. 16.	
149 glutino a. H. K.	glutinous.			1787. 7.10.	G. h.	17.	
150 ciliaris. H. K.	ciliated.		Portugal.	1759. 7.9.	H. h.	Bot. mag. 484.	
151 albena. H. K.	pallid.		C. B. S.	1789. 3.8.	G. h.	440.	
152 flexicaulis. H. K.	crook-stalked.			1800. 5.1.	G. h.	And. heaths, vol. 2.	
153 fastigiata. W.	Walker's.			1792. 2.7.	G. h.	vol. 1.	
154 primuloides. A. H.	Cowslip-flower ^d .			1802. 4.7.	G. h.	Bot. mag. 1548.	
155 daphneflora. L. T.	Daphne-flower ^d .			1791. 4.5.	G. h.		
156 comosa. H. K.	tufted.			1787. 4.8.	G. h.	Icon. hort. kew. 18.	
α rubra..	red-flowered.					{ Wendl. eric. 12. p.	
β alba.	white-flowered.					7. c. ic.	
157 Muscari. H. K.	musk.			1790. 3.7.	G. h.	And. heaths, vol. 2.	
158 australis. H. K.	Spanish.		Spain.	1769.	H. h.	vol. 1.	
159 depressa. H. K.	depressed.		C. B. S.	1789. 6.8.	G. h.	vol. 3.	
160 nana. L. T.	dwarf.			1792. 5.8.	G. h.	vol. 2.	
161 propendens. H. K.	pendent.			1800. 7.8.	G. h.	And. heaths, vol. 2.	
162 palustris. H. K.	marsh.			1799. 5.10.	G. h.	vol. 2.	
163 pyramidalis. H. K.	pyramidal.			1787. 2.5.	G. h.	Bot. mag. 366.	
164 cubica. H. K.	cube-flowered.			1790. 4.7.	G. h.	And. heaths, vol. 1.	
165 echiniflora. H. K.	Echinium-flower ^d .			1798. 2.6.	G. h.	vol. 3.	
166 viscaria. H. K.	clammy-flower ^d .			1774. 3.7.	G. h.	Icon. hort. kew. 1.	
167 filamentosa. H. K.	long-peduncled.			1800. 1.12.	G. h.	Bot. reg. 6.	
168 pulchella. H. K.	neat.			1792. 6.9.	G. h.	Thun. eric. n. 24. f. 4.	
169 formosa. H. K.	beautiful.			1796.	G. h.	n. 22. f. 5.	
α alba.	white-flowered.	reflexa alba. Hort.					
β rubra.	red-flowered.	reflexa rubra. Hort.					
170 cernua. H. K.	drooping-flower ^d .		C. B. S.	1791. 8.12.	G. h.	{ Montin. act. up.	
171 Solandri. H. K.	Solander's.			1800. 3.9.	G. h.	2. t. 9. f. 3.	
172 acuta. H. K.	pointed-cupped.			1799. 5.7.	G. h.	And. heaths, vol. 2.	
173 empetroides. H. K.	close-flowered.			1788. 5.8.	G. h.	vol. 2.	
174 pendula. H. K.	pendulous.			1791. 7.8.	G. h.	{ Wendl. eric. 10. p.	
175 turrigera. L. T.	Cypress.			1796. 6.9.	G. h.	13. c. ic.	
176 Bergiana. H. K.	Bergius's.			1787. 4.8.	G. h.	And. heaths, vol. 2.	
177 barbata. H. K.	bearded.			1799. 5.8.	G. h.	vol. 2.	
178 empetrifolia. H. K.	Crowberry-lea ^d .			1774. 4.6.	G. h.	Bot. mag. 447.	
179 margaritacea. H. K.	pearl-flowered.			1776. 5.9.	G. h.	And. heaths, vol. 1.	
180 lateralis. H. K.	side-flowered.			1791. 3.7.	G. h.	vol. 1.	

41 obtusifolia.	short-l ^d . tongue. Hemerocallidæ. B.P. C. B. S.	1809. 7.8. G. 2.	
<i>Gasteria brevifolia. H. S.</i>			
42 intermedia. H. S.	middle-tongue.	1790. 3.11. G. 2.	
43 verrucosa. W.	warted.	1731. — G. 2.	Bot. mag. 837.
44 spiralis. H. S.	great-spiral.	1790. 8.9. G. 2.	
45 spirella. H. S.	small-spiral.	1808. 8. G. 2.	
46 pentagona. H. S.	five-sided.	1731. 6.7. G. 2.	Bot. mag. 1338.
47 imbricata. H. S.	rough-flowered.	— G. 2.	1455.
<i>spiralis. B. M.</i>			
48 foliolosa. H. S.	small-leaved.	1795. 6.8. G. 2.	Bot. mag. 1352.
49 tortuosa. H. S.	twisted.	1797. 5.9. G. 2.	1337.
50 rigida. Pl. gr.	rigid.	1795. — G. 2.	Plant. grass. 62.
51 aspera. H. S.	rough.	— 6. D.S. 2.	
52 viscosa. H. S.	clammy.	1727. 6.7. G. 2.	Bot. mag. 814.
53 albicans. H. K.	white-edged.	1795. 7. D.S. 2.	1452.
54 cymbiformis. H. S.	boat-leaved.	1795. 5.8. G. 2.	802.
55 reticulata. H. S.	netted.	1794. — G. 2.	1314.
56 recurva. H. S.	recurve-leaved.	1795. 8. S. 2.	1353.
57 retusa. W.	smooth cushion.	1720. 5.7. G. 2.	455.
58 mirabilis. H. S.	rough cushion.	1795. 5.8. G. 2.	1354.
59 translucens. H. K.	transparent.	— D.S. 2.	1417.
60 pumila. H. S.	small cobweb.	1752. 5. G. 2.	1361.
61 arachnoides. H. S.	cobweb.	1727. 8. D.S. 2.	756.
62 radula. H. S.	raspy-pearl.	1805. — G. 2.	Jac. schen. t. 35.
63 attenuata. H. S.	chalky-pearl.	1790. 5.8. G. 2.	Bot. mag. 1345.
<i>radula. B. M.</i>			
64 minima. H. S.	least-pearl.	1725. 5.9. G. 2.	Bot. mag. 1360.
65 minor. H. S.	lesser-pearl.	— 5.8. G. 2.	815.
66 margaritifera. H. K.	larger-pearl.	1739. 5.9. G. 2.	Bradl. succ. 3. t. 21.
67 Haworthii.	largest-pearl.	1801. 8. G. 2.	
<i>Haworthia maxima. H. S.</i>			
AGAVE. H. K.	AGAVE. Bromeliæ. J.		
1 americana. W.	common Amer.	S. America. 1640. 8.10. G. 2.	Bot. rep. 438.
2 Milleri. H. S.	Miller's. 1768. G. 2.	
3 flaccida. H. S.	flaccid.	S. America. 1790. D.S. 2.	
4 lurida. W.	Vera Cruz.	Vera Cruz. 1731. 6.7. D.S. 2.	Bot. mag. 1522.
5 angustifolia. H. S.	narrow-leaved. 1790. G. 2.	
6 Karatto. H. S.	Karatto.	S. America. 1768. D.S. 2.	
7 vivipara. W.	viviparous.	1731. 8.10. D.S. 2.	Comm. præl. t. 15.
8 virginica. W.	Virginian.	N. America. 1765. 9. F. 2.	Bot. mag. 1157.
9 geminiflora.	pair-flowered.	America. 1810. G. 2.	Jour. of sc. No. 3. t. 1.
FURCRAEA. V.	FURCRAEA. Bromeliæ. J.		
1 gigantea. Vent.	gigantic.	S. America. 1690. 9.1. D.S. 2.	Plant. grass. 126.
2 tuberosa. H. K.	tubercous.	1739. 8.9. D.S. 2.	
3 cubensis. H. S.	Cuba. D.S. 2.	Jac. amer. t. 260. f. 25
4 rigida. H. S.	rigid.	1768. D.S. 2.	
5 australis. H. S.	entire-leaved. 1811. D.S. 2.	
STREPTOPUS. M.	STREPTOPUS. Smilacæ. B. P.		
1 amplexifolius. R. L.	heart-leaved.	<i>Uvularia species W.</i>	
2 roseus. Ph.	rose-coloured.	Hungary. 1752. 5. H. 2.	Red. lil. 259.
3 lanuginosus. Ph.	woolly.	N. America. 1806. 6.7. H. 2.	Bot. mag. 1489.
CONVALLARIA. } { LILY OF THE VALLEY. } Smilacæ. B. P.		1812. — H. 2.	1490.
Desf.			
1 majalis. W.	common.	Britain. 5.6. H. 2.	Eng. bot. 1035.
2 rubra.	red-flowered.		
3 flore pleno.	double.		
SMILACINA. D.	SMILACINA. Smilacæ. B. P.		
1 umbellata. D.	umbel-flowered.	<i>Convallaria species W.</i>	
2 borealis. D.	oval-leaved.	N. America. 1778. 5.6. H. 2.	Bot. mag. 1155.
3 bifolia. D.	least.	— H. 2.	1403.
4 trifolia. D.	three-leaved.	N. Europe. 1596. — H. 2.	510.
5 stellata. D.	star-flowered.	N. America. 1812. 6.7. H. 2.	Gmel. sib. 1 t. 6.
6 racemosa. D.	cluster-flowered.	1633. 5.6. H. 2.	Bot. mag. 1043.
POLYGONATUM. D.	SOLOMON'S-SEAL. Smilacæ. B. P.	1640. — H. 2.	899.
1 verticillatum. D.	whorl-leaved.	<i>Convallaria species IV.</i>	
2 canaliculatum. Ph.	channelled.	Scotland. 5.6. H. 2.	Eng. bot. 1035.
3 pubescens. Ph.	pubescent.	N. America. 1812. 6. H. 2.	
4 vulgare. D.	angular.	— 5.6. H. 2.	Willd. hort. ber. 45.
5 multiflorum. D.	common.	England. — H. 2.	Eng. bot. 280.
6 latifolium. D.	broad-leaved.	Britain. — H. 2.	279.
		Germany. 1802. — H. 2.	Jac. aust. 3. t. 232.

241 moschata. A. H.	musk-scented.	Ericæ. J.	C. B. S.	1805.	5.7.	G. h.	And. heaths, c
242 hispida. A. H.	hispid.	_____	_____	1791.	7.9.	G. h.	_____ c.
243 magnifica. A. H.	magnificent.	_____	_____	1800.	6.	G. h.	_____ c.
244 Sainsburyana. A. H.	Sainsbury's.	_____	_____	1804.	7.9.	G. h.	_____ c.
245 Shannoni. A. H.	Shannon's.	_____	_____	1800.	6.	G. h.	_____ c.
246 rugosa. A. H.	wrinkled.	_____	_____	_____	7.11.	G. h.	_____ c.
247 Swainsoniana. A. H.	Swainson's.	_____	_____	6.7.	G. h.	_____ c.
248 densa. A. H.	dense.	_____	_____	1804.	—	G. h.	_____ c.
249 cinerascens. W. en.	greyish.	_____	_____	5.9.	G. h.	_____ c.
250 coarctata. W. en.	crowded.	_____	_____	1801.	—	G. h.	_____ c.
251 divaricata. W. en.	divaricate.	_____	_____	1800.	3.5.	G. h.	_____ c.
252 fugax. W. en.	fugacious.	_____	_____	_____	3.4.	G. h.	_____ c.
253 oxycoccifolia. L. T.	Oxycoccus-leav ^d .	_____	_____	1791.	2.5.	G. h.	_____ c.
254 sicæfolia. L. T.	dagger-leaved.	_____	_____	2.7.	G. h.	_____ c.
255 fausta. L. T.	bristly-leaved.	_____	_____	1795.	4.6.	G. h.	_____ c.
256 tomentosa. L. T.	woolly-flowered.	_____	_____	2.4.	G. h.	_____ c.
257 auricularis. L. T.	eared.	_____	_____	3.7.	G. h.	_____ c.
258 helianthemifolia. L. T.	plain-leaved.	_____	_____	1796.	6.9.	G. h.	_____ c.
259 glomiflora. L. T.	round-flowered.	_____	_____	4.9.	G. h.	_____ c.
260 carduifolia. L. T.	Carduus-leaved.	_____	_____	1806.	5.9.	G. h.	_____ c.
261 tuberculatis. L. T.	tubercled.	_____	_____	1790.	2.4.	G. h.	_____ c.
262 lavandulæfolia. L. T.	Lavender-leaved.	_____	_____	1795.	5.8.	G. h.	_____ c.
263 humifusa. L. T.	low.	_____	_____	6.7.	G. h.	_____ c.
264 corydalis. L. T.	winged-anthered.	_____	_____	2.5.	G. h.	_____ c.
265 azaleæfolia. L. T.	Azalea-leaved.	_____	_____	5.8.	G. h.	_____ c.
266 vesicularis. L. T.	bladderled.	_____	_____	1796.	2.8.	G. h.	_____ c.
267 verniciflua. L. T.	viscous-leaved.	_____	_____	1804.	3.9.	G. h.	_____ c.
268 lyrigera. L. T.	lyre-bearing.	_____	_____	1790.	2.5.	G. h.	_____ c.
269 salax. L. T.	broad-stigmaed.	_____	_____	1796.	5.9.	G. h.	_____ c.
270 cumuliflora. L. T.	heap-flowered.	_____	_____	1801.	5.9.	G. h.	_____ c.
271 genistæfolia. L. T.	Genista-leaved.	_____	_____	10.5.	G. h.	_____ c.
272 periplocæfolia. L. T.	Periploca-leaved.	_____	_____	8.12.	G. h.	_____ c.
273 munda. L. T.	neat-flowered.	_____	_____	5.7.	G. h.	_____ c.
274 fabrilis. L. T.	tiled-leaved.	_____	_____	1791.	4.8.	G. h.	_____ c.
275 dianthifolia. L. T.	Pink-leaved.	_____	_____	1796.	3.8.	G. h.	_____ c.
276 brevifolia. L. T.	short-leaved.	_____	_____	8.1.	G. h.	_____ c.
277 chlamydisflora. L. T.	cloaked-flowered.	_____	_____	1801.	5.9.	G. h.	_____ c.
278 selaginifolia. L. T.	Selago-leaved.	_____	_____	2.6.	G. h.	_____ c.
279 pannosa. L. T.	cloth-flowered.	_____	_____	—	G. h.	_____ c.
280 diotæflora. L. T.	Diotis-flowered.	_____	_____	1795.	3.8.	G. h.	_____ c.
281 nutans. W.	nodding-flower ^d .	_____	_____	1790.	2.6.	G. h.	_____ c.
282 filiformis. L. T.	filiform.	_____	_____	2.5.	G. h.	_____ c.
283 turgida. L. T.	turgid.	_____	_____	1800.	3.6.	G. h.	_____ c.
284 vestiflua. L. T.	clothed.	_____	_____	—	G. h.	_____ c.
285 squamæflora. L. T.	scaly-flowered.	_____	_____	5.11.	G. h.	_____ c.
286 cæsia. L. T.	grey.	_____	_____	1795.	2.5.	G. h.	_____ c.
287 lasciva. L. T.	imbricate-calyx ^d .	_____	_____	1800.	1.4.	G. h.	_____ c.
288 stylosa. L. T.	long-styled.	_____	_____	1789.	—	G. h.	_____ c.
289 diosmæfolia. L. T.	Diosma-leaved.	_____	_____	1792.	3.6.	G. h.	_____ c.
290 palliiflora. L. T.	pale-flowered.	_____	_____	2.8.	G. h.	_____ c.
291 tegulæfolia. L. T.	tile-flowered.	_____	_____	1.5.	G. h.	_____ c.
292 modesta. L. T.	modest.	_____	_____	3.2.	G. h.	_____ c.
293 holosericea. L. T.	velvetty.	_____	_____	2.6.	G. h.	_____ c.
294 sacciflora. L. T.	sack-flowered.	_____	_____	3.6.	G. h.	_____ c.
295 cyrillæflora. L. T.	Cyrilla-flowered.	_____	_____	1800.	2.9.	G. h.	_____ c.
296 velitaria. L. T.	javelin-flowered.	_____	_____	1790.	1.6.	G. h.	_____ c.
297 cuspidigera. L. T.	cuspidate.	_____	_____	2.5.	G. h.	_____ c.
298 stagnalis. L. T.	stagnant.	_____	_____	3.6.	G. h.	_____ c.
299 cerviciflora. L. T.	stag's-horn-fl ^d .	_____	_____	—	G. h.	_____ c.
300 pulviniformis. L. T.	cushion.	_____	_____	2.5.	G. h.	_____ c.
301 sceptriformis. L. T.	sceptre-like.	_____	_____	1790.	5.9.	G. h.	_____ c.
302 brachialis. L. T.	armed.	_____	_____	1792.	3.8.	G. h.	_____ c.
303 doliiformis. L. T.	tun-bellied.	_____	_____	1798.	5.9.	G. h.	_____ c.
304 nolaflora. L. T.	bell-shaped.	_____	_____	2.5.	G. h.	_____ c.
305 festa. L. T.	angular-stalked.	_____	_____	3.5.	G. h.	_____ c.
306 fallax. L. T.	viscous-flowered.	_____	_____	11.3.	G. h.	_____ c.
307 parilis. L. T.	matoked.	_____	_____	1789.	4.8.	G. h.	_____ c.

Wen.eric.3.p.54

OCTANDRIA DIGYNIA.

87

gora. L. T.	pubescent-flow ^d .	Ericæ. J.	C. B. S.	1792.	1.5.	G. h.	
lla. L. T.	low.			6.7.	G. h.	
olifera. L. T.	broad-anthered.			5.8.	G. h.	
rostris. L. T.	declined.			1790.	7.9.	G. h.	
vallis. L. T.	distant-leaved.			5.11.	G. h.	
iciflora. L. T.	top-flowered.			1793.	10.2.	G. h.	
rrosa. L. T.	squarrose.			3.8.	G. h.	
othriifolia. L. T.	Embothrium-le ^d	2.5.	G. h.	
x. L. T.	capacious.			1806.	5.8.	G. h.	
taeflora. L. T.	Pavetta-flowered				G. h.	
lora. L. T.	nest-flowered.			11.5.	G. h.	
oniflora. L. T.	Borbonia-flow ^d	5.9.	G. h.	
opifolia. L. T.	Hyssop-leaved.			1800.		G. h.	
ISIA. Sm.	MENZIESIA.	Rhodoracæ. J.					
inea. Ph.	ferrugineous.		N. America.	1811.	5.6.	H. h.	Sm. ic. ined. 1. t. 56.
laris. Ph.	globular-flower ^d .			1806.		H. h.	Par. lond. 44.
lia. H. K.	Irish.		Ireland.	6.9.	H. h.	Eng. bot. 35.
a.	dwarf.				H. h.	
ca. L. T.	Yew-leaved.		Scotland.	6.7.	H. h.	Eng. bot. 2169.
CA. J.	LAGETTA.	Thymelææ. B. P.	Daphnææ sp. W.				
ria. P. S.	lace-bark.		Jamaica.	1793.	12.1.	S. h.	Lam. ill. t. 269.
E. W.	DAPHNE.	Thymelææ. B. P.					
reum.	Mezereon.		England.	2.4.	H. h.	Eng. bot. 1361.
rem.	red-flowered.						
cm.	white-flowered.						
elæa. W.	smooth-leaved.		Spain.	1815.		H. h.	Pink. alm. t. 229. f. 2.
n-raira. W.	silvery-leaved.		France.	1640.	5.7.	H. h.	— t. 318. f. 6.
. W.	Alpine.		Italy.	1759.		H. h.	Schmidt arb. 1. t. 19.
ola. W.	Spurge Laurel.		Britain.	1.3.	H. h.	Eng. bot. 119.
a. W.	Pontic.		Pontus.	1759.	4.5.	H. h.	Bot. mag. 1282.
lia. W.	Bonace-bark.		Jamaica.	1733.	S. h.	
um. W.	Flax-leaved.		Spain.	1697.	6.8.	H. h.	
. W.	sweet-scented.		China.	1771.	12.3.	G. h.	Bot. mag. 1587.
um. W.	trailing.		Austria.	1752.	4.9.	H. h.	— 813.
a. W.	Altaic.		Siberia.	1796.	4.5.	H. h.	— 1875.
ca. B. M.	Olive-leaved.		Crete.	1815.	1.12.	H. h.	— 1917.
a. W.	hairy.		Italy.	1752.	1.6.	H. h.	— 428.
W.	LEATHER-WOOD.	Thymelææ. B. P.					
ris. W.	marsh.		Virginia.	1760.	3.4.	H. h.	Lam. ill. t. 293.
. W.	GNIDIA.	Thymelææ. B. P.					
lia. W.	Pine-leaved.		C. B. S.	1768.	5.6.	G. h.	Bot. reg. 19.
bis. H. K.	smooth-scaled.			1792.	8.4.	G. h.	Bot. mag. 1463.
x. H. K.	Flax-leaved.			1786.	5.6.	G. h.	— 812.
ta. W.	purple-twiggd.			1788.	6.7.	G. h.	
itifolia. H. K.	opposite-leaved.			1783.	5.7.	G. h.	Bot. reg. 2.
a. H. K.	silky.			1786.		G. h.	Bot. rep. 225.
RA. W.	STELLERA.	Thymelææ. B. P.					
rina. W.	Flax-leaved.		S. Europe.	1759.	7.8.	H. h.	Jac. ic. 1. t. 68.
INA. W.	SPARROW-WORT.	Thymelææ. B. P.					
nis. W.	filiform.		C. B. S.	1752.	6.8.	G. h.	Wendl. obs. t. 2. f. 16.
a. W.	shaggy.		S. Europe.	1759.	6.9.	G. h.	— t. 2. f. 16.
lora. W. en.	slender-flowered.		C. B. S.		G. h.	
ta. W.	headed.			1789.	6.10.	G. h.	Wendl. obs. t. 2. f. 17.
ra. W.	one-flowered.			1759.	4.5.	G. h.	— t. 2. f. 18.
flora. W.	great-flowered.			1789.	5.6.	G. h.	Bot. mag. 292.
a. W.	spiked.			1787.		G. h.	Wendl. obs. t. 2. f. 19.
W.	loose.			1804.	6.7.	G. h.	— t. 2. f. 20.
EA. W.	LACHNÆA.	Thymelææ. B. P.					
omerata. W.	clustered.		C. B. S.	1773.	6.7.	G. h.	
phala. W.	woolly-headed.			1793.		G. h.	Bot. mag. 1295.
rea. H. K.	purple-flowered.			1800.		G. h.	— 1594.
i. H. K.	glaucous.				5.7.	G. h.	— 1638.
lia. Lam.	green Box-leav ^d .					G. h.	— 1657.

DIGYNIA.

IA. W.	GALENIA.	Chenopodææ. B. P.					
na. W.	African.		C. B. S.	1752.	6.8.	G. h.	Lam. ill. t. 314.
NGIA. W.	MOHRINGIA.	Caryophyllææ. J.					
na. W.	moosy.		S. Europe.	1775.	6.7.	H. h.	Schku. han. 1. t. 108

POLYGONUM. W.		TRIGYNIA.	
1 frutescens. W.	PERSICARIA.	Polygonace. B. P.	Siberia. 1770. 7.8. H. h. Bot. reg. 255.
2 crispulum. B. M.	shrubby.		1800. — H. h. Bot. mag. 1065.
3 Bistorta. W.	upright.		Britain. 5.9. H. h. Eng. bot. 509.
4 viviparum. W.	Snake's-weed.	 H. h. 669.
5 lapathifolium. W.	Alpine Bistort.		England. 6.9. H. o. 1382.
6 amphibium. W.	pale-flowered.		Britain. 6.8. H. h. 486.
7 ocreatum. W.	amphibious.		Siberia. 1780. 6.9. H. h. Gmel. sib. 3. t. 2.
8 Hydropiper. W.	spear-leaved.		Britain. 7.9. H. o. Eng. bot. 989.
9 tinctorium. W.	Water Pepper.		China. 1776. 7.8. G. j.
10 virginianum. W.	dyer's.		N. America. 1640. 8.9. H. h. Park. theat. 867. f. 2.
11 minus. W.	Virginian.		England. H. o. Eng. bot. 1043.
12 Persicaria. W.	small.		Britain. 7.8. H. o. 756.
13 incanum. W.	spotted.		Germany. 1804. — H. o. Pet. H. Brit. 1.3. f. 2.
14 orientale. W.	hoary.		E. Ind. 1707. 7.10. H. o. Bot. mag. 213.
<i>β album.</i>	common.		1781. — H. o.
15 aviculare. W.	<i>white-flowered.</i>		Britain. 4.10. H. o. Eng. bot. 1252.
16 arenarium. P. S.	Knot-grass.		Hungary. 1807. 5.8. H. o. Pl. rar. hung. t. 67.
17 elegans. H. K.	sand.		E. Ind. 1796. 4.8. S. h.
18 erectum. W.	elegant.		N. America. 1792. 7.8. H. h.
19 divaricatum. W.	upright.		Siberia. 1759. — H. h. Gmel. sib. 3. t. 11. f. 1.
20 undulatum. W.	divaricated.		1789. 6.7. H. h. 3. t. 10.
21 acidulum. W. en.	wave-leaved.		1816. — H. h.
22 salignum. W. en.	narrow-leaved.		5.8. H. h.
23 chinense. W.	Willow-like.		China. 1795. 7.8. H. o. Berm. ind. t. 30. f. 3.
24 sagittatum. W.	Chinese.		N. America. 1759. — H. o. Linn. hort. cliff. t. 12.
25 arifolium. W.	arrow-leaved.		1816. 5.10. H. o. Pluk. alm. t. 398. f. 3.
26 tataricum. W.	Arum-leaved.		Siberia. 1759. 7.8. H. o. Gmel. sib. 3. t. 13. f. 1.
27 emarginatum. W.	Tartarian.		China. 1796. 7.8. H. o.
28 Fagopyrum. W.	notch-seeded.		England. H. o. Eng. bot. 1044.
29 Convolvulus. W.	Buck-Wheat.		Britain. 5.9. H. o. 941.
30 dumetorum. W.	{ common		S. Europe. 1803. — H. o. Flor. dan. t. 759.
31 scandens. W.	{ climbing. }		N. America. 1749. 7.9. H. h. Pluk. alm. t. 177. f. 7.
	bush.		
	{ American		
	{ climbing. }		
COCOLOBA. W.		Polygonace. J.	
1 uvifera. W.	SEASIDE GRAPE.		W. Ind. 1690. S. h. Jac. amer. t. 78.
2 latifolia. Lam.	round-leaved.		S. America. 1812. S. h. Lam. ill. t. 316. f. 4.
3 pubescens. W.	broad-leaved.		W. Ind. 1690. S. h. Pluk. phyt. 222. f. 2.
4 exoriata. W.	downy.		1733. S. h. Plum. ic. t. 146. f. 1.
5 punctata. W.	oval-leaved.	 S. h. Jac. amer. 114. t. 77.
6 barbadosis. W.	spear-leaved.		Barbadoes. 1790. S. h. Jac. obs. 1. t. 8.
PAULLINIA. W.		Sapindi. J.	
1 pinnata. W.	Barbadoes.		W. Ind. 1752. S. h. Jac. obs. 3. t. 62. f. 1.
2 curassavica. W.	PAULLINIA.		S. America. 1730. S. h. t. 61. f. 2.
3 barbadosis. W.	winged-leaved.		W. Ind. 1786. S. h. t. 62. f. 2.
4 polyphylla. W.	shining-leaved.		1739. S. h. t. 61. f. 10.
5 caribæa. Jac.	Barbadoes.	 S. h. t. 62. f. 7.
SERIANA. W.		Sapindi. J.	
1 sinuata. W.	Supple-Jack.		S. America. S. h. Jac. obs. 3. t. 61. f. 3.
2 caracasana. W.	Caribbean.		Caracus. 1816. S. h. Jac. schœn. 1. t. 89.
CARDIOSPERMUM. W.		Sapindi. J.	
1 Halicacabum. W.	HEART-SEED.		India. 1694. 7. S. o. Bot. mag. 1049.
2 Corindum. W.	smooth-leaved.		Brasil. 1750. 7.8. S. o.
SAPINDUS. W.		Sapindi. J.	
1 Saponaria. W.	Parsley-leaved.		W. Ind. 1697. S. h. Comm. hort. t. 94.
2 marginatus. W. en.	SOAP-BERRY.		Carolina. G. h.
3 rigidus. W.	common.		America. 1759. 7.9. G. h. Pluk. alm. t. 217. f. 7.
	marginated.		
	Ash-leaved.		
TETRAGYNIA.			
CALANCHOE. P. S.		Sempervivæ. J.	
1 laciniata. P. S.	CALANCHOE.		<i>Verea. B. R. Cotyledonis sp. L.</i>
2 Vereæ. P. S.	cut-leaved.		E. Ind. 1731. 7.8. D.S. h. Plant. grass. 100.
<i>Verea crenata. B. rep. 21.</i>	Vere's.		Sierra Leone. 1793. 7.9. D.S. h. Bot. mag. 1436.
3 acutiflora. H. S.	white-flowered.		E. Ind. ? 1806. — D.S. h. Bot. rep. 560.
BRYOPHYLLUM. P. L.		Sempervivæ. J.	
calycinum. P. L.	BRYOPHYLLUM.		<i>Cotyledonis sp. L.</i>
	large-cupped.		E. Ind. 1800. 4.7. D.S. h. Par. lond. 3.

folia. W.	PARIS.	Smilacæ. B. P.							
W.	herb.	Britain.	5.6.	H. 2.	Eng. bot.	7.		
atellina. W.	MOSCHATEL.	Saxifragæ. J.	Britain.	3.5.	H. 2.	Eng. bot.	453.	
E. W.	tuberos.	Caryophyllæ. J.							
piper. W.	WATER-WORT.	England.	8.	H. 2.	Eng. bot.	955.		
IGIS. W.	small.	Onagraræ. J.	Cercodia. J.						
lia. W.	HALORAGIS.	N Zealand.	1772.	4.9.	G. 2.	Jac. ic.	1. t. 69.		
HLEA. W.	whorl-flowered.	Urticæ. J.							
isima. W.	FORSKOELEA.	Egypt.	1767.	7.8.	H. 2.	Jac. vind.	1. t. 48.		
a. W.	clammy.	C. B. S.	1774.	6.7.	G. 2.				
ifolia. W.	rough.	Teneriffe.	1779.	7.8.	H. 2.	Murr. c. got. p. 24. t. 2			
	narrow-leaved.								

CLASS IX.

ENNEANDRIA MONOGYNIA.

W.	LAUREL.	Laurinæ. B. P.							
monum. W.	Cinnamon.	Ceylon.	1763.	6.9.	S. 2.	Bot. rep.	596.		
W.	{ Bastard Cin- namon. }	E. Ind.	1768.	6.9.	S. 2.	Bot. mag.	1636.		
strum. P. S.	tall.		1805.	S. 2.	Rheed. mal.	5. t. 53.		
ora. W.	Camphire-tree.	Japan.	1727.	3.6.	G. 2.	Jac. coll.	4. t. 3. f. 2.		
oxylon. W.	Cogwood-tree.	Jamaica.	1778.	S. 2.	Brown. jam.	t. 7. f. 1.		
W.	glaucous.	Japan.	1806.	G. 2.				
W.	Sweet Bay.	Italy.	1561.	4.5.	H. 2.	Zorn. ic.	52.		
slata.	wave-leaved.								
ifolia.	Willow-leaved.								
W.	Royal Bay.	Madeira.	1665.	10.3.	G. 2.	Pluk. alm. t. 304. f. 1.			
W.	Madeira, or Til.		1760.	—	G. 2.				
ensis. W. en.	Canary.	Canaries.	1815.	G. 2.				
W.	Alligator Pear.	W. Ind.	1789.	S. 2.	Pluk. alm. t. 267. f. 1.			
nia. W.	{ broad-leaved } Carolina.	N. America.	—	4.5.	G. 2.	Cat. car.	1. t. 63.		
ensis. P. S.	long-l ^d . Carolina.		1806.	—	G. 2.				
slata. Ph.	flexuose.		1759.	—	H. 2.	Bot. mag.	1471.		
rus. Ph.	twiggy.		1810.	—	H. 2.	—	1470.		
in. W.	Benjamin-tree.		1683.	—	H. 2.	Com. hort.	1. t. 97.		
ras. W.	Sassafras-tree.		1638.	5.6.	H. 2.	Cat. car.	1. t. 55.		
IDIUM. W.	CASHEW-NUT.	Terebintacæ. J.							
ntale. W.	common.	India.	1699.	S. 2.	Cat. car.	3. t. 9.		
NUM. Mi.	ERIOGONUM.	Polygonæ. J.							
tosum. Ph.	woolly.	Carolina.	1811.	5.6.	H. 2.	Mich. amer.	t. 24.		
um. Ph.	silky.	Missouri.	—	7.	H. 2.				

TRIGYNIA.

W.	RHUBARB.	Polygonæ. J.							
nticum. W.	common.	Asia.	1673.	5.6.	H. 2.	Sabb. hort.	1. t. 34.		
stum. W.	waved-leaved.	China.	1734.	—	H. 2.	Amoen. acad.	3. t. 4.		
tum. W.	official.	Bucharia.	1763.	4.5.	H. 2.	Lin. fasc.	7. t. 4.		
ctum. W.	thick-leaved.	Tartary.	1758.	5.6.	H. 2.	Mill. ic.	2. t. 218.		
um. W.	Tartarian.		1793.	—	H. 2.				
W.	warted-leaved.	Levant.	1724.	—	H. 2.	Ann. mus.	1. t. 49.		
um. W.	bastard.	Asia.	1778.	—	H. 2.	Murr. com. gott.	t. 1.		

HEXAGYNIA.

US. W.	{ FLOWERING RUSH. }	Hydrocharidæ. B. P.							
latus. W.	umbelled.	Britain.	6.7.	H. 2.	Eng. bot.	851.		

CLASS X.

DECANDRIA MONOGYNIA.

EDWARDSIA. L. T.	EDWARDSIA.	Leguminosæ. J.	<i>Sophora sp. W.</i>				
1 grandiflora. L. T.	large-flowered.	_____	N. Zealand.	1772.	5.8.	F. h.	Bot. mag. 187.
2 chrysophylla. L. T.	golden-leaved.	_____	_____	_____	F. h.	_____
3 microphylla. L. T.	small-leaved.	_____	_____	1772.	_____	F. h.	_____ 1442.
SOPHORA. H. K.	SOPHORA.	Leguminosæ. J.					
1 tomentosa. W.	downy.	_____	India.	1690.	S. h.	Trew. chret. t. 69.
2 japonica. W.	Japanese.	_____	Japan.	1753.	8.9.	H. h.	Bot. rep. 585.
3 alopecuroides. W.	Fox-tail.	_____	Levant.	1731.	7.8.	H. h.	Pall. astr. t. 87.
4 flavesces. W.	Siberian.	_____	Siberia.	1785.	5.7.	H. h.	_____
ORMOSIA. L. T.	ORMOSIA.	Leguminosæ. J.	<i>Sophora sp. W.</i>				
dasycarpa. L. T.	smooth-leaved.	_____	W. Ind.	1793.	6.7.	S. h.	Linn.trans.10.136.
ANAGYRIS. W.	BEAN-TREFOIL.	Leguminosæ. J.					
1 foetida. W.	stinking.	_____	Spain.	1570.	4.5.	F. h.	Lam. ill. t. 328.
2 latifolia. W. en.	broad-leaved.	_____	Teneriffe.	1815.	_____	G. h.	_____
THERMOPSIS. H. K.	THERMOPSIS.	Leguminosæ. J.					
lanceolata. H. K.	sharp-leaved.	_____	Siberia.	1776.	6.7.	H. h.	Bot. mag. 1389.
<i>Podalyria lupinoides. W.</i>							
VIRGILIA. H. K.	VIRGILIA.	Leguminosæ. J.	<i>Podalyria sp. W.</i>				
1 lutea. Ph.	yellow-flowered.	_____	N. America.	1812.	6.7.	H. h.	Mich. arb. c. ic.
2 aurea. H. K.	great-flowered.	_____	Abyssinia.	1777.	7.	G. h.	L'Her.st.nov.1.476
3 intrusa. H. K.	small-flowered.	_____	C. B. S.	1790.	5.8.	G. h.	_____
4 capensis. H. K.	Vetch-leaved.	_____	_____	1767.	7.8.	G. h.	Bot. mag. 1590.
CYCLOPIA. H. K.	CYCLOPIA.	Leguminosæ. J.	<i>Ibbetsonia. B. M.</i>				
genistoides. H. K.	Genista-leaved.	_____	C. B. S.	1787.	7.8.	G. h.	Bot. mag. 1259.
BAPTISIA. H. K.	BAPTISIA.	Leguminosæ. J.	<i>Podalyria sp. W.</i>				
1 perfoliata. H. K.	perfoliate.	_____	Carolina.	1782.	8.	G. h.	Dill.elt.t.102.f.12
2 villosa. Ph.	villous.	_____	N. America.	1811.	6.7.	H. h.	_____
3 australis. H. K.	blue-flowered.	_____	_____	1758.	_____	H. h.	Bot. mag. 509.
4 alba. H. K.	white-flowered.	_____	_____	1724.	_____	H. h.	_____ 1177.
5 tinctoria. H. K.	dyer's.	_____	_____	1759.	7.8.	H. h.	_____ 1099.
PODALYRIA. H. K.	PODALYRIA.	Leguminosæ. J.					
1 myrtillifolia. W.	Myrtle-leaved.	_____	C. B. S.	1795.	4.7.	G. h.	_____
2 sericea. H. K.	silky.	_____	_____	1778.	10.1.	G. h.	Bot. mag. 1923.
3 cuneifolia. V.	wedge-leaved.	_____	_____	1804.	5.8.	G. h.	Vent. cels. t. 99.
4 bidora. W.	two-flowered.	_____	_____	1789.	2.6.	G. h.	Bot. mag. 753.
5 calyptrata. H. K.	one-flowered.	_____	_____	1792.	4.7.	G. h.	_____
6 styracifolia. B. M.	Storax-leaved.	_____	_____	5.7.	G. h.	Bot. mag. 1580.
7 buxifolia. W.	Box-leaved.	_____	_____	1790.	_____	G. h.	Lam. ill. t. 317. f
8 oleaefolia. P. L.	Olive-leaved.	_____	_____	1804.	5.	G. h.	Par. lond. 114.
9 hirsuta. H. K.	hairy.	_____	_____	1774.	7.8.	G. h.	_____
10 cordata. H. K.	heart-leaved.	_____	_____	1794.	5.7.	G. h.	_____
CHORIZEMA. H. K.	CHORIZEMA.	Leguminosæ. J.					
1 ilicifolia. H. K.	Holly-leaved.	_____	N. Holland.	1803.	3.10.	G. h.	Lab. voy. 1. t. 2
2 nana. H. K.	dwarf.	_____	_____	_____	_____	G. h.	Bot. mag. 1032.
3 rhombea. H. K.	few-flowered.	_____	_____	_____	4.6.	G. h.	_____
PODOLOBIUM. H. K.	PODOLOBIUM.	Leguminosæ. J.	<i>Chorizema sp. Smith.</i>				
trilobatum. H. K.	common.	_____	N. S. W.	1791.	4.7.	G. h.	Bot. mag. 1477.
OXYLOBIUM. H. K.	OXYLOBIUM.	Leguminosæ. J.					
1 arborescens. H. K.	tall.	_____	Van Diem.	1805.	4.6.	G. h.	_____
2 ellipticum. H. K.	oval-leaved.	_____	_____	_____	5.9.	G. h.	Lab.n. boll. 1. t. 11
3 cordifolium. H. K.	heart-leaved.	_____	N. S. W.	1807.	4.9.	G. h.	Bot. rep. 492.
CALLISTACHYS. V.	CALLISTACHYS.	Leguminosæ. J.					
1 lanceolata. V.	spear-leaved.	_____	N. Holland.	1815.	6.8.	G. h.	Bot. reg. 216.
2 ovata. B. M.	oval-leaved.	_____	_____	_____	_____	G. h.	Bot. mag. 1925.
BRACHYSEMA. H. K.	BRACHYSEMA.	Leguminosæ. J.					
latifolium. H. K.	broad-leaved.	_____	N. Holland.	1803.	4.7.	G. h.	Bot. reg. 118.
GOMPHOLOBIUM. H. K.	GOMPHOLOBIUM.	Leguminosæ. J.					
1 latifolium. H. K.	broad-leaved.	_____	N. S. W.	1803.	3.9.	G. h.	Par. lond. 6.
2 grandiflorum. L. T.	large-flowered.	_____	_____	_____	_____	G. h.	_____
3 marginatum. H. K.	small-flowered.	_____	N. Holland.	_____	_____	G. h.	_____
4 polymorphum. H. K.	variable.	_____	_____	1803.	3.8.	G. h.	Bot. mag. 1532.

DECANDRIA MONOGYNIA

91

8 minus. L. T.	hairy-stalked.	Leguminosæ. J.	N. S. W.	1812.	3.8.	G. h.	
9 tomentosum. H. K.	tomentose.		N. Holland.	1803.	4.7.	G. h.	Lab.n.holl.1.t.134.
6 venustum. H. K.	purple-flowered.					G. h.	
BURTONIA. H. K.	BURTONIA.	Leguminosæ. J.	N. Holland.	1803.	5.7.	G. h.	
scabra. H. K.	rough-leaved.						
JACKSONIA. H. K.	JACKSONIA.	Leguminosæ. J.	N. S. W.	1803.	6.8.	G. h.	
1 scoparia. H. K.	Broom-like.		N. Holland.	—	4.9.	G. h.	Lab.n.holl.1.t.136.
2 spinosa. H. K.	spinous.						
VIMINARIA. H. K.	RUSH-BROOM.	Leguminosæ. J.	N. Holland.	1789.	6.9.	G. h.	Bot. mag. 1190.
denudata. H. K.	leafless.						
SPHÆROLOBUM. H. K.	SPHÆROLOBUM.	Leguminosæ. J.	N. Holland.	1802.	5.8.	G. h.	Bot. mag. 969.
1 vimineum. H. K.	yellow-flowered.						
2 medium. H. K.	red-flowered.						
AOTUS. H. K.	AOTUS.	Leguminosæ. J.	N. Holland.	1790.	4.6.	G. h.	Bot. mag. 949.
villosa. H. K.	villous.						
DILLWYNIA. H. K.	DILLWYNIA.	Leguminosæ. J.	N. S. W.	1794.	4.7.	G. h.	Exot. bot. t. 26.
1 floribunda. H. K.	close-flowered.						
2 ericifolia. H. K.	Heath-leaved.						t. 25.
3 glaberrima. H. K.	smooth.						Bot. mag. 944.
4 parvifolia. B. M.	small-leaved.						1527.
EUTAXIA. H. K.	EUTAXIA.	Leguminosæ. J.	N. Holland.	1803.	3.6.	G. h.	Bot. mag. 1274.
myrtifolia. H. K.	Myrtle-leaved.						
SCLEROTHAMNUS. H. K.	SCLEROTHAMNUS.	Leguminosæ. J.	N. Holland.	1803.	5.6.	G. h.	
microphyllus. H. K.	small-leaved.						
GASTROLOBUM. H. K.	GASTROLOBUM.	Leguminosæ. J.	N. Holland.	1803.	3.5.	G. h.	
bilobum. H. K.	two-lobed.						
EUCHILUS. H. K.	EUCHILUS.	Leguminosæ. J.	N. Holland.	1803.	3.6.	G. h.	
obcordatus. H. K.	heart-leaved.						
PULTENÆA. H. K.	PULTENÆA.	Leguminosæ. J.	N. S. W.	1792.	6.7.	G. h.	Bot. mag. 1394.
1 daphnoides. H. K.	Daphne-leaved.		Van Diem.	1808.	5.7.	G. h.	Bot. rep. 574.
2 obcordata. H. K.	heart-leaved.		N. S. W.	1803.	—	G. h.	
3 scabra. H. K.	rough-leaved.						
4 retusa. H. K.	blunt-leaved.						
5 stricta. B. M.	upright.						
6 linophylla. H. K.	Flax-leaved.						
7 paleacea. L. T.	chaffy.						
8 stipularis. H. K.	scaly.		N. S. W.	1792.	4.7.	G. h.	Bot. mag. 435.
9 vestita. H. K.	awned.		N. Holland.	1803.	—	G. h.	
10 villosa. H. K.	villous.		N. S. W.	1790.	4.5.	G. h.	Bot. mag. 967.
11 flexilis. H. K.	shining-leaved.						
DAVIESIA. T. L.	DAVIESIA.	Leguminosæ. J.	N. S. W.	1804.	6.7.	G. h.	
1 acicularis. L. T.	needle-leaved.						
2 ulicina. L. T.	Furze-leaved.						
3 corymbosa. L. T.	glaucous-leaved.						
4 mimosoides. H. K.	green-leaved.						
5 latifolia. H. K.	broad-leaved.						
MIRBELIA. L. T.	MIRBELIA.	Leguminosæ. J.	N. S. W.	1792.	5.8.	G. h.	Bot. mag. 1211.
1 reticulata. L. T.	reticulated.		N. Holland.	1803.	—	G. h.	
2 dilatata. H. K.	lobed-leaved.						
CERCIS. W.	JUDAS-TREE.	Leguminosæ. J.	S. Europe.	1596.	5.6.	H. h.	Bot. mag. 1138.
1 Siliquastrum. W.	European.		N. America.	1730.	—	H. h.	
2 canadensis. W.	American.						
BAUHINIA. W.	{ MOUNTAIN-EBONY.	Leguminosæ. J.	E. Ind.	1799.	S. h.	Rheed. mal. 8. t. 29.
1 scandens. W.	small-1 st . climbing.						
2 racemosa. W.	great-leaved.						
3 aculeata. W.	prickly-stalked.		W. Ind.	1737.	6.8.	S. h.	Vahl. symb. 3. t. 62.
4 divaricata. W.	dwarf.						
5 aurita. W.	long-eared.		Jamaica.	1756.	9.	S. h.	Plum. ic. t. 44. f. 1.
6 porrecta. W.	smooth-leaved.						
7 parviflora. W.	small-flowered.		W. Ind.	1737.	7.	S. h.	L. Hort. clif. t. 15.
8 variegata. W.	variegated.		E. Ind.	1808.	S. h.	Mill. ic. 1. t. 61.
9 candida. W.	white-leaved.						Bot. mag. 1708.
10 purpurea. W.	purple.						
11 tomentosa. W.	tomentose.						
12 acuminata. W.	acute-leaved.						

HYMENÆA. W.	LOCUST-TREE.	Leguminosæ. J.							
1 Courbaril. W.	leathery-leaved.	_____	W. Ind.	1688.	S. h.	Lam. ill. t. 330. f. 1.			
2 verrucosa. W.	warted-podded.	_____	Madagascar.	1808.	S. h.	_____ t. 330. f. 2.			
CYNOMETRA. W.	CYNOMETRA.	Leguminosæ. J.							
cauliflora. W.	stem-flowering.	_____	E. Ind.	1804.	S. h.	Lam. ill. t. 331.			
CASSIA. W.	CASSIA.	Leguminosæ. J.							
1 diphylla. W.	two-leaved.	_____	W. Ind.	1781. 5. 7.	S. ♂	Cav. ic. 5. t. 600. f. 1.			
2 Absus. W.	four-leaved.	_____	India.	1777. 6. 7.	S. ♂	Burm. zeyl. t. 97.			
3 viminea. W.	twiggy.	_____	W. Ind.	1786.	S. h.	Sljam. 2. t. 189. f. 67.			
4 Tagera. W.	long-podded.	_____	E. Ind.	1803. 7.	S. ♂				
5 Tora. W.	oval-leaved.	_____	E. Ind.	1693. 8.	S. ♂	Dill. elt. t. 63. f. 73.			
6 bicapsularis. W.	six-leaved.	_____	W. Ind.	1739. 5. 6.	S. h.	Plum. ic. t. 76. f. 1.			
7 mollissima. W. en.	soft-leaved.	_____	S. America.	1816.	S. h.				
8 emarginata. W.	notch-leaved.	_____	Jamaica.	1759. 5. 6.	S. h.	Sl. hist. 2. t. 180. f. 14.			
9 obtusifolia. H. K.	blunt-leaved.	_____	_____	1732. 7. 8.	S. ♂	Dill. elt. t. 63. f. 71.			
10 sepnoides. W.	Senna-leaved.	_____	E. Ind.	1808.	S. h.	Jac. ic. 1. t. 70.			
11 corymbosa. W.	corymbosæ.	_____	Buenos Ayres.	1796. 7.	G. h.	Bot. mag. 633.			
12 sericea. W.	silky-leaved.	_____	Jamaica.	1731. 5. 8.	S. ♂	Jac. ic. 3. t. 459.			
13 occidentalis. W.	occidental.	_____	W. Ind.	1759.	S. h.	Bot. reg. 83.			
14 lævigata. W. en.	smooth.	_____	_____	S. h.				
15 patula. W.	shining.	_____	W. Ind.	1778. 8. 9.	S. h.				
16 arborescens. W.	tree.	_____	E. Ind.	1800. 6. 7.	S. h.	Rheed. mal. 6. t. 9. 10.			
17 Senna. H. K.	Senna.	_____	Egypt.	1640. 7. 8.	S. ♂				
18 orientalis. P. S.	oriental.	_____	Levant.	H. ♂	Tabern. ic. 507.			
19 ruscifolia. W.	Ruscus-leaved.	_____	Madeira.	1816. 5. 7.	G. h.	Jac. ic. 1. t. 71.			
20 biflora. W.	two-flowered.	_____	W. Ind.	1766. 12. 4.	S. h.	Bot. mag. 810.			
21 chinensis. W.	Chinese.	_____	China.	1807.	G. h.	Jac. ic. 1. t. 73.			
22 multiglandulosa. W.	glandulous.	_____	Teneriffe.	1779. 6. 8.	G. h.	_____ 1. t. 73.			
23 hirsuta. H. K.	woolly.	_____	America.	1778. 7.	S. ♂				
24 ligustrina. W.	Privet-leaved.	_____	Bahama Isl.	1726.	S. h.	Bot. reg. 109.			
25 stipulacea. W.	large-stipuled.	_____	Chili.	1788.	S. h.	Feuill. per. 3. t. 42.			
26 alata. W.	broad-leaved.	_____	W. Ind.	1731.	S. h.	Jac. obs. 2. t. 45. f. 2.			
27 marilandica. W.	Maryland.	_____	N. America.	1723. 8. 10.	H. h.	Dill. elt. t. 260. f. 339.			
28 frondosa. W.	smooth-shrubby.	_____	W. Ind.	1769. 3. 4.	S. h.	Jac. ic. 1. t. 74.			
29 Sophera. W.	round-podded.	_____	E. Ind.	1658. 7. 9.	S. h.	Rheed. mal. 2. t. 82.			
30 auriculata. W.	eared.	_____	_____	1777.	S. h.	Pluk. alm. t. 314. f. 4.			
31 Chamecrista. W.	dwarf.	_____	America.	1699. 6. 9.	S. ♂	Bot. mag. 157.			
32 mimosoides. W.	Mimosa-leaved.	_____	Ceylon.	1806.	S. ♂				
33 capensis. Th.	Cape.	_____	C. B. S.	1816.	G. ♂				
34 nictitans. W.	Virginian.	_____	N. America.	1800. 7.	G. ♂	Pluk. alm. t. 314. f. 5.			
35 procumbens. W.	procumbent.	_____	_____	1806. 6. 7.	H. ♂	Comm. pet. t. 11.			
CATHARTOCARPUS. P. S.	CATHARTOCARPUS.	Leguminosæ. J.	<i>Bactrylobium. W. en.</i>						
1 Fistula. P. S.	purging.	_____	E. Ind.	1731. 6. 7.	S. h.	Rheed. mal. 1. t. 92.			
2 javanicus. P. S.	Java.	_____	_____	1779.	S. h.	Com. hort. 1. t. 111.			
PARKINSONIA. W.	PARKINSONIA.	Leguminosæ. J.							
aculeata. W.	prickly.	_____	W. Ind.	1739.	S. h.	Jac. amer. t. 89.			
POINCIANA. H. K.	POINCIANA.	Leguminosæ. J.	<i>Casalpinia sp. W.</i>						
1 pulcherrima. H. K.	Flower-fence.	_____	E. Ind.	1691. 6. 9.	S. h.	Bot. mag. 995.			
2 elata. H. K.	smooth.	_____	_____	1778.	S. h.				
CÆSALPINIA. H. K.	BRASILETTO.	Leguminosæ. J.							
1 bijuga. W.	broad-leaved.	_____	Jamaica.	1770.	S. h.	Sl. hist. 2. t. 181. f. 93.			
2 brasiliensis. W.	smooth.	_____	_____	1739.	S. h.				
3 Sappan. W.	narrow-leaved.	_____	E. Ind.	1773.	S. h.	Roxb. cor. 1. t. 16.			
4 Crista. Sw.	oval-leaved.	_____	Jamaica.	S. h.	Plum. gen. t. 68.			
5 mimosoides. W.	Mimosa-leaved.	_____	E. Ind.	1806.	S. h.	Rheed. mal. 6. t. 8.			
6 Nuga. H. K.	acute-leaved.	_____	_____	1801.	S. h.	Rumph. amb. 5. t. 50.			
GUILANDINA. H. K.	NICKER-TREE.	Leguminosæ. J.							
Bondua. H. K.	oval-leaved.	_____	India.	1640.	S. h.	Lam. ill. t. 336.			
HYPERANTHERA. W.	HORSE-RADISH-TREE.	Leguminosæ. J.	<i>Moringa. P. S.</i>						
Moringa. W.	smooth.	_____	E. Ind.	1759.	S. h.	Jac. ic. 3. t. 461.			
HOFFMANSEG-GIA. Cav.	HOFFMAN-SEG-GIA.	Leguminosæ. J.							
falcata. Cav.	sickle-leaved.	_____	Chili.	1806. 7. 8.	S. h.	Cav. ic. t. 392.			
ADENANTHERA. W.	ADENANTHERA.	Leguminosæ. J.							
1 Pavonina. W.	yellow-flowered.	_____	E. Ind.	1759. 5. 8.	S. h.	Jac. coll. 4. t. 23.			
2 falcata. W.	woolly-leaved.	_____	_____	1812.	S. h.	Rumph. amb. 2. t. 51.			
CADIA. W.	CADIA.	Leguminosæ. J.							
purpurea. W.	purple.	_____	Arabia.	1755. 7. 1.	S. h.	Pic. hort. pan. 9. c. 10.			

TS. Rox.	PROSOPIS.	Leguminosæ. J.			
era. L.	estable-podded.		E. Ind.	1812.	S. h. Roxb. cor. 1. t. 63.
TOXY- N. W. }	LOGWOOD.	Leguminosæ. J.			
echianum. W.	common.		S. America.	1724.	S. h. Cat. car. 2. t. 66.
ERA. W.	{ BALSAM OF CAPEVI. }	Leguminosæ. J.			
alia. W.	official.		S. America.	1774.	S. h. Jac. amer. t. 86.
IA. W.	SCHOTIA.	Leguminosæ. J.			
sa. H. K.	small-leaved.		C. B. S.	1759. 7.12.	S. h. Bot. rep. 348.
indifolia. H. K.	Tamarind-leav'd.			1795. 5.9.	S. h. Bot. mag. 1153.
lata. H. K.	large-stipuled.			1794. —	S. h.
CUM. W.	{ LIGNUM- VITA-TREE. }	Rutaceæ. J.			
ale. W.	official.		W. Ind.	1694. 7.9.	S. h. Lam. ill. t. 342.
HYLLUM. W.	BEAN-CAPER.	Rutaceæ. J.			
folium. W.	heart-leaved.		C. B. S.	1774. 10.	G. h.
go. W.	common.		Syria.	1596. 7.9.	H. 2. Lam. ill. t. 345. f. 1.
lum. W.	fetid.		C. B. S.	1790. 6.8.	G. h. Bot. mag. 372.
latum. W.	spotted-flower'd.			1782. 10.11.	G. h.
n. W.	white.		Canaries.	1779. —	D. S. h. Linn. dec. 1. t. 6.
paana. W.	four-leaved.		C. B. S.	1732. 5.9.	G. h. Dill. elt. t. 116. f. 141
ifolium. W.	sessile-leaved.			1713. 7.8.	G. h. — t. 116. f. 142.
IA. W.	FAGONIA.	Rutaceæ. J.			
ca. W.	Cretan.		Candia.	1739. 6.8.	G. 0. Bot. mag. 241.
ca. W.	Arabian.		Arabia.	1759. —	G. 0.
LUS. W.	CALTROPS.	Rutaceæ. J.			
mus. W.	great.		Jamaica.	1728. 6.7.	S. 0. Jac. ic. 3. t. 462.
stris. W.	small.		S. Europe.	1596. —	H. 0. Lam. ill. t. 346. f. 1.
des. W.	Cistus-like.		S. America.	1752. 7.	S. 2. Jac. schoen. 1. t. 103.
MINUS. W.	FRAXINELLA.	Rutaceæ. J.			
inella. P. S.	common.		Germany.	1596. 5.7.	H. 2. Jac. aust. 5. t. 422.
ra.	white-flowered.				
ra.	red-flowered.				
W.	RUE.	Rutaceæ. J.			
solens. W.	common.		S. Europe.	1562. 6.9.	H. h. Lam. ill. 345. t. 1.
ana. W.	mountain.			1596. 8.9.	H. 2. Jac. ic. 1. t. 76.
ensis. P. S.	broad-l ^d . African.		Africa.	1722. 6.9.	G. h. Mor. hist. 2. t. 35. f. 8.
atifolia. P. S.	narrow-leaved.				
sta. W.	winged-leaved.		Canaries.	1780. 3.8.	G. h.
scens. W. en.	pubescent.		Spain.	1816. 5.8.	H. 2.
dia. W.	Flax-leaved.			1752. 6.9.	H. h. Bot. rep. 565.
IA. L. T.	CROWEA.				
na. L. T.	Willow-leaved.		N. S. W.	1790. 7.12.	G. h. Bot. mag. 929.
W.	CODON.				
si. W.	prickly.		C. B. S.	1801. 9.	G. 0. Bot. rep. 325.
IA. W.	BUTTON-FLOWER.	Guttiferae. J.			
a. W.	glossy-leaved.		Jamaica.	1803.	S. h.
ata. P. S.	obtuse-leaved.			S. h.
IA. W.	QUASSIA.	Magnoliæ. J.			
a. W.	bitter.		Guiana.	1790. 6.7.	S. h. Bot. mag. 497.
ruba. W.	winged-leaved.		W. Ind.	1787.	S. h. Aub. gui. 2. t. 331. 2.
IA. W.	LIMONIA.	Aurantiae. J.			
phylla. W.	simple-leaved.		E. Ind.	1777.	S. h. Rox. cor. 1. t. 83.
olia. W. en.	various-leaved.		China. 6.8.	S. h.
ista. W.	three-leaved.			1787. 7.8.	S. h. Bot. rep. 143.
ilata. H. K.	crenulate.		E. Ind.	1808.	S. h. Rox. cor. 1. t. 86.
uphylla. W.	five-leaved.			1790. 6.7.	S. h. — 1. t. 84.
rea. W.	tree.			1796. 5.8.	S. h. — 1. t. 85.
AYA. W.	MURRAYA.	Aurantiae. J.			
ca. W.	Ash-leaved.		India.	1771. 8.9.	G. h. Lam. ill. t. 352.
A. W.	WAMPEE-TREE.	Aurantiae. J.			
tata. W.	Chinese.		China.	1795.	S. h. Jac. schoen. 1. t. 101.
NERA. W.	GÆRTNERA.	Malpighiaceæ. J.			
nosa. W.	clustered.		E. Ind.	1796. 3.4.	S. h. Bot. rep. 600.
ILLA. W.	TRICHILIA.	Meliæ. J.			
ra. W.	smooth.		W. Ind.	1794. 6.7.	S. h. Jac. amer. t. 175. f. 33
sta. B. R.	sweet-scented.			1801. —	S. h. Bot. rep. 637.
REGIA. W.	EKEBERGIA.	Meliæ. J.			
apia. W.	Cape.		C. B. S.	1789. 7.8.	G. h. Lam. ill. t. 354.

HEYNEA. Rox.	HEYNEA.	Meliæ. J.					
trijuga. B. M.	Walnut-like.	_____	Napaul.	1812.	9.	S. h.	Bot. mag. 1788.
MELIA. W.	BEAD-TREE.	Meliæ. J.					
1 Azedarach. W.	common.	_____	Syria.	1656.	6.8.	G. h.	Bot. mag. 1066.
2 sempervirens. W.	evergreen.	_____	Jamaica.	_____	_____	S. h.	Com. hort. t. 176.
3 Azadirachta. W.	Ash-leaved.	_____	E. Ind.	1759.	_____	S. h.	Cav. dis. 7. t. 208.
SWIETENIA. W.	{ MAHOGANY- TREE. }	Meliæ. J.					
1 Mahagoni. W.	common.	_____	W. Ind.	1734.	S. h.	Cav. dis. 7. t. 209.
2 febrifuga. W.	Febrifuge.	_____	E. Ind.	1796.	S. h.	Rox. cor. 1. t. 17.
MONOTROPA. W.	{ YELLOW BIRD'S-NEST }					
Hypopithys. W.	common.	_____	Britain.	6.7.	H. h.	Eng. bot.
DIONEÆ. W.	DIONEÆ.					
Muscipula. W.	Venus's Flytrap.	_____	Carolina.	1768.	7.8.	G. h.	Bot. mag. 785.
GARUGA. Rox.	GARUGA.					
pinata. H. K.	winged-leaved.	_____	E. Ind.	1808.	S. h.	Rox. cor. 3. t. 208.
JUSSIEUA. W.	JUSSIEUA.	Onagrea. J.					
1 grandiflora. W.	great-flowered.	_____	Carolina.	1812.	7.10.	G. h.	
2 suffruticosa. W.	tall.	_____	India.	1808.	8.9.	S. h.	Bot. rep. 631.
3 octovalvis. P. S.	spear-leaved.	_____	S. America.	7.9.	S. h.	
4 erecta. W.	upright.	_____		1739.	_____	S. h.	Plum. ic. t. 175. f. 2.
5 acabra. W. en.	rough.	_____		1816.	_____	S. h.	
GETONIA. Rox.	GETONIA.	Combretaceæ. B.P.					
floribunda. P. S.	many-flowered.	_____	E. Ind.	1815.	S. h.	Roxb. cor. t. 87.
QUISQUALIS. W.	QUISQUALIS.	Combretaceæ. B.P.					
1 indica. W.	Indian.	_____	E. Ind.	1815.	5.8.	S. h.	Rumph. amb. 5. t. 13.
2 pubescens.	pubescent.	_____		_____	S. h.	
DAIS. W.	DAIS.	Thymelææ.					
cotinifolia. W.	Cotinus-leaved.	_____	C. B. S.	1776.	6.7.	G. h.	Bot. mag. 147.
MELASTOMA. W.	MELASTOMA.	Melastomæ. J.					
1 aspera. W.	rough.	_____	E. Ind.	1815.	8.11.	S. h.	Burm. zeyl. t. 72.
2 velutina. W.	velvety-leaved.	_____	W. Ind.	_____	7.10.	S. h.	
3 trinervia. W.	three-nerved.	_____	Jamaica.	1793.	7.	S. h.	
4 octandra. W.	octandrous.	_____	Ceylon.	1815.	S. h.	
5 tetrandra. W.	tetrandrous.	_____	Jamaica.	_____	S. h.	
6 hirta. W.	hairy.	_____		1740.	9.12.	S. h.	Pluk. alm. t. 264. f. 1.
7 Acinodendron. W.	oval-leaved.	_____		1804.	S. h.	Plum. ic. 142. f. 2.
8 cymosa. W.	cyme-flowered.	_____	S. America.	1792.	4.8.	S. h.	Sert. han. t. 8.
9 rubra. W.	red.	_____	Guiana.	1793.	5.6.	S. h.	Aub. gui. 1. t. 161.
10 purpurea. W.	purple.	_____		1804.	S. h.	1. t. 134.
11 grossa. W.	large-leaved.	_____	S. America.	S. h.	
12 malabathrica. W.	bristly.	_____	E. Ind.	1793.	6.8.	S. h.	Bot. mag. 529.
13 corymbosa. H. K.	corymb-flower'd.	_____	Sierra Leone.	1792.	3.10.	S. h.	904.
14 ecostata. H. K.	ribless.	_____	Jamaica.	1793.	5.6.	S. h.	
15 Fothergilla.	Fothergill's.	_____	S. America.	1815.	S. h.	Aub. gui. 1. t. 175.
16 albicans. P. S.	white-leaved.	_____	Jamaica.	_____	S. h.	
17 lævigata. W.	smooth.	_____	S. America.	_____	S. h.	
18 discolor. W.	two-coloured.	_____	W. Ind.	1793.	S. h.	
ACISANTHERA. J.	ACISANTHERA.	Salicariæ. J.					
quadrata. P. S.	four-sided.	_____	Jamaica.	1804.	S. h.	Brown. jam. t. 32. f. 1.
KALMIA. W.	KALMIA.	Rhodoracæ. P. S.					
1 latifolia. W.	broad-leaved.	_____	N. America.	1734.	5.7.	H. h.	Bot. mag. 175.
2 angustifolia. W.	narrow-leaved.	_____		1736.	_____	H. h.	331.
3 rubra.	red-flowered.	_____		_____	_____		
4 glauca. W.	glaucous.	_____		1767.	4.5.	H. h.	177.
5 rosamarinifolia. Ph.	Rosemary-leav'd.	_____		1812.	_____	H. h.	
6 hirsuta. W.	hairy.	_____		1786.	8.9.	F. h.	Bot. mag. 138.
LEDUM. W.	LEDUM.	Rhodoracæ. P. S.					
1 palustre. W.	marsh.	_____	Europe.	1762.	4.5.	H. h.	Fl. dan. 1031.
2 decumbens.	dwarf.	_____	Hudson's Bay	_____	_____	H. h.	
3 latifolium. W.	broad-leaved.	_____	N. America.	1763.	_____	H. h.	Jac. ic. 3. t. 464.
4 buxifolia. W.	Box-leaved.	_____		1736.	_____	H. h.	Lam. ill. t. 369. f. 2.
Ammyrsine busifolia. Ph.							
RHODORA. W.	RHODORA.	Rhodoracæ. J.					
canadensis. W.	Canadian.	_____	N. America.	1767.	4.5.	H. h.	Bot. mag. 474.
RHODODEN- DRON. W.	{ RHODODEN- DRON. }	Rhodoracæ. J.					
1 ferrugineum. W.	rusty-leaved.	_____	Switzerland.	1752.	5.7.	H. h.	Jac. aust. 3. t. 265.
2 hirsutum. W.	hairy-leaved.	_____		1656.	_____	H. h.	Bot. mag. 1858.

am. W.	Daurian.	Rhodoraceæ. J.	Siberia.	1780.	12.3.	G. h.	Bot. mag. 636.
virgata.	dark-leaved.		2.4.	H. h.	Bot. reg. 194.
haticum. W.	Kamtschatka.		Kamtschatka.	1802.	H. h.	Pall. ross. 1. t. 33.
scistus. W.	Thyme-leaved.		Siberia.	1786.	5.6.	F. h.	Bot. mag. 488.
icum. W.	Caucasian.		Caucasus.	1803.	8.	H. h. 1145.
anthum. W.	yellow.		Siberia.	1796.	6.7.	H. h.	Par. lond. 80.
stum. W.	dotted-leaved.		N. America.	1796.	6.8.	H. h.	Bot. rep. 36.
or.	large dotted-lea.		H. h.	Bot. reg. 37.
um. W.	large.		1786.	H. h.	Bot. mag. 951.
. Ph.	white.		1811.	H. h.
reum. Ph.	tree.		H. h.
ciense. Ph.	Catawba.		1809.	H. h.	Bot. mag. 1671.
um. W.	common.		Gibraltar.	1763.	5.6.	H. h. 650.
cidum.	{ Thompson's } hybrid.		6.8.	H. h.	Bot. rep. 379.
lum. B. reg.	Herbert's hybrid		H. h.	Bot. reg. 195.
l. W.	EPICOMA.	Rhodoraceæ. J.	Ann. mus.				
l. W.	creeping.		N. America.	1736.	7.8.	H. h.	Bot. reg. 201.
IUM. P. S.	{ WHORTLE- BERRY. }	Ericæ. J.					
llus. W.	Bleaberry.		Britain.	4.6.	H. h.	Eng. bot. 456.
um. W.	pale.		N. America.	1772.	5.6.	H. h.
neum. Ph.	long-stamened.		H. h.	Pluk.alm. t. 339. f. 3.
l. Ph.	white-flowered.		H. h.	Bot. rep. 263.
osum. W.	great Bilberry.		Britain.	4.5.	H. h.	Eng. bot. 581.
am. W.	shining-leaved.		Carolina.	1765.	5.7.	H. h.
tifolium. W.	narrow-leaved.		N. America.	1776.	4.5.	H. h.
um. W.	bushy.		1774.	5.6.	H. h.	Bot. mag. 1106.
um. W.	clustered-flow ^d	1770.	5.6.	H. h.	Bot. rep. 97.
neum. W.	blunt-leaved.		1761.	H. h. 140.
tum. W.	red-twiggd.		1770.	H. h.
osum. W. en.	branching.		H. h.
rinum. W.	Privet-leaved.		H. h.
sum. W.	clammy.		1772.	5.6.	H. h.	Wang. am. t. 30. f. 69.
acens.	red-flowered.		H. h.	Bot. mag. 1288.
lorum. P. S.	small-flowered.		1804.	H. h.	Bot. rep. 125.
lum. H. K.	large-bracted.		1782.	6.7.	H. h.
ibosum. Ph.	corymbose.		1806.	5.	H. h.
um. W.	broad-leaved.		1765.	5.6.	H. h.	Bot. rep. 138.
tum. W.	twiggy.		1767.	4.5.	H. h. 181.
ans. Ph.	Gale-leaved.		1806.	5.6.	H. h.
lum. W.	Pennsylvanian.		1772.	H. h.
etaphylos. W.	Madeira.		Madeira.	1777.	6.8.	H. h.	Bot. mag. 974.
ionale. W.	Jamaica.		Jamaica.	1778.	3.6.	G. h.
le. W. en.	dwarf.		N. America.	5.7.	H. h.
folium. Ph.	Myrtle-leaved.		Carolina.	1812.	F. h.
folium. Ph.	thick-leaved.		1787.	6.7.	H. h.	Bot. mag. 1152.
Idma. W.	Cow-berry.		Britain.	4.6.	H. h.	Eng. bot. 598.
am. Ph.	glossy.		Carolina.	1794.	5.6.	G. h.	Bot. reg. 480.
umbens.	decumbent.		G. h.	Bot. mag. 1550.
inites. Ph.	Myrsine-leaved.		G. h.
olium. Ph.	Box-leaved.		N. America.	1794.	H. h.	Bot. mag. 928.
MEDA. W.	ANDROMEDA.	Ericæ. J.					
oides. W.	Moss-like.		Lapland.	1798.	6.7.	H. h.	Fl. dan. 10.
una. W.	Maryland.		N. America.	1786.	H. h.	Pluk.alm. t. 448. f. 6
lia.	oval-leaved.		H. h.	Bot. mag. 1579.
onga.	oblong-leaved.		1784.	H. h.	Vent. malm. 80.
ginea. Ph.	rusty-leaved.		1774.	4.5.	H. h.
a. Ph.	rigid.		Jamaica.	1793.	S. h.
icensis. W.	Jamaica.		Carolina.	1800.	6.9.	H. h.
osa. Ph.	large-flowered.		Bot. mag. 970.
ida.	smooth-leaved.	 667.
toerulenta.	mealy-leaved.	
olia. W.	marsh.		5.9.	H. h.
ifolia.	broad-leaved.		N. America.	H. h.
dia.	Wild Rosemary.		Britain.	H. h.	Eng. bot. 713.
gustifolia.	narrow-leaved.		N. America.	H. h.	Pall. ross. 2. t. 70. f. B.
ulata.	awl-leaved.		H. h.
sica. W.	Japan.		Japan.	1806.	G. h.	Th. jap. t. 22.
ulata. Ph.	panicked.		N. America.	1748.	5.6.	H. h.	Pluk.alm. t. 236. f. 3.

10 frondosa. Ph.	bristly-flowered.	Ericæ. J.	N. America.	1806.	5.6.	H. h.	
11 arborea. W.	Sorrel-tree.			1752.	7.9.	H. h.	Bot. mag. 905.
12 racemosa. W.	branching.			1736.	7.	H. h.	
13 Catesbei. W.	Catesby's.			1798.	6.7.	H. h.	Cat. car. 2. t. 43.
14 axillaris. W.	axil-flowering.			1765.	5.8.	H. h.	
<i>β longifolia</i> .	long-leaved.						
15 coriacea. W.	thick-leaved.				6.8.	H. h.	Bot. mag. 1095.
16 acuminata. W.	acute-leaved.				8.	H. h.	Ex. bot. 2. t. 89.
17 floribunda. Ph.	many-flowered.			1812.	5.6.	H. h.	Bot. mag. 1566.
18 hirta. W. en.	hairy.				H. h.	
19 calyculata. Ph.	Box-leaved.			1748.	2.4.	H. h.	Pall. rosa. 2. t. 72. f. 1.
<i>α ventricosa</i> .	globe-flowered.		Russia.			H. h.	Bot. mag. 1286.
<i>β latifolia</i> .	broad-leaved.		Newfoundl ^d .			H. h.	
20 angustifolia. Ph.	narrow-leaved.		N. America.			H. h.	
ENKLIANTHUS. B. M.	ENKLIANTHUS.	Ericæ. J.					
quinqueflora. B. M.	Canton.		China.	1812.	10.2.	G. h.	Bot. mag. 1649.
GAULTHERIA. W.	GAULTHERIA.	Ericæ. J.					
1 procumbens. W.	trailing.		N. America.	1762.	7.9.	H. h.	Bot. rep. 116.
2 serpyllifolia. Ph.	Thyme-leaved.			1776.	5.7.	H. h.	Mich. am. 1. t. 28.
	<i>Vaccinium hispidulum W. et Arbutus thymifolia Ait.</i>						
ARBUTUS. W.	{ STRAWBERRY-TREE. }	Ericæ. J.					
1 Unedo. W.	common.		Ireland.	9.12.	H. h.	Eng. bot. 2377.
<i>β rubra</i> .	red-flowered.						
<i>γ plena</i> .	double-flowered.						
2 canariensis. B. M.	long-leaved.		Canaries.	1796.	5.6.	G. h.	Bot. mag. 1577.
3 Andrachne. W.	oriental.		Levant.	1724.	3.4.	H. h.	Bot. reg. 113.
4 alpina. W.	black-berried.		Scotland.	4.5.	H. h.	Eng. bot. 2080.
5 Uva-ursi. W.	Bear-berry.		Britain.	4.6.	H. h.	714.
6 phillyreaefolia. P. S.	Phillyrea-leaved.		Peru.	1812.	G. h.	
CLETHRA. W.	CLETHRA.	Ericæ. J.					
1 alnifolia. Ph.	Alder-leaved.		N. America.	1731.	8.10.	H. h.	Lam. ill. t. 269.
2 tomentosa. Ph.	woolly-leaved.					H. h.	
3 scabra. Ph.	rough-leaved.		Georgia.	1806.		H. h.	
4 paniculata. W.	panicled.		N. America.	1770.		H. h.	
5 acuminata. Ph.	acute-leaved.		Carolina.	1806.		H. h.	
6 arborea. W.	tree.		Madeira.	1784.		G. h.	Bot. mag. 1057.
<i>β minor</i> .	dwarf.						
MYLOCARYUM. W. en.	{ BUCKWHEAT-TREE. }	Ericæ. J.					
ligustrinum. Ph.	Privet-like.		Georgia.	5.6.	H. h.	Bot. mag. 1625.
PYROLA. W.	WINTER-GREEN.	Ericæ. J.					
1 rotundifolia. W.	round-leaved.		Britain.	6.7.	H. h.	Eng. bot. 218.
2 media. E. B.	intermediate.		England.		H. h.	945.
3 minor. W.	lesser.		Britain.		H. h.	158.
4 secunda. W.	serrated.				H. h.	517.
5 rosea. E. B.	rose-coloured.		England.	7.8.	H. h.	2543.
6 unifera. W.	single-flowered.		Britain.	6.7.	H. h.	146.
CHIMAPHILA. Ph.	CHIMAPHILA.	Ericæ. J. <i>Pyrolæ sp. W.</i>					
1 maculata. Ph.	spotted-leaved.		N. America.	1752.	6.	H. h.	Bot. mag. 897.
2 corymbosa. Ph.	corymb-flowered					H. h.	778.
<i>Pyrola umbellata. B. M.</i>							
BUCIDA. W.	{ OLIVE-BARK TREE. }	Santalaceæ. B. P.					
Ruceras. W.	Jamaica.		Jamaica.	1798.	8.9.	S. h.	Lam. ill. t. 256.
SAMYDA. W.	SAMYDA.						
1 nitida. W.	glossy.		W. Ind.	1798.	S. h.	Br. jam. t. 23. f. 2.
2 pubescens. W.	pubescent.				5.8.	S. h.	
3 serrulata. W.	Elm-leaved.			1723.	7.	S. h.	Jac. col. 2. t. 17. f. 1.
4 rosea. H. K.	rose-coloured.			1793.	6.7.	S. h.	Bot. mag. 550.
INOCARPUS. W.	{ OTABHITE-CHESTNUT. }	Sapotæ? J.					
edulis. W.	eatable.		South Sea Isl.	1798.	S. h.	Lam. ill. t. 262.
STYRAX. W.	STORAX.	Ebenaceæ. B. P.					
1 officinale. W.	officinal.		Italy.	1597.	7.	H. h.	Bot. rep. 631.
2 grandifolium. W.	great-leaved.		N. America.	1765.		H. h.	
3 pulverulentum. Ph.	powdery.			1794.	6.7.	H. h.	
4 lævigatum. W.	smooth.			1765.	7.8.	H. h.	Cav. dis. 6. t. 100. f. 7.

DIGYNIA.

L. W.	ROYENA.	Ebenaceæ. B. P.					
. W.	shining-leaved.	C. B. S.	1690.	5.6.	G. h.	Lam. ill. t. 370. f. 1.	
. W.	heart-leaved.		1774.	6.7.	G. h.		
. W.	pale.		1789.		G. h.		
. W.	Myrtle-leaved.		1781.	9.	G. h.	Com. hort. 1. t. 65.	
cens. W. en.	pubescent.		1752.	7.8.	G. h.	Jac. coll. s. t. 18. f. 1.	
a. W. en.	hairy-leaved.				G. h.	Lam. ill. t. 370. f. 2.	
tifolia. W.	Willow-leaved.		1789.	6.7.	G. h.		
ua. V.	obovate-leaved.		1815.		G. h.	Vent. malm. t. 17.	
idra. W.	oval-leaved.		1774.	G. h.		
HEMA. W.	TRIANTHEMA.	Portulacææ. J.					
yna. W.	Purslane-leaved.	Jamaica.	1710.	7.8.	S. ☉.	Plant. grass. 109.	
dra. W.	trailing.	India.	1762.		S. ☉.	Burm. ind. t. 31. f. 3.	
NTHUS. W.	KNAWEL.	Portulacææ. J.					
is. W.	annual.	Britain.	7.8.	H. ☉.	Eng. bot. 351.	
nis. W.	perennial.		8.9.	H. ½.	352.	
[A. W.	CUNONIA.	Cunoniaceæ. Br.					
is. W.	Cape.	C. B. S.	1816.	G. h.	Burm. afr. t. 96.	
NGEA. W.	HYDRANGEA.	Saxifragææ? J.					
scens. W.	shrubby.	Virginia.	1736.	7.8.	H. h.	Bot. mag. 437.	
a. Ph.	heart-leaved.	Carolina.	1806.		H. h.		
a. W.	white-leaved.		1786.		H. h.	Lam. ill. t. 370. f. 2	
PA.							
ifolia. W.	Oak-leaved.	Florida.	1803.	6.9.	F. h.	Bot. mag. 975.	
nsis. W.	changeable.	China.	1788.	4.9.	F. h.	438.	
SPLE-	{ GOLDEN }	Saxifragææ. J.					
[M. W.	{ SAXIFRAGE. }						
ifolium. W.	alternate-leaved	Britain.	4.5.	H. ½.	Eng. bot. 54.	
itifolium. W.	opposite-leaved.			H. ½.	490.	
AGA. W.	SAXIFRAGE.	Saxifragææ. J.					
folia. W.	thick-leaved.	Siberia.	1765.	3.5.	H. ½.	Bot. mag. 196.	
olia. M. n.	heart-leaved.		1779.		H. ½.		
edon. W.	pyramidal.	Alps of Eur.	1596.	5.7.	H. ½.	Fl. dan. 241.	
ta. M. n.	strap-leaved.			H. ½.		
P. S.	straight-leaved.			H. ½.	Pluk. phyt. t. 221. f. 1	
n. P. S.	large-margined.		1731.		H. ½.	Jac. aust. 5. t. 438.	
a. W. en.	small-margined.	Tyrol.		H. ½.	Hort. ber. 2. t. 75.	
ia. W.	Saffron-coloured	Switzerland.	1779.	6.7.	F. ½.	Bot. mag. 351.	
Ivanica. W.	Pennsylvanian.	N. America.	1782.	5.6.	H. ½.	Dil. elt. t. 253. f. 323.	
ubescens. H. S.	semi-pubescent.		H. ½.		
ifolia. W.	Hawkweed-le ^d .	Hungary.	1789.		H. ½.	Pl. rar. hung. 1. t. 18.	
. Ph.	jagged-leaved.	N. America.	1812.		H. ½.		
ata. W.	dotted-flowered.	Siberia.	1699.		H. ½.	Mor. his. 3. t. 9. f. 17.	
a. H. S.	sawed-leaved.	Ireland.	5.	H. ½.		
. H. S.	polished.	Scotland.		H. ½.		
osa. W.	London Pride.	Britain.	4.6.	H. ½.	Eng. bot. 663.	
ta. W.	hirsute.	Ireland.	5.6.	H. ½.	2322.	
roidea. H. S.	spheroid.	1800.		H. ½.		
ta. H. S.	crenated.	1796.		H. ½.		
ita. H. S.	toothed.	Scotland.		H. ½.		
. W.	kidney-leaved.	Ireland.	6.7.	H. ½.	Eng. bot. 1561.	
folia. W.	wedge-leaved.	Switzerland.	1768.	5.6.	H. ½.	Pl. rar. hung. 1. t. 44.	
nthemifolia. Ph.	Stock-leaved.	N. America.	1812.	6.	H. ½.		
entosa. W.	Chinese.	China.	1771.	6.7.	F. ½.	Bot. mag. 92.	
iensis. Ph.	Virginian.	N. America.	1790.	6.7.	F. ½.	1664.	
esta.	close-flowered.		1812.		F. ½.		
is. Ph. excl. syn.							
is. W.	clustered Alpine.	Britain.	6.7.	F. ½.	Eng. bot. 440.	
ris. W.	starry.			F. ½.	167.	
des. W.	thread-moss-like	Switzerland.	1752.		F. ½.	Jac. mis. 2. t. 5. f. 1.	
. W.	gray.		5.6.	F. ½.	Jac. aust. 4. t. 374.	
osacea. W.	Androsace-leav ^d .	Austria.	1792.		F. ½.	Eng. 4. t. 389.	
sitifolia. W.	opposite-leaved.	Britain.	3.4.	F. ½.	Eng. bot. 9.	
a. W.	rough.	Switzerland.	1752.	8.	F. ½.	Jac. aust. 5. t. 31.	
ulus. W.	yellow marsh.	England.		F. ½.	Eng. bot. 1009.	
ides. M. n.	{ smaller }	Britain.	7.8.	F. ½.		
malis. M. n.	larger mountain.			F. ½.	Eng. bot. 39.	
idifolia. W.	round-leaved.	Austria.	1596.	5.6.	H. ½.	Bot. mag. 424.	

38	granulata. W.	grain-rooted.	Saxifrageæ. J.	Britain.	5.	H. 2.	Eng. bot. 504.
	<i>β plena.</i>	double-flowered.						
39	cernua. W.	drooping.		Scotland.	7.	F. 2.	661.
40	rivularis. W.	Alpine brook.		Levant.	1752.	7.	F. 2.	2275.
41	hederacea. W.	Ivy-leaved.		Pyrenees.	1815.	5.6.	H. 2.	Lapey. Fl. t. 40.
42	pentadactyla. W. en.	five-fingered.			1770.	4.5.	H. 2.	Eng. bot. 2278.
43	geranioides. W.	Crane's-bill-lea ^d .		Scotland.	5.6.	H. 2.	Bot. mag. 1661.
44	pedatifida. L. T.	pedatifid.		Spain.	1804.	—	F. 2.	—
45	ceratophylla. H. K.	shining-calyxed.		Scotland.	—	H. 2.	—
46	lanceolata. H. S.	spear-leaved.		Pyrenees.	1770.	6.7.	H. 2.	Lapey. Fl. t. 31.
47	quinquedens. H. S.	five-toothed.		Scotland.	6.	H. 2.	Eng. bot. 2276.
48	ajugifolia. W.	Bugle-leaved.		Siberia.	1802.	5.6.	H. 2.	—
49	platypetala. L. T.	broad-petalled.		Britain.	4.5.	H. 2.	Eng. bot. 501.
50	sibirica. W.	Siberian.		Norway.	1752.	—	H. 2.	Fl. dan. 68.
51	tridactylites. W.	Rue-leaved.		Pyrenees.	—	5.	H. 2.	Jac. ic. 1. t. 81.
52	petraea. W.	rock.		Germany.	—	H. 2.	—
53	adscendens. W.	ascending.		Scotland.	1....	6.	H. 2.	Eng. bot. 2291.
54	Sternbergii. W. en.	large-flowered.		Britain.	5.6.	H. 2.	—
55	hirta. E. B.	hairy.						
56	Haworthii.	Haworth's hairy.						
	<i>hirta. M. n.</i>							
57	hybrida. M. n.	hybrid.		Wales.	—	H. 2.	Eng. t. 454.
58	palmata. E. B.	palmate.		Siberia.	1790.	5.6.	H. 2.	—
59	viscosa. M. n.	clammy.		Britain.	—	H. 2.	—
60	trifida. M. n.	trifid.		Scotland.	—	H. 2.	—
61	tridens. H. S.	three-toothed.		Wales.	—	H. 2.	—
62	septifida. H. S.	septicid.		Scotland.	4.5.	H. 2.	Eng. bot. 2277.
63	elongella. L. T.	long-stalked.						
64	carnea.	fleshy-leaved.						
	<i>spatulata. M. n. not of Pers. syn.</i>							
65	lævis. M. n.	smooth.		Britain.	—	H. 2.	—
66	hypnoides. W.	mossy.		Wales.	4.6.	H. 2.	Eng. bot. 454.
67	angustifolia. M. n.	narrow-leaved.		Britain.	5.6.	H. 2.	—
68	deusa. M. n.	close.						
69	canescens. H. S.	canescent.		Pyrenees.	—	H. 2.	Lapey. Fl. t. 27, 34.
70	moschata. W.	musky.		Scotland.	—	H. 2.	—
71	odorata.	sweet-scented.						
	<i>elongella. M. n.</i>							
72	pygmaea. M. n.	pigmy.			—	H. 2.	Eng. bot. 2214.
	<i>moschata. E. B.</i>							
73	caespitosa. W.	tufted.		Wales.	—	H. 2.	794.
74	groenlandica. H. K.	Greenland.		Pyrenees.	1732.	7.	H. 2.	Lapey. Fl. t. 19.
75	muscoides. W.	Moss-like.			5.6.	H. 2.	t. 34.
	TIARELLA. W.	TIARELLA.	Saxifrageæ. J.	N. America.	1731.	4.5.	H. 2.	Bot. mag. 1682.
1	cordifolia. Ph.	heart-leaved.			1812.	—	H. 2.	—
2	Menziesii. Ph.	leafy-stemmed.		Carolina.	—	5.6.	F. 2.	—
3	bitemata. Ph.	bitemate.						
	MITELLA. W.	MITELLA.	Saxifrageæ. J.	N. America.	1731.	4.5.	H. 2.	Bot. reg. 166.
1	diphylla. W.	two-leaved.			1812.	—	H. 2.	Lam. ill. t. 373. f. 8.
2	cordifolia. Ph.	heart-leaved.			1758.	6.8.	H. 2.	t. 373. f. 2.
3	nuda. W.	kidney-leaved.						
	GYPHOPHILA. W.	GYPHOPHILA.	Caryophyllæ. J.	Siberia.	1774.	7.9.	H. 2.	Bot. mag. 1448.
1	repens. W.	creeping.			1759.	—	H. 2.	1281.
2	prostrata. W.	trailing.			—	6.7.	H. 2.	Jac. aust. 5. t. ap. 1.
3	paniculata. W.	panicked.		Levant.	1773.	—	H. 2.	Mur. com. g. t. 3.
4	viscosa. W.	clammy.		Magdeburg.	1816.	—	H. 2.	—
5	serotina. W. en.	late-flowering.		Siberia.	1759.	7.8.	H. 2.	Gmel. sib. 4. t. 69.
6	altissima. W.	upright.		Hungary.	1801.	—	H. 2.	Pl. rar. hung. t. 41.
7	arenaria. W.	sand.		Spain.	1729.	7.8.	H. 2.	Bar. ic. t. 119.
8	Struthium. W.	fleshy-leaved.			1815.	5.9.	H. 2.	—
9	dubia. W. en.	doubtful.		Germany.	1759.	6.7.	H. 2.	Gmel. sib. 4. t. 61. f. 1.
10	fastigiata. W.	one-rowed.		Spain.	1732.	7.8.	H. 2.	Dill. elt. t. 276.
11	perfoliata. W.	perfoliate.			—	—	H. 2.	Bar. ic. t. 1002.
	<i>β tomentosa.</i>	woolly.		Germany.	1739.	6.10.	H. 2.	Lam. ill. t. 375. f. 1.
12	muralis. W.	wall.		France.	1769.	6.8.	H. 2.	—
13	rigida. W.	rigid.		Germany.	1774.	7.8.	H. 2.	Ex. bot. 2. t. 20.
14	saxifraga. W.	small.						
	SAPONARIA. W.	SOAPWORT.	Caryophyllæ. J.	England.	7.10.	H. 2.	Eng. bot. 10693.
1	officinalis. W.	common.						
	<i>β plena.</i>	double-flowering.						

DECANDRIA TRIGYNIA.

99

ria. W. perfoliate.
gens. W. hairy.
oides. W. Basil-leaved.
talis. W. small annual.
. W. yellow.
EUS. W. PINK.
tus. W. Sweet-William.
isianorum. W. Carthusian.
us. H. K. hill.
abens. W. dark-red.
lina. W. en. broad-leaved.
. W. en. rough-stalked.
gineus. W. rusty.
ria. W. Deptford.
icub. W. Japanese.
er. W. proliferous.
ticosus. W. en. shrubby.
ticus. W. en. wood.
utus. W. small-flowered.
phyllus. W. Clove.
e pleno. *Carnation.*
ticosus. *tree Carnation.*
ricatus. *wheat-ear.*
nianus. Ph. Carolina.
osus. W. fleshy-leaved.
ridianus. W. afternoon.
etalus. W. en. narrow-petalled.
estris. M. B. field.
mbens. P. S. procumbent.
eus. W. virgin.
des. W. maiden.
us. P. S. glaucous-leaved.
s. W. Cape.
tus. long-cupped.
nsis. W. China.
tus. W. en. rough-leaved.
us. M. B. rigid.
peliacus. W. Montpelier.
sicus. H. K. Caucasian.
or. H. K. two-coloured.
us. H. K. rock.
nsis. W. en. garden.
us. P. L. fragrant.
rius. W. feathered.
nus. W. en. late-flowering.
iatus. W. en. fringed.
bus. W. superb.
ns. W. pungent.
talis. H. K. Georgian.
s. W. mountain.
us. W. Alpine.

Caryophylleæ. J.

Caryophylleæ. J.

Germany. 1596. 7.8. H.⊙.
Levant. 1680. — H.⊙. Jac. vind. 2. t. 109.
France. 1768. 5.7. H.⊙. Bot. mag. 154.
Levant. 1732. 6.8. H.⊙. Dill.elt. t. 167. f. 204
Switzerland. 1804. — H.⊙. Smith. spic. t. 5.

Germany. 1573. 6.7. H.⊙. Bot. mag. 207.
— 7.8. H.⊙. Locs. pruss. t. 7.
Hungary. 1800. 7.9. H.⊙. Par. lond. 62.
Italy. 1802. — H.⊙. Jac. ic. 3. t. 467.
..... — H.⊙.
Switzerland. — H.⊙.
Italy. 1756. — H.⊙. Mill. ic. 1. t. 81. f. 1.
England. — H.⊙. Eng. bot. 317.
China. 1804. 6.10. F.⊙. Thunb. jap. t. 23.
England. 7.8. H.⊙. Eng. bot. 956.
Siberia. 1804. 6.7. H.⊙.
Ratisbon. 1815. 6.9. H.⊙.
S. Europe. 1771. 7. H.⊙.
England. 6.8. H.⊙. Eng. bot. 214.
..... — H.⊙. Bot. mag. 89.
..... — H.⊙.
..... — H.⊙. Bot. mag. 1622.
N. America. 1811. 6.9. F.⊙.
Greece. 1815. — G.⊙. Tourn. it. 1. t. 9.
Levant. 1804. 6.7. H.⊙. Par. lond. 57.
Caucasus. 1814. 7. H.⊙. Bot. mag. 1739.
Tauria. 1815. 7.8. H.⊙. — 1876.
Levant. 6.7. H.⊙. Vent. cels. t. 89.
S. Europe. 1732. — H.⊙. Bot. mag. 1740.
Britain. 6.10. H.⊙. Eng. bot. 61.
..... — H.⊙. Dill.elt. t. 298. f. 348.
C. B. S. 1787. 8. G.⊙.
..... 1817. 8. G.⊙. Bot. reg. 256.
China. 1713. 7.9. H.⊙. Bot. mag. 28.
Caucasus. 1816. — H.⊙.
Caspian Sea. 1802. 6.10. H.⊙.
Montpelier. 1764. 7.8. H.⊙.
Caucasus. 1803. 6.9. H.⊙. Bot. mag. 795.
..... — H.⊙. — 1162.
Hungary. 1804. 7.8. H.⊙. — 1204.
..... 1805. — H.⊙.
Austria. 1804. 6. H.⊙. Par. lond. 112.
Europe. 1629. 6.8. H.⊙.
Hungary. 1804. 7. H.⊙. Pl. rar. hung. 2. t. 172
Iberia. 1815. 6.8. H.⊙.
Europe. 1596. 7.9. H.⊙. Bot. mag. 297.
Spain. 1781. 8.10. H.⊙.
Russia. 1802. 6.7. H.⊙. Bot. mag. 1069.
Britain. — H.⊙. Eng. bot. 62.
Austria. 1759. — H.⊙. Bot. mag. 1205.

TRIGYNIA.

Caryophylleæ. J.

Caryophylleæ. J

ALUS. H. K. CAMPION.
er. H. K. berry-bearing.
. H. K. CATCHFLY.
a. H. K. bladder.
a. H. K. thick-leaved.
. W. en. pilose.
a. H. K. clammy.
a. H. K. four-leaved.
iaca. H. K. Egyptian.
a. H. K. Italian.
flora. H. K. many-flowered.
ca. H. K. Hyssop-leaved.

a. H. K. Siberian.
lica. H. K. panicled.
sima. H. K. velvet.
a. H. K. Spanish.

England. 6.7. H.⊙. Eng. bot. 1577.
Silene. W. et Cucubali sp. W.
Britain. 5.9. H.⊙. Eng. bot. 164.
Sicily. 1781. 6.8. F.⊙. Boc. mus. 133. t. 92.
Hungary. 1816. — H.⊙.
Levant. 1739. 7. H.⊙. Tourn. it. 2. p. 361.
N. America. 1696. 6.8. H.⊙. Bot. mag. 1107.
Egypt. 1800. 7.8. H.⊙.
Italy. 1759. 5.6. H.⊙. Jac. obs. 4. t. 79.
Hungary. 1794. 6.8. H.⊙. Pl. rar. hung. 1. t. 56.
Russia. 1769. — H.⊙.

Siberia. 1773. — H.⊙. { Hall. goett. 1. p.
150. ic.
Italy. 1711. 7.9. H.⊙. Jac. vind. 1. t. 59.
1739. — H.⊙.
England. 7.8. H.⊙. Eng. bot. 85.

15 parviflora. H. K.	small-flowered.	Caryophyllae. J.	Hungary.	1796. 7.8.	H. 2.	
16 reflexa. H. K.	reflexed.		S. Europe.	1736. —	H. 2.	Magn. mons. 171. ic.
17 anglica. W.	English.		Britain. 6.7.	H. 2.	Eng. bot. 1178.
18 lusitana. W.	Portugal.		Portugal.	1732. —	H. 2.	Dill. elt. t. 311. f. 401
19 geminiflora. W. en.	twin-flowered.	 1816.	—	H. 2.	
20 quinquevulnera. W.	variegated.		England. 6.8.	H. 2.	Eng. bot. 86.
21 nyctantha. W. en.	various-leaved.	 1818.	—	H. 2.	
22 nocturna. W.	spiked.		S. Europe.	1683. —	H. 2.	Dill. elt. t. 310. f. 400
23 ciliata. W.	ciliated.		Crete.	1804. —	H. 2.	
24 gallica. W.	French.		France.	1683. 5.6.	H. 2.	Dill. elt. t. 310. f. 399
25 cerastoides. W.	Cerastium-leav ^d .		S. Europe.	1732. 7.8.	H. 2.	— t. 309. f. 397
26 linifolia. W. en.	Flax-leaved.	 1817.	—	H. 2.	
27 jenseensis. W. en.	two-coloured,		Siberia.	— 6.7.	H. 2.	
28 mutabilis. W.	changeable.		S. Europe.	1688. —	H. 2.	
29 chlorantha. W.	pale-flowered.		Germany.	1732. 6.8.	H. 2.	Dill. elt. t. 316. f. 400
30 supina. M. B.	trailing.		Caucasus.	1804. —	H. 2.	
31 maritima. W.	sea.		Britain. 8.9.	H. 2.	Eng. bot. 957.
32 nutans. W.	Nottingham.	 6.7.	H. 2.	—	466.
33 amena. W.	Tartarian.		Tartary.	1779. 7.	H. 2.	
34 paradoxa. W.	Dover.		England. —	H. 2.	Jac. vind. 3. t. 84.
35 tenuis. W. en.	slender.		Baical.	1816. —	H. 2.	
36 fruticosa. W.	shrubby.		Sicily.	1629. 6.7.	F. 2.	Com. hort. t. 33.
37 bupleuroides. W.	spear-leaved.		Persia.	1801. —	H. 2.	Tourn. it. t. 154.
38 longiflora. W.	long-flowered.		Hungary.	1793. 7.9.	H. 2.	Pl. rar. hung. 1. t. 8.
39 saxatilis. H. K.	stone.		Siberia.	1800. 6.7.	H. 2.	Bot. mag. 689.
40 livida. W. en.	livid.		Carniola.	1816. —	H. 2.	
41 infracta. W. en.	smooth.		Hungary.	— —	H. 2.	Pl. rar. hung. 3. t. 313
42 gigantea. W.	gigantic.		Africa.	1738. —	G. 2.	Walt. hort. 32. t. 11.
43 crassifolia. W.	thick-leaved.		C. B. S.	1774. 7.8.	G. 2.	
44 viridiflora. W.	green-flowered.		Spain.	1739. 6.7.	H. 2.	Herm. par. 199.
45 reticulata. P. S.	netted.		Barbary.	1804. 7.8.	H. 2.	Desf. atl. 1. t. 99.
46 conoidea. W.	conoid.		S. Europe.	1682. 6.7.	H. 2.	Mor. s. 5. t. 36. f. 6.
47 conica. W.	corn.		England. —	H. 2.	Eng. bot. 922.
48 bellidifolia. W.	Daisy-leaved.	 1794.	—	H. 2.	Jac. vind. 3. t. 81.
49 dichotoma. W.	dichotomous.		Hungary.	1791. —	H. 2.	Pl. rar. hung. t. 29.
50 disticha. W. en.	two-ranked.	 1817.	—	H. 2.	
51 vespertina. W.	evening.		Barbary.	1796. 7.8.	H. 2.	Bot. mag. 677.
52 Behen. W.	bladder.		Crete.	1713. 6.7.	H. 2.	Dill. elt. t. 397. f. 400
53 stricta. W.	upright.		Spain.	1802. —	H. 2.	
54 pendula. W.	pendulous.		Sicily.	1731. 5.7.	H. 2.	Bot. mag. 114.
55 noctiflora. W.	night-flowering.		England. 7.	H. 2.	Eng. bot. 291.
56 ornata. W.	dark-coloured.		C. B. S.	1775. 5.9.	G. 2.	Bot. mag. 382.
57 undulata. W.	wave-leaved.		— —	8.	G. 2.	
58 pennsylvanica. Ph.	Pennsylvanian.		N. America.	1806. 6.7.	H. 2.	Bot. reg. 247.
59 virginica. Ph.	Virginian.		— —	1783. 5.8.	H. 2.	Pluk. alm. t. 203. f. 1.
60 regia. B. M.	splendid.		— —	1811. —	H. 2.	Bot. mag. 1784.
61 antirrhina. W.	Snap-dragon.		— —	1732. 6.7.	H. 2.	Dill. elt. t. 318. f. 400.
62 rubella. W.	small red.		Portugal.	— 5.6.	H. 2.	— t. 314. f. 406.
63 sedoides. W.	Sedum-like.		Crete.	1804. 7.	H. 2.	Jac. col. s. t. 14. f. 1.
64 apetala. W.	petalless.	 1801.	6.7.	H. 2.	
65 clandestina. W.	hidden-flowered.		C. B. S.	— —	H. 2.	Jac. col. s. t. 3. f. 2.
66 inaperta. W.	unopen-flowered		Madeira.	1732. —	H. 2.	Dill. elt. t. 315. f. 407.
67 portensis. W.	Oporto.		Portugal.	1759. 7.8.	H. 2.	
68 fimbriata. H. K.	fringed-flowered		Caucasus.	1803. 6.8.	H. 2.	Bot. mag. 908.
69 cretica. W.	Cretan.		Candia.	1732. —	H. 2.	{ Dill. elt. t. 314. f. 404, 5.
70 Muscipula. W.	Spanish.		Spain.	1596. 7.8.	H. 2.	
71 polyphylla. W.	many-leaved.		Germany. 6.7.	H. 2.	Clus. hist. 1. t. 290.
72 Armeria. W.	Lobel's.		England. 7.9.	H. 2.	Eng. bot. 1398.
73 orchidea. W.	Orchis-flowered.		Levant.	1781. 5.7.	H. 2.	Jac. vind. 3. t. 32.
74 ægyptiaca. W.	Egyptian.		Egypt.	1800. 7.8.	G. 2.	
75 chloræfolia. W.	Armenian.		Armenia.	1796. 8.9.	H. 2.	Bot. mag. 807.
76 flavesces. W. en.	yellowish.		Hungary.	1804. 6.7.	H. 2.	Pl. rar. hung. 2. t. 175
77 pusilla. W. en.	dwarf.		— —	— —	H. 2.	— 3. t. 212
78 alpestris. W.	Austrian.		Austria.	1774. 5.7.	H. 2.	Jac. ans. 1. t. 96.
79 rupestris. W.	rock.		Switzerland.	— —	H. 2.	Fl. dan. 4.
80 Saxifraga. W.	Saxifrage.		France.	1640. 6.8.	H. 2.	Pl. rar. hung. 2. t. 163
81 sericea. W.	silky.		S. Europe.	1801. —	H. 2.	All. ped. t. 79. f. 3.
82 vallesia. W.	woolly-leaved.		Switzerland.	1765. —	H. 2.	Boc. mus. t. 54.
83 acaulis. W.	stemless.		Britain. —	H. 2.	Eng. bot. 1081.

A. W.	STITCH-WORT.	Caryophylleæ. J.							
. W.	wood.		Britain.	4.6.	H. ♀.	Eng. bot.	99.	
P. S.	broad-leaved.		Germany.	1816.	6.8.	H. ♀.			
a. W.	forked.		Siberia.	1774.	—	H. ♀.	Sm. ined. t. 14.		
. W.	greater.		Britain.	4.6.	H. ♀.	Eng. bot.	511.	
. W.	lesser.			—	H. ♀.		803.	
L. K.	glaucous marsh.			5.8.	H. ♀.		825.	
B.	Chickweed.			1.12.	H. ♂.		587.	
edia. W.									
. H. K.	bog.			6.7.	H. ♂.		1074.	
es. W.	Alpine.		Scotland.	—	H. ♀.		911.	
lis. W.	many-stalked.		Carinthia.	1815.	6.8.	H. ♀.	Jac. col. 1. t. 19.		
. W.	sand.		Spain.	1799.	6.	H. ♂.			
. W.	naked-stalked.		Scotland.	6.7.	H. ♀.	Eng. bot.	1269.	
A. W.	SANDWORT.	Caryophylleæ. J.							
. W.	Sea Chickweed.		Britain.	5.7.	H. ♀.	Eng. bot.	189.	
ra. W.	square.		Pyrenees.	1731.	8.	H. ♀.	All. ped. 2. t. 89. f. 1.		
. W.	Plantain-leaved.		Britain.	5.6.	H. ♂.	Eng. bot.	1483.	
. W.	fringed.		Ireland.	3.8.	H. ♀.		1745.	
. W.	Majorca.		Majorca.	1787.	—	H. ♀.	L. H. stirp. t. 15.		
lis. W.	many-stalked.		Europe.	1794.	7.8.	H. ♀.	Jac. col. 1. t. 17. f. 1.		
lia. W.	Thyme-leaved.		Britain.	6.7.	H. ♂.	Eng. bot.	923.	
ens. W.	procumbent.		Egypt.	1801.	7.8.	G. ♀.	Vahl. sym. 2. t. 33.		
. W.	mountain.		France.	1800.	4.7.	H. ♀.	Bot. mag. 1. 8.		
W.	three-flowered.		S. Europe.	1816.	—	H. ♀.	Cav. ic. 3. t. 249. f. 2.		
. W.	rock.		Germany.	1732.	7.8.	H. ♀.	Gmel. sib. 4. t. 63. f. 2.		
. W.	vernal.		Britain.	5.8.	H. ♀.	Eng. bot.	512.	
. W.	upright.		N. America.	1812.	5.6.	H. ♀.			
ra. W.	Austrian.		Austria.	1793.	6.9.	H. ♀.	Jac. aus. 3. t. 270.		
ides. P. S.	great-flowered.		Switzerland.	1783.	—	H. ♀.	All. ped. 10. f. 1.		
ia. W.	Cerberia-leaved.		France.	7.8.	H. ♀.			
a. W.	Juniper-leaved.		Armenia.	1800.	6.7.	H. ♀.	Sm. ined. 1. t. 35.		
V.	Larch-leaved.		Britain.	8.	H. ♀.	Jac. aus. 3. t. 272.		
. H. K.	striated.		Switzerland.	1683.	6.8.	H. ♀.	All. ped. 2. t. 26. f. 4.		
a. W.	level-topped.		Scotland.	6.	H. ♂.	Eng. bot.	1744.	
W. en.	fine-leaved.		England.	6.7.	H. ♂.		219.	
W.	beaked.		Hungary.	1816.	—	H. ♀.			
olia. W. en.	thread-leaved.		Arabia.	—	H. ♀.	Vahl. sym. 1. t. 12.		
ta. W.	grass-leaved.		Siberia.	1815.	—	H. ♀.			
W. en.	dense-flowered.		Austria.	—	—	H. ♂.	Jac. aus. 2. t. 182.		
Vai.	pendulous.		Hungary.	1816.	—	H. ♀.	Pl. rar. hung. 2. t. 87.		
	corn.		France.	1805.	6.10.	H. ♂.	Vail. par. t. 3. f. 3.		
vegetalis. W.									
ta.	bristly.		S. Europe.	1777.	6.	H. ♂.	Hall. hist. 1. t. 17.		
mucronata. W.									
V.	downy.		France.	1795.	7.	H. ♂.			
is. H. S.	pubescent.		England.	—	H. ♂.			
E. B.	marine.		Britain.	6.7.	H. ♀.	Eng. bot.	958.	
sis. Ph.	Canada.		N. America.	1812.	—	H. ♂.			
. B.	purple.		Britain.	6.8.	H. ♂.	Eng. bot.	852.	
IA. W.	CHERLERIA.	Caryophylleæ. J.							
. W.	dwarf.		Scotland.	7.8.	H. ♀.	Eng. bot.	1212.	
HIA. W.	BRUNNICHIA.	Polygonææ. P. S.							
. W.	Carolina.		Carolina.	1787.	G. h.	Gært. s. 1. t. 45. f. 2.		
LA. W.	GARIDELLA.	Ranunculaceæ. J.							
trum. W.	Nigella-leaved.		France.	1736.	6.7.	H. ♂.	Bot. mag.	1266.	
IA. W.	{ BARBADOES CHERRY. }	Malpighiaceæ. J.							
W.	smooth-leaved.		W. Ind.	1757.	3.7.	S. h.	Bot. mag.	813.	
lia. W.	Pomegranate-l ^d .			1690.	S. h.	Plum. ic. t. 166. f. 2.		
lia. H. K.	many-spiked.			1806.	3.5.	S. h.	Bot. rep.	604.	
I. K.	intermediate.			1790.	—	S. h.			
fera. H. K.	quadriglandular.			1806.	—	S. h.	Jac. ic. 3. t. 469.		
sa. W.	biglandular.			1804.	S. h.	Cav. dis. 3. t. 239. f. 2.		
V.	glossy-leaved.			1733.	3.8.	S. h.		1239. f. 1.	
B. reg.	painted.			1814.	—	S. h.	Bot. reg.	189.	
V.	stinging.		S. America.	1737.	7.10.	S. h.		94.	
olia. W.	narrow-leaved.		W. Ind.	—	7.8.	S. h.	Car. dis. 3. t. 236. f. 1.		
is. W.	downy-leaved.			1742.	S. h.			
lia. W.	thick-leaved.		S. America.	1793.	8.	S. h.	Aub. gui. 1. t. 182.		

13 lucida. W.	wedge-leaved.	Malpighiaceæ. J.	W. Ind.	1759. 5.8.	S. h.	
14 coriacea. W.	leathery-leaved.		Jamaica.	1814. —	S. h.	Slo. his. 2. t. 163. f. 1.
15 volubilis. H. K.	twining.		W. Ind.	1793. 8.9.	S. h.	Bot. mag. 809.
16 aquifolium. W.	Holly-leaved.		S. America.	1759. —	S. h.	Cav. dis. 8. t. 236. f. 2.
17 coccifera. W.	Kermes' Oak-ld.		W. Ind.	1733.	S. h.	Jac. ic. 3. t. 470.
BANISTERIA. W.	BANISTERIA.	Malpighiaceæ. J.				
1 ciliata. W.	ciliated.		Brazil.	1796.	S. h.	Cav. dis. 9. t. 264.
2 purpurea. W.	purple.		W. Ind.	1759.	S. h.	— t. 246. f. 1.
3 chrysophylla. W.	Star-apple-leav ^d .		Brazil.	1793.	S. h.	Jac. schoen. 1. t. 105.
4 laurifolia. W.	Bay-leaved.		Jamaica.	1783. 7.8.	S. h.	
5 nitida. W.	glossy.		S. America.	1809.	S. h.	Cav. diss. t. 244.
6 sericea. P. S.	silky.		Brazil.	1810.	S. h.	— 9. t. 268.
7 fulgens. W.	shining-fruited.		W. Ind.	1759.	S. h.	
8 heterophylla. W.	various-leaved.		S. America.	1812.	S. h.	Cav. diss. t. 258.
9 brachiata. W.	cross-branched.		W. Ind.	1759.	S. h.	

PENTAGYNIA.

AVERRHOA. W.	AVERRHOA.	Terebintaceæ? J.				
1 Bilimbi. W.	Bilimbi-tree.		E. Ind.	1791. 5.7.	S. h.	Cav. dis. 7. t. 219.
2 Carambola. W.	Carambola-tree.		—	1793.	S. h.	— 7. t. 220.
SPONDIAS. W.	HOG PLUM.	Terebintaceæ. J.				
1 Mombin. W.	flat-stemmed.		W. Ind.	1817.	S. h.	Sloan. his. 2. t. 219.
2 Myrobalanus. W.	yellow.		—	1739.	S. h.	Merian. surin. t. 13.
3 dulcis. W.	Otaheite Apple.		Society Isles.	1793.	S. h.	Lam. jll. t. 384.
COTYLEDON. W.	NAVEL-WORT.	Sempervivæ. J.				
1 orbiculata. H. S.	round-leaved.		C. B. S.	1789. 7.8.	G. h.	
2 ovata. H. S.	ovate-leaved.		—	7.10.	G. h.	Bot. mag. 321.
3 oblonga. H. S.	oblong-leaved.		—	1690. 7.9.	G. h.	
4 ramosissima. H. S.	many-branched.		—	1768.	G. h.	
5 fascicularis. W.	cluster-leaved.		—	1759. 7.9.	G. h.	Burm. afr. t. 18.
6 hemisphærica. W.	thick-leaved.		—	1781. 6.7.	G. h.	Plant. grass. 87.
7 spuria. W.	narrow-leaved.		—	7.8.	G. h.	Com. rar. t. 23.
8 cæspitosa. H. S.	tongue-leaved.		California.	1796. 6.8.	G. h.	
linguaformis. H. K.						
9 serrata. W.	notch-leaved.		Siberia.	1782. 6.7.	H. h.	Dill. elt. t. 95. f. 119.
10 hispanica. W.	Spanish.		Spain.	1796. —	H. h.	Plant. grass. 122.
11 Malocophyllum. W.	annual.		Davuria.	1815. —	H. h.	Pall. it. 3. ap. t. G. f. 1.
12 Umbilicus. W.	Pennywort.		Britain.	H. h.	Eng. bot. 325.
13 lutea. W.	yellow.		England.	H. h.	— 1529.
SEDUM. W.	STONE-CROP.	Sempervivæ. J.				
1 verticillatum. W.	whorl-leaved.		S. Europe. 7.9.	H. h.	Amcen. ac. 2. t. 4. f. 14.
2 maximum. H. S.	great purple.		Spain.	1794. —	H. h.	
3 albicans. H. S.	great white.		Europe.	1794. —	H. h.	
4 triphyllum. H. S.	three-le ^d purple.		Portugal.	—	H. h.	
5 Telephium. E. B.	common Orpine.		Britain.	H. h.	Eng. bot. 1819.
6 Telephioides. Ph.	Rhodiola-leaved.		N. America.	1810. —	H. h.	
7 Anacampseros. W.	evergreen.		France.	1596. 7.8.	H. h.	Bot. mag. 118.
8 divaricatum. W.	spreading.		Madeira.	1777. 6.7.	G. h.	
9 Aizoon. W.	yellow.		Siberia.	1757. 7.9.	H. h.	Plant. grass. 101.
10 spurium. W. en.	fringed.		Caucasus.	1816. —	H. h.	Bux. cent. 5. t. 61. f. 3.
Anacampseros ciliaris. H. S.						
11 oppositifolium. B. M.	opposite-leaved.		H. h.	Bot. mag. 1807.
12 hybridum. W.	Germander-lea ^d .		Siberia.	1766. 5.7.	H. h.	Mur. c. got. 6. t. 5.
13 populifolium. W.	Poplar-leaved.		—	1780. 7.8.	H. h.	Bot. mag. 211.
14 ternatum. Ph.	Purslane-leaved.		N. America.	1789. —	H. h.	Bot. reg. 142.
15 stellatum. W.	starry.		S. Europe.	1640. 6.7.	H. h.	Cam. hort. 7. ic. 2.
16 spatulatum. W. en.	spathulate.		Hungary.	1815. —	H. h.	Pl. rar. hung. 2. t. 104.
17 Cæpæa. W.	panicked.		France.	1640. 7.8.	H. h.	
18 spinosum. W. en.	spiny.		Siberia.	1790. 8.	F. h.	Gmel. sib. t. 67. f. 2.
Crassula spinosa. W. et Sempervivum cuspidatum. H. S.						
19 dasyphyllum. W.	thick-leaved.		England. 6.7.	H. h.	Eng. bot. 656.
20 reflexum. E. B.	reflex-leaved.		Britain.	H. h.	— 695.
21 glaucum. E. B.	glaucous.		England. 7.8.	H. h.	— 2477.
22 collinum. W. en.	hill.		1815. 6.8.	H. h.	Plant. grass. 116.
23 virescens. W. en.	greenish-flower ^d	—	H. h.	
24 septangulare. H. S.	seven-rowed.		1795. 6.7.	H. h.	
25 virens. W.	green.		Portugal.	1774. —	H. h.	
26 rupestre. W.	rock.		England. 7.8.	H. h.	Eng. bot. 170.
27 Forsterianum. H. K.	Forster's.		Wales.	H. h.	— 1002.

num. P. S.	tall.	Sempervivz. J.	S. Europe.	1769.	7.8.	H. 2.	Jac. vind. 1. t. 81.
leucum. L. T.	v. 10. et Sempervivum sediforme. W.						
fidum. W.	four-cleft.		N. Asia.	1800.	7.	H. 2.	Pall. it. 3. a. t. P. f. 1.
dicum. W.	Spanish.		Spain.	1732.	6.7.	H. 2.	Jac. aus. 5. t. a. 47.
l. W.	white.		England.	—	H. 2.	Eng. bot. 1578.
W.	biting.		Britain.	6.	H. 2.	— 839.
gularc. W.	insipid.		England.	6.7.	H. 2.	— 1946.
um. W.	English.		Britain.	7.8.	H. 2.	— 171.
um. W.	annual.		N. Europe.	1739.	8.	H. 2.	—
um. W.	hairy.		Britain.	6.7.	H. 2.	Eng. bot. 394.
egalense. P. S.	clammy.		S. Europe.	1816.	—	H. 2.	Balbis. Mfa. t. 6.
um. W.	dark-annual.		Italy.	1795.	8.	H. 2.	Jac. aust. 1. t. 2.
n. W.	naked-branched.		Madeira.	1777.	7.8.	G. 2.	—
ORUM. W.	PENTHORUM.	Sempervivz? J.					
lea. W.	American.		Virginia.	1768.	7.8.	H. 2.	Lam. ill. t. 390.
M. W.	GRIELUM.						
olum. W.	slender-leaved.		C. B. S.	1790.	4.5.	G. 2.	Lam. ill. t. 388.
. W.	WOOD-SORREL.	Geranie J.					
phylla. W.	simple-leaved.		C. B. S.	1774.	10.11.	G. 2.	Jac. ox. t. 79. f. 3.
ta. W.	beaked.		—	1795.	—	G. 2.	— t. 22.
a. W.	ass's-eared.		—	1792.	11.12.	G. 2.	— t. 24.
efolia. W.	spear-leaved.		—	1795.	10.11.	G. 2.	— t. 26.
na. W.	hare's-eared.		—	1795.	10.11.	G. 2.	— t. 25.
. W.	curled.		—	1798.	—	G. 2.	— t. 23.
olia. W.	Bean-leaved.		—	1794.	—	G. 2.	— t. 27.
nifolia. W.	Laburnum-lea ^d .		—	1798.	9.10.	G. 2.	— t. 28.
inea. W.	bloody-leaved.		—	1795.	10.12.	G. 2.	— t. 29.
ua. W.	ambiguous.		—	1790.	9.12.	G. 2.	— t. 43.
ata. W.	wave-leaved.		—	1795.	10.11.	G. 2.	— t. 44.
a. W.	brown-spotted.		—	—	5.6.	G. 2.	— t. 45.
r. W.	three-coloured.		—	1794.	10.12.	G. 2.	— t. 47.
ilis. W.	variable.		—	1795.	—	G. 2.	— t. 52.
iflora. W.	great-flowered.		—	1790.	—	G. 2.	— t. 54.
irea. W.	sulphur-colour ^d .		—	1795.	10.11.	G. 2.	— t. 63.
a. W.	flaccid.		—	1812.	—	G. 2.	— t. 51.
rea. W.	purple.		—	—	—	G. 2.	— t. 56.
sa. W.	specious.		—	1690.	9.11.	G. 2.	— t. 60.
tella. W.	common.		Britain.	4.5.	H. 2.	Eng. bot. 762.
ata. W.	green-margined.		C. B. S.	1812.	9.12.	G. 2.	Jac. ox. t. 68.
lia. W.	beautiful.		—	1795.	10.11.	G. 2.	— t. 69.
l. W.	blunt-leaved.		—	1812.	—	G. 2.	— t. 79. f. 1.
. W.	woolly-leaved.		—	1791.	—	G. 2.	— t. 77. f. 2.
l. W.	slender.		—	1793.	4.5.	G. 2.	— t. 19.
ress. W.	compressed.		—	1794.	12.1.	G. 2.	— t. 78. f. 3.
l. W.	silky.		—	—	4.5.	G. 2.	— t. 77. f. 1.
a. W.	violet-coloured.		N. America.	1778.	5.6.	H. 2.	— t. 80. f. 2.
a. W.	Goat's-foot.		C. B. S.	1757.	3.6.	G. 2.	— t. 76. f. 1.
l. W.	drooping.		—	—	2.5.	G. 2.	— t. 6.
a. W.	toothed.		—	1793.	11.12.	G. 2.	— t. 7.
W.	livid.		—	—	10.11.	G. 2.	— t. 8.
l. W.	ciliate-leaved.		—	—	—	G. 2.	— t. 30.
a. W.	gland-covered.		—	1795.	—	G. 2.	— t. 31.
s. W.	linear-leaved.		—	—	9.11.	G. 2.	— t. 32.
olia. W.	wedge-shaped.		—	1793.	4.5.	G. 2.	— t. 41.
. W.	smooth.		—	1795.	5.6.	G. 2.	— t. 76. f. 2.
W.	cloven-leaved.		—	1791.	9.10.	G. 2.	— t. 79. f. 4.
lia. W.	bilobed-leaved.		—	1815.	—	G. 2.	Jac. schen. 2. t. 205.
. W.	floating.		—	1795.	9.12.	G. 2.	Jac. ox. t. 76. f. 2.
ula. W.	convex-leaved.		—	1789.	11.1.	G. 2.	— t. 55.
dor. W.	striped-flowered.		—	1774.	1.3.	G. 2.	Bot. mag. 155.
ta. W.	elongated.		—	1791.	9.10.	G. 2.	Jac. ox. t. 37.
ta. W.	reclining.		—	1795.	9.11.	G. 2.	— t. 34.
ylla. W.	many-leaved.		—	1791.	9.1.	G. 2.	— t. 39.
olia. W.	fine-leaved.		—	1790.	10.11.	G. 2.	— t. 38.
stylis. W.	long-styled.		—	1793.	—	G. 2.	— t. 9.
W.	hairy-stalked.		—	1787.	—	G. 2.	— t. 33.
ra. W.	tube-flowered.		—	1790.	—	G. 2.	— t. 30.
la. W.	side-flowering.		—	—	—	G. 2.	— t. 12.
ora. W.	many-flowered.		—	1789.	2.3.	G. 2.	— t. 15.
l. W.	branching-red.		—	1791.	9.11.	G. 2.	— t. 16.

53 rosacea. W.	rose-coloured.	Geraniæ? J.	C. B. S.	1798. 9.11. G. ½.	Jac. ox. t. 17.
54 repens. W.	creeping-stalk'd.	_____	_____	_____ 3.4. G. ½.	_____ t. 78. f. 1.
55 reptatrix. W.	creeping-rooted.	_____	_____	1795. 11.12. G. ½.	_____ t. 20.
56 incarnata. W.	flesh-coloured.	_____	_____	1739. 4.6. G. ½.	_____ t. 71.
57 stricta. W.	upright.	_____	N. America.	1658. 6.10. H. ½.	_____ t. 4.
58 Dillenii. W.	annual.	_____	America.	1798. 5.8. H. ½.	Dill. elt. t. 221.
59 corniculata. W.	procumbent.	_____	Britain. 5.10. H. ½.	Eng. bot. 1726.
60 perennans. M. n.	perennial.	_____	N. S. W. 5.9. G. ½.	_____
61 rubens. M. n.	red-flowered.	_____	_____ G. ½.	_____
62 pentaphylla. B. M.	five-leaved.	_____	C. B. S.	1800. 11.2. G. ½.	Bot. mag. 1549.
63 tomentosa. W.	downy-leaved.	_____	_____	1791. 4.5. G. ½.	Jac. ox. t. 81.
64 lupinifolia. W.	Lupine-leaved.	_____	_____	10.11. G. ½.	_____ t. 72.
65 pectinata. W.	pectinated.	_____	_____	1790. 9.11. G. ½.	_____ t. 75.
66 fiabellifolia. W.	fan-leaved.	_____	_____	1789. G. ½.	_____ t. 74.
67 flava. W.	narrow-leaved.	_____	_____	1775. 3.4. G. ½.	Bot. reg. 117.
AGROSTEMMA. W.	ROSE-CAMPION.	Caryophyllæ. J.	_____	_____	_____
1 Githago. W.	Corn-cockle.	_____	Britain. 6.7. H. ½.	Eng. bot. 741.
2 nicænsis. W.	Italian.	_____	Italy.	1794. H. ½.	_____
3 coronaria. W.	common.	_____	_____	1596. 6.9. H. ½.	Bot. mag. 24.
β alba.	white-flowered.	_____	_____	_____	_____
γ plena.	double-flowered.	_____	_____	_____	_____
4 Flos-jovis.	umbelled.	_____	Germany.	1726. 7. H. ½.	Bot. mag. 398.
5 Cœli-rosa.	smooth-leaved.	_____	Levant.	1718. 7.8. H. ½.	_____ 295.
LYCHNIS. W.	LYCHNIS.	Caryophyllæ. J.	_____	_____	_____
1 chalconica. W.	scarlet.	_____	Russia.	1596. 6.7. H. ½.	Bot. mag. 257.
β alba.	white-flowered.	_____	_____	_____	_____
γ plena.	double-flowered.	_____	_____	_____	_____
2 Floscuculi. W.	Ragged Robin.	_____	Britain. 6.9. H. ½.	Eng. bot. 573.
3 coronata. W.	Chinese.	_____	China.	1774. 6.9. G. ½.	Bot. mag. 228.
4 quadridentata. W.	four-toothed.	_____	Italy.	1783. 5.6. H. ½.	Jac. aust. 2. t. 1 20.
5 viscaria. W.	viscid.	_____	Britain. H. ½.	Eng. bot. 788.
6 alpina. W.	Alpine.	_____	Scotland. 4.6. H. ½.	_____ 2254.
7 lata. W.	small.	_____	Portugal.	1778. 7. H. ½.	_____
8 diurna. With.	red-flowered.	_____	Britain. 6.7. H. ½.	Eng. bot. 1579.
sylvestris. W. en.	dioica rubra. E. B.	_____	_____	_____	_____
9 vespertina. With.	white-flowered.	_____	_____ H. ½.	_____ 1580.
dioica. W. en.	dioica alba. E. B.	_____	_____	_____	_____
CERASTIUM. W.	{ MOUSE-EAR } { CHICKWEED }	Caryophyllæ. J.	_____	_____	_____
1 perfoliatum. W.	perfoliate.	_____	Greece.	1725. 6.7. H. ½.	Dill. elt. t. 217. f. 224
2 vulgatum. W.	common.	_____	Britain. 4.6. H. ½.	Eng. bot. 789.
3 viscosum. W.	narrow-leaved.	_____	_____ 4.9. H. ½.	_____ 790.
4 diffusum. P. S.	spreading.	_____	_____ H. ½.	_____
5 brachypetalum. P. S.	small-flowered.	_____	_____	1816. 4.5. H. ½.	_____
6 semidecandrum. W.	least.	_____	Britain. 3.4. H. ½.	Eng. bot. 163.
7 tetrandrum. H. K.	tetrandrous.	_____	Scotland. 5.6. H. ½.	_____ 166.
8 anomalum. W.	linear-leaved.	_____	Hungary.	1804. 7. H. ½.	_____
9 arvense. W.	field.	_____	Britain. 5.8. H. ½.	Eng. bot. 93.
10 dichotomum. W.	forked.	_____	Spain.	1725. 6.7. H. ½.	_____
11 alpinum. W.	Alpine.	_____	Britain. H. ½.	Eng. bot. 47.
12 ovatum. W. en.	oval-leaved.	_____	Carinthia.	1816. H. ½.	_____
13 repens. W.	creeping.	_____	S. Europe.	1759. 5.7. H. ½.	Lam. ill. t. 39. f. 1.
14 strictum. W.	upright.	_____	Austria.	1798. H. ½.	Scop. carn. t. 2. p. 1.
15 suffruticosum. W.	suffruticose.	_____	S. Europe.	1796. H. ½.	_____
16 maximum. W.	greatest.	_____	Siberia.	1792. 6.7. H. ½.	Gmel. sib. 4. t. 242.
17 amplexicaule. B. M.	glaucous.	_____	_____	1815. 5.9. H. ½.	Bot. mag. 17 235.
18 aquaticum. W.	water.	_____	Britain. 7. H. ½.	Eng. bot. 532.
Stellaria aquatica.	P. S.	_____	_____	_____	_____
19 dioicum. W.	Spanish.	_____	Spain.	1766. 6.7. H. ½.	_____
20 latifolium. W.	broad-leaved.	_____	Britain. H. ½.	Eng. bot. 473.
21 tomentosum. W.	white.	_____	S. Europe.	1648. H. ½.	_____
22 maritimum. W.	long-peduncled.	_____	Hungary.	1801. H. ½.	Pl. rar. hung. t. 96.
SPERGULA. W.	SPURGEY.	Caryophyllæ. J.	_____	_____	_____
1 arvensis. W.	rough-seeded.	_____	Britain. 7.8. H. ½.	Eng. bot. 1535.
2 pentandra. W.	smooth-seeded.	_____	England. 6.7. H. ½.	_____ 1536.
3 nodosa. W.	knotted.	_____	Britain. 7.8. H. ½.	_____ 694.
4 saginoides. W.	{ smooth awl- shaped.	_____	Scotland. 6.8. H. ½.	_____ 2106.
5 subulata. W.	{ ciliated awl- shaped.	_____	Britain. 6.7. H. ½.	_____ 1022.

DECAGYNIA.

ACCA. W.	PHYTOLACCA.	Chenopodæ. B. P.				
a. W.	white-flowered.	_____	Mexico.	1782. 7.11.	S. 2.	Dill. elt. t. 239. f. 308
ca. W.	African.	_____	Africa.	1775. 5.6.	S. 2.	Hoff. c. goet. t. 2.
dra. W. en.	recurved-leaved.	_____ 5.6.	S. 2.	
a. W.	Virginian Poke.	_____	Virginia.	1615. 8.9.	H. 2.	Bot. mag. 981.
ra. W.	red.	_____	E. Ind.	1758. 7.11.	S. 2.	Mill. ic. t. 207.
W.	tree.	_____	S. America.	1768.	S. 2.	L'Her. st. nov. t. 70.

CLASS XI.

DODECANDRIA MONOGYNIA.

. W.	A. ARABACCA.	Aristolochiæ. J.				
um. W.	common.	_____	England. 5.	H. 2.	Eng. bot. 1083.
se. W.	Canadian.	_____	Canada.	1713. 4.7.	H. 2.	Lam. ill. t. 394. f. 2.
um. W.	sweet-scented.	_____	Virginia.	1759. 4.5.	H. 2.	Pluk. alm. t. 78. f. 2.
A. W.	BOCCONIA.	Papaveracæ. J.				
na. W.	Tree Celandine.	_____	W. Ind.	1739. 1.4.	S. 2.	Lam. ill. t. 394.
. W.	heart-leaved.	_____	China.	1795. 5.8.	H. 2.	Bot. mag. 1905.
W.	BASSIA.	Sapotæ. J.				
ia. W.	long-leaved.	_____	E. Ind.	1811.	S. 2.	Lam. ill. t. 398.
. W.	broad-leaved.	_____	_____	1799.	S. 2.	Rox. cor. 1. t. 19.
W.	BLAKEA.	Melastomæ. J.				
a. W.	three-ribbed.	_____	Jamaica.	1789. 6.7.	S. 2.	Bot. mag. 451.
. Ph.	BEJARIA.	Rhodoracæ. J.				
na. Ph.	sweet-scented.	_____	Florida.	1810. 6.7.	G. 2.	Vent. cels. t. 51.
A. W.	MANGOSTEEN.	Guttiferæ. J.				
stana. W.	common.	_____	Java.	1789.	S. 2.	Lam. ill. t. 405.
. W.	SNOWDROP-TREE.	Ebenacæ. B. P.				
ra. W.	four-winged.	_____	Carolina.	1756. 4.5.	H. 2.	Bot. mag. 910.
. W.	two-winged.	_____	N. America.	1758. —	H. 2.	Cav. dis. 6. t. 187.
RIA. W.	DECUMARIA.	Myrti. J.				
. Ph.	smaller.	_____	Carolina.	1785. 7.8.	H. 2.	
losa. Ph.	larger.	_____	_____	1758. —	H. 2.	Act. par. 1. t. 13.
ELIA. W.	ARISTOTELIA.	Chili.	1778. 4.5.	H. 2.	Lam. ill. t. 399.
. W.	shining-leaved.	_____				
A. W.	CANELLA.	Meliæ. J.				
. W.	Laurel-leaved.	_____	W. Ind.	1735.	S. 2.	Linn. trans. 1. t. 8.
A. W.	GARLICK-PEAR.	Capparidæ. J.				
ra. W.	thin-leaved.	_____	Jamaica.	1789.	S. 2.	Pluk. alm. t. 147. f. 6.
W.	smooth.	_____	India.	1752.	S. 2.	Com. hort. 1. t. 67.
s. H. K.	sweet-scented.	_____	Sierra Leone.	1795. 6.7.	S. 2.	Bot. mag. 596.
TTA. W.	TRIUMFETTA.	Tiliacæ. J.				
. W.	prickly-seeded.	_____	Jamaica.	1739. 7.8.	S. 2.	Plum. ic. t. 255.
ia. W.	Currant-leaved.	_____	E. Ind.	— 6.7.	S. 2.	Rump. am. 6. t. 25. f. 2.
oba. W.	Mallow-leaved.	_____	W. Ind.	1773. 7.	S. 2.	Jac. vind. 3. t. 76.
ora. W.	large-flowered.	_____	_____	1810.	S. 2.	
W.	annual.	_____	E. Ind.	1760. 8.9.	S. 2.	Mill. ic. 2. t. 298.
M. W.	PEGANUM.	Rutacæ. J.				
la. W.	Syrian-Rue.	_____	Spain.	1570. 7.8.	H. 2.	Lam. ill. 401.
m. P. S.	Milkwort-leav'd.	_____	Siberia.	1816. —	H. 2.	Gmel. sib. 4. t. 63.
IA. W.	HUDSONIA.	Ericæ? J.				
s. W.	Heath-leaved.	_____	N. America.	1805. 5.7.	F. 2.	Hort. ber. 15.
A. W.	NITRARIA.	Ficoideæ. J.				
ri. W.	thick-leaved.	_____	Siberia.	1778. 5.8.	H. 2.	Bot. rep. 529.
ICA. W.	PURSLANE.	Portulacæ. J.				
H. S.	garden.	_____	S. America.	1652. 8.9.	H. 2.	
. W.	golden.	_____				
s. H. S.	small.	_____	Europe.	1562. 6.7.	H. 2.	Plant. grass. 123.
ia. H. S.	small-leaved.	_____	Jamaica.	1799. 8.	S. 2.	
W.	hairy.	_____	W. Ind.	1690. 6.	S. 2.	Herm. par. t. 215.
da. W.	creeping.	_____	E. Ind.	1773. 8.9.	S. 2.	Jac. col. 2. t. 17. f. 4.
na. W.	noonday.	_____	_____	1791. 5.6.	S. 2.	

TALINUM. H. S.	TALINUM.	Portulacae. J.					
1 triangulare. W.	triangular.		W. Ind.	1739. 8.9.	S. h.	Jac. obs. 1. t. 83.	
2 crassifolium. W.	thick-leaved.		1800. —	S. h.	Jac. vind. 3. t. 52.	
3 patens. W.	spreading-flow ^d .		S. America.	1776. 8.10.	S. g.	Jac. vind. 1. t. 151.	
4 red-xum. H. S.	yellow-flowered.		1800. —	S. g.	Dot. mag. 1543.	
ANACAMPSEROS. L.	ANACAMPSEROS.	Portulacae. J.	Rulingia. H. S.	Talini sp. W.			
1 rotundifolia.	round-leaved.		C. B. S.	1732. 7.9.	G. h.	Plant. grass. 3.	
<i>Talinum Anacampseros. W.</i>							
2 arachnoides. B. M.	cobweb.			1790. —	G. h.	Bot. mag. 1363.	
3 rubens. H. S.	red-leaved.			1796. —	G. h.		
4 filamentosa. B. M.	thready.			1796. 8.9.	G. h.	Bot. mag. 1367.	
5 lanceolata. H. S.	spear-leaved.			1796. —	G. h.		
LYTHRUM. W.	LYTHRUM.	Salicariae. J.					
1 Salicaria. W.	common.		Britain.	7.8. H. y.	Eng. bot. 1061.	
2 verticillatum. W.	whorl-flowered.		N. America.	1759. 7.9.	H. y.		
3 virgatum. W.	fine-branched.		Austria.	1776. 6.9.	H. y.	Bot. mag. 1003.	
4 triflorum. W.	three-flowered.		America.	1802. 8.	H. y.		
5 alatum. Ph.	winged-stalked.		N. America.	1812. 5.11.	G. y.	Bot. mag. 1812.	
6 lineare. W.	white-flowered.			—	7.8. H. y.		
7 hyssopifolium. W.	Hyssop-leaved.		England.	8. H. y.	Eng. bot. 292.	
CUPHEA. Jac.	CUPHEA.	Salicariae. J.					
1 viscosissima. W.	clammy.		America.	1776. 7.8.	G. g.	Jac. vind. 2. t. 177.	
2 procumbens. Cav.	procumbent.		Mexico.	1816. 7.9.	G. y.	Bot. reg. 182.	
3 lanceolata. H. K.	smooth-styled.			1796.	S. g.		
4 decandra. H. K.	decandrous.		Jamaica.	1789. 8.10.	S. h.		
KLEINHOFIA. W.	KLEINHOFIA.	Malvaceae. J.					
Hospita. W.	heart-leaved.		E. Ind.	1800.	S. h.	Cav. dis. 5. t. 146.	

DIGYNIA.

CALLICOMA. B. R.	CALLICOMA.	Canoniaceae. Br.					
serratifolia. B. R.	saw-leaved.		N. S. W.	1793. 5.8.	G. h.	Bot. rep. 566.	
HELIOCARPUS. W.	HELIOCARPUS.	Tiliaceae. J.					
americanus. W.	American.		Vera Cruz.	1733.	S. h.	Lam. ill. t. 409.	
AGRIMONIA. W.	AGRIMONY.	Rosaceae. J.					
1 Eupatoria. W.	common.		Britain.	6.7. H. y.	Eng. bot. 1235.	
2 odorata. W.	sweet-scented.		Italy.	1640. 7.	H. y.		
3 repens. W.	creeping.		Levant.	1787. 7.9.	H. y.		
4 parviflora. W.	small-flowered.		N. America.	1766. 7.	H. y.		
5 striata. Ph.	white-flowered.			1812. 6.8.	H. y.		
6 Agrimonoides. W.	three-leaved.		Italy.	1739. —	H. y.	Col. cephr. 1. t. 344.	

TRIGYNIA.

RESEDA. W.	RESEDA.	Capparides. J.					
1 Luteola. W.	Dyer's-weed.		Britain.	6.7. H. y.	Eng. bot. 320.	
2 canescens. W.	hoary.		Spain.	1597. 5.7.	H. y.	Clus. hist. 1. t. 295.	
3 glauca. W.	glaucous.		S. Europe.	1700. —	G. y.	Pluk. alm. t. 107. f. 3.	
4 dipetala. W.	Flax-leaved.		C. B. S.	1774. 8.	G. g.		
5 scoparia. W. en.	Broom-like.		Teneriffe.	1815. 8.9.	G. h.		
6 sesamoides. W.	spear-leaved.		France.	1787. 7.8.	H. y.	All. ped. 2. t. 58. f. 3.	
7 fruticulosa. W.	shrubby.		Spain.	1794. 9.	G. h.	Jac. ic. 3. t. 474.	
8 alba. W.	upright white.		S. Europe.	1596. 5.10.	H. g.	Lob. ic. 222.	
9 undata. W.	wave-leaved.		Spain.	1739. 6.8.	H. y.	Bar. rar. t. 567.	
10 bipinnata. W. en.	bipinnate-leaved.			1816. —	G. h.		
11 stricta. P. S.	rock.			—	H. y.		
<i>saxatilis. W. en.</i>							
12 ramosissima. W. en.	branching.			—	H. y.		
13 lutea. W.	Base-rocket.		Britain.	7.8. H. g.	Eng. bot. 321.	
14 Phytoloma. W.	trifid.		S. Europe.	1752. 6.9.	H. y.	Jac. aust. 2. t. 136.	
15 mediterranea. W.	Mediterranean.		Palestine.	1791. —	H. y.	Jac. ic. 3. t. 476.	
16 odorata. W.	Mignonette.		Egypt.	1752. 6.10.	H. y.	Bot. mag. 29.	
<i>frutescens.</i>	<i>tree Mignonette.</i>			—	G. h.	Bot. reg. 227.	
EUPHORBIA. W.	SPURGE.	Euphorbiae. J.					
1 uncinata. H. K.	twin-spined.		C. B. S.	1796. 6.8.	D.S. h.	Plant. grass. 151.	
2 trigona. H. S.	upright triangul ^r .		E. Ind.	1768. 7.8.	D.S. h.		
3 antiquorum. H. S.	spread ^r triangul ^r .			1688. —	D.S. h.	Rheed. mal. 2. t. 48.	
4 lactea. H. S.	marbled.			1804. —	D.S. h.		
5 canariensis. W.	Canary.		Canaries.	1697. 3.4.	D.S. h.	Plant. grass. 146.	
6 heptagona. W.	seven-angled.		C. B. S.	1731. 7.11.	D.S. h.	Brad. suc. 9. t. 18.	
7 enneagona. W.	nine-angled.			1790. 7.10.	D.S. h.		
8 mammillaris. W.	warty-angled.			1759. 7.8.	D.S. h.	Com. prol. t. 8.	

aria. W.	naked.	Euphorbia. J.	C. B. S.	1731. 6.7. D.S. h.	Burm. afr. t. 9. f. 3.
arum. W.	official.	_____	Africa.	1597. — D.S. h.	Plant. grass. 77.
ca. H. S.	many-angled.	_____	C. B. S.	1790. 7.9. D.S. h.	_____
dia. W.	Oleander-leaved.	_____	India.	1690. 6.7. D.S. h.	Plant. grass. 46.
z. W.	Porcupine.	_____	C. B. S.	1695. 6.8. D.S. h.	Jac.schoen.2. t. 207.
s. H. S.	variable-stemm'd.	_____	E. Ind.	1800. ... D.S. h.	_____
folia. H. S.	great-leaved.	_____	Sierra Leone.	1798. ... D.S. h.	_____
erina. W.	Cucumber-like.	_____	C. B. S. D.S. h.	Vail. it. t. 5.
rmis. W.	Melon-like.	_____	_____	1774. 6.9. D.S. h.	Bot. rep. 617.
-medusa. W.	{ Great Medu- sa's Head.	_____	Africa.	1731. 8. G. h.	Com. præl. t. 7.
sta. H. S.	Chequer'd M. Hd.	_____	_____	1788. — G. h.	_____
spina. H. S.	Small M. Head.	_____	C. B. S.	1731. — G. h.	Plant. grass. 150.
abens. H. S.	Least M. Head.	_____	_____	1768. — G. h.	Burm. afr. t. 10. f. 1.
. H. S.	spreading.	_____	_____	— G. h.	_____
stha. W.	scaly.	_____	_____	1727. 9.10. G. h.	Plant. grass. 144.
W.	club.	_____	_____	1774. 3.8. G. h.	Jac. ic. 1. t. 85.
irifolia. W.	cone-shaped.	_____	_____	1791. 6.7. D.S. h.	Jac.schoen.1. t. 106.
tanica. W.	Barbary.	_____	Africa.	1732. 6.8. G. h.	Dill. elt. t. 289. f. 373
ckii.	Lamarck's.	_____	_____	1808. G. h.	_____
tanica. Lam.	virgata. P. S.	_____	_____	_____	_____
a. H. S.	hooked.	_____	C. B. S.	1795. G. h.	Burm. afr. t. 6. f. 3.
opus. W. en.	Bird's-foot.	_____	_____	1816. 6.8. G. h.	Jac. frag. t. 120.
a. W. en.	leafless.	_____	Teneriffe.	1815. — G. h.	_____
sifera. W.	Balsam.	_____	Canaries.	1779. G. h.	_____
lli. W.	Indian Tree.	_____	India.	1690. ... D.S. h.	Rheed. mal. 2. t. 44.
rpurea. W. en.	dark purple.	_____	Teneriffe.	1815. G. h.	_____
ria. W.	smooth spear-l'd.	_____	Canaries.	1777. G. h.	_____
ata. H. S.	bracteated.	_____	_____	1808. S. h.	Jac.schoen.2. t. 276.
la. H. S.	pendulous.	_____	_____	1808. ... D.S. h.	_____
naloides. W.	Myrtle-leaved.	_____	S. America.	1699. 6.7. D.S. h.	Herm. par. 234.
lia. H. S.	Laurel-leaved.	_____	_____	— D.S. h.	Dil. elt. t. 298. f. 372.
lata. H. S.	small heart-lea'd.	_____	_____	1795. ... D.S. h.	_____
phylla. W.	various-leaved.	_____	W. Ind.	1690. 4.9. S. h.	Plum. ic. t. 251. f. 3
oides. W.	tree-like.	_____	Italy.	1768. H. h.	_____
phora. W.	coloured.	_____	S. America.	1806. 7.8. S. h.	Jac. ic. 3. t. 480.
la. H. S.	waved.	_____	E. Ind.	1808. 8. S. j.	_____
dulosa. H. S.	twin-glanded.	_____	Is. Bourbon.	— 9. S. h.	_____
ra. Jac.	naked-flowered.	_____	_____	1800. 8. S. h.	Jac. ic. 3. t. 470.
olia. W.	Cotinus-leaved.	_____	S. America.	1690. 7.8. S. h.	Com. hort. 1. t. 15.
uris. H. K.	long-stalked.	_____	W. Ind.	1800. 5.6. D.S. h.	Bot. mag. 863.
era. W.	honey-bearing.	_____	Madeira.	1784. 4.5. G. h.	— 1805.
olia. W.	Toad-flax-leaved	_____	_____	1794. S. h.	Jac. ic. 1. t. 86.
ata. B. M.	pye-balled.	_____	Louisiana.	1811. 9. H. O.	Bot. mag. 1747.
olia. H. K.	Plum-leaved.	_____	_____	1799. 6.7. G. j.	Jac.schoen.3. t. 277.
idea. W.	Basil-leaved.	_____	S. America.	1733. 6.8. S. O.	_____
a. Ph.	toothed.	_____	N. America.	1806. 6.7. H. O.	_____
cifolia. W.	Hypericum-lea'd.	_____	America.	1727. 6.9. H. O.	Com. præl. t. 10.
oldtii. W. en.	Humboldt's.	_____	S. America.	1809. 7.10. S. j.	_____
ata. W.	trailing red.	_____	W. Ind.	1758. — S. O.	_____
W.	rosy.	_____	E. Ind.	1808. 8. S. O.	_____
ata. W.	spotted.	_____	S. America.	1660. 7. H. O.	Jac. vind. 2. t. 186.
W.	painted.	_____	_____	1789. 5.7. S. j.	Jac. ic. 3. t. 477.
era. W.	globular.	_____	E. Ind.	1800. 6.8. S. j.	— 3. t. 478.
sifolia. W.	Hyssop-leaved.	_____	W. Ind.	1787. 8.9. S. O.	_____
folia. W.	Thyme-leaved.	_____	India.	1699. 7.8. S. O.	Pluk. alm. t. 113. f. 2.
mayce. W.	scollop-leaved.	_____	S. Europe.	1752. — H. O.	Moris. s. 10. t. 2. f. 19.
. W.	purple.	_____	England. H. O.	Eng. bot. 2002.
uifolia. W.	Knot-grass-lea'd.	_____	N. America.	1704. 6.7. H. O.	Jac. col. s. t. 13. f. 3.
nanba. Ph.	Ipecacuanha.	_____	_____	1812. — H. j.	Bot. mag. 1494.
a. W.	petty.	_____	Britain. 7.8. H. O.	Eng. bot. 959.
i. W.	sickle-leaved.	_____	S. Europe.	1699. 6.8. H. O.	Jac. aust. 2. t. 121.
i. W.	dwarf.	_____	Britain. 7. H. O.	Eng. bot. 1336.
ia. H. S.	least.	_____	_____	1800. 7.9. H. O.	_____
nta. W.	small-flowered.	_____	Persia.	1803. — H. O.	_____
ea. W.	tuberous.	_____	Ethiopia.	1800. 10.12. G. h.	Burm. afr. 9. t. 4.
ria. W.	Caper.	_____	England. 5.10. H. j.	Eng. bot. 2255.
ina. P. S.	Spanish.	_____	Spain.	1804. 7.8. H. O.	_____
a. W.	diffuse.	_____	Austria.	1798. — H. O.	Jac. ic. 1. t. 82.
. W.	Pear-rooted.	_____	Candia.	1596. 6.7. H. j.	_____

DODECANDRIA DODECAGYNIA.

77 laeta. W.	Mezereon-leaved. Euphorbia. J.	1758. 6.7.	G. h.	Jac. ic. 1.
78 genioides. W.	Genista-like.	C. B. S.	1808. 7.8.	G. h.	
79 spinosa. W.	prickly.	Levant.	1710. 5.9.	F. h.	Herm. lu
80 nummulariaefolia } W. en.	Moneywort-l ^d	1800. 7.	G. h.	
81 epithymoides. W.	broad-leaved.	Austria.	1805. 5.6.	H. h.	Bot. rep.
82 dulcis. W.	sweet.	S. Europe.	1759. —	H. h.	Jac. aus.
83 carniolica. W.	Carniolian.	Carniola.	1795. 8.	H. h.	Scop. car
84 Pithyusa. W.	Juniper-leaved.	S. Europe.	1741. 6.7.	F. h.	Bocc. sic
85 portlandica.	Portland.	Britain. 5.9.	H. h.	Eng. bot
86 Paralias. W.	sea.	England. 7.9.	F. h.	—
β suffruticosa.	shrubby sea.	F. h.	
87 rigida. H. S.	rigid.	1795. 7.8.	H. h.	
88 juncea. W.	rushy.	Madeira.	1779. —	G. h.	Jac. schæ
89 aleppica. W.	Aleppo.	Crete.	1739. —	F. h.	Alp. exot
90 segetalis. W.	corn.	S. Europe.	1699. —	H. h.	Jac. aus.
91 biumbellata. P. S.	double-umbelled	Barbary.	1780. 8.	H. h.	Poir. it. et
92 angustifolia. H. S.	narrow-leaved.	7.	H. h.	
93 multicorymbosa. } H. S.	many-flowered.	1805. 7.	H. h.	
94 provincialis. W.	linear-leaved.	S. Europe.	1800. 8.11.	H. h.	
95 juncoides. H. S.	Rush-like.	7.	S. h.	
96 helioscopia. W.	Wartwort.	Britain. 7.8.	H. h.	Eng. bot
97 serrata. W.	narrow notch-l ^d .	S. Europe.	1710. 7.	G. h.	Jac. ic. 3
98 cretica. H. S.	Cretan hoary.	Levant.	1768.	H. h.	
99 punkica. W.	scarlet-flowered.	Jamaica.	1778. 1.9.	S. h.	Bot. reg.
100 verrucosa. W.	warted.	France.	1800. 6.	H. h.	Moris. s. l
101 corollata. W.	great-flowered.	N. America.	1803. 7.9.	H. h.	Pluk. ma
102 spathulæfolia. H. S.	spatula-leaved.	1800. 8.	G. h.	
103 corallioides. W.	Coral-stalked.	S. Europe.	1752. 6.9.	H. h.	
104 androsæmifolia. } H. S.	Tutsan-leaved.	Hungary.	1804. 7.9.	H. h.	
105 pilosa. W.	hairy.	Siberia.	1758. 5.8.	H. h.	Gmel. si
106 orientalis. W.	oriental.	Levant.	1739. 6.7.	H. h.	
107 platyphyllos. W.	annual warty.	England. 7.8.	H. h.	Jac. aust
108 stricta. E. B.	upright warty.	H. h.	Eng. bot
109 literata. W.	blotch-leaved.	1790. 8.	H. h.	Jac. ic. :
110 Esula. W.	leafy-branched.	Britain. 5.7.	H. h.	Eng. bot
111 sylvatica. W.	wood.	S. Europe.	1768. 7.9.	F. h.	
112 Gerardiana. W.	Gerard's.	Germany.	1801. 7.	H. h.	Jac. aust
113 Cyparissias. W.	Cypress.	England. 5.9.	H. h.	Eng. bot
114 virgata. W. en.	twiggy.	Hungary.	1807. 7.	H. h.	PK rar. h
115 myrsinites. W.	glaucous.	S. Europe.	1870. 4.6.	H. h.	
116 imbricata. P. S.	imbricated.	Portugal.	1804. 8.9.	F. h.	
117 nicænsis. W.	sharp-leaved.	Spain.	1809.	F. h.	Jac. ic. :
118 palustris. W.	marsh.	Sweden.	1570. 5.8.	H. h.	Fl. dan.
119 emarginata. W.	freckled.	Italy.	1758. 7.8.	H. h.	
120 hiberna. W.	Irish.	Britain. 5.6.	H. h.	Eng. bot
121 salicifolia. W.	Willow-leaved.	Hungary.	1804. —	H. h.	Pl. rar. t
122 amygdaloides. W.	Almond-leaved.	England. 3.6.	H. h.	Eng. bot
123 Characias. W.	upright red.	F. h.	
VISNEA. W.	VISNEA.	Ebenaceæ. J. Mocanera. J.			
Mocanera. W.	Canary.	Canaries.	1815.	G. h.	

TETRAGYNIA.

CALLIGONUM. W.	CALLIGONUM.	Polygonææ. J. Pallasia. I.			
Pallasia. W.	Caspian.	Caspian Sea.	1780. 8.	H. h.	Pall. ros

PENTAGYNIA.

GLINUS. W.	GLINUS.	Ficoideæ. J.			
lotoides. W.	hairy.	S. Europe.	1788. 7.	G. h.	Boc. sic

DODECAGYNIA.

SEMPERVIVUM. W.	HOUSELEEK.	Sempervivæ. J.			
1 arboreum. W.	tree.	Levant.	1640. 12.3.	G. h.	Bot. reg
β variegata.	striped-leaved.				
2 canariense. W.	Canary.	Canaries.	1699. 6.7.	G. h.	Plant. g
3 glutinosum. W.	clammy.	Madeira.	1777. 7.8.	G. h.	Bot. reg
4 glandulosum. W.	glandulous-leav ^d		3.5.	G. h.	
5 ciliatum. W. en.	white-flowered.	Teneriffe.	1815.	G. h.	

6 tortuosum. W.	gouty.	Semperviv. J.	Canaries.	1779. 7.8. G. h.	Bot. mag. 296.
7 villosum. W.	villous.		Madeira.	1777. 6.7. H. O.	1809.
8 stellatum. L. T.	starry.		M. Baldo.	1790. 7.8. G. O.	
9 tectorum. W.	common.		Britain. 6.9. H. h.	Eng. bot. 1820.
10 africanum. H. S.	African.		C. B. S.	1768. G. h.	
11 dodrantale. W. en.	{ smooth-leaved } annual.		Teneriffe.	1815. 7.8. G. O.	
12 hirtum. P. S.	hairy.		Italy.	1804. 6.7. H. h.	Schmidt. ic. t. 17.
13 soboliferum. B. M.	Hen & Chicken.		Germany. H. h.	Bot. mag. 1457.
14 globiferum. W.	globiferous.		1731. H. h.	507.
15 montanum. W.	mountain.		Switzerland.	1752. H. h.	Plant. grass. 105.
16 arachnoideum. W.	cobweb.		Italy.	1699. H. h.	Bot. mag. 68.
17 monanthos. W.	one-flowered.		Canaries.	1777. 7.9. G. h.	98.

CLASS XII.

ICOSANDRIA MONOGYNIA.

CACTUS. W.	CACTUS.	Cacti. J.			
1 Melocactus. H. S.	Turk's Cap.		W. Ind.	1688. 7.8.D.S. h.	Plant. grass. 112.
2 depressus. H. S.	depressed.		S. America.	1789. D.S. h.	
3 gibbosus. H. S.	gibbous.		1808. 7.8.D.S. h.	Bot. reg. 187.
4 nobilis. W.	crook-spined.		Mexico.	1796. D.S. h.	
5 intortus. H. S.	twisted.		Antigua.	1768. D.S. h.	
6 mammillaris. W.	small red-spined.		W. Ind.	1688. 7.8. D.S. h.	Plant. grass. 111.
7 proliferus. H. S.	white-spined.	 D.S. h.	
8 discolor. H. S.	two-coloured.		1800. D.S. h.	
9 stellatus. W. en.	starry.		S. America.	1815. D.S. h.	
10 viviparus. Ph.	viviparous.		Louisiana.	1811. D.S. h.	
11 cylindricus. W.	cylindric.		Peru.	1799. D.S. h.	
12 serpentinus. W. en.	serpentine.	 D.S. h.	
13 heptagonus. W.	seven-angled.		W. Ind.	1728. 7. D.S. h.	
14 hexagonus. W.	six-angled.		Surinam.	1690. 7.8. D.S. h.	Bot. rep. 518.
15 tetragonus. W.	four-angled.		S. America.	1710. 7. D.S. h.	
16 speciosus. W. en.	purple-flowered.		1816. D.S. h.	
17 speciosissimus.	beautiful.	 D.S. h.	
18 pentagonus. W.	five-angled.		1769. D.S. h.	
19 prismaticus. W. en.	prismatic.		1816. D.S. h.	
20 repandus. W.	wavy-angled.		W. Ind.	1728. 8. D.S. h.	Trew. chret. 3. t. 14.
21 fulvispinosus. H. S.	tawny-spined.		S. America.	1795. D.S. h.	
22 griseus. H. S.	grey-spined.		1809. 9.10. D.S. h.	
23 lanuginosus. W.	woolly.		W. Ind.	1690. 7. D.S. h.	Herm. par. t. 115.
24 peruvianus. W.	Peruvian.		Peru.	1728. 8. D.S. h.	Plant. grass. 58.
25 multangularis. W. en.	many-angled.		S. America.	1816. D.S. h.	
26 Rozeni. W.	nine-angled.		1728. D.S. h.	
27 grandiflorus. W.	night-flowering.		Jamaica.	1700. 6.8. D.S. h.	Bot. rep. 508.
28 flagelliformis. W.	creeping.		Peru.	1690. 3.6. G. h.	Bot. mag. 17.
29 triangularis. W.	great triangular.		W. Ind.	1690. 7.8. D.S. h.	1884.
30 quadrangularis. H. S.	quadrangular.		S. America.	1809. D.S. h.	Plum. am. t. 199. f. 1.
31 trigonus. H. S.	small triangular.	 D.S. h.	t. 200. f. 2.
32 triquetus. H. S.	least triangular.		1794. D.S. h.	
33 brasiliensis. W. en.	thin-branched.		Brasil.	1816. 7.8. D.S. h.	
34 monacanthos. W. en.	single-spined.		S. America. D.S. h.	
35 Opuntia. W.	Indian Fig.		S. Europe.	1596. 7.8. G. h.	Knor. thes. 1. t. F. a.
36 stricta. M. n.	oval upright.		1796. D.S. h.	Plant. grass. c. ic.
<i>stricta, W. en. is a very different species.</i>					
37 maxima. H. S.	great oblong.		S. America.	1768. D.S. h.	
38 Ficus-indica. W.	white-spined.		1731. 7.8. D.S. h.	
39 elatior. H. S.	{ great black- } spined.	 D.S. h.	Dill. elt. t. 294. f. 379
40 Tuna. H. S.	yellow-spined.	 D.S. h.	Plant. grass. 138.
41 Dillenii. B. reg.	Dillenius's.	 D.S. h.	Bot. reg. 255.
42 nigricans. H. S.	{ lesser black- } spined.		1795. 8. D.S. h.	Bot. mag. 1557.
43 humilis. H. S.	humble.	 D.S. h.	
44 polyanthos. H. S.	many-flowered.		S. America.	1811. 7.8. D.S. h.	Plant. grass. c. ic.

45 cochiniifer. W.	Cochineal Fig.	Cacti. J.	S. America.	1688. 7.9. D.S. h.	Bot. rep. 582.
46 triacanthos. W. en.	three-spined.		—	— D.S. h.	
47 lanceolatus. M. n.	spear-shaped.		—	1796. 7. D.S. h.	
48 ferox. W. en.	ferocious.		—	1817. ... D.S. h.	
49 spinosissimus. W.	cluster-spined.		Jamaica.	1732. 7. D.S. h.	
50 pusillus. M. n.	Small Indian Fig.		S. America.	1805. 6. D.S. h.	
51 curassavicus. W.	Pin-pillow.		Curaçao.	1690. 6.7. D.S. h.	Knor.thes. 2. t. 2. 2.
52 foliosus. W. en.	glaucous.		S. America.	1817. ... D.S. h.	
53 alatus. W. en.	winged.		Jamaica.	— D.S. h.	
54 Phyllanthus. W.	Spleenwort.		S. America.	1710. 6. D.S. h.	Plant. grass. 146.
55 Pereskia. W.	{ Barbadoes } Gooseberry.		W. Ind.	1696. 10.11. S. h.	{ Dill. elt. t. 227. f. 294.
56 longispinus. H. S.	long-spined.		S. America.	1808. S. h.	
57 portulacifolius. W.	Purslane-leaved.		—	1806. S. h.	Plum. ic. 6. f. 1.
RHIPSALIS. Gært.	RHIPSALIS.	Cacti. J. Cacti sp. W.			
1 Cassutha. G.	naked.		W. Ind.	1758. 9. D.S. h.	Gært.sem. 1. t. 28. f. 1
Cactus pendulus. W.					
2 parasiticus. H. S.	parasitic.		S. America.	1800. ... D.S. h.	Plant. grass. 59.
3 fasciculatus. W. en.	bundled.		—	1817. ... D.S. h.	
BARTONIA. Ph.	BARTONIA.	Loasee. J. in Ann. mus.			
1 ornata. Ph.	naked-seeded.		Missouri.	1811. 7.9. G. g.	Bot. mag. 1487.
2 nuda. Ph.	winged-seeded.		—	— G. g.	
PHILADELPHUS. W.	SYRINGA.	Myrti. J.			
1 coronarius. W.	common.		S. Europe.	1596. 5.6. H. h.	Bot. mag. 391.
β nanus.	dwarf.				
2 inodorus. W.	scentless.		Carolina.	1738. 6.7. H. h.	Bot. mag. 1478.
3 grandiflorus. Ph.	large-flowered.		—	1811. — H. h.	
LEPTOSPERMUM. W.	LEPTOSPERMUM.	Myrti. J.			
1 scoparium. W.	New Zealand Tea		N. Zealand.	1772. 6.7. G. h.	Bot. rep. 622.
2 flavescens. H. K.	yellowish.		N. S. W.	1787. 5.7. G. h.	Sch. s. hann. 24. t. 14.
3 attenuatum. W.	fine-branched.		—	1795. — G. h.	
4 lanigerum. H. K.	hoary.		—	1774. 6.7. G. h.	
5 pubescens. W.	pubescent.		—	— G. h.	
6 grandifolium. L. T.	large-leaved.		—	1803. — G. h.	Bot. mag. 1810.
7 parvifolium. W.	small-leaved.		—	1789. — G. h.	
8 stellatum. P. S.	short-leaved.		—	1790. — G. h.	Cav. ic. 4. t. 330.
9 arachnoideum. W.	cobweb.		—	1795. 5.7. G. h.	Gært. sem. 1. t. 34.
10 juniperinum. W.	Juniper-leaved.		—	1790. 6.7. G. h.	Vent. malm. 89.
11 baccatum. W.	berry-fruited.		—	— G. h.	Cav. ic. 4. t. 331. f. 2.
12 imbricatum. L. T.	imbricated.		—	1800. — G. h.	
13 triloculare. V.	trilocular.		—	1816. — G. h.	Vent. malm. 89.
14 ambiguum. W.	hook-leaved.		—	1791. — G. h.	Exot. bot. 1. t. 59.
FABRICIA. W.	FABRICIA.	Myrti. J.			
1 myrtifolia. W.	opposite-leaved.		N. Holland. G. h.	{ Gært. sem. 1. t. 355. f. 4.
2 laevigata. W.	smooth-leaved.		N. S. W.	1788. 5.6. G. h.	Bot. mag. 1304.
METROSIDEROS. W.	METROSIDEROS.	Myrti. J.			
1 hispida. W.	rough.		N. S. W.	1789. 5.8. G. h.	Exot. bot. 1. t. 48.
2 floribunda. W.	many-flowered.		—	1788. 7.8. G. h.	
3 costata. W.	ribbed.		—	1816. G. h.	Gært.sem. 1. t. 34. f. 3.
4 glomulifera. W.	cluster-flowered.		—	1805. 5.6. G. h.	
5 angustifolia. W.	narrow-leaved.		C. B. S.	1787. ... G. h.	
6 marginata. P. S.	marginated.		N. S. W.	1816. G. h.	Cav. ic. 4. t. 332.
7 linearis. W.	linear-leaved.		—	1788. 6.7. G. h.	Sert. han. 19. t. 11.
8 pinifolia. W. en.	Pine-leaved.		— G. h.	Wend. col. 1. t. 16.
9 riminalis. W.	long-leaved.		—	1800. 3.6. G. h.	Gært.sem. 1. t. 34. f. 4
10 saligna. W.	Willow-leaved.		—	1788. 5.6. G. h.	Bot. mag. 1821.
11 lanceolata. W.	spear-leaved.		—	— 11.6. G. h.	— 260.
12 speciosa. B. M.	splendid.		—	1803. 3.6. G. h.	— 1761.
PSIDIUM. W.	GUAVA.	Myrti. J.			
1 pyrifera. W.	white.		W. Ind.	1656. 6.7. S. h.	Rumph. arb. 1. t. 47.
2 pomifera. W.	red.		—	1692. — S. h.	Rheed. mal. 3. t. 36.
3 aromaticum. W.	aromatic.		—	1779. S. h.	Aub. gui. 1. t. 191.
4 cordatum. B. M.	spice.		—	1811. 5.7. S. h.	Bot. mag. 1779.
5 montanum. W.	mountain.		—	1779. S. h.	
EUGENIA. W.	EUGENIA.	Myrti. J.			
1 malaccensis. W.	{ Malay Apple- } tree.		E. Ind.	1766. 5.8. S. h.	Bot. rep. 458.
2 Jambos. W.	narrow-leaved.		—	— 2.7. S. h.	Bot. mag. 1696.
3 baruensis. W.	many-flowered.		S. America. S. h.	Jac. ic. 4. t. 486.

W.	axillary.	Myrti. J.	Jamaica.	1798. 9.	S. h.	
W.	sweet-scented.			1790. 4.5.	S. h.	Bot. mag. 1842.
W.	small-fruited.		Guiana.	1803.	S. h.	Aub. gui. 1. t. 197.
a. W.	round-fruited.		N. S. W.	1790. 5.9.	G. h.	Bot. mag. 1872.
W.	Privet-leaved.		Hispaniola.	1798. 8.	S. h.	
W.	one-flowered.		Brazil.	1759. 1.3.	S. h.	Bot. mag. 473.
W.	Ceylon.		Ceylon.	1798. 6.7.	S. h.	Bot. rep. 619.
a. W. en.	balsamic.		1816.	S. h.	Jac. frag. t. 45. f. 2.
W.	broad-leaved.		Guiana.	1793.	S. h.	Aub. gui. 1. t. 199.
YLLUS. }	CLOVE-TREE.	Myrti. J.				
us. P. S.	aromatic.		Moluccas.	1797.	S. h.	Rumph. amb. 2. t. 1. 2
W.	MYRTLE.	Myrti.				
is. W.	common.		S. Europe.	1597. 7.8.	G. h.	Duh. arb. e. n. t. 43.
z.	broad-leaved.					Mill. ic. t. 184. f. 1.
ina.	Bax-leaved.					
	{ Italian, or					
	{ upright.					
	Orange-leaved.					Blackwell. t. 114.
ica.	Portugal.					Clus. hist. 1. t. 1.
	{ broad-leaved }					
	{ Dutch.					
ata.	Rosemary-leaved.					
sa. W.	woolly-leaved.		China.	1776. 6.7.	G. h.	Bot. mag. 250.
V.	two-flowered.		Jamaica.	1759. 4.5.	S. h.	Brown. jam. t. 25. f. 8
V.	shining.		Surinam.	1798.	S. h.	
W.	bushy.		W. Ind.	— 6.7.	S. h.	
W.	globe-berried.		Jamaica.	— 4.7.	S. h.	Bot. mag. 867.
V.	Greg's.		Dominica.	1776.	S. h.	Gært. sem. 1. t. 33. f. 3
a. W.	twiggy.		Jamaica.	1787. 7.8.	S. h.	Plum. ic. t. 208. f. 1.
	Wild Clove-tree.			1759. 5.7.	S. h.	Pluk. alm. t. 55. f. 3.
W.	Sumach-leaved.		Hispaniola.	—	S. h.	Plum. ic. t. 208. f. 2.
W.	Allspice-Tree.		W. Ind.	1793. 5.7.	S. h.	Bot. mag. 1236.
IN- }	{ CALYPTRAN-	Myrti. J.				
W.	{ THES.					
n. W.	oval-leaved.		W. Ind.	1778. 5.7.	S. h.	Brown. jam. t. 7. f. 2.
na. W.	Jambolana-tree.		E. Ind.	1796.	S. h.	Rumph. amb. 1. t. 42
lia. W.	forked.		Jamaica.	1778. 3.5.	S. h.	Brown. jam. t. 37. f. 2
[US. W.	EUCALYPTUS.	Myrti. J.				
L. T.	Brown Gum-tree.		N. S. W.	1794. 8.9.	G. h.	Sm. nov. hol. t. 13.
Cav.	beaked.			1804.	G. h.	Cav. ic. 4. t. 242.
L. T.	narrow-leaved.			—	G. h.	
is. L. T.	long-horned.			—	G. h.	
L. T.	Red Gum-tree.			1788. 4.7.	G. h.	Bot. rep. 400.
a. L. T.	thick-edged.		N. Holland.	1794. —	G. h.	
a. L. T.	headed.			1804.	G. h.	
L. T.	Willow-like.		N. S. W.	—	G. h.	
Lab.	globose.			—	G. h.	Lab. nov. hol. 1. t. 12.
s. L. T.	glaucous-leaved.		N. Holland.	1803. 4.7.	G. h.	Cav. ic. 4. t. 241.
ma. L. T.	acute-leaved.			—	G. h.	
L. T.	Peppermint-tree		N. S. W.	1788.	G. h.	
W.	oblique-leaved.		Van Diem.	1774. 7.8.	G. h.	Par. lond. 15.
sa. W.	corymbus-flow ^d .		N. S. W.	1788.	G. h.	Cav. ic. 4. t. 340.
a. L. T.	panicled.			1804.	G. h.	
H. K.	horned.		N. Holland.	1803.	G. h.	Lab. voy. 1. t. 20.
V.	POMEGRANATE.	Myrti. J.				
.	dwarf.		W. Ind.	1723. 7.9.	G. h.	Bot. mag. 634.
a. W.	common.		S. Europe.	1548. 6.9.	H. h.	— 1832.
	white-flowered.			H. h.	Bot. rep. 96.
	double-flowered.			H. h.	Trew. chret. t. 71. f. 2
US. W.	ALMOND.	Rosaceæ. J.				
W.	Common Peach.		Persia.	1562. 4.5.	H. h.	
rina.	Nectarine.					
	double-flowered.					
is. W.	Sweet Almond.		Barbary.	1548. 3.4.	H. h.	
.	Bitter Almond.			—	H. h.	Blackw. t. 195.
.	common dwarf.		Russia.	1683. —	H. h.	Bot. mag. 161.
V.	woolly.		Caucasus.	H. h.	Palf. ross. 1. t. 7.
s. W.	silvery-leaved.		Levant.	1756. —	G. h.	
W.	double-dwarf.		Africa?	1683. 6.6.	H. h.	Pluk. phyt. t. 11. f. 4.
sinensis. P. S.						

PRUNUS. W.		PLUM & CHERRY. Rosaceæ. J.	
1 Padus. W.	Bird Cherry.	Britain. 4.5. H. h. Eng. bot. 1383.
2 rubra. W.	Cornish Bird.	— H. h. Willd. arb. t. 4. f. 2.
3 virginiana. Ph.	Virginian.	Virginia.	1724. 5.6. H. h. — t. 5. f. 1.
4 serotina. W.	American Bird.	N. America.	1629. — H. h. — t. 5. f. 2.
5 occidentalis. W.	West Indian.	Jamaica.	1784. 12.1. S. h.
6 lusitana. W.	Portugal Laurel.	Portugal.	1648. 6. H. h. Mill. ic. t. 196. f. 1.
7 caroliniana. W.	Evergreen Bird.	Carolina.	1759. 5. H. h.
8 Laurocerasus. W.	common Laurel.	Levant.	1629. 4.5. H. h. Duham. arb. 1. t. 133
9 Mahaleb. W.	perfumed.	Austria.	1714. — H. h. Jac. aust. 3. t. 227.
10 pumila. W.	dwarf.	N. America.	1756. 5. H. h. Mill. ic. t. 89. f. 2.
11 hyemalis. P. S.	mountain.	—	1805. — H. h.
12 Chamæcerasus. W.	bastard Cherry.	Austria.	1597. — H. h. Jac. ic. 1. t. 90.
13 Cerasus. W.	common Cherry.	England. 4.5. H. h. Eng. bot. 706.
14 avium. W.	pubescent-leav'd.	— H. h. Blackw. t. 425.
15 pennsylvanica. W.	Pennsylvanian.	N. America.	1773. 5. H. h. Willd. arb. t. 3. f. 3.
16 nigra. W.	black.	—	— 4.5. H. h. Bot. mag. 1117.
17 japonica. P. S.	Japan.	Japan.	1810. 3.5. G. h. Bot. reg. 27.
18 domestica. W.	common Plum.	England. 4. G. h. Eng. bot. 1783.
19 insititia. W.	Bullace-tree.	Britain. — H. h. — 841.
20 cerasifera. W.	Myrobalan.	N. America.	1629. 4.5. H. h.
21 depressa. Ph.	depressed.	—	1805. 5. H. h.
22 Chicasa. Ph.	Chicasaw.	—	1806. 4.5. H. h.
23 maritima. Ph.	sea.	—	1800. 5. H. h.
24 Susquehanna. Ph.	glaucous-leaved.	—	1800. — H. h.
25 spinosa. W.	Sloe-tree.	Britain. 3.4. H. h. Eng. bot. 842.
26 prostrata. W.	Birch-leaved.	Crete.	1802. 4.5. F. h. Bot. reg. 136.
ARMENIACA. P. S.		Rosaceæ. J. Pruni sp. W.	
1 vulgaris. P. S.	common.	Levant.	1548. 2.3. H. h. Lam. ill. t. 431.
2 sibirica. P. S.	Siberian.	Siberia.	1788. 4. H. h. Pall. ross. 1. t. 8.
CHRYSOBALA- NUS. W. }		Rosaceæ. J.	
1 Icac. W.	West Indian.	W. Ind.	1752. S. h. Jac. amer. t. 94.
2 oblongifolius. Ph.	American.	Georgia.	1812. G. h. Bartr. iter. c. 12.

DI-PENTAGYNIA.

WALDSTEINIA. W.		Rosaceæ. J.	
geoides. W.	Avens-like.	Hungary.	1804. 6.7. H. h. Pl. rar. hung. 1. t. 77.
MESPIUS. Sm.		Rosaceæ. J. Cratægi et Mespili sp. L.	
1 coccinea. W. en.	{ Scarlet-fruited Hawthorn.	N. America.	1683. 4.5. H. h. Pluk. alm. t. 46. f. 4.
2 cordata. W. en.	Maple-leaved.	—	1788. 5. H. h. Mill. ic. t. 179.
3 pyriformis. W. en.	Pear-leaved.	—	1765. 6. H. h. Moench. h. weis. t. 9.
4 elliptica. W. en.	oval-leaved.	—	— 5. H. h.
5 glandulosa. W. en.	hollow-leaved.	—	1750. 5.6. H. h. Pall. ross. 1. t. 11.
6 flava. W. en.	{ yellow Pear- berried.	—	1724. 5. H. h. Moench. weis. t. 4.
7 parvifolia. W. en.	Gooseberry-leav'd.	—	1704. 5.6. H. h.
8 lævis. Th.	shining-leaved.	China.	1812. — G. h.
9 glabra. H. K.	smooth-leaved.	—	1804. 4.7. G. h.
10 arbutifolia. H. K.	Arbutus-leaved.	California.	1796. 7.8. G. h.
11 punctata. W.	spotted-fruited.	N. America.	1746. 5. H. h. Jac. vind. 1. t. 28.
12 Crus-galli. W.	Cockspur-thorn.	—	1691. 5.6. H. h. Trew pl. rar. 2. t. 17.
β pyracanthifolia.	Pyracanthus-ld.	—	—
γ satcicifolia.	Willow-leaved.	—	—
13 indica. W.	Indian.	China.	1806. 5.6. G. h. Bot. mag. 1726.
14 Pyracantha. W.	Evergreen-thorn.	S. Europe.	1629. 5. H. h. Schmidt. arb. t. 90.
15 spathulata. Ph.	spatula-leaved.	N. America.	1806. 5.6. H. h.
16 apiifolia. Ph.	Parsley-leaved.	—	1812. — H. h.
17 Oxyacantha. E. B.	comm. Hawthorn.	Britain. — H. h. Eng. bot. c. 12.
β rosea.	red-flowered.	—	—
γ major.	great-fruited.	—	—
δ præcox.	Glastonbury.	—	—
ε plena.	double-flowered.	—	—
ζ aurea.	yellow-berried.	—	—
18 monogyna. W.	one-styled.	S. Europe.	1816. — H. h. Jac. aust. 3. t. 202. f.
19 Azarolus. W.	Azarole.	—	1649. — H. h. Bot. rep. 579.
20 tanacetifolia. B. R.	Tansy-leaved.	Greece.	1789. 5.6. H. h. Ex. bot. 2. t. 66.
21 odoratissima. B. R.	sweet-scented.	Crimea. — H. h. Bot. rep. 590.
22 germanica. W.	common Medlar.	England. 5.7. H. h. Eng. bot. 1522.

lora. H. K.	large-flowered.	Rosaceæ. J.	1800.	5.6.	H. h.	Ex. bot. 1. t. 18.
-Mespilus. W.	Bastard Quince.	Pyrenees.	1683.	—	H. h.	Schmidt. arb. t. 87.	
ster. W.	dwarf.	Europe.	1656.	4.5.	H. h.	— t. 89.	
osa. W.	Quince-leaved.	1759.	—	H. h.	—	
a. W.	Loquat.	Japan.	1787.	10.	F. h.	Vent. malm. 19.	
m.	PRUNUS.	Rosaceæ. J. <i>Pyrus et Sorbus. W.</i>	—	—	—	
lia. Ph.	red-berried.	N. America.	1700.	5.6.	H. h.	Mill. ic. 100.	
arpa. Ph.	black-fruited.	—	—	—	H. h.	Schmidt. arb. t. 86.	
ium. W.	snowy.	—	1746.	4.5.	H. h.	— t. 84.	
<i>canadensis. L.</i>	—	—	—	—	—	—	
W.	oval-leaved.	—	1800.	—	H. h.	—	
chier. W.	Alpine.	S. Europe.	1596.	4.5.	H. h.	Schmidt. arb. t. 85.	
W. en.	eatable.	France.	1816.	—	H. h.	—	
ea. Ph.	red-branched.	N. America.	1812.	—	H. h.	—	
nis. W.	common Pear.	England.	4.	H. h.	Eng. bot. 1784.	
a. W.	woolly-leaved.	Germany.	1786.	4.5.	H. h.	—	
ia. W.	Willow-leaved.	Russia.	1780.	5.6.	H. h.	Pall. ross. 1. t. 9.	
W.	white-leaved.	Austria.	5.	H. h.	Jac. aust. 2. t. 107.	
W.	Apple-tree.	Britain.	4.5.	H. h.	Eng. bot. 179.	
lis. W.	Chinese Apple.	China.	1780.	5.	H. h.	Bot. mag. 267.	
ia. W.	Siberian Crab.	Siberia.	1758.	4.5.	H. h.	Mill. ic. 2. t. 269.	
W.	small-fruited.	—	1784.	—	H. h.	Pall. ros. 1. t. 10.	
ia. W.	{ Sweet-scented } Crab.	Virginia.	1724.	5.	H. h.	—	
olia. W.	narrow-leaved.	N. America.	1750.	—	H. h.	Wang. am. t. 21. f. 47.	
.	White Beam-tree.	Britain.	5.6.	H. h.	Eng. bot. 1858.	
dia. W.	Swedish.	Sweden.	1789.	4.5.	H. h.	Fl. dan. 301.	
lis. W.	Wild Service.	England.	—	H. h.	— 298.	
W. en.	hybrid.	—	H. h.	—	
da. E. B.	Bastard Service.	England.	5.6.	H. h.	Eng. bot. 2331.	
<i>hybrida. W.</i>	—	—	—	—	—	—	
ca. E. B.	True Service.	—	—	H. h.	— 350.	
ia. E. B.	Mountain Ash.	Britain.	—	—	H. h.	— 387.	
na. Ph.	purple-berried.	Canada.	1782.	—	H. h.	—	
pa. Ph.	small-fruited.	N. America.	—	H. h.	—	
. J.	QUINCE.	Rosaceæ. J. <i>Pyrus sp. Linn.</i>	—	—	—	
. W. en.	common.	Austria.	1573.	5.6.	H. h.	Jac. aust. 4. t. 342.	
. P. S.	solitary-flowered.	Japan.	1815.	—	F. h.	—	
.	cluster-flowered.	—	1796.	1.12.	F. h.	Bot. mag. 622.	
<i>aponica, Bot. mag. not of Thunberg.</i>	—	—	—	—	—	—	
W.	SPIRÆA.	Rosaceæ. J.	—	—	—	
. W.	smooth-leaved.	Siberia.	1774.	4.6.	H. h.	Schmidt. arb. 1. t. 49.	
a. W. en.	Willow-leaved.	Britain.	6.8.	H. h.	Eng. bot. 1468.	
	<i>white-flowered.</i>	N. America.	—	H. h.	Mill. ic. t. 257. f. 2.	
lia. W. en.	Hornbeam-leav ^d .	—	—	—	H. h.	—	
sa. W.	tomentose.	—	1736.	8.9.	H. h.	Schmidt. arb. 1. t. 51.	
W.	Alpine.	Siberia.	1806.	7.	H. h.	Pall. ros. 1. t. 20.	
folia. W.	Hypericum-leav ^d .	N. America.	1640.	4.5.	H. h.	Schmidt. arb. 1. t. 26.	
rifolia. W.	Germander-leav ^d .	Siberia.	1789.	6.7.	H. h.	Pall. ros. 1. t. 15.	
a. W.	Elm-leaved.	Carniola.	1790.	—	H. h.	Jac. vind. 2. t. 140.	
lia. Ph.	Birch-leaved.	N. America.	1812.	6.7.	H. h.	Pall. ros. 1. t. 16.	
W.	Hawthorn-leav ^d .	Siberia.	1739.	4.5.	H. h.	Schmid. arb. 1. t. 55.	
olia. W. en.	oblong-leaved.	Hungary.	1816.	5.6.	H. h.	Pl. rar. hung. 3. t. 235.	
W.	three-lobed.	Siberia.	1801.	5.	H. h.	Pall. ros. 1. t. 17.	
ides. W.	Meadow-Rue-l ^d .	—	1790.	—	H. h.	— 1. t. 18.	
W. en.	obovate-leaved.	Hungary.	1816.	5.6.	H. h.	—	
a. W.	Guelder-Rose-l ^d .	N. America.	1690.	6.7.	H. h.	Schmidt. arb. 1. t. 52.	
a. W.	Service-tree-l ^d .	Siberia.	1759.	8.	H. h.	— 1. t. 58.	
	<i>dwarf.</i>	—	1817.	—	H. h.	Pall. ros. 1. t. 25.	
i. W.	Goat's-beard.	—	1633.	6.7.	H. h.	— 1. t. 26.	
ula. W.	Dropwort.	Britain.	6.10.	H. h.	Eng. bot. 284.	
	<i>double-flowered.</i>	—	—	—	—	—	
. W.	Meadow-sweet.	—	—	H. h.	— 960.	
	<i>double-flowered.</i>	—	—	—	—	—	
W.	palmated.	Siberia.	1765.	7.8.	H. h.	Jac. vind. 1. t. 88.	
a. W.	three-leaved.	N. America.	1713.	6.7.	H. h.	Bot. mag. 489.	
a. Ph.	large-stipuled.	—	1805.	—	H. h.	—	
a. W.	SESUVIUM.	Ficoideæ. J.	—	—	—	
astrum. W.	Purslane-leaved.	W. Ind.	1692.	6.8.	S. h.	Lam. ill. t. 434. f. 1.	
P. S.	sessile-flowered.	—	—	S. h.	Plant. grass. 9.	

3	revolutifolium. W. en.	revolute-leaved.	Ficoideæ. J.	S. America.	7.8.	S. 2.	Bot. mag. 1701.
4	longifolium. W. en.	long-leaved.		—	1816.	—	S. 3.	—
5	repens. W. en.	creeping.		E. Ind.	—	—	S. 3.	Rum. am. 5. t. 79. f. 1.
TETRAGONIA. W.								
1	expansa. W.	horned.	Ficoideæ. J.	N. Zealand.	1772.	8.9.	G. 2.	Plant. grass. 113.
2	crystallina. W.	Diamond.	—	Peru.	1788.	6.	G. 3.	— 84.
3	fruticosa. W.	shrubby.	—	C. B. S.	1712.	7.9.	G. 2.	Mill. ic. 2. t. 263. f. 2.
4	decumbens. W.	trailing.	—	—	1758.	—	G. 2.	Plant. grass. 23.
5	Tetrapteris. H. S.	winged-seeded.	—	—	1795.	—	G. 2.	—
6	spicata. W.	spiked.	—	—	—	7.	G. 2.	—
7	herbacea. W.	herbaceous.	—	—	1753.	6.7.	G. 2.	Com. hort. 2. t. 102.
8	echinata. W.	Hedge-hog.	—	—	1774.	5.8.	G. 2.	Plant. grass. 113.
MESEMBRYAN- THEMUM. }								
			FIG-MARYGOLD. Ficoideæ. J.					
1	minutum. H. S.	minute.	—	C. B. S.	1795.	9.11.	G. 2.	Bot. mag. 1876.
2	minimum. H. S.	small.	—	—	1776.	9.12.	G. 2.	—
3	obcordellum. H. S.	obcordate.	—	—	—	10.2.	G. 2.	Bot. mag. 1647.
4	obconellum. H. S.	conical.	—	—	1794.	—	G. 2.	—
5	truncatellum. H. S.	truncated.	—	—	1795.	—	G. 2.	—
6	fibuliforme. H. S.	cloth-button.	—	—	—	11.	G. 2.	—
7	nuciforme. H. S.	Nut-shaped.	—	—	1790.	G. 2.	—
8	testiculare. H. S.	short white-lea ^d .	—	—	1774.	11.	G. 2.	Bot. mag. 1573.
9	fissum. H. S.	cleft-leaved.	—	—	1776.	G. 2.	—
10	obtusum. H. S.	obtusely cloven.	—	—	1792.	3.4.	G. 2.	—
11	pisiforme. H. S.	Pea-shaped.	—	—	1786.	G. 2.	—
12	moniliforme. H. S.	bracelet.	—	—	1791.	3.4.	G. 2.	—
13	acutum. H. S.	great awl-leaved.	—	—	1793.	11.4.	G. 2.	—
14	bellidiflorum. H. S.	Daisy-flowered.	—	—	1717.	6.8.	G. 2.	Dill. elt. 224. t. 223.
15	subulatum. H. S.	pale Daisy-flow ^d .	—	—	1768.	G. 2.	Plant. grass. 41.
16	calamiforme. H. S.	quill-shaped.	—	—	1717.	7.9.	G. 2.	— 5.
17	obsulatum. H. S.	reverse-quilled.	—	—	1796.	G. 2.	—
18	teretiusculum. H. S.	turgid.	—	—	1794.	G. 2.	—
19	cylindricum. H. S.	cylindrical.	—	—	1792.	9.2.	G. 2.	—
20	teretifolium. H. S.	round-quilled.	—	—	1794.	G. 2.	—
21	digitatum. H. S.	finger-leaved.	—	—	1775.	G. 2.	—
22	robustum. H. S.	robust.	—	—	1795.	G. 2.	—
23	compactum. H. S.	compact.	—	—	1780.	11.	G. 2.	—
24	quadrifidum. H. S.	quadrifid.	—	—	1795.	G. 2.	—
25	bifidum. H. S.	bifid.	—	—	—	—	G. 2.	—
26	bibracteatum. H. S.	double-bracted.	—	—	1803.	4.11.	G. 2.	—
27	rostratum. H. S.	heron-beaked.	—	—	1732.	4.	G. 2.	Dill. elt. t. 186. f. 223
28	ramulosum. H. S.	{ small heron- beaked. }	—	—	1791.	3.11.	G. 2.	—
29	denticulatum. H. S.	toothed.	—	—	1793.	4.	G. 2.	—
30	tigrinum. H. S.	tiger-chap.	—	—	1790.	9.11.	G. 2.	Bot. reg. 260.
31	felinum. H. S.	cat-chap.	—	—	1730.	8.11.	G. 2.	Plant. grass. 152.
32	murinum. H. S.	mouse-chap.	—	—	1790.	9.	G. 2.	—
33	caninum. H. S.	dog-chap.	—	—	1717.	8.10.	G. 2.	Plant. grass. 95.
34	vulpinum. H. S.	fox-chap.	—	—	1795.	G. 2.	—
35	hybridum. H. S.	bastard.	—	—	G. 2.	—
36	albidum. H. S.	white.	—	—	1714.	7.8.	G. 2.	Bot. mag. 1894.
37	canum. H. S.	hoary.	—	—	1795.	G. 2.	—
38	dolabriforme. H. S.	hatchet-leaved.	—	—	1705.	5.11.	G. 2.	Plant. grass. 6.
39	scalpratum. H. S.	great tongue.	—	—	1714.	8.10.	G. 2.	Dill. elt. t. 183. f. 22.
40	latum. H. S.	blunt tongue.	—	—	1732.	8.11.	G. 2.	— t. 184. f. 22.
41	adscendens. H. S.	ascending tongue.	—	—	1805.	G. 2.	—
42	depressum. H. S.	depressed tongue.	—	—	1795.	9.11.	G. 2.	Bot. mag. 1866.
43	rufescens. H. S.	rufescent tongue.	—	—	1804.	G. 2.	—
44	linguæforme. H. S.	common tongue.	—	—	1732.	11.3.	G. 2.	—
45	longum. H. S.	long tongue.	—	—	1725.	8.10.	G. 2.	Plant. grass. 71.
46	angustum. H. S.	slender tongue.	—	—	1790.	3.10.	G. 2.	—
47	præpingue. H. S.	soft tongue.	—	—	1792.	8.10.	G. 2.	—
48	taurinum. H. S.	Bull's horn.	—	—	1795.	9.11.	G. 2.	—
49	cruciatum. H. S.	cross-leaved.	—	—	1792.	5.11.	G. 2.	—
50	difforme. H. S.	deformed.	—	—	1732.	8.	G. 2.	Dill. elt. t. 194. f. 24
51	semicylindricum. H. S.	semi-cylindric.	—	—	—	3.11.	G. 2.	— t. 194. f. 24
52	heterophyllum. H. S.	various-leaved.	—	—	1795.	G. 2.	—
53	gibbosum. H. S.	gibbous.	—	—	1780.	1.4.	G. 2.	—
54	luteo-viride. H. S.	yellow-green.	—	—	1795.	1.	G. 2.	—

55	perviride. H. S.	dark green.	Ficoideæ. J.	C. B. S.	1792. 1.5.	G. ½.	
56	pubescens. H. S.	downy.				G. ½.	
57	elongatum. H. S.	dwarf tuberous.			1793. 5.	G. ½.	
58	capitatum. H. S.	short dagger-le ^d .			1717. 7.9.	G. ½.	Brad. suc. 2. t. 14.
59	pugioniforme. H. S.	long dagger-le ^d .			1714. —	G. ½.	Plant. grass. 72.
60	loreum. H. S.	leathery-stalked.			1732. 9.	G. ½.	Dill.elt. t.200.f.255
61	diversifolium. H. S.	short horned-le ^d .			1726. 3.10.	G. ½.	— t.198.f.252
62	diminutum. H. S.	diminished.			1789. 4.	G. ½.	
63	dubium. H. S.	round-stalked.			1800. 11.5.	G. ½.	Brad. suc. 4. t. 40.
64	corniculatum. H. S.	long-borned.			1732. 3.5.	G. ½.	Plant. grass. 103.
65	tricolorum. H. S.	three-coloured.			1794. 10.	G. ½.	
66	aciniiforme. H. S.	Cymeter-leaved.			1714. 8.9.	G. ½.	Bot. rep. 508.
67	laevigatum. H. S.	polished.			1802. 6.	G. ½.	
68	rubro-cinctum. H. S.	red-bordered.			1811.	G. ½.	
69	edule. H. S.	Hottentot's Fig.			1690. 7.8.	G. ½.	Dill.elt. t.212.f.272
70	subalatun. H. S.	wing-stalked.			1802.	G. ½.	
71	dimidiatum. H. S.	{ Lesser Hot- tentot's Fig. }			1811.	G. ½.	
72	glaucescens. H. S.	glaucouscent.		N. Holland.	1804. 7.	G. ½.	
73	virescens. H. S.	virescent.			— 6.	G. ½.	
74	aequilaterale. H. S.	equal-sided.			1791. —	G. ½.	
75	sarmentosum. H. S.	sarmentose.			1805. 4.	G. ½.	
76	filamentosum. H. S.	thready.		C. B. S.	1732. 8.4.	G. ½.	Dill.elt. t.212.f.273
77	serrulatum. H. S.	saw-leaved.			1795. 11.12.	G. ½.	
78	rubricaulis. H. S.	red-stalked.			1802. 12.2.	G. ½.	
79	spectabile. H. S.	showy.			1787. 5.8.	G. ½.	Bot. mag. 396.
80	conspicuum. H. S.	dark showy.			1806. 9.10.	G. ½.	
81	australe. H. S.	New Zealand.		N. Zealand.	1773. 7.8.	G. ½.	
82	crassifolium. H. S.	thick-leaved.		C. B. S.	1727. 5.8.	G. ½.	Dill.elt. t.201.f.257
83	clavellatum. H. S.	club-leaved.		N. Holland.	1803. 6.7.	G. ½.	
84	reptans. H. S.	creeping.		C. B. S.	1774. 7.8.	G. ½.	
85	crystallinum. H. S.	Ice-plant.		Greece.	1727. 5.8.	G. ½.	Plant. grass. 128.
86	pinnatifidum. H. S.	jagged-leaved.		C. B. S.	1774. 5.10.	G. ½.	Bot. mag. 67.
87	glabrum. H. S.	smooth-leaved.			1787. 7.8.	G. ½.	Bot. rep. 57.
88	Helianthoides. H. S.	Sun-flower.			1774. 8.10.	G. ½.	Plant. grass. 135.
89	pomeridianum. H. S.	great yellow-fl ^d .			— 7.8.	G. ½.	Bot. mag. 540.
90	pilosum. H. S.	hairy yellow.			1800. 6.8.	G. ½.	
91	limpidum. H. S.	transparent.			1774. 7.	G. ½.	Jac. ic. 3. t. 488.
92	lanceolatum. H. S.	spear-leaved.			1795. 5.8.	G. ½.	
93	sessiliflorum. H. S.	sessile-flowered.			1774. 7.	G. ½.	
94	Aitonis. H. S.	Aiton's.			— 6.10.	G. ½.	Jac. vind. 3. t. 7.
95	Tripolium. H. S.	Aster-leaved.			1700. —	G. ½.	Dill.elt. t.179.f.220
96	humifusum. H. S.	narrow-lea ^d icy.			1774. 7.8.	G. ½.	
97	cordifolium. H. S.	heart-leaved.			— 5.9.	G. ½.	Plant. grass. 102.
98	expansum. H. S.	Houseleek-lea ^d .			1705. 7.8.	G. ½.	— 94.
99	anatomicum. H. S.	skeleton-leaved.			1803. —	G. ½.	
100	varians. H. S.	varying.			1706. 7.10.	G. ½.	Pet. gaz. t.78. f.10.
101	tortuosum. H. S.	twisted-leaved.			1705. 6.10.	G. ½.	Dill.elt. t.181.f.222
102	pallens. H. S.	pale-flowered.			1774. 7.8.	G. ½.	Plant. grass. 47.
103	nodiflorum. H. S.	knot-flowered.			— —	G. ½.	— 82.
104	apetalum. H. S.	dwarf spreading.		Egypt.	1739. 8.10.	G. ½.	
105	caducum. H. S.	deciduous.		C. B. S.	1774. 7.8.	G. ½.	Jac. vind. 3. t. 6.
106	tuberosum. H. S.	tuberous-rooted.			— —	G. ½.	
107	spinuliferum. H. S.	spinulescent.			1714. 6.10.	G. ½.	Plant. grass. 78.
108	grossum. H. S.	gouty.			1794. —	G. ½.	
109	viridiflorum. H. S.	green-flowered.			1774. 8.10.	G. ½.	
110	nitidum. H. S.	nitid.			— 7.11.	G. ½.	Bot. mag. 326.
111	canaliculatum. H. S.	channel-leaved.			1790. 7.10.	G. ½.	
112	villosum. H. S.	villous.			1794. 7.10.	G. ½.	
113	brachiatum. H. S.	three-forked.			1759. 7.	G. ½.	
114	geniculiflorum. H. S.	joint-flowering.			1774. 6.8.	G. ½.	
115	juncum. H. S.	Rush-leaved.			— 1727. 7.9.	G. ½.	Plant. grass. 17.
116	ciliatum. H. S.	ciliated.			1800. 8.10.	G. ½.	
117	fastigiatum. H. S.	level-topped.			1774.	G. ½.	
118	reflexum. H. K.	reflexed.			1794. 7.9.	G. ½.	
119	micranthum. H. S.	small-blossomed.			1792. 8.9.	G. ½.	
120	flexuosum. H. S.	zigzag.			1804.	G. ½.	
121	splendens. H. S.	shining.			1795. 7.8.	G. ½.	
					1716. 6.8.	G. ½.	Plant. grass. 35.

122	veruculatum. H. S.	spit-leaved.	Ficoidez. J.	C. B. S.	1731.	5.6.	G. h.	Plant. grass. 36.
123	purpureo-cro-	{ purple and safron. }						
	ceum. H. S.							
124	noctiflorum. H. S.	night-flowering.			1714.	6.8.	G. h.	Plant. grass. 10.
125	stramineum. H. S.	straw-coloured.			1732.	—	G. h.	
126	horizontale. H. S.	horizontal-leav ^d .			1795.	—	G. h.	
127	molle. H. S.	soft-leaved.			1774.	10.	G. h.	
128	strictum. H. S.	erect.			1795.	G. h.	
129	cymbiforme. H. S.	boat-leaved.			1793.	G. h.	
130	graniforme. H. S.	grain-leaved.			1727.	9.10.	G. h.	Brad. suc. 2. t. 80.
131	aureum. H. S.	golden-flowered.			1750.	3.10.	G. h.	Bot. mag. 262.
132	glaucum. H. S.	glaucous-leaved.			1696.	6.7.	G. h.	Plant. grass. 146.
133	aurantium. H. S.	Orange-flowered.			1793.	6.8.	G. h.	
134	coccineum. H. S.	scarlet-flowered.			1696.	5.9.	G. h.	Bot. mag. 59.
135	bicolorum. H. S.	two-coloured.			1732.	—	G. h.	Dill.elt. t. 202. f. 253
136	inaequale. H. S.	unequal-cupped.			1716.	—	G. h.	Brad. suc. 1. f. 7.
137	variabile. H. S.	variable.			1796.	6.8.	G. h.	
138	tenuifolium. H. S.	slender-leaved.			1700.	6.9.	G. h.	Plant. grass. 82.
139	scabrum. H. S.	scabrous.			1731.	7.	G. h.	Dill.elt. t. 197. f. 351
140	versicolor. H. S.	changeable-fl ^d .			1795.	5.8.	G. h.	
141	emarginatum. H. S.	notch-flowered.			1732.	6.8.	G. h.	Dill.elt. t. 197. f. 350
142	retroflexum. H. S.	white-barked.			1794.	5.10.	G. h.	
143	deflexum. H. S.	deflexed.			1774.	7.10.	G. h.	
144	polyanthum. H. S.	copious-flowered.			1803.	8.	G. h.	
145	speciosum. H. S.	specious.			1793.	5.10.	G. h.	
146	micans. H. S.	glittering.			1704.	5.8.	G. h.	Bot. mag. 448.
147	maculatum. H. S.	spotted-stalked.			1792.	G. h.	
148	pulverulentum. H. S.	dusty-leaved.			—	5.	G. h.	
149	brevifolium. H. S.	short-leaved.			1777.	7.10.	G. h.	
150	subglobosum. H. S.	globular.			1795.	—	G. h.	
151	bispidum. H. S.	bispid.			1704.	5.10.	G. h.	Plant. grass. 66.
152	floribundum. H. S.	pale bristly.			—	—	G. h.	Dill.elt. t. 214. f. 380
153	hirtellum. H. S.	dwarf bristly.			1792.	5.11.	G. h.	
154	striatum. H. S.	striped bristly.			1727.	5.10.	G. h.	Dill.elt. t. 215. f. 381
155	echinatum. H. S.	hedgehog.			1774.	7.10.	G. h.	Plant. grass. 24.
156	barbatum. H. S.	trailing bearded.			1705.	6.8.	G. h.	28.
157	stelligerum. H. S.	lesser bearded.			1793.	5.10.	G. h.	Bot. mag. 70.
158	hirsutum. H. S.	small bearded.			1716.	9.10.	G. h.	Plant. grass. 29.
159	densum. H. S.	dwarf bearded.			1732.	5.8.	G. h.	Bot. mag. 1220.
160	geminatum. H. S.	twin-shooted.			1792.	G. h.	
161	forficatum. H. S.	scissar-leaved.			1758.	9.10.	G. h.	Jac. vind. 1. t. 26.
162	perfoliatum. H. S.	great perfoliate.			1714.	6.8.	G. h.	Dill.elt. t. 192. f. 340
163	uncinatum. H. S.	lesser perfoliate.			1725.	8.	G. h.	Plant. grass. 54.
164	viride. H. S.	green perfoliate.			1792.	7.	G. h.	
165	tenellum. H. S.	least perfoliate.			—	8.	G. h.	
166	rigidum. H. S.	rigid.			1793.	—	G. h.	
167	parviflorum. H. S.	small-flowered.			1800.	8.	G. h.	
168	vaginatum. H. S.	sheathed.			1802.	7.8.	G. h.	
169	curtum. H. S.	short-sheathed.			G. h.	
170	imbricatum. H. S.	imbricated.			1792.	7.	G. h.	
171	multiflorum. H. S.	many-flowered.			—	7.9.	G. h.	Pluk. phyt. t. 117. f. 1
172	foliosum. H. S.	leafy.			1802.	9.	G. h.	
173	tumidulum. H. S.	tumid.			—	8.	G. h.	
174	umbellatum. H. S.	umbel-flowered.			1727.	6.9.	G. h.	Dill.elt. t. 208. f. 266
175	bracteatum. H. S.	bracted.			1774.	7.10.	G. h.	
176	radiatum. H. S.	rayed.			1732.	8.11.	G. h.	Dill.elt. t. 197. f. 249
177	patulum. H. S.	spreading.			1811.	G. h.	
178	compressum. H. S.	compressed.			1792.	7.9.	G. h.	
179	anceps. H. S.	two-edged.			1811.	9.10.	G. h.	
180	stellatum. H. S.	starry.			1794.	8.11.	G. h.	
181	virgatum. H. S.	twiggy.			1793.	2.4.	G. h.	
182	curvifolium. H. S.	crooked-leaved.			1799.	10.	G. h.	
183	spiniforme. H. S.	Thorn-leaved.			1783.	9.10.	G. h.	
184	aduncum. H. S.	hook-leaved.			1795.	2.3.	G. h.	
185	filicula. H. S.	thread-stalked.			1800.	9.	G. h.	
186	maximum. H. S.	moon-leaved.			1787.	3.8.	G. h.	
187	lacerum. H. S.	purple serrate.			1792.	6.	G. h.	
188	serratum. H. S.	saw-keeled.			1707.	6.7.	G. h.	Dill.elt. t. 192. f. 238
189	heteropetalum. H. S.	various-petaled.			1794.	5.8.	G. h.	

ICOSANDRIA POLYGYNIA.

117

e. H. S.	changeable.	Ficoideæ. J.	C. B. S.	1792.	7.9.	G. h.	Plant. grass. 80.
stun. H. S.	white-edged.			1793.	G. h.	
ns. H. S.	open-flowered.			1805.	6.9.	G. h.	Bot. rep. 388.
ns. H. S.	smooth delta-ld.			1731.	5.7.	G. h.	{ Dill. elt. t. 195. f. 243, 4.
s. H. S.	great delta-leav ^d .			—	5.	G. h.	Plant. grass. 53.
um. H. S.	small delta-leav ^d .			—	—	G. h.	Dill. elt. t. 195. f. 246
yllum. H. S.	small-leaved.			1795.	—	G. h.	
stum. H. S.	mucronated.			1794.	G. h.	
lum. H. S.	neat.			1793.	4.	G. h.	
1. H. S.	sickle-leaved.			1727.	6.8.	G. h.	{ Dill. elt. t. 213. f. 275, 6.
stum. H. S.	clustered.			1732.	—	G. h.	t. 213. f. 274
ne. H. S.	sickle-shaped.			1805.	7.8.	G. h.	
ens. H. S.	decumbent.			1759.	5.10.	G. h.	
m. H. S.	incurved.			1802.	6.	G. h.	
um. H. S.	crowded-leaved.			1805.	9.10.	G. h.	
cum. H. S.	upright-shrubby.			1723.	5.6.	G. h.	{ Dill. elt. t. 209. f. 267, 8.
hili. H. S.	Haworth's.			1793.	6.1.	G. h.	
. S.	white-wooded.			1774.	7.9.	G. h.	
m. H. S.	thorny.			1714.	6.9.	G. h.	Dill. elt. t. 208. f. 268
m. H. S.	dilated.			1795.	7.	G. h.	
V.	AIZOON.	Ficoideæ. J					
ec. W.	Purslane-leaved.		Canaries.	1731.	7.9.	G. ⊙.	Bot. rep. 201.
. W.	hairy.		C. B. S.	1774.	6.8.	G. h.	
um. W.	Spanish.		Spain.	1728.	7.8.	G. ⊙.	Plant. grass. 30.
um. W.	spear-leaved.		C. B. S.	1752.	8.	G. ♂.	

POLYGYNIA.

	Rosæ.	Rosaceæ. J					
lia. W.	Berberry-leaved.		Persia.	1790.	6.7.	F. h.	Par. lond. 101.
.	single yellow.		Germany.	1596.	6.	H. h.	Bot. mag. 363.
3. M.	red and yellow.					H. h.	1077.
a. W.	double yellow.		Levant.	1629.	7.	H. h.	Bot. reg. 46.
H. K.	Lady Banks's.		China.	1807.	6.7.	G. h.	Bot. mag. 1954.
V.	Hudson's Bay.		Newfoundl ^d .	1773.	5.8.	H. h.	MissLawr. ros. t. 27.
nea. W.	Cinnamon.		England.	5.	H. h.	Eng. bot. 2388.
	double.					MissLawr. ros. t. 34.
ica. H. S.	Kamtschatka.		Kamtschatka.	1802.	7.8.	H. h.	Vent. cels. 68.
W.	white dog.		Britain.	6.7.	H. h.	Eng. bot. 188.
ima. W.	Scotch.				H. h.	187.
	triped-flowered Scotch.				H. h.	MissLawr. ros. t. 15.
	red Scotch.				H. h.	t. 62.
	ouble Scotch.				H. h.	t. 63.
	all Scotch.				H. h.	t. 19.
	arbled Scotch.				H. h.	*t. 78.
lifolia. W.	{ Burnet-Saxi- frage-leaved. }		S. Europe.	5.6.	H. h.	
V. en.	Pallas's.		Siberia.		H. h.	Pall. ross. 2. t. 75.
3. M.	hispid-stemmed.		1780.		H. h.	Bot. mag. 1570.
E. B.	Dr. Walker's.		Hebrides.	6.7.	H. h.	Eng. bot. 2068.
. Ph.	window.		Carolina.	1810.	5.6.	H. h.	
a.	glossy.		N. America.	1807.	6.8.	H. h.	
. Ph.	small-flowered.			1724.		H. h.	
h.	shining-leaved.					H. h.	Dill. elt. t. 245. f. 316
Ph.	twin-flowering.			1800.	7.8.	H. h.	
h.	Lyon's.		Tennessee.	1812.		H. h.	
Ph.	marsh.		N. America.	1800.	6.7.	H. h.	
W.	Carolina.			1726.		H. h.	Dill. elt. t. 245. f. 316
	ingle Burnet-leaved.					H. h.	MissLawr. ros. t. 24.
	ouble Burnet-leaved.					H. h.	t. 3.
	ingle Pennsylvania.					H. h.	t. 68.
	ouble Pennsylvania.					H. h.	t. 66.
	spreading Carolina.					H. h.	t. 54.
	pright Carolina.					H. h.	t. 36.
H. K.	Bramble-leaved.			1800.		H. h.	
V.	Apple-bearing.		Britain.		H. h.	Eng. bot. 583. 9
	{ double Apple- bearing. }				H. h.	MissLawr. ros. t. 29.

25	hibernica. E. B.	Irish.	Rosaceæ. J.	Ireland.	6.11.	H. h.	Eng. bot. 2196.
26	sinica. H. K.	three-ld China.		China.	1759.	5.7.	F. h.	
27	provincialis. H. K.	Provins.		S. Europe.	1596.	6.8.	H. h.	
	α — common Provins.						H. h.	Miss Lawr. ros. t. 8
	β — scarlet Provins.						H. h.	t. 22.
	γ — blush Provins.						H. h.	t. 1.
	δ — white Provins.						H. h.	t. 4.
	ε — Rose de Meaux.						H. h.	t. 31.
	ζ — Pompon.						H. h.	t. 50.
	η — Rose de Rheims.						H. h.	t. 71.
	θ — Childing's Provins.						H. h.	t. 43.
	ι — Blandford, or Portugal.						H. h.	t. 21.
	κ — Rose St. Francis.						H. h.	t. 88.
	λ — Shailer's Provins.						H. h.	t. 76.
	μ — muscosa. single Moss.				1724.		H. h.	Bot. reg. 53.
	ν — common Moss.						H. h.	Bot. mag. 69.
	ξ — white Moss.						H. h.	Bot. reg. 101.
28	ferox. H. K.	hedgchog.		Caucasus.	1796.	6.8.	H. h.	Miss Lawr. ros. t. 49
29	dumetorum. E. B.	bushy.		England.	6.7.	H. h.	Eng. bot. 2579.
30	scabriuscula. E. B.	roughish.				H. h.	1896.
31	rubella. E. B.	reddish.				H. h.	2521.
32	micrantha. E. B.	small.		Britain.	5.7.	H. h.	2499.
33	mollis. E. B.	soft.			6.7.	H. h.	2459.
34	reversa. W. en.	reversed.		Hungary.		H. h.	
35	pulchella. W. en.	neat.				H. h.	
36	adenophylla. W. en.	glandulous.			1816.		H. h.	
37	centifolia. W.	hundred-leaved.			1596.		H. h.	
	α — Dutch hundred-leaved.						H. h.	Miss Lawr. ros. t. 1
	β — blush hundred-leaved.						H. h.	t. 40.
	γ — Singleton's hundred-leaved.						H. h.	t. 85.
	δ — Burgundy.						H. h.	t. 44.
	ε — single velvet.						H. h.	t. 51.
	ζ — double velvet.						H. h.	t. 2.
	η — Sultan.						H. h.	t. 35.
	θ — Stepney.						H. h.	t. 46.
	ι — Lisbon.						H. h.	t. 67.
	κ — Bishop.						H. h.	t. 20.
	λ — Cardinal.						H. h.	t. 59.
	μ — blush royal.						H. h.	t. 47.
	ν — petit hundred-leaved.						H. h.	t. 55.
	ξ — Pluto.						H. h.	t. 39.
	ο — monstrous hundred-leaved.						H. h.	t. 78.
	π — fringe.						H. h.	t. 82.
	ρ — plicate.						H. h.	t. 87.
	σ — two-coloured hundred-leaved.						H. h.	t. 79.
	τ — shell.						H. h.	t. 89.
38	gallica. W.	official.		S. Europe.	1596.		H. h.	
	α — red official.						H. h.	Miss Lawr. ros. t. 1-
	β — Mundi.						H. h.	t. 13.
	γ — marbled.						H. h.	t. 57.
	δ — royal virgin.						H. h.	t. 7.
	ε — Giant.						H. h.	t. 49.
39	lævigata. Ph.	smooth-leaved.		Georgia.		H. h.	
40	damascena. W.	red damask.		S. Europe.	1573.	6.7.	H. h.	Miss Lawr. ros. t. 3
	β — blush damask.						H. h.	t. 52.
	γ — York and Lancaster.						H. h.	t. 10.
	δ — red monthly.						H. h.	t. 5.
	ε — white monthly.						H. h.	t. 17.
	ζ — blush Belgic.						H. h.	t. 70.
	η — great royal.						H. h.	t. 58.
	θ — blush monthly.						H. h.	t. 18.
	ι — red Belgic.						H. h.	t. 83.
	κ — Goliath.						H. h.	t. 80.
	λ — imperial blush.						H. h.	t. 90.
41	sempervirens. W.	evergreen.		Germany.	1629.	6.8.	H. h.	t. 48.
42	repens. W. en.	creeping.		Hungary.	1817.		H. h.	
43	polyphylla. W. en.	many-leaved.				H. h.	
44	pumila. W.	dwarf.		Austria.	1773.	6.7.	H. h.	Jac. aust. 2. t. 19
45	turgida. P. S.	turgid.			6.8.	H. h.	
46	turbinata. W.	Frankfort.			1629.		H. h.	Miss Lawr. ros. t. 6

47	suavis. W. en.	sweet.	Rosaceæ. J.	1817.	6.7.	H. h.	
48	rubiginosa. W.	Sweet-briar.		Britain.	5.6.	H. h.	Eng. bot. 992.
	β —	Semidouble Sweet-briar.				H. h.	MissLawr.ros.t.65.
	γ —	Double mossy Sweet-briar.				H. h.	t. 72.
	δ —	Manning's-blush Sweet-briar.				H. h.	t. 41.
	ε —	Double-red Sweet-briar.				H. h.	t. 61.
	ζ —	Royal Sweet-briar.				H. h.	t. 74.
49	suaveolens. Ph.	{ American Sweet-briar. }		N. America.		H. h.	Andr. ros. c. ic.
50	moschata. W.	musk.		Barbary.	1596.	7.10.	H. h.	MissLawr.ros.t.64.
	β plena.	double musk.					H. h.	t. 53.
51	alpina. W.	Alpine.		Switzerland.	1683.	6.7.	H. h.	t. 30.
	β —	red Alpine.					H. h.	t. 75.
52	pendulina. W.	{ smooth pen- dulous. }		N. America.	1726.	5.6.	H. h.	t. 9.
53	multiflora. W.	Bramble-flower ^d		China.	1804.	6.7.	H. h.	Bot. mag. 1059.
54	caesia. E. B.	gray-leaved.		Scotland.		H. h.	Eng. bot. 2367.
55	canina. E. B.	dog, or Hip.		Britain.		H. h.	992.
	β plena.	double dog.				H. h.	MissLawr.ros.t.60.
56	tomentosa. E. B.	downy-le ^d . dog.		England.		H. h.	Eng. bot. 990.
57	collina. W.	hill.		Britain.		H. h.	1895.
58	caucasica. M. B.	Caucasian.		Caucasus.	1798.		H. h.	
59	parvifolia. W.	small-leaved.		Europe.		H. h.	
60	fraxinea. W. en.	Ash-leaved.			H. h.	
61	semperflorens. W.	ever-blowing.		China.	1789.	1.12.	F. h.	Exot. bot. 2. t. 91.
	β plena.	dark Chinese.					F. h.	Bot. mag. 284.
62	Lawranceana.	Miss Lawrance's.		Mauritius.	1810.		G. h.	Bot. mag. 1762.
	semperflorens γ minima. B. M.							
63	indica. W.	blush Chinese.		China.	1789.		H. h.	MissLawr.ros.t.26.
	β minor.	small Chinese.					H. h.	
	γ centifolia.	large Chinese.					H. h.	
	δ albiflora.	white Chinese.					H. h.	
64	odorata.	sweet Chinese.			1810.	2.8.	G. h.	Andr. ros. c. ic.
	indica odorata. Andr. ros.							
65	bracteata. W.	Macartney.			1795.	8.10.	H. h.	Bot. mag. 1377.
66	alba. W.	single white.		Europe.	1597.	6.7.	H. h.	MissLawr.ros.t.37.
	β —	double white.					H. h.	t. 25.
	γ —	Cluster Maiden's-blush.					H. h.	t. 23.
	δ —	Great Maiden's-blush.					H. h.	t. 32.
RUBUS. W.				Rosaceæ. J.				
		BRAMBLE.						
1	roseifolius. Sm.	Rose-leaved.		Mauritius.	1811.	10.4.	G. h.	Smith ic. 3. t. 60.
	β coronarius.	double-flowered.					G. h.	Bot. mag. 1788.
2	pinnatus. W.	pinnate.		C. B. S.	1789.	6.7.	G. h.	
3	Idæus. W.	Raspberry.		Britain.	5.6.	H. h.	Eng. bot. 2442.
4	occidentalis. W.	Virginian.		N. America.	1696.		H. h.	Dill.elt.t.247.f.319
5	cuneifolius. Ph.	plaited-leaved.			1811.	6.7.	H. h.	
6	canadensis. W.	purple-stalked.					H. h.	
7	hispidus. W.	bristly.		Canada.	1768.	8.	H. h.	
8	cæsius. W.	Dewberry.		Britain.	6.7.	H. h.	Eng. bot. 826.
9	corylifolius. E. B.	Hazel-leaved.			7.	H. h.	827.
10	fruticosus. W.	common.			6.9.	H. h.	715.
	β albus.	white-fruited.				H. h.	
	γ plenus.	double-flowered.				H. h.	
	δ inermis.	smooth.				H. h.	
11	tomentosus. W. en.	woolly-leaved.		Germany.		H. h.	
12	glandulosus. W. en.	glandulous.			1816.		H. h.	
13	hirtus. W. en.	hairy.		Hungary.			H. h.	Pl.rar.hung.2.t.141
14	laciniatus. W. en.	jag-leaved.				H. h.	W.hort.ber.2.t.82.
15	trivialis. Ph.	procumbent.		N. America.	1789.	6.7.	H. h.	
16	villosus. W.	shaggy.			1777.	7.8.	H. h.	
17	strigosus. Ph.	strigose.			6.7.	H. h.	
18	flagellaris. Ph.	shining-leaved.			1789.		H. h.	
19	inermis. W. en.	smooth.			1805.		H. h.	
20	odoratus. W.	flowering.			1700.		H. h.	Bot. mag. 323.
21	suberectus. E. B.	upright.		Britain.	6.9.	H. h.	Eng. bot. 2572.
22	moluccanus. W.	Molucca.		E. Ind.	1810.	7.8.	S. h.	Rumph.amb. 5. t. 47. f. 2.
23	saxatilis. W.	stone.		Britain.	6.	H. h.	Eng. bot. 2233.
24	pistillatus. Ph.	close-styled.		Labrador.	1802.	6.7.	H. h.	Exot. bot. 2. t. 86.

arcticus. E. B.	dwarf crimson.	Rosaceæ. J.	Scotland.	5.8.	H. 2.	Eng. bot. 1585.	
Chamæmorus. W.	Cloud-berry.		Britain.	5.6.	H. 2.	716.	
ALIBARDA. Mi.	DALIBARDA.	Rosaceæ. J. <i>Rubi species IV.</i>	N. America. 1768.	5.6.	H. 2.	Mich. amer. 1. t. 37.	
1 violacoides. Mi.	Violet-leaved.						
repens. Ph.							
2 fragarioides. Mi.	Strawberry-leav ^d .			1803.	H. 2.	1. t. 28.	
FRAGARIA. W.	STRAWBERRY.	Rosaceæ. J.	Britain.	4.5.	H. 2.	Eng. bot. 1524.	
1 vesca. W.	wood.		1773.	5.6.	H. 2.	Bot. mag. 63.
2 monophylla. W.	one-leaved.		Germany. 1768.	4.11.	H. 2.		
3 collina. W.	Alpine.		Britain.	4.5.	H. 2.	Eng. bot. 2197.	
4 elatior. W.	Hautboy.		N. America.	II. 2.			
5 canadensis. Ph.	Canada.		1629.	H. 2.	Duham. arb. 1. t. 5.	
6 virginiana. Ph.	scarlet.		Surinam. 1759.	H. 2.	Mill. ic. 2. t. 288.		
7 grandiflora. W.	Pine.		S. America. 1727.	5.6.	H. 2.	Duham. arb. 1. t. 3.	
8 chilensis. W.	Chili.		India. 1805.	5.10.	H. 2.	Bot. reg. 61.	
9 indica. H. K.	yellow-flowered.						
COMARUM. W.	COMARUM.	Rosaceæ. J.	Britain.	6.7.	H. 2.	Eng. bot. 172.	
1 palustre. W.	Marsh Cinquefoil		3.5.	H. 2.	1785.	
2 fragarioides. W. en.	Strawberry-like.						
Fragaria sterilis.	E. B.						
POTENTILLA. W.	CINQUEFOIL.	Rosaceæ. J.	England.	6.8.	H. 2.	Eng. bot. 88.	
1 fruticosa. W.	shrubby.		N. America. 1811.	6.10.	H. 2.	Amm. ruth. t. 18. f. 1.	
2 floribunda. Ph.	cluster-flowered.		Britain.	5.9.	H. 2.	Eng. bot. 861.	
3 Anserina. W.	Wild Tansey.		Dauria. 1797.	7.8.	H. 2.		
4 hispida. W. en.	hispid.		Siberia. 1780.	5.6.	H. 2.		
5 sericea. W.	silky.		1759.	H. 2.		
6 multifida. W.	cut-leaved.		1773.	H. 2.	Gmel. sib. 3. t. 34. f. 1.	
7 fragarioides. W.	Strawberry-lea ^d	1799.	H. 2.	Moris. s. 2. t. 20. f. 1.	
8 ruthenica. W.	Russian.		England.	5.9.	H. 2.	Eng. bot. 2058.	
9 rupestris. W.	rock.		Siberia. 1773.	6.7.	H. 2.	Gmel. it. 1. t. 27. f. 1.	
10 bifurca. W.	bifid-leaved.		Levant. 1758.	6.8.	H. 2.	Buxb. cent. 1. t. 4.	
11 pimpinelloides. W.	Burnet-leaved.		N. America. 1725.	H. 2.	Jac. vind. 2. t. 18.		
12 pennsylvanica. W.	Pennsylvanian.		Siberia. 1696.	7.8.	H. 2.	Jac. aust. 5. t. 40.	
13 supina. W.	trailing.		S. Europe. 1648.	6.7.	H. 2.	4. t. 38.	
14 recta. W.	upright.		Britain.	6.8.	H. 2.	Eng. bot. 89.	
15 argentea. W.	silvery.		Switzerland. 1786.	5.9.	H. 2.		
16 intermedia. W.	various-leaved.		Hungary. 1806.	6.7.	H. 2.		
17 ascendens. W. en.	ascending.		S. Europe. 1725.	5.9.	H. 2.		
18 hirta. W.	hairy.		Siberia. 1797.	7.8.	H. 2.		
19 stipularis. W.	stipular.		S. Europe. 1680.	5.6.	H. 2.	Jac. ic. 1. t. 91.	
20 opaca. W.	small rough.		Britain.	3.5.	H. 2.	Eng. bot. 37.	
21 verna. W.	spring.		Scotland.	5.7.	H. 2.	561.	
22 aurea. W.	golden.		Siberia. 1787.	6.8.	H. 2.	Jac. ic. 1. t. 92.	
23 astracantha. W.	Astracan.		Wales.	2.8.	H. 2.	Eng. bot. 1384.	
24 alba. W.	white.		Austria. 1759.	5.6.	H. 2.	Jac. aust. 3. t. 22.	
25 caulescens. W.	Alpine.		1806.	7.8.	H. 2.	Bot. mag. 1327.
26 Clusiana. W.	Clusius's.		Alps of Eur. 1739.	6.7.	H. 2.		
27 lupinoides. W.	close-flowered.		Austria. 1798.	6.7.	H. 2.	Jac. ana. 5. t. ap. 2.	
28 nitida. W.	shining.		Britain.	6.9.	H. 2.	Eng. bot. 862.	
29 reptans. W.	common.		N. America. 1804.	7.	H. 2.		
30 sarmentosa. W. en.	sarmentose.		1817.	6.8.	H. 2.	
31 diffusa. W. en.	various-leaved.		France. 1680.	7.8.	H. 2.	Moris. h. s. 2. t. 20. f. 1.	
32 monspeliensis. W.	Montpelier.		Siberia. 1816.	6.8.	H. 2.	Gmel. sib. 3. t. 36. f. 1.	
33 nivea. W.	snowy.		N. Europe. 1764.	6.7.	H. 2.	Fl. dan. 171.	
34 norvegica. W.	Norwegian.		Scotland.	H. 2.	Eng. bot. 2389.		
35 tridentata. W.	trifid-leaved.		Siberia. 1640.	H. 2.	Bot. mag. 75.		
36 grandiflora. W.	great-flowered.						
TORMENTILLA. W.	SEPTFOIL.	Rosaceæ. J.	Britain.	6.7.	H. 2.	Eng. bot. 864.	
1 reptans. W.	large-flowered.		5.10.	H. 2.	863.	
2 erecta. W.	common.						
officinalis. E. B.							
GEUM. W.	AVENS.	Rosaceæ. J.	N. America. 1778.	5.6.	H. 2.	Jac. ic. 1. t. 93.	
1 strictum. Ph.	upright.		1811.	6.7.	H. 2.	
2 agrimonoides. Ph.	Agrimony-leav ^d	1730.	7.8.	H. 2.	Jac. vind. 2. t. 17.
3 album. Ph.	white-flowered.		H. 2.			
4 virginianum. Ph.	small white-fl ^d .						
5 macrophyllum. W. en.	large-leaved.		Kamtschatka 1804.	6.7.	H. 2.		
6 urbanum. W.	common.		Britain.	5.8.	H. 2.	Eng. bot. 1400.	
7 intermedium. W. en.	wood.		Europe. 1794.	H. 2.	W. hort. ber. 1. t.		

POLYANDRIA MONOGYNIA.

121

. W.	water.	Rosaceæ. J.	Britain.	6.7.	H. 2.	Eng. bot. 106.
dum. Jac.	hybrid.	_____	Europe.	—	H. 2.	Jac. ic. 1. t. 94.
alcum. W.	Pyrenean.	_____	Pyrenees.	1804.	—	H. 2.	Lam. ill. t. 44.
tilloides. W.	Siberian.	_____	Siberia.	1780.	6.	H. 2.	Jac. vind. 3. t. 68.
num. W.	mountain.	_____	Austria.	1597.	5.9.	H. 2.	Jac. aust. 4. t. 373.
ser.	small mountain.	_____	_____	_____	—	H. 2.	Bar. rar. t. 399.
as. W.	creeping.	_____	Switzerland.	1775.	6.8.	H. 2.	Jac. aus. 5. t. ap. 22.
. W.	DRYAS.	Rosaceæ. J.	_____	_____	_____	_____	_____
etala. W.	mountain.	_____	Britain.	6.9.	H. 2.	Eng. bot. 451.
ANTHUS. W.	ALLSPICE.	Rosaceæ? J.	_____	_____	_____	_____	_____
as. W.	Carolina.	_____	Carolina.	1726.	5.8.	H. 2.	Bot. mag. 503.
us. W. en.	glaucous-leaved.	_____	_____	—	H. 2.	Bot. rep. 539.
stus. W. en.	smooth-leaved.	_____	N. America.	1806.	5.7.	H. 2.	_____
re. W.	Japan.	_____	Japan.	1768.	12.3.	H. 2.	Bot. mag. 465.
q.	yellow-flowered.	_____	_____	—	H. 2.	_____

CLASS XIII.

POLYANDRIA MONOGYNIA.

RIS. W.	CAPER-TREE.	Capparides. J.	_____	_____	_____	_____	_____
as. W.	common.	_____	S. Europe.	1596.	5.8.	S. 2.	Bot. mag. 291.
. W.	acute-leaved.	_____	_____	—	S. 2.	Boc. sic. t. 42. f. 3.
osa. W.	large-leaved.	_____	Carthage.	1800.	S. 2.	Jac. amer. t. 153.
ginea. W.	ferrugineous.	_____	Jamaica.	S. 2.	Brown. j. t. 28. f. 1.
censis. W.	Jamaica.	_____	_____	1793.	S. 2.	Jac. amer. e. p. t. 101.
stissima. W.	sweet-scented.	_____	Caracas.	1814.	S. 2.	Jac. schæn. 1. t. 110.
hallophora. W.	Bay-leaved.	_____	W. Ind.	1752.	S. 2.	Jac. amer. t. 98.
ia. P. S.	Willow-leaved.	_____	Santa Cruz.	1807.	S. 2.	_____
ria. W.	linear-leaved.	_____	W. Ind.	1793.	S. 2.	Jac. amer. t. 102.
nia. W.	Oleaster-leaved.	_____	_____	1752.	G. 2.	_____ t. 103.
RAVIA. W.	MARCGRAVIA.	Capparides? J.	_____	_____	_____	_____	_____
lata. W.	umbelled.	_____	W. Ind.	1792.	S. 2.	Jac. amer. t. 96.
l. Ph.	ACTEA.	Ranunculaceæ. J.	_____	_____	_____	_____	_____
ta. W. en.	Bane-berry.	_____	Britain.	4.6.	H. 2.	Eng. bpt. 918.
icana. Ph.	American.	_____	N. America.	—	H. 2.	Corn. canad. t. 77.
a.	white-berried.	_____	_____	_____	_____	_____	_____
ra.	red-berried.	_____	_____	_____	_____	_____	_____
INARIA. W.	PUCCOON.	Papaveraceæ. J.	_____	_____	_____	_____	_____
lensis. W.	Bloodwort.	_____	N. America.	1680.	3.4.	H. 2.	Bot. mag. 162.
HYLLUM. W.	Duck's-foot.	Papaveraceæ. P. S.	_____	_____	_____	_____	_____
tup. W.	May-Apple.	_____	N. America.	1664.	5.	H. 2.	Bot. mag. 1819.
DONIUM. W.	CELANDINE.	Papaveraceæ. J.	_____	_____	_____	_____	_____
s. W.	common.	_____	Britain.	4.10.	H. 2.	Eng. bot. 1581.
iatum. W. en.	jagged.	_____	S. Europe.	—	H. 2.	Mill. ic. 1. t. 92. f. 2.
IUM. J.	HORN-POPPY.	Papaveraceæ. J.	_____	_____	_____	_____	_____
m. H. K.	yellow.	_____	Britain.	6.10.	H. 2.	Eng. bot. 8.
m. H. K.	orange.	_____	S. Europe.	1802.	8.9.	H. 2.	Ex. bot. 1. t. 7.
iceum. H. K.	red.	_____	England.	6.7.	H. 2.	Eng. bot. 1433.
ceum. H. K.	violet.	_____	_____	5.7.	H. 2.	_____ 201.
ER. W.	POPPY.	Papaveraceæ. J.	_____	_____	_____	_____	_____
dum. W.	mongrel.	_____	England.	6.7.	H. 2.	Eng. bot. 43.
mone. W.	rough.	_____	Britain.	—	H. 2.	_____ 643.
um. W.	Alpine.	_____	Austria.	1759.	—	H. 2.	Jac. aus. 1. t. 83.
caule. W.	naked-stalked.	_____	Siberia.	1730.	6.8.	H. 2.	Fl. dan. t. 41.
ca.	yellow-flowered.	_____	_____	_____	_____	_____	Bot. mag. 1633.
as. W.	common Corn.	_____	Britain.	6.7.	H. 2.	Eng. bot. 645.
m. W.	smooth.	_____	_____	—	H. 2.	_____ 644.
uicum. M. B.	Caucasian.	_____	Caucasus.	1813.	—	H. 2.	Bot. mag. 1675.
undum. B. Reg.	many-flowered.	_____	Levant.	1815.	—	H. 2.	Bot. reg. 134.
iferum. W.	garden.	_____	England.	7.8.	H. 2.	Eng. bot. 2145.
uicum. W.	Welsh.	_____	_____	5.8.	H. 2.	_____ 66.
ta. W.	oriental.	_____	Levant.	1714.	5.6.	H. 2.	Bot. mag. 57.
IONE. W.	ARGEMONE.	Papaveraceæ. J.	_____	_____	_____	_____	_____
ana. W.	Mexican.	_____	America.	1592.	7.8.	H. 2.	Bot. mag. 243.
glica. P. S.	Armenian.	_____	Armenia.	1815.	6.9.	H. 2.	_____

SARRACENIA. W.	{SIDE-SADDLE- FLOWER.}					
1 flava. W.	yellow.	_____	N. America.	1752. 6.7.	F. 2.	Bot. mag. 780.	
2 variolaris. Ph.	hook-leaved.	_____	_____	1803. _____	F. 2.	_____	1710.
adunca. Es. bot. t. 58.							
3 rubra. W.	red.	_____	_____	1786. _____	F. 2.	Pluk. alm. t. 152 f. 3.	
psittacina. Ph.							
4 purpurea. W.	purple.	_____	N. America.	1640. _____	F. 2.	Bot. mag. 849.	
NYMPHÆA. W.	WATER-LILY.	Hydrocharidæ. J.					
1 alba. W.	white.	_____	Britain. 6.7.	H. 2.	Eng. bot. 160.	
2 odorata. W.	sweet-scented.	_____	N. America.	1786. 7.	H. 2.	Bot. mag. 819.	
β minor.	{smaller sweet scented.}	_____	_____	1812. _____	H. 2.	_____	1652.
3 nitida. B. M.	cup-flowered.	_____	Siberia.	1809. 7.8.	H. 2.	_____	1859.
4 pygmæa. H. K.	pigmy.	_____	China.	1805. 5.9.	H. 2.	_____	1525.
5 Lotus. W.	Egyptian Lotus.	_____	Egypt.	1802. 6.9.	S. 2.	_____	797.
6 pubescens. W.	Indian Lotus.	_____	E. Ind.	1803. 5.8.	S. 2.	Bot. rep. 391.	
7 rubra. B. M.	red-flowered.	_____	_____	7.8.	S. 2.	Bot. mag. 1280.	
8 rosea. B. M.	rose-coloured.	_____	_____	_____	S. 2.	_____	1364.
9 versicolor. H. K.	changeable.	_____	_____	1807. 8.	S. 2.	_____	1189.
10 cærulea. H. K.	blue.	_____	C. B. S.	1792. 6.9.	S. 2.	_____	552.
11 stellata. W.	star-flowered.	_____	E. Ind.	1803. _____	S. 2.	Bot. rep. 330.	
NUPHAR. H. K.	NUPHAR.	Hydrocharidæ. J.					
1 lutea. H. K.	common yellow.	_____	Britain. 6.7.	H. 2.	Eng. bot. 159.	
2 Kalmiana. H. K.	Canadian.	_____	Canada.	1807. 7.8.	H. 2.	Bot. mag. 1243.	
3 minima. E. B.	least yellow.	_____	Scotland. _____	H. 2.	Eng. bot. 2292.	
4 advena. H. K.	three-coloured.	_____	N. America.	1772. _____	H. 2.	Bot. mag. 684.	
EURYALE. H. K.	EURYALE.	Hydrocharidæ. J.	Anneslea. B. R. 618.				
ferox. H. K.	prickly.	_____	India.	1809. 7.9.	S. 2.	Bot. mag. 1447.	
BIXA. W.	ANOTTA.	Tiliacæ? J.					
Orellana. W.	heart-leaved.	_____	W. Ind.	1690. 5.8.	S. 2.	Bot. mag. 1456.	
SLOANEA. W.	SLOANEA.	Tiliacæ. J.					
dentata. W.	Chestnut-leaved.	_____	S. America.	1752.	S. 2.	Plum. ic. 244.	
AUBLETIA. W.	AUBLETIA.	Tiliacæ. J. Apeiba. Aub.					
1 Tibourbou. W.	hairy.	_____	S. America.	1756.	S. 2.	Aub. gui. 1. t. 213.	
2 Petoumo. W.	hoary.	_____	_____	1817.	S. 2.	_____	1. t. 215.
3 aspera. W.	prickly-capsuled.	_____	Cayenne.	1792.	S. 2.	_____	1. t. 216.
4 levis. W.	smooth-leaved.	_____	_____	1817.	S. 2.	_____	1. t. 214.
SPARRMANNIA. W.	SPARRMANNIA.	Tiliacæ. J.					
africana. W.	African.	_____	C. B. S.	1790. 3.7.	G. 2.	Bot. mag. 516.	
MUNTINGIA. W.	MUNTINGIA.	Tiliacæ. J.					
Calabura. W.	Jamaica.	_____	Jamaica.	1690. 6.7.	S. 2.	Jac. amer. t. 107.	
GREWIA. W.	GREWIA.	Tiliacæ. J.					
1 hirsuta. W.	soft-leaved.	_____	E. Ind.	1816.	S. 2.	_____	
2 Mallocoeca. W.	rough-fruited.	_____	_____	1792. 8.9.	S. 2.	_____	
3 Microcos. H. K.	panicled.	_____	_____	1779.	S. 2.	Rheed. mal. 1. t. 56.	
4 occidentalis. W.	Elm-leaved.	_____	C. B. S.	1690. 7.9.	G. 2.	Bot. mag. 422.	
5 orientalis. W.	oriental.	_____	E. Ind.	1767. 7.8.	S. 2.	Rheed. mal. 5. t. 46.	
6 pilosa. P. S.	pilose.	_____	_____	1804.	S. 2.	_____	
7 asiatica. W.	Asiatic.	_____	_____	1792. 7.8.	S. 2.	Sonn. it. 2. t. 138.	
8 tiliaefolia. W.	Lime-tree-leav ^d .	_____	_____	1812.	S. 2.	_____	
TILIA. W.	LIME-TREE.	Tiliacæ. J.					
1 europæa. W.	common.	_____	Britain. 6.8.	H. 2.	Eng. bot. 610.	
2 parvifolia. E. B.	small-leaved.	_____	_____ 8.9.	H. 2.	_____	1705.
3 americana. W.	broad-leaved.	_____	N. America.	1752. 6.7.	H. 2.	Vent. sc. phys. 4. t. 2.	
4 pubescens. W.	pubescent.	_____	_____	1726. 7.8.	H. 2.	_____	4. t. 3.
5 alba. W.	white.	_____	Hungary.	1767. 6.8.	H. 2.	_____	4. t. 4.
✱CORCHORUS. W.	CORCHORUS.	Tiliacæ. J.					
1 olitorius. W.	bristly-leaved.	_____	India.	1640. 6.8.	S. 2.	Camer. hort. t. 12.	
2 trilocularis. W.	three-celled.	_____	Arabia.	1790. 7.8.	S. 2.	Jac. vind. 2. t. 173.	
3 æstivans. W.	Hornbeam-lea ^d .	_____	S. America.	1731. 6.7.	S. 2.	_____	1. t. 85.
4 acutangulus. W.	acute-angled.	_____	E. Ind.	1816. _____	S. 2.	Pluk. phyt. t. 44. f. 1.	
5 capsularis. W.	heart-leaved.	_____	_____	1725. _____	S. 2.	Rum. am. 5. t. 78. f. 1.	
6 hirsutus. W.	woolly-capsuled.	_____	S. America.	1752. _____	S. 2.	Jac. vind. 3. t. 57.	
7 japonicus. W.	Japan.	_____	China.	1804. 5.9.	F. 2.	Bot. mag. 1296.	
8 siliquosus. W.	Germânder-lea ^d .	_____	W. Ind.	1732. 6.8.	S. 2.	Jac. vind. 3. t. 59.	
GRIAS. W.	ANCHOVY PEAR.	Guttiferæ. J.					
cauliflora. W.	stem-flowering.	_____	Jamaica.	1768.	S. 2.	{ Sloan. his. 2. t.	
CALOPHYLLUM. W.	CALOPHYLLUM.	Guttiferæ. J.				217. f. 1. 2.	
1 Inophyllum. W.	sweet-scented.	_____	E. Ind.	1793.	S. 2.	Rheed. mal. 4. t. 38.	
2 Calaba. W.	Calaba-tree.	_____	India.	1780.	S. 2.	Jac. amer. t. 168.	

MAMMEE. W.	MAMMEE-TREE. Guttiferae. J.	S. America.	1737.	S. h.	Jac. am. t. 182. f. 82.
americana. W.	American.				
OCHNA. W.	OCHNA. Guttiferae. J.	E. Ind.	1790. 7.8.	S. h.	Roxb. cor. 1. t. 89.
1 squarrosa. W.	yellow-flowered.	C. B. S.	1816.	G. h.	Pluk. alm. 263. f. 12.
2 africana.	purple-flowered.				
ELÆOCARPUS. W.	ELÆOCARPUS. Guttiferae J	E. Ind.	1774.	S. h.	Burm. zeyl. t. 40.
1 serratus. W.	saw-leaved.	N. Holland.	1803. 6.8.	G. h.	Bot. mag. 1787.
2 cyaneus. B. M.	blue-fruited.				
ALANGIUM. J.	ALANGIUM. Myrti. J.	E. Ind.	1779.	S. h.	Rheed. mal. 4. t. 17.
decapetalum. W.	Sage-leaved.				
MENTZELIA. W.	MENTZELIA. Loasac. J. in Ann. Mus.	America.	1733. 7.8.	S. O.	Plum. ic. 174. f. 1.
1 aspera. W.	rough.	Louisiana.	1812. 5.6.	G. h.	Bot. mag. 1760.
2 oligosperma. B. M.	few-seeded.				
LAGERSTRÆMIA. W.	LAGERSTRÆMIA. Salicariae. J.	E. Ind.	1759. 8.10.	S. h.	Bot. mag. 405.
1 indica. W.	Indian.		1792.	S. h.	Roxb. cor. 1. t. 65.
2 Regina. W.	oblong-leaved.				
ÆGLE. H. K.	BENGAL QUINCE. Aurantia. J. Crataeg. sp. W.	E. Ind.	1759.	S. h.	Rox. cor. 2. t. 143.
Marmelos. H. K.	thorny.				
CISTUS. J.	ROCK-ROSE. Cisti J.	S. Europe.	1640. 6.7.	F. h.	Duham. arb. 1. t. 64.
1 villosus. W.	villosus.	Spain.	1656. 5.6.	H. h.	Cav. ic. 3. t. 215.
2 populifolius. W.	Poplar-leaved.				
3 Corborensis. P. S.	small Poplar-l ^d .	Teneriffe.	1779. 4.6.	F. h.	Bot. reg. 225.
4 vaginatus. W.	oblong-leaved.	Spain.	1731. 6.7.	H. h.	
5 laurifolius. W.	Laurel-leaved.	France.	1730. 7.8.	F. h.	Duham. arb. 1. t. 66.
6 Ledon. W.	Many-fl ^d Gum.	Spain.	1629. 6.7.	F. h.	Bot. mag. 112.
7 ladaniferus. W.	Single-fl ^d Gum.				
β planifolius.	Flat-leaved Gum.	S. Europe.	1656. —	F. h.	
8 monspeliensis. W.	Montpelier.	Spain.	—	F. h.	
9 latus. W. en.	waved-leaved.	Portugal.	—	F. h.	
10 hirsutus. W. en.	hairy.	S. Europe.	1548. 6.7.	F. h.	Jac. col. 2. t. 8.
11 salicifolius. W.	Sage-leaved.	Algiers.	F. h.	Desf. atl. 1. t. 104.
12 heterophyllus. P. S.	various-leaved.	S. Europe.	1596. 6.8.	F. h.	Bot. mag. 43.
13 incanus. W.	hoary-leaved.	Levant.	1731. —	F. h.	Jac. ic. 1. t. 25.
14 creticus. W.	Cretan.	5.7.	F. h.
15 purpureus. P. S.	purple.	Spain.	1640. 6.7.	F. h.	Park. theat. f. 1.
16 albidus. W.	white-leaved.	Portugal.	1656. —	F. h.	Cav. ic. 2. t. 174.
17 crispus. W.	curled-leaved.				
HELIANTHEMUM. J.	SUN-ROSE. Cisti. J. Cisti sp. Linn.	Portugal.	1780. 5.7.	F. h.	Bot. mag. 264.
1 formosum.	beautiful.	Spain.	1656. 6.7.	F. h.	
2 atriplicifolium. P. S.	Orache-leaved.				
3 halimifolium. P. S.	Sea-Purslane-l ^d .				
4 elongatum. P. S.	long-peduncled.		1800. 7.	F. h.	Cav. ic. 2. t. 188.
5 algarvense. H. K.	Algarvian.	Portugal.	—	7.8.	F. h.
6 Libanotis. W.	Rosemary-leav ^d .	Spain.	1752. 6.	F. h.	Bot. mag. 627.
7 umbellatum. P. S.	umbel-flowered.	S. Europe.	1781. 6.8.	F. h.	
8 laevipes. P. S.	cluster-leaved.	France.	1690. —	F. h.	Bot. mag. 1782.
9 Fumana. P. S.	Heath-leaved.		1752. 6.7.	F. h.	Jac. aust. 3. t. 252.
10 canum. W. en.	hoary.	S. Europe.	1772. —	F. h.	All. ped. 2. t. 45. f. 3.
11 scabrosum P. S.	rough.	Italy.	1775. —	F. h.	
12 sampsucifolium.	bristly-stalked.	France.	H. h.	Bot. mag. 1803.
13 italicum. P. S.	Italian.	Italy.	1779. 7.9.	F. h.	Barr. rar. t. 366.
14 marifolium P. S.	Marum-leaved.	Britain.	5.6.	H. h.
15 origanifolium. P. S.	Marjoram-leav ^d .	Spain.	1795. 6.7.	F. h.	Eng. bot. 396.
16 olandicum. P. S.	smooth-leaved.				
17 Tuberaria. P. S.	Plantain-leaved.	Germany.	1816. —	H. h.	Jac. aust. t. 399.
18 serratum. P. S.	saw-petalled.	S. Europe.	1752. —	F. h.	Cav. ic. 1. t. 67.
19 guttatum. P. S.	spotted-flowered.	Spain.	1804. —	H. O.	2. t. 125. f. 1.
20 canadense. P. S.	Canadian.	England.	H. O.	Eng. bot. 544.
21 punctatum. P. S.	punctated.	N. America.	1799. —	H. h.	
22 ledifolium. P. S.	Ledum-leaved.	1816. —	H. O.	
23 salicifolium. P. S.	Willow-leaved.	England.	H. O.	Eng. bot. 2414.
24 ægyptiacum. P. S.	Egyptian.	S. Europe.	1759. 6.8.	H. O.	Cav. ic. 2. t. 144.
25 squamatum. P. S.	scaly.	Egypt.	1764. 6.7.	H. O.	Jac. obs. 3. t. 68.
26 murrejanum. P. S.	dotted-leaved.	Spain.	1815. —	H. h.	Cav. ic. 2. t. 139.
27 glaucum. P. S.	glaucous-leaved.	England.	7.10.	H. h.
28 ummularium. P. S.	Moneymort-lea ^d .	Spain.	1815. 6.8.	H. h.	Cav. ic. 3. t. 261.
29 canariense. P. S.	Canary.		1752. —	H. h.	2. t. 142.
30 cerpyllifolium. P. S.	Wild Thyme-l ^d .	Canaries.	1790. 6.7.	G. h.	Jac. ic. 1. t. 97.
31 glutinosum. P. S.	clammy.	Austria.	1781. 5.9.	H. h.	
		S. Europe.	1790. —	F. h.	Cav. ic. 2. t. 145. f. 2.

POLYANDRIA DIGYNIA.

32 thymifolium. P. S.	Thyme-leaved.	Cisti. J.	Spain.	1658.	6.7.	F. h.	Barrel. ic. 444.
33 pilosum. P. S.	hairy.	—	S. Europe.	1731.	6.8.	F. h.	All. ped. 2. t. 45. f. 1. 2.
34 aureum. P. S.	golden.	—	Montpelier.	—	H. h.	—
35 lavandulæfolium. P. S.	Lavender-leaved.	—	Levant.	1739.	6.7.	F. h.	Jac. ic. 1. t. 98.
36 angustifolium. P. S.	narrow-leaved.	—	1800.	—	H. h.	Jac. hort. 3. t. 53.
37 vulgare. P. S.	common dwarf.	—	Britain.	5.9.	H. h.	Eng. bot. 1321.
β flore pleno.	double-flowered.	—	—	—	—	—	—
38 grandiflorum. P. S.	large-flowered.	—	Italy.	1800.	6.7.	H. h.	Scop. carn. t. 25.
39 tomentosum. E. B.	tomentose.	—	Scotland.	7.8.	H. h.	Eng. bot. 2208.
40 mutabile. P. S.	changeable.	—	France.	1795.	6.7.	H. h.	Jac. ic. 1. t. 99.
41 sulphureum. W. en.	sulphur-colour'd.	—	Spain.	1818.	—	H. h.	—
42 croceum. P. S.	Saffron-colour'd.	—	—	—	H. h.	Desf. alt. 1. t. 110.
43 hirtum. P. S.	bristly-calyxed.	—	—	1759.	—	F. h.	Barrel. rar. t. 483.
44 pulverulentum. P. S.	powdered.	—	France.	—	H. h.	—
45 apenninum. P. S.	Apennine.	—	Italy.	1731.	6.8.	H. h.	Tabern. ic. 1062.
46 roseum. P. S.	Rose-coloured.	—	S. Europe.	—	H. h.	Jac. hort. 3. t. 63.
47 polifolium. P. S.	white-mountain.	—	England.	5.7.	H. h.	Eng. bot. 1322.

DIGYNIA.

BAUERA. H. K.	BAUERA.	—	—	—	—	—	—
1 rubrifolia. H. K.	Madder-leaved.	—	N. S. W.	1793.	7.12.	G. h.	Bot. mag. 715.
2 humilis.	dwarf.	—	—	1804.	—	G. h.	—
FOTHERGILLA. W.	FOTHERGILLA.	Amentaceæ. J.	—	—	—	—	—
1 alnifolia. W.	obtuse-leaved.	—	N. America.	1768.	4.6.	H. h.	Bot. mag. 1341.
2 major. B. M.	large-leaved.	—	—	—	5.6.	H. h.	— 1342.
3 Gardeni. Jac.	acute-leaved.	—	—	—	—	H. h.	Jac. ic. 1. t. 100.
4 serotina. B. M.	green-leaved.	—	—	—	—	H. h.	—
CURATELLA. W.	CURATELLA.	Magnoliæ. J.	—	—	—	—	—
americana. W.	American.	—	S. America.	S. h.	Auth. gui. 1. t. 232.
PÆONIA. W.	PÆONT.	Ranunculaceæ. J.	—	—	—	—	—
1 Moutan. H. K.	Chinese-tree.	—	China.	1789.	4.6.	H. h.	—
α papaveraced.	Poppy-flowered.	—	—	—	—	—	Bot. rep. c. ic.
β Bankii.	common.	—	—	—	—	—	Bot. mag. 1154.
γ rosea.	Rose-coloured.	—	—	—	—	—	—
2 edulis. P. L.	eatable-rooted.	—	Siberia.	1784.	5.6.	H. h.	Bot. mag. 1756.
α albiflora.	white-flowered.	—	—	—	—	—	—
β tatarica.	Tartarian.	—	—	—	—	—	—
γ sibirica.	Siberian.	—	—	—	—	—	—
δ rubescens.	blush-coloured.	—	—	—	—	—	Bot. reg. 42.
ε uniflora.	single-flowered.	—	—	—	—	—	—
ζ Whiteji.	double-white.	—	China.	—	—	—	Bot. rep. 612.
η Humii.	double-crimson.	—	—	—	—	—	Bot. mag. 1768.
θ fragrans.	Rose-scented.	—	—	—	—	—	Hort. trans. c. ic.
3 daurica. H. K.	Daurian.	—	Siberia.	1790.	5.6.	H. h.	Bot. mag. 1441.
4 corallina. W.	entire-leaved.	—	England.	—	H. h.	Eng. bot. 1513.
5 officinalis. W.	common.	—	Switzerland.	1548.	—	H. h.	Bot. mag. 1784.
β rosea.	Rose-coloured.	—	—	—	—	—	—
γ blanda.	blush.	—	—	—	—	—	—
δ rubra.	double-red.	—	—	—	—	—	—
ε carnescens.	flesh-coloured.	—	—	—	—	—	—
ζ albicans.	whitish.	—	—	—	—	—	—
6 peregrina. H. K.	Turkish.	—	Levant.	1629.	5.6.	H. h.	Bot. mag. 1050.
β compacta.	compact.	—	—	—	—	—	—
γ Grevillii.	Greville's.	—	—	—	—	—	—
7 paradoxa.	paradoxical.	—	—	—	H. h.	—
β fimbriatâ.	double-fringed.	—	—	—	—	—	—
8 mollis.	soft.	—	—	H. h.	—
9 arietina.	Anderson's.	—	—	H. h.	—
β osoniensis.	Oxford.	—	—	—	—	—	—
10 decora.	comely.	—	—	H. h.	—
α Pallastii.	Pallas's.	—	—	—	—	—	—
β elatior.	tall.	—	—	—	—	—	—
11 humilis. W.	dwarf.	—	Spain.	1638.	5.	H. h.	Bot. mag. 1422.
12 anomala. W.	jagged-leaved.	—	Siberia.	1788.	5.6.	H. h.	— 1754.
laetiflora. Pall. ross. 2. t. 85.	—	—	—	—	—	—	—
13 hybrida. W.	mule.	—	—	—	—	H. h.	Pall. ross. 2. t. 86.
14 tenuifolia. W.	fine-leaved.	—	—	1766.	—	H. h.	Bot. mag. 826.

POLYANDRIA TRIGYNIA.

125

TRIGYNIA.

IA. H. K.	HIBBERTIA.	Magnolia? J	<i>Dillenia</i> sp. W.				
s. H. K.	twining.		N. S. W.	1790.	5.10.	G. $\frac{1}{2}$.	Bot. rep. 126.
riaefolia. }	Gooseberry-lea ^d .		N. Holland.	1803.	3.8.	G. $\frac{1}{2}$.	Bot. mag. 1218.
B. R.							
IUM. W.	LARKSPUR.	Ranunculaceæ. J.					
da. W.	field.		England.	6.7.	H. \odot .	Eng. bot. c. ie.
W.	Rocket.		Switzerland.	1573.	—	H. \odot .	
W.	Aconite-like.		Levant.	1801.	—	H. $\frac{1}{2}$.	Vahl. symb. 1. t. 13.
um. W.	doubtful.		Barbary.	1759.	7.8.	H. \odot .	
um. W.	broad-l ^d . annual.		Levant.	1629.	6.7.	H. \odot .	All. ped. 2. t. 25. f. 3.
orum. W.	great-flowered.		Siberia.	1741.	6.9.	H. $\frac{1}{2}$.	Bot. mag. 1686.
pleno.	double-flowered.						
dium. W.	Palmated Bee.		Silesia.	1710.	7.	H. $\frac{1}{2}$.	Mill. ic. t. 119.
W.	Common Bee.		Siberia.	1597.	6.9.	H. $\frac{1}{2}$.	Schk. hand. 2. t. 145.
m. W.	hairy.		—	1794.	—	H. $\frac{1}{2}$.	
m. P. S.							
m. W.	American.		N. America.	1758.	7.8.	H. $\frac{1}{2}$.	Mill. ic. t. 250. f. 2.
n. Ph.	azure.		Carolina.	1805.	—	H. $\frac{1}{2}$.	
s. Ph.	three-horned.		N. America.	1806.	—	H. $\frac{1}{2}$.	
tum. W.	hollow-leaved.		1801.	—	H. $\frac{1}{2}$.	Bot. mag. 1791.
m. W.	scarlet-flowered.		Siberia.	1785.	7.	H. $\frac{1}{2}$.	
igria. W. en.	Stavesacre.		S. Europe.	1596.	4.8.	H. \odot .	
W. en.	painted.		—	1816.	—	H. $\frac{1}{2}$.	
P. S.	cloven.		Hungary.	—	6.8.	H. $\frac{1}{2}$.	Pl. rar. hung. t. 81.
IM. W.	WOLF'S-BANE.	Ranunculaceæ. J.					
um. W.	great yellow.		Alps of Eur.	1596.	7.8.	H. $\frac{1}{2}$.	Jac. aust. 4. t. 280.
um. W.	Japan.		Japan.	1790.	6.9.	H. $\frac{1}{2}$.	
cum. W.	Pyrenean.		Pyrenees.	1739.	6.7.	H. $\frac{1}{2}$.	
ucum. W.	pale-white.		Caucasus.	1794.	6.9.	H. $\frac{1}{2}$.	
a. W.	wholesome.		Pyrenees.	1596.	6.8.	H. $\frac{1}{2}$.	Jac. aust. 4. t. 382.
W.	white.		Levant.	1752.	7.8.	H. $\frac{1}{2}$.	
m. P. S.	hairy.		Siberia.	1807.	6.7.	H. $\frac{1}{2}$.	
tum.	variegated.		S. Europe.	1597.	6.8.	H. $\frac{1}{2}$.	
ionale. W.	northern.		N. Europe.	1800.	7.8.	H. $\frac{1}{2}$.	Flor. dan. t. 123.
is. W.	Monk's-hood.		Europe.	1596.	5.7.	H. $\frac{1}{2}$.	
iale. Mil.	long-spiked.		—	—	6.7.	H. $\frac{1}{2}$.	
itanum. W.	mountain.		—	1799.	7.8.	H. $\frac{1}{2}$.	
m. W.	Taurian.		Tauria.	1752.	6.7.	H. $\frac{1}{2}$.	Jac. ic. 3. t. 492.
s. W.	twining.		Siberia.	1799.	7.8.	H. $\frac{1}{2}$.	
um. W. en.	twisting.		1812.	—	H. $\frac{1}{2}$.	
rum. W.	purple.		Germany.	1752.	7.	H. $\frac{1}{2}$.	Jac. aust. 5. t. 424.
um. W.	American.		N. America.	1768.	7.8.	H. $\frac{1}{2}$.	Bot. mag. 1119.

PENTAGYNIA.

JGA. Ph.	BUGWORT.	Ranunculaceæ. J.					
aria. Ph.	Black Snakeroot.		N. America.	1732.	6.7.	H. $\frac{1}{2}$.	Dill. elt. t. 67. f. 78.
racemosa. W.	stinking.		Siberia.	1777.	—	H. $\frac{1}{2}$.	Lam. ill. 487.
ia. Ph.	heart-leaved.		N. America.	1812.	—	H. $\frac{1}{2}$.	
i. Ph.	palmated.		—	—	7.8.	H. $\frac{1}{2}$.	Bot. mag. 1630.
ILA. W.	COLUMBINE.	Ranunculaceæ. J.					
W.	clammy.		Montpelier.	1752.	5.6.	H. $\frac{1}{2}$.	Gouan. ill. t. 19. f. 1.
s. E. B.	common.		Britain.	5.7.	H. $\frac{1}{2}$.	Eng. bot. 297.
pleno.	double-flowered.						
P. S.	two-coloured.		Siberia.	—	H. $\frac{1}{2}$.	Bot. mag. 1221.
B. M.							
W.	Alpine.		Switzerland.	1731.	5.6.	H. $\frac{1}{2}$.	All. ped. 2. t. 66.
is. W.	Canadian.		N. America.	1640.	4.5.	H. $\frac{1}{2}$.	Bot. mag. 246.
purea. W. en.	dark purple.		Siberia.	5.6.	H. $\frac{1}{2}$.	
ra. W.	green-flowered.		—	1780.	—	H. $\frac{1}{2}$.	Jac. ic. 1. t. 102.
W.	{ FENNEL- FLOWER. }	Ranunculaceæ. J.					
ena. W.	common.		S. Europe.	1570.	6.9.	H. \odot .	Bot. mag. 22.
ia.	dwarf.		—	1793.	—	H. \odot .	
W.	small.		Egypt.	1548.	—	H. \odot .	Zorn. ic. 119.
i. W.	field.		Germany.	1683.	—	H. \odot .	Schk. hand. 2. t. 146.
a. W.	Spanish.		Spain.	1629.	—	H. \odot .	Bot. mag. 1265.
is. W.	yellow.		Syria.	1699.	—	H. \odot .	— 1264.

14 pubescens. Ph.	pubescent.	Ranunculaceæ. J.	N. America.	1806.	6.7.	H. ½.	
15 purpurascens. W.	purple.			1699.	—	H. ½.	
16 angustifolium. W.	narrow-leaved.	Germany.		1739.	—	H. ½.	Jac. vin.
17 lucidum. W.	shining.	Spain.		—	5.7.	H. ½.	Pluk. al.
18 flavum. W.	common.	Britain.		—	H. ½.	Eng. bo
19 nigricans. W.	black.	Austria.		1798.	—	H. ½.	Jac. aus.
20 speciosum. W. en.	glaucous-leaved.	Spain.		—	6.7.	H. ½.	
21 ranunculinum. W. en.	{ Ranunculus- leaved. }	N. America.		1806.	—	H. ½.	
22 simplex. W.	simple-stalked.	Sweden.		1778.	5.6.	H. ½.	Fl. dan.
23 aquilegifolium. W.	Columbine-leav ^d .	Austria.		1731.	5.7.	H. ½.	Jac. aus
<i>β atro-purpureum.</i>	dark purple.			—	—	H. ½.	Bot. ma
24 galioides. W. en.	sweet-scented.	Alsatia.		1816.	—	H. ½.	
25 contortum. W.	crook-seeded.	Siberia.		1796.	6.7.	H. ½.	
26 petaloideum. W.	Daurian.	Dauria.		1799.	—	H. ½.	
ADONIS. H. K.	ADONIS.	Ranunculaceæ. J.					
1 aestivalis. W.	tall.	S. Europe.		1629.	6.7.	H. ○.	Knor.th
2 autumnalis. W.	Pheasant's-eye.	Britain.		5.10.	H. ○.	Eng. bo
3 flammea. W.	flame-coloured.	Austria.		1800.	6.7.	H. ○.	Jac. aus
4 vernalis. W.	perennial.	Europe.		1629.	3.4.	H. ½.	Bot. ma
KNOWLTONIA. H. K.	KNOWLTONIA.	Ranunculaceæ. J.					
1 rigida. H. K.	thick-leaved.	<i>Anamania. Vent.</i>					
2 vesicatoria. H. K.	blistering.	C. B. S.		1780.	3.5.	G. ½.	Vent. m
FICARIA. P. S.	PILEWORT.	Ranunculaceæ. J.					
<i>β plena.</i>	vernal.	<i>Ranunculi sp. IV.</i>					
RANUNCULUS. W.	double-flowered.	Britain.		3.5.	H. ½.	Eng. bo
1 Flammula. W.	CAW-FOOT.	Ranunculaceæ. J.					
2 reptans. W.	Lesser Spearwort.	Britain.		6.9.	H. ½.	Eng. bo
3 Lingua. W.	Least Spearwort.			—	H. ½.	Fl. dan.
4 nodiflorus. W.	Great Spearwort.			6.8.	H. ½.	Eng. bo
5 gramineus. W.	knot-flowered.	Sicily.		1714.	5.7.	H. ○.	Pl. rar. hu
6 parnassifolius. W.	grassy.	Wales.		4.6.	H. ½.	Eng. bo
7 amplexicaulis. W.	Parnassia-leav'd.	S. Europe.		1769.	6.7.	H. ½.	Bot. ma
8 bullatus. W.	Plantain-leaved.	Pyrenees.		1638.	4.5.	H. ½.	—
9 Thora. W.	Portugal.	S. Europe.		1640.	5.6.	H. ½.	—
10 creticus. W.	kidney-leaved.	Austria.		1710.	—	H. ½.	Jac. aus
11 cassubicus. W.	Cretan.	Candia.		1658.	4.5.	H. ½.	—
12 auricomus. W.	Cassubian.	Siberia.		1794.	6.7.	H. ½.	Lors. pr
13 abortivus. W.	wood.	Britain.		4.5.	H. ½.	Eng. bo
14 sceleratus. W.	three-flowered.	N. America.		1713.	5.8.	H. ½.	—
15 aconitifolius. W.	Celery-leaved.	Britain.		5.6.	H. ○.	Eng. bot
<i>β flore pleno.</i>	Aconite-leaved.	Alps of Eur.		1596.	—	H. ½.	—
16 platanifolius. W.	double-flowered.			—	—	—	Bot. ma
17 pedatus. W. en.	Plane-tree-leav ^d .	Germany.		1769.	6.7.	H. ½.	Fl. dan.
18 illyricus. W.	pedate.	Hungary.		1806.	5.6.	H. ½.	Pl. rar. hu
19 asiaticus. W.	Illyrian.	S. Europe.		1596.	—	H. ½.	Jac. aust
20 gregarius. P. S.	common garden.	Levant.		—	—	H. ½.	Mill. ic.
21 rutæfolius. W.	villous.	Portugal.		—	H. ½.	—
22 glacialis. W.	Rue-leaved.	Austria.		1759.	5.7.	H. ½.	Jac. col.
23 nivalis. W.	two-flowered.	Lapland.		1775.	6.8.	H. ½.	Fl. dan.
24 montanus. W.	snowy.			—	—	H. ½.	Fl. lap. t
25 alpestris. W.	mountain.			—	—	H. ½.	Jac. aust
26 pensylvanicus. W.	Alpine.	Scotland.		—	H. ½.	Eng. bot
27 bulbosus. W.	Pennsylvanian.	N. America.		1765.	6.7.	H. ½.	Jac. ic. 1
28 hirsutus. H. K.	bulbous.	Britain.		5.6.	H. ½.	Eng. bot
29 marylandicus. Ph.	pale hairy.	England.		6.10.	H. ○.	—
30 repens. W.	Maryland.	N. America.		1811.	5.7.	H. ½.	—
<i>β flore pleno.</i>	creeping.	Britain.		5.8.	H. ½.	Eng. bot
31 polyanthemus. W.	double-flowered.			—	—	—	—
32 acris. W.	many-flowered.	N. Europe.		1596.	5.6.	H. ½.	Lob. ic.
<i>β flore pleno.</i>	upright.	Britain.		6.7.	H. ½.	Eng. bot
33 lanuginosus. W.	double-flowered.			—	—	—	Bot. ma
34 sericeus. W. en.	woolly-leaved.	S. Europe.		1683.	—	H. ½.	Fl. dan.
35 parvulus. W.	silky.	Caucasus.		1816.	—	H. ½.	—
36 hederaceus. W.	little upright.	England.		7.8.	H. ○.	Col. etph
37 aquatilis. W.	Ivy-leaved.	Britain.		5.8.	H. ½.	Eng. bot
38 rigidus. P. S.	various-leaved.			4.8.	H. ½.	—
39 fluviatilis. W.	rigid-leaved.			—	H. ½.	Fl. dan.
40 arvensis. W.	long-leav ^d . water.			—	H. ½.	—
	corn.			6.8.	H. ½.	Eng. bot

DIDYNAMIA GYMNOSPERMIA.

129

41 muricatus. W.	prickly-seeded.	Ranunculaceæ. J.	S. Europe.	1683.	7.8.	H.⊙.	Alp. exot. t. 262.
42 parviflorus. W.	small-flowered.	_____	England.	5.6.	H.⊙.	Eng. bot. 120.
TROLLIUS. W.	GLOBE-FLOWER.	Ranunculaceæ. J.	_____	_____	_____	_____	_____
1 laxus. Ph.	American.	_____	N. America.	1805.	5.7.	H.⊙.	_____
2 europæus. W.	European.	_____	Britain.	5.6.	H.⊙.	Eng. bot. 28.
3 asiaticus. W.	Asiatic.	_____	Siberia.	1759.	—	H.⊙.	Bot. mag. 235.
β intermedius.	intermediate.	_____	_____	_____	_____	_____	_____
γ hybridus.	hybrid.	_____	_____	_____	_____	_____	_____
ISOPYRUM. W.	ISOPYRUM.	Ranunculaceæ. J.	_____	_____	_____	_____	_____
1 fumarioides. W.	Fumatory-leav'd.	_____	Siberia.	1741.	6.	H.⊙.	Am. ruth. 74. t. 12.
2 thalictroides. W.	Meadow-Rue-l'd.	_____	Italy.	1759.	3.4.	H.⊙.	Jac. aust. 2. t. 105.
ERANTHIS. L. T.	{ WINTER-ACONITE. }	Ranunculaceæ. J.	_____	_____	_____	_____	_____
hyemalis. L. T.	common.	_____	Italy.	1596.	1.3.	H.⊙.	Bot. mag. 3.
HELLEBORUS. W.	HELLEBORE.	Ranunculaceæ. J.	_____	_____	_____	_____	_____
1 niger. W.	Christmas-Rose.	_____	Austria.	1596.	1.3.	H.⊙.	Bot. mag. 8.
2 viridis. W.	green.	_____	Britain.	3.4.	H.⊙.	Eng. bot. 200.
3 purpurascens. P. S.	purplish.	_____	Hungary.	1817.	—	H.⊙.	Pl. rar. hung. 2. t. 101
4 odorus. W. en.	sweet-scented.	_____	_____	_____	_____	H.⊙.	_____
5 dumetorum. W. en.	bushy.	_____	_____	_____	_____	H.⊙.	_____
6 foetidus. W.	Bear's-foot.	_____	England.	2.4.	H.⊙.	Eng. bot. 613.
7 lividus. W.	three-leaved.	_____	1710.	1.5.	F.⊙.	Bot. mag. 72.
COPTIS. L. T.	CORTIS.	Ranunculaceæ. J.	_____	_____	_____	_____	_____
trifolia. Ph.	three-leaved.	_____	N. America.	1782.	6.7.	H.⊙.	Fl. dan. 566.
CALTHA. W.	{ MARSH MARYGOLD. }	Ranunculaceæ. J.	_____	_____	_____	_____	_____
1 radicans. L. T.	creeping.	_____	Scotland.	4.5.	H.⊙.	Linn. trans. 8. t. 17.
2 palustris. W.	common.	_____	Britain.	—	H.⊙.	Eng. bot. 506.
β flore pleno.	double-flowered.	_____	_____	_____	_____	_____	_____
HYDROPELTIS. H. K.	HYDROPELTIS.	Ranunculaceæ. J.	_____	_____	_____	_____	_____
purpurea. H. K.	purple.	_____	N. America.	1798.	7.8.	F.⊙.	Bot. mag. 1147.
HYDRASTIS. W.	HYDRASTIS.	Ranunculaceæ. J.	_____	_____	_____	_____	_____
canadensis. W.	Canadian.	_____	Canada.	1759.	5.6.	H.⊙.	Mil. ic. 2. t. 285.

CLASS XIV.

DIDYNAMIA GYMNOSPERMIA.

AJUGA. B. P.	BUGLE.	Labiatae. J.	_____	_____	_____	_____	_____
1 orientalis. W.	oriental.	_____	Levant.	1732.	5.6.	H.⊙.	Dill. elt. t. 53. f. 61.
2 pyramidalis. W.	pyramidal.	_____	Britain.	—	H.⊙.	Eng. bot. 1270.
3 alpina. W.	Alpine.	_____	England.	5.7.	H.⊙.	— 477.
4 genevensis. W.	Geneva.	_____	Switzerland.	1656.	5.6.	H.⊙.	Bull. herb. t. 361.
5 reptans. W.	common.	_____	Britain.	—	H.⊙.	Eng. bot. 489.
β alba.	white-flowered.	_____	_____	_____	_____	_____	_____
γ rubra.	red-flowered.	_____	_____	_____	_____	_____	_____
6 Chamæpitys. W.	Ground Pine.	_____	England.	4.7.	H.⊙.	Eng. bot. 77.
7 Iva. W.	musky.	_____	S. Europe.	1759.	7.8.	H.⊙.	Cav. ic. 2. t. 120.
ANISOMELES. B. P.	ANISOMELES.	Labiatae. J.	_____	_____	_____	_____	_____
ovata. H. K.	broad-leaved.	_____	E. Ind.	1783.	7.8.	S.⊙.	Burm. zeyl. t. 71. f. 1.
TEUCRIUM. W.	GERMANDER.	Labiatae. J.	_____	_____	_____	_____	_____
1 campanulatum. W.	small-flowered.	_____	Levant.	1728.	7.8.	H.⊙.	_____
2 orientale. W.	great-flowered.	_____	_____	1752.	—	H.⊙.	Bot. mag. 1279.
3 Botrys. W.	cut-leaved.	_____	S. Europe.	1638.	7.9.	H.⊙.	Ger. emac. 525. f. 2.
4 nissolianum. W.	Nissolle's.	_____	Spain.	1752.	6.7.	F.⊙.	Mor. s. 11. t. 22. f. 19.
5 trifidum. W.	trifid-leaved.	_____	C. B. S.	1791.	6.8.	G.⊙.	_____
6 fruticosum. W.	narrow-l'd. tree.	_____	Spain.	1640.	6.9.	G.⊙.	Dill. elt. t. 284. f. 366
7 latifolium. B. M.	broad-leav'd. tree.	_____	_____	_____	_____	G.⊙.	Bot. mag. 245.
8 Marum. W.	Cat-thyme.	_____	Spain.	1640.	7.9.	F.⊙.	Park. theat. 17. f. 2.
9 multiflorum. W.	many-flowered.	_____	_____	1731.	—	H.⊙.	Bocc. mus. t. 117.
10 regium. W.	royal.	_____	_____	1699.	5.10.	F.⊙.	Pluk. alm. t. 65. f. 1.
11 Laxmanni. W.	Laxmann's.	_____	Siberia.	1800.	6.8.	H.⊙.	Pl. rar. hung. 1. t. 69.
12 sibiricum. W.	Siberian.	_____	_____	1804.	7.	H.⊙.	_____
13 asiaticum. W.	Asiatic.	_____	1777.	6.10.	G.⊙.	Jac. vind. 3. t. 41.

14 pubescens. Ph.	pubescent.	Ranunculaceæ. J.	N. America.	1806.	6.7.	H. ½.	
15 purpurascens. W.	purple.			1699.		H. ½.	
16 angustifolium. W.	narrow-leaved.		Germany.	1739.		H. ½.	Jac. vind. 3. t. 43.
17 lucidum. W.	shining.		Spain.		5.7.	H. ½.	Pluk. alm. t. 65. f. 5.
18 flavum. W.	common.		Britain.		H. ½.	Eng. bot. 397.
19 nigricans. W.	black.		Austria.	1798.		H. ½.	Jac. aus. 5. t. 421.
20 speciosum. W. en.	glaucous-leaved.		Spain.		6.7.	H. ½.	
21 ranunculinum. W. en.	{ Ranunculus- leaved. }		N. America.	1806.		H. ½.	
22 simplex. W.			Sweden.	1778.	5.6.	H. ½.	Fl. dan. 244.
23 aquilegifolium. W.	Columbine-lea ^d .		Austria.	1731.	5.7.	H. ½.	Jac. aust. t. 318, Bot. mag. 1818.
<i>β atro-purpureum.</i>	dark purple.					H. ½.	
24 galioides. W. en.	sweet-scented.		Alsacia.	1816.		H. ½.	
25 contortum. W.	crook-seeded.		Siberia.	1796.	6.7.	H. ½.	
26 petaloideum. W.	Daurian.		Dauria.	1799.		H. ½.	
ADONIS. H. K.	ADONIS.	Ranunculaceæ. J.					
1 astivalis. W.	tall.		S. Europe.	1629.	6.7.	H. ○.	Knor. thes. 2. t. A. 19
2 autumnalis. W.	Pheasant's-eye.		Britain.	5.10.	H. ○.	Eng. bot. 308.
3 flammula. W.	flame-coloured.		Austria.	1800.	6.7.	H. ○.	Jac. aust. 4. t. 355,
4 vernalis. W.	perennial.		Europe.	1629.	3.4.	H. ½.	Bot. mag. 134.
KNOWLTONIA. H. K.	KNOWLTONIA.	Ranunculaceæ. J.	<i>Anamania. Vent.</i>				
1 rigida. H. K.	thick-leaved.		C. B. S.	1780.	3.5.	G. ½.	Vent. malm. 22.
2 vesicatoria. H. K.	blistering.			1691.	2.4.	G. ½.	Bot. mag. 775.
FICARIA. P. S.	PILEWORT.	Ranunculaceæ. J.	<i>Ranunculi sp. IV.</i>				
<i>β verna. P. S.</i>	vernal.		Britain.	3.5.	H. ½.	Eng. bot. 584.
<i>β plena.</i>	double-flowered.						
RANUNCULUS. W.	CROW-FOOT.	Ranunculaceæ. J.					
1 flammula. W.	Lesser Spearwort.		Britain.	6.9.	H. ½.	Eng. bot. 397.
2 reptans. W.	Least Spearwort.				H. ½.	Fl. dan. 108.
3 lingua. W.	Great Spearwort.			6.8.	H. ½.	Eng. bot. 100.
4 nodiflorus. W.	knot-flowered.		Sicily.	1714.	5.7.	H. ○.	Pl. rar. hung. 2. t. 176
5 gramineus. W.	grassy.		Wales.	4.6.	H. ½.	Eng. bot. 2306.
6 parnassifolius. W.	Parnassia-leav'd.		S. Europe.	1769.	6.7.	H. ½.	Bot. mag. 386.
7 amplexicaulis. W.	Plantain-leaved.		Pyrenees.	1638.	4.5.	H. ½.	— 266.
8 bullatus. W.	Portugal.		S. Europe.	1640.	5.6.	H. ½.	
9 Thora. W.	kidney-leaved.		Austria.	1710.		H. ½.	Jac. aust. 5. t. 442.
10 creticus. W.	Cretan.		Candia.	1658.	4.5.	H. ½.	
11 cassubicus. W.	Cassubian.		Siberia.	1794.	6.7.	H. ½.	Loes. prus. t. 72.
12 auricomus. W.	wood.		Britain.	4.5.	H. ½.	Eng. bot. 624.
13 abortivus. W.	three-flowered.		N. America.	1713.	5.8.	H. ½.	
14 scleratus. W.	Celery-leaved.		Britain.	5.6.	H. ○.	Eng. bot. 681.
15 aconitifolius. W.	Aconite-leaved.		Alps of Eur.	1598.		H. ½.	
<i>β flore pleno.</i>	double-flowered.						Bot. mag. 204.
16 platanifolius. W.	Plane-tree-leav ^d .		Germany.	1769.	6.7.	H. ½.	Fl. dan. 111.
17 pedatus. W. en.	pedate.		Hungary.	1806.	5.6.	H. ½.	Pl. rar. hung. 2. t. 108
18 illyricus. W.	Illyrian.		S. Europe.	1596.		H. ½.	Jac. aust. 3. t. 222.
19 asiaticus. W.	common garden.		Levant.			H. ½.	Mill. ic. 2. t. 216.
20 gregarius. P. S.	villous.		Portugal.		H. ½.	
21 rutafolius. W.	Rue-leaved.		Austria.	1759.	5.7.	H. ½.	Jac. col. 1. t. 6, 7.
22 glacialis. W.	two-flowered.		Lapland.	1775.	6.8.	H. ½.	Fl. dan. 19.
23 nivalis. W.	snowy.					H. ½.	Fl. lap. t. 3. f. 2.
24 montanus. W.	mountain.					H. ½.	Jac. aust. t. 325. 6.
25 alpestris. W.	Alpine.		Scotland.		H. ½.	Eng. bot. 2390.
26 pennsylvanicus. W.	Pennsylvanian.		N. America.	1785.	6.7.	H. ½.	Jac. ic. 1. t. 105.
27 bulbosus. W.	bulbous.		Britain.	5.6.	H. ½.	Eng. bot. 515.
28 hirsutus. H. K.	pale hairy.		England.	6.10.	H. ○.	— 1504.
29 marylandicus. Ph.	Maryland.		N. America.	1811.	5.7.	H. ½.	
30 repens. W.	creeping.		Britain.	5.8.	H. ½.	Eng. bot. 516.
<i>β flore pleno.</i>	double-flowered.						
31 polyanthemus. W.	many-flowered.		N. Europe.	1596.	5.6.	H. ½.	Lob. ic. 666.
32 acris. W.	upright.		Britain.	6.7.	H. ½.	Eng. bot. 652.
<i>β flore pleno.</i>	double-flowered.						Bot. mag. 215.
33 lanuginosus. W.	woolly-leaved.		S. Europe.	1683.		H. ½.	Fl. dan. 397.
34 sericeus. W. en.	silky-leaved.		Caucasus.	1816.		H. ½.	
35 parvulus. W.	little upright.		England.	7.8.	H. ○.	Col. et phr. t. 316. f. 1.
36 hederaceus. W.	Ivy-leaved.		Britain.	5.8.	H. ½.	Eng. bot. 2008.
37 aquatilis. W.	various-leaved.			4.8.	H. ½.	— 101.
38 rigidus. P. S.	rigid-leaved.				H. ½.	
39 fluviatilis. W.	long-leav ^d . water.				H. ½.	Fl. dan. 376.
40 arvensis. W.	corn.			6.8.	H. ½.	Eng. bot. 135,

13 <i>auda</i> . W.	naked.	Labiatae. J.	S. Europe.	1710	7.8.	H. 2.	Jac. aus. 1. t. 24.
14 <i>colorata</i> . W. en.	Nettle-leaved.	_____	Caucasus.	1806.	_____	H. 2.	_____
15 <i>melissaeifolia</i> . W. en.	Balm-leaved.	_____	Candia.	1752.	_____	H. 2.	_____
16 <i>italica</i> . W.	Italian.	_____	Italy.	1640.	6.8.	H. 2.	Jac. v. p. d. 2. t. 112.
17 <i>marrubioideis</i> . W. en.	Horehound-le ^d .	_____	_____	_____	_____	H. 2.	_____
18 <i>reticulata</i> . W.	netted.	_____	Morocco.	1801.	7.8.	H. 2.	Desf. atl. 2. t. 124.
19 <i>lamiifolia</i> . W. en.	Lamium-leaved.	_____	Armenia.	1806.	_____	H. 2.	_____
20 <i>tenucriifolia</i> . W. en.	Teucrium-leav ^d .	_____	_____	1816.	_____	H. 2.	_____
21 <i>tuberosa</i> . W.	tuberous-rooted.	_____	Spain.	1683.	6.8.	H. 2.	Barr. ic. t. 602.
22 <i>lanata</i> . W.	woolly.	_____	S. Europe.	1774.	5.6.	H. 2.	Jac. obs. 3. t. 75.
23 <i>multifida</i> . W.	multifid.	_____	Siberia.	1796.	7.8.	H. 2.	Gmel. sib. 3. t. 55.
24 <i>botryoides</i> . W.	annual.	_____	_____	1779.	6.7.	H. 2.	Cav. ic. 1. t. 49.
ELSHOLTZIA. W.	ELSHOLTZIA.	Labiatae. J.	_____	_____	_____	_____	_____
<i>cristata</i> . W.	crested.	_____	Siberia.	1789.	5.7.	H. 2.	Lam. ill. t. 502. f. 1.
LA'ANDULA. W.	LAVENDER.	Labiatae. J.	_____	_____	_____	_____	_____
1 <i>Spica</i> . W.	common.	_____	S. Europe.	1568.	7.9.	H. 2.	Schk. hand. 2. t. 157.
<i>β alba</i> .	white-flowered.	_____	_____	_____	_____	_____	_____
2 <i>latifolia</i> . W. en.	broad-leaved.	_____	_____	_____	_____	H. 2.	_____
3 <i>Stoechas</i> . W.	French.	_____	_____	1562.	5.7.	G. 2.	Barrel. ic. t. 301.
4 <i>viridis</i> . W.	Madeira.	_____	Madeira.	1777.	_____	G. 2.	Hoff. et L. lus. 1. t. 4.
5 <i>dentata</i> . W.	tooth-leaved.	_____	Spain.	1597.	6.9.	G. 2.	Bot. mag. 401.
6 <i>pinnata</i> . W.	pinnated.	_____	Madeira.	1777.	4.8.	G. 2.	_____ 400.
7 <i>multifida</i> . W.	cut-leaved.	_____	Canaries.	1597.	7.9.	G. 2.	Lob. ic. 432.
8 <i>abrotanoides</i> . W.	{ Southern- wood-leav ^d . }	_____	_____	1699.	6.9.	G. 2.	Comm. rar. t. 27.
9 <i>carnea</i> . W.	thick-leaved.	_____	E. Ind.	1788.	6.7.	S. 2.	Lin. amc. ac. 10. t. 4 ^d
SIDERITIS. W.	IRONWORT.	Labiatae. J.	_____	_____	_____	_____	_____
1 <i>canariensis</i> . W.	Canary.	_____	Canaries.	1697.	5.8.	G. 2.	Jac. vind. 3. t. 30.
2 <i>cardicans</i> . W.	Mullein-leaved.	_____	Madeira.	1714.	4.7.	G. 2.	Comm. hort. 2. t. 99.
3 <i>montana</i> . W.	mountain.	_____	Austria.	1752.	7.8.	H. 2.	Jac. aust. 5. t. 484
4 <i>elegans</i> . W.	dark-flowered.	_____	_____	1787.	7.	H. 2.	Mur. com. hort. 1. t. 4
5 <i>romana</i> . W.	Roman.	_____	Italy.	1740.	6.8.	H. 2.	Cav. ic. 2. t. 187.
6 <i>syriaca</i> . W.	Syrian.	_____	Levant.	1597.	6.9.	G. 2.	Sabb. hort. 3. t. 40.
7 <i>perfoliata</i> . W.	perfoliate.	_____	_____	1731.	8.11.	H. 2.	_____
8 <i>incana</i> . W.	Lavender-leaved	_____	Spain.	1752.	7.8.	F. 2.	Cav. ic. 2. t. 186.
9 <i>illicifolia</i> . W. en.	Holly-leaved.	_____	Levant.	6.9.	H. 2.	_____
10 <i>spinosa</i> . W. en.	spiny.	_____	Spain.	_____	H. 2.	_____
11 <i>hyssopifolia</i> . W.	Hyssop-leaved.	_____	Pyrenees.	1597.	6.11.	H. 2.	Schk. hand. 2. t. 158.
12 <i>scordoides</i> . W.	scollop-leaved.	_____	France.	_____	8.11.	H. 2.	Barr. ic. t. 343.
13 <i>hirsuta</i> . W.	hairy.	_____	S. Europe.	1731.	6.7.	H. 2.	Cav. ic. 4. t. 302.
14 <i>crispata</i> . W. en.	curled-leaved.	_____	Gibraltar.	1816.	6.9.	F. 2.	_____
BYSTROPOGON. W.	BYSTROPOGON.	Labiatae. J.	_____	_____	_____	_____	_____
1 <i>plumosum</i> . W.	woolly-flowered.	_____	Canaries.	1779.	6.7.	G. 2.	_____
2 <i>organifolium</i> . W.	entire-leaved.	_____	_____	1815.	7.8.	G. 2.	_____
3 <i>canariense</i> . W.	Canary.	_____	_____	1714.	6.8.	G. 2.	Comm. hort. 2. t. 65
4 <i>punctatum</i> . W.	cluster-flowered.	_____	Madeira.	1775.	7.9.	G. 2.	_____
MENTHA. W.	MINR.	Labiatae. J.	_____	_____	_____	_____	_____
1 <i>Auricularia</i> . W.	Indian.	_____	E. Ind.	1796.	7.8.	S. 2.	Rumph. amb. 6. t. 16
2 <i>villosa</i> . W.	horse.	_____	Britain.	7.	H. 2.	_____
3 <i>sylvestris</i> . W.	wild.	_____	_____	7.8.	H. 2.	Eng. bot. 686.
4 <i>hemorosa</i> . W. an.	wood.	_____	_____	_____	H. 2.	Fl. dan. t. 484.
5 <i>rotundifolia</i> . W.	round-leaved.	_____	England.	8.9.	H. 2.	Eng. bot. 446.
<i>β variegata</i> .	variegated.	_____	_____	_____	_____	_____	_____
6 <i>gratissima</i> . W.	oblong-leaved.	_____	Germany.	1799.	7.8.	H. 2.	_____
7 <i>balsamea</i> . W. en.	Balsam-scented.	_____	Italy.	1804.	_____	H. 2.	_____
8 <i>niliaca</i> . W.	Egyptian.	_____	Egypt.	1796.	_____	H. 2.	Jac. hort. 3. t. 67.
9 <i>capensis</i> . W.	Cape.	_____	C. B. S.	1816.	_____	G. 2.	_____
10 <i>viridis</i> . W.	spear.	_____	Britain.	8.	H. 2.	Eng. bot. 2424.
11 <i>palustris</i> . S. M.	marsh.	_____	_____	9.	H. 2.	_____
12 <i>piperita</i> . W.	pepper.	_____	England.	8.9.	H. 2.	Eng. bot. 687.
13 <i>crispa</i> . W.	curled.	_____	Siberia.	1640.	7.8.	H. 2.	_____
14 <i>crispata</i> . W. en.	crumpled.	_____	_____	1807.	_____	H. 2.	_____
15 <i>glabrata</i> . W.	smooth.	_____	Egypt.	1802.	_____	H. 2.	_____
16 <i>incana</i> . W. en.	hoary.	_____	_____	1790.	_____	H. 2.	_____
17 <i>undulata</i> . W. en.	wave-leaved.	_____	_____	1816.	_____	H. 2.	_____
18 <i>odorata</i> . H. K.	Bergamot.	_____	England.	_____	H. 2.	Eng. bot. 1025.
19 <i>hirsuta</i> . H. K.	hairy water.	_____	Britain.	7.9.	H. 2.	_____ 447.
20 <i>acutifolia</i> . H. K.	sharp-leaved.	_____	England.	9.	H. 2.	_____ 2415.
21 <i>sativa</i> . W.	tall red.	_____	_____	8.9.	H. 2.	_____ 448.
22 <i>rubra</i> . H. K.	common red.	_____	Britain.	9.	H. 2.	_____ 1413.

23 gracilis. H. K.	narrow-leaved.	Labiatae. J.	Britain.	8. H. 2.	Eng. bot. 449.
24 gentilis. H. K.	bushy red.	_____	_____	6.8. H. 2.	2118.
25 arvensis. H. K.	corn.	_____	_____	7.9. H. 2.	2119.
26 agrestis. S. M.	field.	_____	_____	7.8. H. 2.	2120.
27 præcox. S. M.	early-flowering.	_____	_____	6. H. 2.	Sole's Mints, c. 10.
28 pratensis. S. M.	meadow.	_____	_____	8. H. 2.	t. 17.
29 rivalis. S. M.	river.	_____	_____	H. 2.	_____
30 paludosa. S. M.	brook.	_____	_____	9. H. 2.	_____
31 dentata. W. en.	toothed.	_____	Germany.	1816.	7.8. H. 2.	_____
32 canadensis. W.	Canadian.	_____	N. America.	1801.	7. H. 2.	_____
33 Pulegium. W.	Pennyroyal.	_____	Britain.	8.9. H. 2.	Eng. bot. 1026.
34 cervina. W.	Hyssop-leaved.	_____	France.	1648.	6.8. H. 2.	Mor. hist. 3. t. 7. f. 7.
PERILLA. W.	PERILLA.	Labiatae. J.	_____	_____	_____	_____
ocymoides. W.	Basil-leaved.	_____	India.	1770.	7.8. H. 2.	Arduin. spec. 2. t. 13.
HYPTIS. Poit.	HYPTIS.	Labiatae. J.	_____	_____	_____	_____
1 capitata. H. K.	Jamaica.	_____	W. Ind.	1714.	6.7. S. 3.	{ Poit. An. mus. 7. t. 27. f. 1.
2 radiata. H. K.	Carolina.	_____	Carolina.	1690.	G. 2.	7. t. 27. f. 2.
3 ebracteata. H. K.	small-headed.	_____	W. Ind.	1778.	10.1. S. 2.	7. t. 29. f. 2.
4 pectinata. H. K.	Balm-leaved.	_____	_____	1776.	12.1. S. 2.	7. t. 30.
5 persica. P. S.	Persian.	_____	Persia.	1800.	7. G. 2.	Linn. trans. 6. t. 12.
LEPECHINIA. W.	LEPECHINIA.	Labiatae. J.	Horminum P. S.	_____	_____	_____
spicata. W.	spiked.	_____	Mexico.	1800.	7.8. H. 2.	_____
Horminum caulescens. P. S.	_____	_____	_____	_____	_____	_____
GLECHOMA. W.	GROUND IVY.	Labiatae. J.	_____	_____	_____	_____
1 hederacea. W.	common.	_____	Britain.	3.5. H. 2.	Eng. bot. 853.
2 hirsuta. P. S.	hairy.	_____	Hungary.	H. 2.	Pl. rar. hung. t. 119.
LAMIUM. W.	ARCHANGEL.	Labiatae. J.	_____	_____	_____	_____
1 Orvala. W.	Balm-leaved.	_____	Italy.	1596.	5.7. H. 2.	Bot. mag. 172.
2 lævigatum. W.	smooth.	_____	_____	1711.	3.10. H. 2.	Pluk. alm. t. 198. f. 1.
3 rugosum. W.	rough.	_____	_____	1766.	7.8. H. 2.	Bocc. mus. 5. t. 23.
4 garganicum. W.	woolly.	_____	_____	1729.	H. 2.	Exot. bot. 1. t. 48.
5 maculatum. W.	spotted.	_____	_____	1683.	6.7. H. 2.	Col. ecphr. 1. t. 185.
6 album. W.	white.	_____	Britain.	4.9. H. 2.	Eng. bot. 768.
7 moschatum. H. K.	musky-scented.	_____	Levant.	1739.	H. 2.	_____
8 molle. W.	Pellitory-leaved.	_____	1683.	4.5. H. 2.	_____
9 purpureum. W.	purple.	_____	Britain.	5.8. H. 2.	Eng. bot. 769.
10 incisum. H. K.	cut-leaved.	_____	_____	5.7. H. 2.	1933.
11 amplexicaule. W.	Henbit.	_____	_____	3.6. H. 2.	770.
12 multifidum. W.	multifid-leaved.	_____	Levant.	1752.	4.5. H. 2.	Comm. rar. t. 26.
GALEOPSIS. W.	HEMP-NETTLE.	Labiatae. J.	_____	_____	_____	_____
1 Ladanum. W.	red.	_____	Britain.	7.9. H. 2.	Eng. bot. 884.
2 villosa. E. B.	downy.	_____	_____	7.8. H. 2.	2353.
3 Tetrahit. W.	common.	_____	_____	H. 2.	207.
4 versicolor. H. K.	large-flowered.	_____	_____	H. 2.	667.
GALEOBDOLOON. } E. B.	DEAD-NETTLE.	Labiatae. J.	_____	_____	_____	_____
luteum. H. K.	yellow.	_____	Britain.	5.6. H. 2.	Eng. bot. 787.
BETONICA. W.	BETONY.	Labiatae. J.	_____	_____	_____	_____
1 officinalis. W.	wood.	_____	Britain.	7.8. H. 2.	Eng. bot. 1149.
2 stricta. W.	Danish.	_____	Denmark.	1592.	6.7. H. 2.	Park. theat. 615. f. 4.
3 incana. W.	hoary.	_____	Italy.	1759.	H. 2.	_____
4 orientalis. W.	oriental.	_____	Levant.	1737.	H. 2.	Lam. ill. t. 507. f. 2.
5 alopecurus. W.	fox-tail.	_____	S. Europe.	1759.	7. H. 2.	Jac. aus. 1. t. 78.
6 hirsuta. W.	hairy.	_____	Italy.	1710.	6.7. H. 2.	Mur. com. get. 2. t. 3.
7 grandiflora. W.	great-flowered.	_____	Siberia.	1800.	H. 2.	Bot. mag. 700.
STACHYS. W.	HEDGE-NETTLE.	Labiatae. J.	_____	_____	_____	_____
1 sylvatica. W.	common.	_____	Britain.	7.8. H. 2.	Eng. bot. 416.
2 mollissima. W. en.	soft-leaved.	_____	Corfu.	1806.	H. 2.	W. Hort. ber. t. 60.
3 circinata. W.	blunt-leaved.	_____	Barbary.	1777.	5.7. H. 2.	L'Her. a. nov. t. 26.
4 decumbens. P. S.	decumbent.	_____	1816.	H. 2.	_____
5 nepetifolia. P. S.	Cat-mint-leaved.	_____	1805.	6.8. H. 2.	_____
6 coccinea. W.	scarlet.	_____	S. America.	1798.	G. 2.	Bot. mag. 666.
7 palustris. W.	{ Clown's All- heal.	_____	Britain.	8. H. 2.	Eng. bot. 1675.
8 ambigua. H. K.	ambiguous.	_____	_____	6.7. H. 2.	2069.
9 alpina. W.	Alpine.	_____	Germany.	1597.	6.8. H. 2.	Lap. pyr. 1. t. 8.
10 germanica. W.	downy.	_____	England.	7. H. 2.	Eng. bot. 829.
11 intermedia. W.	oblong-leaved.	_____	Carolina.	1762.	6.7. H. 2.	_____
12 lanata. W.	woolly.	_____	Siberia.	1782.	6.9. H. 2.	Jac. ic. 1. t. 107.

. W.	Cretan.	Labiatae. J.	Candia.	1640.	6.8.	H. 2.	Walt. hort. 108. t. 19
sea. W.	clammy.			1729.	6.7.	H. 2.	Mor. h. s. 11. t. 4. f. 17
a. W.	thorny.			1640.	7.	F. 2.	— s. 11. t. 10. f. 9.
alis. W.	oriental.		Levant.	1768.	6.7.	H. 2.	
na. W.	sea.		S. Europe.	1714.	7.	H. 2.	Jac. vind. 1. t. 70.
a. P. S.	oblique-leaved.		Hungary.	1816.	6.7.	H. 2.	Pl. rar. hung. t. 133.
caefolia. P. S.	Betony-leaved.		Rochelle.	1812.	—	H. 2.	
ica. W.	Ethiopian.		C. B. S.	1770.	4.7.	G. 2.	Jac. obs. 4. t. 77.
W.	procumbent.		Spain.	1725.	6.8.	H. 2.	All. ped. 1. t. 2. f. 3.
. W.	rough.		C. B. S.	1774.	7.8.	G. 2.	Jac. ic. 3. t. 493.
olia. W. en.	wedge-leaved.		1816.	—	H. 2.	
W. en.	upright.		S. Europe.	1683.	6.8.	H. 2.	Jac. aust. 4. t. 359.
. H. R.	spreading.		Levant.	1804.	7.	H. 2.	{ Bot. mag. 1959. S. arenaria.
. W.	annual.		S. Europe.	1713.	6.8.	H. 2.	Jac. aust. 4. t. 360.
is. W.	corn.		Britain.	7.8.	H. 2.	Eng. bot. 1154.
ia. W.	broad-leaved.		1775.	6.7.	H. 2.	
oides. W. en.	Phlomis-leaved.		1816.	—	H. 2.	
'A. W.	{ STINKING HOREHOUND. }	Labiatae. J.					
W.	black.		Britain.	7.9.	H. 2.	Eng. bot. 46.
V.	white.		—	—	H. 2.	
. W.	woolly.		Siberia.	1752.	6.8.	H. 2.	Gmel. sib. 3. t. 54.
ria multifida. Manch.							
BIUM. W.	HOREHOUND.	Labiatae. J.					
im. W.	plaited-leaved.		Spain.	1597.	7.8.	H. 2.	Ger. herb. 379. f. 1.
anicum. W.	Astracan.		Levant.	1816.	—	H. 2.	Jac. ic. 1. t. 109.
inum. W.	Sicilian.		Sicily.	1640.	7.9.	H. 2.	Jac. aust. 2. t. 160.
im. W.	Cretan.		Levant.	1596.	—	H. 2.	
issimum. W.	woolly-white.		1782.	—	H. 2.	Dill. elt. t. 274. f. 314
im. W.	procumbent.		S. Europe.	1714.	8.10.	H. 2.	Bocc. mus. 2. t. 96.
e. W.	common white.		Britain.	6.9.	H. 2.	Eng. bot. 410.
um. W.	African.		C. B. S.	1710.	7.9.	G. 2.	Comm. hort. 2. t. 90.
m. W.	curl-leaved.		S. Europe.	1714.	7.8.	H. 2.	Herm. parad. t. 200.
um. W.	hirsute.		6.7.	H. 2.	
icum. W.	Spanish.		Spain.	1714.	7.8.	H. 2.	Herm. parad. t. 201.
o-Dictam- W. }	shrubby white.		Candia.	1596.	—	F. 2.	Lam. ill. t. 508. f. 2.
ulosum. W.	saucer-leaved.		1676.	6.8.	F. 2.	Barr. ic. 129.
US. B. P.	MOTHERWORT.	Labiatae. J.					
s. W.	curl-leaved.		Siberia.	1658.	7.8.	H. 2.	Murr. c. gert. 8. t. 4.
ica. W.	common.		Britain.	—	H. 2.	Eng. bot. 286.
us. W.	Tartarian.		Russia.	1756.	8.10.	H. 2.	Mill. ic. 1. t. 80.
us. W.	Siberian.		Siberia.	1759.	6.8.	H. 2.	Exot. bot. 2. t. 94.
biastum. W.	small-flowered.		Austria.	1710.	—	H. 2.	Jac. aust. 5. t. 405.
is. W.	procumbent.		Siberia.	1816.	—	H. 2.	
IS. B. P.	PHLOMIS.	Labiatae. J.					
sa. W. en.	Jerusalem Sage.		Spain.	1596.	6.7.	H. 2.	Bot. mag. 1843.
. W. en.	small-shrubby.		—	—	H. 2.	
rea. W.	purple.		S. Europe.	1661.	6.8.	H. 2.	Smith spicil. 6. t. 3.
. W.	Italian.		Italy.	—	—	H. 2.	
ii. W.	Nissolle's.		Levant.	1757.	6.7.	F. 2.	Mill. ic. 2. t. 204.
ites. W.	lamp-wick.		S. Europe.	1638.	6.8.	G. 2.	Bot. mag. 999.
. W.	Samian.		N. Africa.	1714.	6.7.	H. 2.	— 1891.
-venti. W.	rough-leaved.		S. Europe.	1596.	7.9.	H. 2.	
. W.	Alpine.		Siberia.	1802.	6.9.	H. 2.	Pall. act. pet. 2. t. 13.
sa. W.	tuberous.		1759.	6.10.	H. 2.	Bot. mag. 1555.
ita. W.	jagged-leaved.		Levant.	1731.	7.	H. 2.	
i. B. P.	LEUCAS.	Labiatae. J.	Phlomis sp. W.				
ica. B. P.	Ceylon.		E. Ind.	1777.	6.10.	S. 2.	Jac. ic. 1. t. 111.
icensis. B. P.	West-Indian.		W. Ind.	1781.	7.9.	S. 2.	— 1. t. 110.
olia. B. P.	Nettle-leaved.		E. Ind.	1810.	—	S. 2.	
. B. P.	Indian.		1789.	7.8.	S. 2.	
IS. B. P.	LION'S-TAIL.	Labiatae. J.	Phlomis sp. W.				
folia. H. K.	Catmint-leaved.		E. Ind.	1778.	9.10.	S. 2.	Herm. lugdb. t. 117.
rus. H. K.	narrow-leaved.		C. B. S.	1712.	10.12.	G. 2.	Bot. mag. 478.
tia. H. K.	dwarf-shrubby.		1713.	6.7.	G. 2.	Mill. ic. 2. t. 162. f. 1.
CELLA. W.	MOLUCCA-BALM.	Labiatae. J.					
a. W.	prickly.		Levant.	1596.	7.8.	H. 2.	Lam. ill. t. 510.
W.	smooth.		Syria.	1570.	—	H. 2.	Bot. mag. 1852.
sa. W.	tuberous-rooted.		Tartary.	1796.	7.	H. 2.	Pall. it. 3. t. T.

CLINOPODIUM. W.	WILD-BASIL.	Labiatae. J.				
1 vulgare. W.	common.		Britain. 6.8. H. 2.	Eng. bot. 1401.	
2 ægyptiacum. W.	Egyptian.		Egypt.	1759. — H. 2.		
ORIGANUM. W.	MARJORAM.	Labiatae. J.				
1 ægyptiacum. W.	Egyptian.		Egypt.	1731. 6.8. G. h.	Alp. ægypt. t. 95.	
2 dictamnus. W.	Dittany of Crete.		Candia.	1551. — G. h.	Bot. mag. 298.	
3 sipyleum. W.	Mount Sipylus.		Levant.	1699. 6.9. G. h.	Herm. lugd. t. 463.	
4 Tournefortii. W.	Tournefort's.		Amorgos.	1788. 8.9. G. h.	Bot. rep. 537.	
5 creticum. W.	Cretan.		S. Europe.	1596. 7.8. H. 2.	Seckh. hand. 2. t. 164.	
6 smyrnæum. W.	Smyrna.		Smyrna.	1722. 6.7. G. 2.		
7 heracleoticum. W.	winter sweet.		S. Europe.	1640. 6.11. H. 2.	Lob. ic. 492.	
8 vulgare. W.	common.		Britain. 6.10. H. 2.	Eng. bot. 1143.	
9 Onites. W.	pot.		Sicily.	1759. 7.11. H. 2.	Boec. mus. t. 39.	
10 Majorana. W.	knotted.		Portugal.	1573. 6.7. P. 3.	Meris. s. 11. t. 3. f. 1.	
11 salvifolium. Roth.	Sage-leaved.	 F. h.		
12 majoranoides. W.	shrubby sweet.	 F. h.		
THYMUS. P. S.	THYME.	Labiatae. J.				
1 Serpyllum. W.	wild.		Britain. 6.8. H. h.	Eng. bot. 1514.	
2 lanuginosus. W.	woolly.	 H. h.		
3 citriodorus. P. S.	Lemon.	 H. h.		
4 angustifolius. P. S.	narrow-leaved.	 H. h.		
5 vulgare. W.	garden.		S. Europe.	1548. 5.8. H. h.		
6 ericefolius. Roth.	Heath-leaved.		Spain.	1806. 6.8. H. h.		
7 acicularis. P. S.	needle-leaved.		Hungary. H. h.	Pl. rar. hung. 2. t. 147.	
8 lucidus. W. en.	shining-leaved.		1816. — H. h.		
9 Maestichina. W.	Mastick.		Spain.	1596. 7.9. F. h.	Blackw. t. 134.	
10 montanus. W.	mountain.		Hungary.	1800. 6.7. H. 2.	Pl. rar. hung. 1. t. 71.	
11 tomentosus. W. en.	tomentose.		Spain.	1816. 6.8. H. h.		
12 Zygis. W.	Spanish.		1771. 8. H. h.	Barrel. ic. 777.	
13 croaticus. P. S.	oval-leaved.		Hungary.	1802. 7.8. H. 2.	Pl. rar. hung. 2. t. 156.	
14 cephalotus. W.	great-headed.		Portugal.	1759. — F. h.	Hof. et Lin. lus. 1. 13.	
15 villosus. W.	hairy.		6.7. F. h.	1. t. 14.	
16 Tragoriganum. W.	goat's.		Candia.	1640. 5.6. F. h.	Alp. exot. t. 78.	
17 filiformis. W.	Minorca.		Minorca.	1770. 6.7. G. h.		
ACYNOS. P. S.	ACYNOS.	Labiatae. J. Thymi sp. W.				
1 vulgare. P. S.	Basil-leaved.		Britaiq. 6.8. H. O.	Eng. bot. 411.	
<i>Thymus Acinos. W.</i>						
2 villosus. P. S.	villous.		Germany.	1817. — H. O.		
3 alpinus. P. S.	Alpine.		Austria.	1731. 6.9. F. 3.	Jac. aust. 1. t. 97.	
4 palavinus. P. S.	Marjoram-leav'd.		S. Europe.	1776. 6.8. H. 3.	Jac. obs. 4. t. 87.	
CALAMINTHA. Ph.	CALAMINT.	Labiatae. J. Melissa sp. W. Thymi sp. Smith.				
1 grandiflora. P. S.	great-flowered.		Italy.	1596. 6.9. H. 2.	Bot. mag. 308.	
2 caroliniana.	Carolina.		Carolina.	1804. 6.7. F. 2.	997.	
<i>grandiflora. Ph.</i>	<i>Thymus grandiflorus, B. M.</i>					
3 vulgare.	common.		England. 7.8. H. 2.	Eng. bot. 1676.	
4 Nepeta. Ph.	lesser.		7.10. H. 2.	1414.	
5 marifolia. P. S.	Marum-leaved.		Spain.	1788. 6.7. H. 2.	Cav. ic. 6. t. 576.	
6 cretica. P. S.	Cretan.		S. Europe.	1596. — F. h.	Barr. ic. 1166.	
7 fruticosa. P. S.	shrubby.		Spain.	1752. 7.9. F. h.		
MELISSA. W.	BALM.	Labiatae. J.				
officinalis. W.	common.		S. Europe.	1573. 6.10. H. 2.		
<i>β romana.</i>	<i>hairy.</i>					
DRACOCEPHALUM. W.	DRAGON'S HEAD.	Labiatae. J.				
1 virginianum. W.	Virginian.		N. America.	1683. 7.9. H. 2.	Bot. mag. 467.	
2 denticulatum. W.	Carolina.		Carolina.	1787. 8.9. H. 2.	214.	
3 variegatum. Ph.	variegated.		1812. — H. 2.	Vent. cels. t. 44.	
4 canariense. W.	Balm of Gilead.		Canaries.	1697. 7.9. G. h.	Comm. hort. 2. t. 41.	
5 palmatum. W.	palmated.		Siberia.	1815. 6.8. H. 2.		
6 peregrinum. W.	prickly-leaved.		1759. 7.8. H. 2.	Bot. mag. 1084.	
7 austriacum. W.	Austrian.		Austria.	1597. 6.7. H. 2.	Jac. ic. 1. t. 112.	
8 Ruyschiana. W.	Hyssop-leaved.		N. Europe.	1699. — H. 2.	Fl. dan. 121.	
9 grandiflorum. W.	great-flowered.		Siberia.	1759. 7. H. 2.	Bot. mag. 1009.	
10 altaense. W.	Betony-leaved.		Georgia.	1787. 7.8. H. 2.	Nov. com. pet. t. 29. f. 3.	
11 sibiricum. W.	Siberian.		Siberia.	1760. 6.8. H. 2.	Gmel. sib. 3. t. 51.	
12 Moldavica. W.	Moldavian.		Moldavia.	1596. 7.8. H. O.	Lam. ill. t. 513. f. 1.	
13 canescens. W.	hoary.		Levant.	1711. — H. O.	Mill. ic. 1. t. 129.	
14 peltatum. W.	Willow-leaved.		1711. — H. O.	Lam. ill. t. 513. f. 3.	

W.	nodding.	Labiatae. J.	Siberia.	1731. 7.8.	H. 2.	Gmel. sib. 3. t. 49.
rum. W.	small-flowered.			1752. 6.9.	H. 0.	3. t. 50.
t. W.	BASTARD-BALM.	Labiatae. J.				
phyllam. W.	common.		England. 5.6.	H. 2.	Eng. bot. 577.
z.	Alpine.		Switzerland. —	H. 2.	
wa. M. K.	great-flowered.		England. 5.	H. 2.	Eng. bot. 636.
. W.	BASIL.	Labiatae. J.				
rum. W.	thyrsed-flowered.		E. Ind.	1806. 7.8.	S. 3.	Jac. vind. 3. t. 72.
V. en.	sweet-scented.		1816. 7.9.	S. h.	
N. en.	green.		—	S. h.	
orum. W.	monk's.		E. Ind.	1796. 7.8.	S. 0.	
num. W.	shrubby.			1752. —	S. h.	Jac. ic. 3. t. 495.
orum. W.	great-flowered.		Abyssinia.	1802. 9.10.	G. h.	L'Her. s. nov. t. 43.
m. W.	common sweet.		India.	1548. 7.8.	H. 0.	Blackw. t. 104.
m. W.	bush.		E. Ind.	1573. —	H. 0.	Schk. hand. 2. t. 166.
t. W.	purple-stalked.			1758. 7.9.	S. 0.	Rheed. mal. 10. t. 92.
. W. en.	ciliated.		1816. —	S. 0.	
num. W.	American.		India.	1789. 7.8.	S. 0.	Jac. vind. 3. t. 86.
rum. W.	slender-spiked.		E. Ind.	1708. —	S. 3.	Rum. am. 5. t. 92. f. 2.
thion. W.	many-spiked.			1783. —	S. 0.	Murr. com. got. 3. t. 3.
ides. W.	Mint-leaved.			—	S. 0.	
hum. W. en.	small-flowered.		1816. —	S. 0.	
N.	heart-leaved.		E. Ind.	1781. 9.10.	S. 0.	
stum. W.	small-headed.		China.	1806. 7.8.	H. 0.	
NTHUS. W.	PLECTRANTHUS.	Labiatae. J.				
us. W.	shrubby.		C. B. S.	1774. 6.9.	G. h.	L'Her. stirp. 85. t. 41.
lcel. W.	Forskohl's.		Abyssinia.	1806. 10.11.	S. h.	Bot. rep. 594.
rus. W. en.	small-flowered.		S. America.	1805. 6.9.	G. h.	W. hort. ber. 1. t. 66.
rus. B. P.	is a different species.					
rioides. B. P.	skullcap-like.		E. Ind.	1764. 7.8.	S. 0.	Bot. mag. 1446.
s. scutellarioides. H. K.						
us. W.	dotted.		Africa.	1775. 1.5.	G. 3.	L'Her. stirp. 87. t. 41.
TEMA. W.	TRICHOSTEMA.	Labiatae. J.				
ma. W.	Marjoram-leav'd.		N. America.	1759. 6.7.	H. 0.	
ta. W.	sessile-leaved.			1732. 6.8.	H. 3.	Dill. elt. t. 285. f. 369.
THERA }	PROSTANTHERA.	Labiatae. J.				
os. B. P.	villous-flowered.		N. S. W.	1808. 6.7.	G. h.	Bot. reg. 143.
ARIA. W.	SKULL-CAP.	Labiatae. J.				
lia. W.	yellow-flowered.		Levant.	1729. 7.9.	H. 2.	
lora. P. S.	large-flowered.		Siberia.	1804. 7.8.	H. 2.	Bot. mag. 635.
W.	hairy.		Levant.	1771. 6.7.	H. 2.	Sab. hort. 3. t. 29.
W.	Alpine.		Hungary.	1752. 6.10.	H. 2.	Pl. rar. hung. 2. t. 137.
s. W.	Tartarian.		Tartary.	1739. 6.9.	H. 2.	Schmidel ic. t. 73.
ra. W.	Virginian.		N. America.	1752. —	H. 2.	
Ph.	pubescent.			1805. 7.8.	H. 2.	
ilata. W.	common.		Britain. 6.9.	H. 2.	Eng. bot. 523.
W.	lesser.		 7.8.	H. 2.	— 524.
ia. W.	hastate-leaved.		Germany.	1798. 6.7.	H. 2.	
ana. Ph.	Carolina.		Carolina.	1811. —	H. 2.	Lam. ill. t. 515. f. 3.
olia. Ph.	entire-leaved.		N. America.	1731. 6.9.	H. 2.	Pluk. alm. t. 441. f. 6.
. Ph.	saw-leaved.			1800. —	H. 2.	Bot. rep. 494.
nsis. W.	Havannah.		Havannah.	1793. 5.6.	S. 2.	Jac. obs. 2. t. 29.
na. W.	Florentine.		Italy.	1683. 6.10.	H. 2.	Pl. rar. hun. 2. t. 125.
ne. W.	heart-leaved.			1806. 6.8.	H. 2.	Colum. ecp. 1. t. 189.
ia. W.	tall.		Levant.	1731. 7.8.	H. 2.	
. W.	Cretan.		Crete.	1729. 6.7.	G. h.	
LA. W.	SELF-HEAL.	Labiatae. J.				
s. W.	common.		Britain. 7.8.	H. 2.	Eng. bot. 961.
	white-flowered.					
P. S.	oval-leaved.		America. —	H. 0.	
ranica. W.	Pennsylvanian.		N. America.	1801. 7.9.	H. 2.	W. hort. ber. t. 9.
folia. W.	Hyssop-leaved.		France.	1731. —	H. 2.	Mor. s. 1. t. 5. f. 7.
lora. W.	great-flowered.		Austria.	1596. —	H. 2.	Bot. mag. 337.
a. P. S.	yellow-flowered.			1713. —	H. 0.	Lam. ill. t. 516. f. 2.
edia. P. S.	various-leaved.		Portugal.	1790. —	H. 2.	
l. W.	CLEONIA.	Labiatae. J.				
ica. W.	sweet-scented.		Portugal.	1710. 6.7.	H. 0.	Mill. ic. 1. t. 70.
f. W.	PRASIMUM.	Labiatae. J.				
W.	great Spanish.		Spain.	1699. 6.8.	F. h.	Lam. ill. t. 516.
W.	small Sicilian.		Sicily.	1752. —	F. h.	

PHRYMA. W.	PHRYMA.	Labiatae. J.			
Leptostachya. W.	slender-spiked.		N. America.	1802. 8.9. H. N.	
SELAGO. W.	SELAGO.	Verbenaceae. J. in	Ann. Mus.		
1 corymbosa. W.	fine-leaved.		C. B. S.	1699. 7.8. G. h.	Com. hort. 2. t. 40.
2 canescens. W.	canescent.			1812. 7.11. G. h.	
3 diffusa. Th.	spreading.			1807. 7.8. G. h.	
4 ovata. W.	oval-headed.			1774. 6.7. G. h.	Bot. mag. 186.
5 polygaloides. Th.	Milkwort-like.			1807. 7.10. G. h.	
6 spuria. W.	linear-leaved.			1779. 7.10. G. h.	
7 fasciculata. W.	cluster-flowered.			1774. 6.7. G. h.	Bot. reg. 184.
8 lucida. P. S.	shining-leaved.			1812. —. G. h.	Vent. malm. t. 10.

ANGIOSPERMIA.

HEBENSTRETTIA. W.	HEBENSTRETTIA.	Verbenaceae. J. in	Ann. Mus.		
1 dentata. W.	toothed.		C. B. S.	1739. 5.9. G. h.	Bot. mag. 483.
2 integrifolia. W.	entire-leaved.			1792. 5.6. G. h.	Bot. rep. 252.
<i>aurca. B. Rep.</i>					
3 ciliata. W.	ciliated.			1815. 5.7. G. h.	
4 spicata. W.	spiked.			—. —. G. h.	
5 erinoides. Th.	Erinus-leaved.			1816. 5.11. G. h.	
6 cordata. W.	heart-leaved.			1774. 7.8. G. h.	
CLERODENDRUM	CLERODENDRUM.	Verbenaceae. B. P.			
B. P.					
1 fragrans. H. K.	fragrant.		China.	1790. 12.8. S. h.	Vent. malm. 70.
<i>β flore pleno.</i>	double-flowered.			—. —. S. h.	Bot. mag. 1834.
2 viscosum. H. K.	clammy.		E. Ind.	1796. 6.8. S. h.	1805.
3 infortunatum. P. S.	long-flowered.		 S. h.	
4 fortunatum. W.	spear-leaved.			1784. 7. S. h.	Osborn. t. 11.
5 squamatum. H. K.	scarlet.		China.	1790. 6.9. S. h.	Jac. ic. 3. t. 500.
6 paniculatum. W.	panicked.		Java.	1809. 7.10. S. h.	Bot. rep. 623.
7 trichotomum. W.	three-forked.		Japan.	1800. G. h.	
8 tomentosum. B. P.	downy.		N. S. W.	1794. 8.4. G. h.	Bot. mag. 1518.
9 ligustrinum. H. K.	Privet-leaved.		Mauritius.	1789. 8.11. S. h.	Jac. col. sup. t. 5. l. 1.
10 heterophyllum. H. K.	various-leaved.			1805. 8.9. S. h.	Bot. rep. 554.
11 inerme. H. K.	smooth.		E. Ind.	1692. 8.11. S. h.	Jac. col. sup. t. 4. l. 1.
12 Siphonanthus. H. K.	whorl-leaved.			1796. S. h.	Burm. ind. t. 43. f. 1.
VOLKAMERIA. H. K.	VOLKAMERIA.	Verbenaceae. B. P.			
<i>aculeata. H. K.</i>	prickly.		W. Ind.	1739. 8.10. S. h.	Brown. jam. t. 20. f. 3.
HOLMSKIOLDIA.	HOLMSKIOLDIA.	Verbenaceae. P. S.	Platunum. J. Hastingsia. Ex. bot.		
H. K.					
<i>sanguinea. W.</i>	scarlet.		India.	1796. S. h.	Exot. bot. 2. t. 80.
VITEX. W.	CHARITE-TREE.	Verbenaceae. B. P.			
1 ovata. W.	oval-leaved.		China.	1796. 7.8. S. h.	
2 altissima. W.	tall.		Ceylon.	1802. S. h.	
3 Agnus-Castus. W.	common.		Sicily.	1570. 9. F. h.	
<i>β latifolia.</i>	broad-leaved.				
4 incisa. W.	cut-leaved.		China.	1758. 7.9. G. h.	Bot. mag. 364.
5 Leucoxydon. W.	white-wooded.		Ceylon.	1793. S. h.	
6 Negundo. W.	quadrangular.		E. Ind.	1812. S. h.	Rumph. amb. 4. t. 19.
7 bicolor. W. en.	two-coloured.			1810. S. h.	
8 trifolia. W.	three-leaved.			1759. S. h.	Rheed. mal. 2. t. 11.
CORNUTIA. P. S.	CORNUTIA.	Verbenaceae. B. P.			
<i>pyramidal. P. S.</i>	pyramidal.		W. Ind.	1733. S. h.	Lam. jill. t. 541.
HOSTA. Jac.	HOSTA.	Verbenaceae. B. P.	Cornutia sp. W.		
<i>caerulea. Jac.</i>	blue-flowered.		S. America. S. h.	Jac. schom. 1. t. 114.
GMBELINA. W.	GMBELINA.	Verbenaceae. B. P.			
1 asiatica. W.	oval-leaved.		E. Ind.	1792. S. h.	Lam. ill. t. 542.
2 parviflora. Rox.	obovate-leaved.			1817. S. h.	Roxb. cor. t. 32.
PETREA. W.	PETREA.	Verbenaceae. P. S.			
<i>volubilis. W.</i>	climbing.		Vera Cruz.	1733. 7.8. S. h.	Bot. mag. 623.
CITHAREXYLUM. W.	FIDDLE-WOOD.	Verbenaceae. P. S.			
1 cinereum. W.	ash-coloured.		W. Ind.	1789. S. h.	Jac. amer. t. 118.
2 caudatum. W.	oval-leaved.		Jamaica.	1763. S. h.	Jac. ic. 3. t. 501.
3 villosum. W.	hairy-leaved.		St. Domingo.	1784. S. h.	1. t. 118.
4 pentandrum. P. S.	pentandrous.		Portorico.	1815. S. h.	Vent. cels. t. 47.
5 quadrangulare. W.	square-stalked.		Jamaica.	1759. S. h.	Jac. vind. 1. t. 22.
DURANTA. W.	DURANTA.	Verbenaceae. P. S.			
1 Plumieri. W.	smooth.		S. America.	1733. 10. S. h.	Bot. reg. 244.
2 Ellisia. W.	prickly.		W. Ind.	1739. 8. S. h.	Bot. mag. 1752.

LANTANA. W.	LANTANA.	Verbenaceæ. P. S.					
1 mista. W.	Nettle-leaved.	W. Ind.	1732.	8.10.	S. h.	Dill. elt. t. 56. f. 64.	
2 trifolia. W.	three-leaved.	_____	1733.	6.9.	S. h.	Bot. mag. 1449.	
3 annua. W.	annual.	S. America.	_____	7.8.	S. O.	_____ 1022.	
4 stricta. W.	narrow-leaved.	Jamaica.	_____	_____	S. h.	Slo. jam. 2. t. 195. f. 4.	
5 Radula. W.	Rasp-leaved.	W. Ind.	1803.	_____	S. h.	_____	
6 Camara. W.	various-coloured.	_____	1691.	4.9.	S. h.	Dill. elt. t. 56. f. 65.	
7 involucreta. W.	round-leaved.	_____	1690.	5.7.	S. h.	Pluk. alm. t. 114. f. 5.	
8 recta. W.	upright.	Jamaica.	1758.	6.8.	S. h.	Jac. schoen. 3. t. 360.	
9 odorata. W.	sweet-scented.	W. Ind.	_____	5.11.	S. h.	Plum. ic. t. 71. f. 2.	
10 melissifolia. W.	Balm-leaved.	_____	1732.	7.9.	S. h.	Dill. elt. t. 57. f. 66.	
11 scabrida. W.	rough.	_____	1774.	9.	S. h.	_____	
12 nivea. P. S.	white-flowered.	E. Ind.	_____	7.9.	S. h.	Vent. malm. t. 8.	
13 aculeata. W.	changeable-col ^d .	W. Ind.	1692.	4.11.	S. h.	Bot. mag. 96.	
SPIELMANNIA. W.		Verbenaceæ. J.					
africana. W.	Ilex-leaved.	C. B. S.	1710.	2.11.	G. h.	Bot. mag. 1899.	
ZAPANIA. J.	ZAPANIA.	Verbenaceæ. B. P.					
1 stochadifolia. P. S.	oval-spiked.	W. Ind.	1732.	8.9.	S. h.	Brown. jam. t. 3. f. 1.	
2 nodiflora. Ph.	knot-flowered.	America.	1664.	7.8.	G. h.	Lam. ill. 1. t. 17. f. 3.	
PRIVA. P. S.		Verbenaceæ. P. S.					
1 mexicana. P. S.	Mexican.	Mexico.	1736.	8.9.	S. h.	Dill. elt. t. 302. f. 389	
Verbena mexicana. W.							
2 leptostachya. P. S.	rough.	E. Ind.	1792.	7.8.	S. h.	Rox. cor. 2. t. 146.	
Tortula aspera. W.	Streptium asperum. Rosb.						
ALOYSIA. P. S.	ALOYSIA.	Verbenaceæ. P. S.					
citriodora. P. S.	Lemon-scented.	Chili.	1784.	5.9.	G. h.	Bot. mag. 367.	
Verbena triphylla. B. M.							
VERBENA. B. P.	VERVAIN.	Verbenaceæ. B. P.					
1 bonariensis. W.	cluster-flowered.	Buenos Ayres.	1732.	7.10.	H. f.	Dill. elt. t. 300. f. 387	
2 hastata. W.	halberd-leaved.	Canada.	1710.	6.8.	H. h.	Herm. parad. t. 242.	
3 paniculata. P. S.	panicled.	N. America.	1800.	7.8.	H. h.	_____	
4 angustifolia. H. K.	narrow-leaved.	_____	1802.	6.8.	H. h.	_____	
5 caroliniana. W.	Carolina.	_____	1732.	6.9.	H. h.	Dill. elt. t. 301. f. 388	
6 urticifolia. W.	Nettle-leaved.	_____	1688.	7.9.	H. h.	Rob. ic. 26.	
7 stricta. Ph.	upright.	_____	1802.	7.8.	H. h.	Vent. cele. 53.	
8 Aubletia. W.	Rose.	_____	1774.	6.8.	F. f.	Bot. mag. 308.	
9 bracteosa. Ph.	long-bracted.	_____	1812.	7.	H. h.	_____	
10 spuria. W.	jagged-leaved.	_____	1731.	7.8.	H. f.	_____	
11 officinalis. W.	common.	Britain.	_____	6.9.	H. h.	Eng. bot. 769.	
12 rupina. W.	trailing.	Spain.	1640.	6.7.	H. O.	Park. theat. 675. f. 2.	
13 prostrata. H. K.	prostrate.	N. America.	1794.	_____	H. h.	_____	
MYOPORUM. B. P.	MYOPORUM.	Myoporinæ. B. P.					
1 ellipticum. B. P.	smooth-leaved.	N. S. W.	1789.	1.3.	G. h.	Bot. rep. 283.	
2 acuminatum. B. P.	acuminatè.	_____	1812.	_____	G. h.	_____	
3 parvifolium. B. P.	small-leaved.	N. Holland.	1803.	1.12.	G. h.	Bot. mag. 1691.	
4 tuberculatum. B. P.	tubercled.	_____	1803.	_____	G. h.	_____	
5 viscosum. B. P.	viscid.	_____	_____	_____	G. h.	_____	
6 debile. B. P.	procumbent.	N. S. W.	1792.	5.8.	G. h.	Bot. mag. 1822.	
7 diffusum. B. P.	diffuse.	N. Holland.	_____	8.2.	G. h.	_____	
8 oppositifolium. B. P.	opposite-leaved.	_____	1803.	1.12.	G. h.	_____	
STENOCHILUS. B. P.	STENOCHILUS.	Myoporinæ. B. P.					
glaber. B. P.	smooth-leaved.	N. Holland.	1803.	1.12.	G. h.	Bot. mag. 1942.	
BONTIA. B. P.	BONTIA.	Myoporinæ. B. P.					
daphnoides. W.	Barbadoes.	W. Ind.	1690.	6.	S. h.	Dill. elt. t. 49. f. 57.	
AVICENNIA. B. P.	AVICENNIA.	Myoporinæ. B. P.					
tomentosa. B. P.	downy-leaved.	India.	1793.	_____	S. h.	Palis. d'Owar. t. 47.	
PEDALIUM. W.	PEDALIUM.	Pedalinae. B. P.					
Murex. W.	prickly-fruited.	E. Ind.	1778.	8.9.	S. O.	Lam. ill. t. 538.	
BIGNONIA. W.	{ TRUMPET- FLOWER. }	Bignoniaceæ. B. P.					
1 Unguis. W.	Barbadoes.	W. Ind.	1752.	_____	S. h.	Plum. amer. t. 94.	
2 equinoctialis. W.	equinoctial.	Guiana.	1768.	_____	S. h.	Plum. ic. t. 55. f. 1.	
3 alliacea. W.	Garlick-scented.	W. Ind.	1790.	_____	S. h.	_____	
4 laurifolia. W.	Laurel-leaved.	Guiana.	1804.	_____	S. h.	_____	
5 paniculata. W.	panicled.	W. Ind.	1738.	_____	S. h.	Plum. ic. 56. f. 1.	
6 stricigera. W.	cross-bearing.	S. America.	1759.	_____	S. h.	_____ t. 52.	
7 unguata. B. M.	hooked.	Guiana.	1804.	6.9.	S. h.	Bot. mag. 1511.	
8 capreolata. W.	four-leaved.	N. America.	1710.	6.7.	H. h.	_____ 864.	
9 pubescens. W.	dewy.	Campeachy.	1759.	_____	S. h.	_____	

PHRYMA. W.	PHRYMA.	Labiata. J.			
<i>Leptostachya. W.</i>	slender-spiked.		N. America.	1802. 8.9. H. 2.	
SELAGO. W.	SELAGO.	Verbenaceae. J. in	Ann. Mus.		
1 corymbosa. W.	fine-leaved.		C. B. S.	1699. 7.8. G. h.	Com. hort. 2. t. 40.
2 canescens. W.	canescent.			1812. 7.11. G. h.	
3 diffusa. Th.	spreading.			1807. 7.8. G. h.	
4 ovata. W.	oval-headed.			1774. 6.7. G. h.	Bot. mag. 186.
5 polygaloides. Th.	Milkwort-like.			1807. 7.10. G. h.	
6 spuria. W.	linear-leaved.			1779. 7.10. G. h.	
7 fasciculata. W.	cluster-flowered.			1774. 6.7. G. h.	Bot. reg. 184.
8 lucida. P. S.	shining-leaved.			1812. — G. h.	Vent. malm. t. 10.

ANGIOSPERMIA.

HEBENSTRETIA. W.	HEBENSTRETIA.	Verbenaceae. J. in	Ann. Mus.		
1 dentata. W.	toothed.		C. B. S.	1739. 5.9. G. ①.	Bot. mag. 483.
2 integrifolia. W.	entire-leaved.			1792. 5.6. G. h.	Bot. rep. 252.
<i>aurca. B. Rep.</i>					
3 ciliata. W.	ciliated.			1815. 5.7. G. h.	
4 spicata. W.	spiked.			— G. 2.	
5 erinoides. Th.	Erinus-leaved.			1816. 5.11. G. h.	
6 cordata. W.	heart-leaved.			1774. 7.8. G. h.	
CLERODENDRUM B. P.	CLERODENDRUM.	Verbenaceae. B. P.			
1 fragrans. H. K.	fragrant.		China.	1790. 12.8. S. h.	Vent. malm. 70.
<i>β flore pleno.</i>	double-flowered.			S. h.	Bot. mag. 1834.
2 viscosum. H. K.	clammy.		E. Ind.	1796. 6.8. S. h.	1805.
3 infortunatum. P. S.	long-flowered.		 S. h.	
4 fortunatum. W.	spear-leaved.			1784. 7. S. h.	Osb. it. t. 11.
5 squamatum. H. K.	scarlet.		China.	1790. 6.9. S. h.	Jac. ic. 3. t. 800.
6 paniculatum. W.	panicked.		Java.	1809. 7.10. S. h.	Bot. rep. 638.
7 trichotomum. W.	three-forked.		Japan.	1800. G. h.	
8 tomentosum. B. P.	downy.		N. S. W.	1794. 3.4. G. h.	Bot. mag. 1518.
9 ligustrinum. H. K.	Privet-leaved.		Mauritius.	1789. 8.11. S. h.	Jac. col. sup. t. 5. f. 1.
10 heterophyllum. H. K.	various-leaved.			1805. 8.9. S. h.	Bot. rep. 554.
11 inerme. H. K.	smooth.		E. Ind.	1692. 8.11. S. h.	Jac. col. sup. t. 4. f. 1.
12 Siphonanthus. H. K.	whorl-leaved.			1796. S. h.	Burm. ind. t. 43. f. 1.
VOLKAMERIA. H. K.	VOLKAMERIA.	Verbenaceae. B. P.			
<i>aculeata. H. K.</i>	prickly.		W. Ind.	1739. 8.10. S. h.	Brown. jam. t. 20. f. 3.
HOLMSKIOLDIA. H. K.	HOLMSKIOLDIA.	Verbenaceae. P. S.	Platanium. J. Hastingsia. Ex. bot.		
<i>sanguinea. W.</i>	scarlet.		India.	1796. S. h.	Exot. bot. 2. t. 80.
VITEX. W.	CHARITE-TREE.	Verbenaceae. B. P.			
1 ovata. W.	oval-leaved.		China.	1796. 7.8. S. h.	
2 altissima. W.	tall.		Ceylon.	1809. S. h.	
3 Agnus-Castus. W.	common.		Sicily.	1570. 9. F. h.	
<i>β latifolia.</i>	broad-leaved.				
4 incisa. W.	cut-leaved.		China.	1758. 7.9. G. h.	Bot. mag. 864.
5 Leucoxydon. W.	white-wooded.		Ceylon.	1793. S. h.	
6 Negundo. W.	quadrangular.		E. Ind.	1812. S. h.	Rumph. amb. 4. t. 19.
7 bicolor. W. en.	two-coloured.			1810. S. h.	
8 trifolia. W.	three-leaved.			1759. S. h.	Rheed. mal. 2. t. 11.
CORNUTIA. P. S.	CORNUTIA.	Verbenaceae. B. P.			
<i>pyramidata. P. S.</i>	pyramidal.		W. Ind.	1739. S. h.	Lam. ill. t. 541.
HOSTA. Jac.	HOSTA.	Verbenaceae. B. P.	Cornutia sp. W.		
<i>cærulea. Jac.</i>	blue-flowered.		S. America. S. h.	Jac. schonn. 1. t. 114.
GMELINA. W.	GMELINA.	Verbenaceae. B. P.			
1 asiatica. W.	oval-leaved.		E. Ind.	1792. S. h.	Lam. ill. t. 542.
2 parviflora. Rox.	obovate-leaved.			1817. S. h.	Roxb. cor. t. 32.
PETRAEA. W.	PETRAEA.	Verbenaceae. P. S.			
<i>volubilis. W.</i>	climbing.		Vera Cruz.	1733. 7.8. S. h.	Bot. mag. 628.
CITHAREXYLUM. W.	FIDDLE-WOOD.	Verbenaceae. P. S.			
1 cinereum. W.	ash-coloured.		W. Ind.	1739. S. h.	Jac. amer. t. 118.
2 caudatum. W.	oval-leaved.		Jamaica.	1763. S. h.	Jac. ic. 3. t. 501.
3 villosum. W.	hairy-leaved.		St. Domingo.	1784. S. h.	1. t. 118.
4 pentandrum. P. S.	pentandrous.		Portorico.	1815. S. h.	Vent. cels. t. 47.
5 quadrangulare. W.	square-stalked.		Jamaica.	1759. S. h.	Jac. vind. 1. t. 22.
DURANTA. W.	DURANTA.	Verbenaceae. P. S.			
1 Plumieri. W.	smooth.		S. America.	1733. 10. S. h.	Bot. reg. 244.
2 Ellisia. W.	prickly.		W. Ind.	1739. 8. S. h.	Bot. mag. 1759.

LANTANA. W.	LANTANA.	Verbenaceæ. P. S.				
1 mista. W.	Nettle-leaved.		W. Ind.	1732. 8.10. S. h.	Dill. elt. t. 56. f. 64.	
2 trifolia. W.	three-leaved.			1733. 6.9. S. h.	Bot. mag. 1449.	
3 annua. W.	annual.		S. America.	— 7.8. S. ♂.	— 1092.	
4 stricta. W.	narrow-leaved.		Jamaica.	— S. h.	Slojam. 2. t. 195. f. 4.	
5 Radula. W.	Rasp-leaved.		W. Ind.	1803. . . . S. h.	—	
6 Camara. W.	various-coloured.			1691. 4.9. S. h.	Dill. elt. t. 56. f. 65.	
7 involucreta. W.	round-leaved.			1690. 5.7. S. h.	Pluk. alm. t. 114. f. 5.	
8 recta. W.	upright.		Jamaica.	1758. 6.8. S. h.	Jac. schœn. 3. t. 360.	
9 odorata. W.	sweet-scented.		W. Ind.	— 5.11. S. h.	Plum. ic. t. 71. f. 2.	
10 melissifolia. W.	Balm-leaved.			1732. 7.3. S. h.	Dill. elt. t. 57. f. 66.	
11 scabrida. W.	rough.			1774. 9. S. h.	—	
12 nivea. P. S.	white-flowered.		E. Ind. 7.9. S. h.	Vent. malm. t. 8.	
13 aculeata. W.	changeable-col ^d .		W. Ind.	1692. 4.11. S. h.	Bot. mag. 96.	
SPIELMANNIA. W.	SPIELMANNIA.	Verbenaceæ. J.				
africana. W.	Ilex-leaved.		C. B. S.	1710. 2.11. G. h.	Bot. mag. 1899.	
ZAPANIA. J.	ZAPANIA.	Verbenaceæ. B. P.				
1 stoechadifolia. P. S.	oval-aspiked.		<i>Verbena sp. Linn.</i>			
2 nodiflora. Ph.	knot-flowered.		W. Ind.	1732. 8.9. S. h.	Brown. jam. t. 3. f. 1.	
PRIVA. P. S.	PRIVA.	Verbenaceæ. P. S.				
1 mexicana. P. S.	Mexican.		America.	1664. 7.8. G. h.	Lam. ill. 1. t. 17. f. 3.	
<i>Verbena mexicana. W.</i>			<i>Blarrig. Gart.</i>			
2 leptostachya. P. S.	rough.		Mexico.	1736. 8.9. S. h.	Dill. elt. t. 502. f. 389	
<i>Tortula aspera. W.</i>	<i>Streptium asperum. Rosb.</i>		E. Ind.	1792. 7.8. S. h.	Rox. cor. 2. t. 146.	
ALOYSIA. P. S.	ALOYSIA.	Verbenaceæ. P. S.				
citriodora. P. S.	Lemon-scented.		<i>Verbena sp. W.</i>			
<i>Verbena triphylla. B. M.</i>			Chili.	1784. 5.9. G. h.	Bot. mag. 367.	
VERBENA. B. P.	VERVAIN.	Verbenaceæ. B. P.				
1 bonariensis. W.	cluster-flowered.		Buenos Ayres.	1732. 7.10. H. ♂.	Dill. elt. t. 300. f. 387	
2 hastata. W.	halberd-leaved.		Canada.	1710. 6.8. H. h.	Herm. parad. t. 242.	
3 paniculata. P. S.	panicled.		N. America.	1800. 7.8. H. h.	—	
4 angustifolia. H. K.	narrow-leaved.			1802. 6.8. H. h.	—	
5 caroliniana. W.	Carolina.			1732. 6.9. H. h.	Dill. elt. t. 301. f. 389	
6 urticifolia. W.	Nettle-leaved.			1688. 7.9. H. h.	Rob. ic. 96.	
7 stricta. Ph.	upright.			1802. 7.8. H. h.	Vent. cala. 53.	
8 Aubletia. W.	Rose.			1774. 6.8. F. ♂.	Bot. mag. 308.	
9 bracteosa. Ph.	long-bracted.			1812. 7. H. h.	—	
10 spuria. W.	jagged-leaved.			1731. 7.8. H. ♂.	—	
11 officinalis. W.	common.		Britain. 6.9. H. h.	Eng. bot. 769.	
12 supina. W.	trailing.		Spain.	1640. 6.7. H. ♂.	Park. theat. 675. f. 2.	
13 prostrata. H. K.	prostrate.		N. America.	1794. — H. h.	—	
MYOPORUM. B. P.	MYOPORUM.	Myoporinæ. B. P.				
1 ellipticum. B. P.	smooth-leaved.		<i>Pogonia. Bot. rep.</i>			
2 acuminatum. B. P.	acuminate.		N. S. W.	1789. 1.3. G. h.	Bot. rep. 283.	
3 parvifolium. B. P.	small-leaved.			1812. . . . G. h.	—	
4 tuberculatum. B. P.	tubercled.		N. Holland.	1803. 1.12. G. h.	Bot. mag. 1691.	
5 viscosum. B. P.	viscid.			1803. . . . G. h.	—	
6 debile. B. P.	procumbent.		N. S. W.	1793. 5.8. G. h.	Bot. mag. 1832.	
7 diffusum. B. P.	diffuse.		N. Holland. 8.2. G. h.	—	
8 oppositifolium. B. P.	opposite-leaved.			1803. 1.12. G. h.	—	
STENOCHILUS. B. P.	STENOCHILUS.	Myoporinæ. B. P.				
glaber. B. P.	smooth-leaved.		N. Holland.	1803. 1.12. G. h.	Bot. mag. 1942.	
BONTIA. B. P.	BONTIA.	Myoporinæ. B. P.				
daphnoides. W.	Barbadoes.		W. Ind.	1690. 6. S. h.	Dill. elt. t. 49. f. 57.	
AVICENNIA. B. P.	AVICENNIA.	Myoporinæ. B. P.				
tomentosa. B. P.	downy-leaved.		India.	1793. . . . S. h.	Palis. d'Owar. t. 47.	
PEDALIMUM. W.	PEDALIMUM.	Pedalinae. B. P.				
Murex. W.	prickly-fruited.		E. Ind.	1778. 8.9. S. ♂.	Lam. ill. t. 538.	
BIGNONIA. W.	{ TRUMPET-FLOWER. }	Bignoniaceæ. B. P.				
1 Unguis. W.	Barbadoes.		W. Ind.	1759. . . . S. h.	Plum. amer. t. 94.	
2 equinoctialis. W.	equinoctial.		Guiana.	1768. . . . S. h.	Plum. ic. t. 55. f. 1.	
3 alliacea. W.	Garlick-scented.		W. Ind.	1790. . . . S. h.	—	
4 laurifolia. W.	Laurel-leaved.		Guiana.	1804. . . . S. h.	—	
5 paniculata. W.	panicled.		W. Ind.	1738. . . . S. h.	Plum. ic. 56. f. 1.	
6 crucigera. W.	cross-bearing.		S. America.	1759. . . . S. h.	— t. 58.	
7 uncata. B. M.	hooked.		Guiana.	1804. 6.9. S. h.	Bot. mag. 1511.	
8 capreolata. W.	four-leaved.		N. America.	1710. 6.7. H. h.	— 864.	
9 pubescens. W.	downy.		Campeachy.	1759. — S. h.	—	

10 venusta. B. reg.	comely.	Bignoniaceæ. B. P.	S. America.	1816. 9.12.	S. h.	Bot. reg. 249.	
11 echinata. W.	bristly-fruited.	_____	Guiana.	1804.	S. h.	Aub. gui. 2. t. 264.	
12 triphylla. W.	three-leaved.	_____	S. America.	1738. —	S. h.	_____	
13 pentaphylla. W.	five-leaved.	_____	Jamaica.	S. h.	Marcg. bras. t. 118.	
14 Leucoxydon. W.	white-wooded.	_____	W. Ind.	1759. 6.7.	S. h.	Bot. rep. 43.	
15 radicans. W.	Ash-leaved.	_____	N. America.	1640. 7.8.	H. h.	_____	
<i>a major.</i>	<i>Great Ash-leav'd.</i>	_____	_____	_____	_____	Bot. mag. 485.	
<i>β minor.</i>	<i>Small Ash-leav'd.</i>	_____	_____	_____	_____	Cates. car. 1. t. 65.	
16 grandiflora. W.	large-flowered.	_____	China.	1800. 7.8.	G. h.	Bot. mag. 1398.	
17 stans. W.	branching.	_____	America.	1730. 8.	S. h.	Plum. ic. t. 54.	
18 chelonoides. W.	tree.	_____	E. Ind.	1808.	S. h.	Rheed. mal. 6. t. 28.	
19 spathacea. W.	salver-shaped.	_____	_____	1794.	S. h.	Rox. cor. 2. t. 144.	
<i>Spathodea longiflora. P. S.</i>	_____	_____	_____	_____	_____	_____	
20 australis. H. K.	NewSouthWales.	_____	N. S. W.	1793. 4.7.	G. h.	Bot. mag. 865.	
<i>Pandoræ. B. M.</i>	<i>Tecoma australis. B. P.</i>	_____	_____	_____	_____	_____	
21 indica. W.	Indian.	_____	India.	1775.	S. h.	Rheed. mal. 1. t. 43.	
22 procera. W.	Box-leaved.	_____	Guiana.	1793.	S. h.	Aub. gui. 2. t. 265.	
23 cærulea. W.	blue-flowered.	_____	Bahama Isl ^d .	1724. 7.8.	G. h.	Cat. car. 1. t. 42.	
<i>Jacaranda caroliniana. P. S.</i>	_____	_____	_____	_____	_____	_____	
SESAMUM. W.	OILY-GRAIN.	Bignoniaceæ? J.	_____	_____	_____	_____	
1 orientale. W.	oriental.	_____	E. Ind.	1731. 7.	S. ⊙	Rheed. mal. 9. t. 54.	
2 indicum. W.	Indian.	_____	_____	_____	S. ⊙	Bot. mag. 1788.	
PENTSTEMON. W.	PENTSTEMON.	Bignoniaceæ? J.	_____	_____	_____	_____	
1 campanulata. W.	bell-flowered.	_____	Mexico.	1794. 3.10.	F. h.	Bot. mag. 1878.	
2 levigata. W.	smooth.	_____	N. America.	1776. 8.9.	H. ½	_____ 1425.	
3 hirsuta. W.	narrow-l ^d . hairy.	_____	_____	1758. —	H. ½	Mor. h. s. 1. t. 21. f. 3	
4 pubescens. W.	broad-l ^d . hairy.	_____	_____	_____	H. ½	Bot. mag. 1424.	
5 erianthera. Ph.	dwarf.	_____	Louisiana.	1811. —	H. ½	_____	
6 angustifolia. Ph.	narrow-leaved.	_____	_____	7.9.	H. ½	_____	
7 glabra. Ph.	Nuttal's.	_____	_____	_____	H. ½	Bot. mag. 1672.	
8 Bradburii. Ph.	large-flowered.	_____	_____	_____	H. ½	_____	
CHELONE. W.	CHELONE.	Bignoniaceæ? J.	_____	_____	_____	_____	
1 glabra. W.	white-flowered.	_____	N. America.	1730. 8.10.	H. ½	Trew. chret. t. 83.	
2 obliqua. W.	red-flowered.	_____	_____	1752. —	H. ½	Bot. reg. 175.	
3 Lyoni. Ph.	Lyon's.	_____	_____	1812. 7.9.	H. ½	Bot. mag. 1864.	
4 barbata. W.	scarlet.	_____	Mexico.	1794. 6.9.	H. ½	Bot. reg. 116.	
TOURETTIA. J.	TOURETTIA.	Bignoniaceæ? J.	<i>Dombeya. Sal.</i>	_____	_____	_____	
lappacea. W.	scarlet-flowered.	_____	Peru.	1788. 6.8.	S. ⊙	Sal. stirp. rar. 5. t. 3.	
MARTYNIA. W.	MARTYNIA.	Bignoniaceæ? J.	_____	_____	_____	_____	
1 diandra. W.	two-stamened.	_____	New Spain.	1731. 7.8.	S. ⊙	Bot. rep. 575.	
2 craniolaria. W.	white-flowered.	_____	S. America.	1733. —	S. ⊙	Jac. amer. t. 110.	
3 Proboscidea. W.	horn-capsuled.	_____	America.	1738. 6.8.	G. ⊙	Bot. mag. 1056.	
4 longiflora. W.	long-flowered.	_____	C. B. S.	1781. 7.8.	G. ⊙	Meerb. ic. 1. t. 7.	
GLOXINIA. W.	GLOXINIA.	Bignoniaceæ? J.	_____	_____	_____	_____	
1 maculata. W.	spotted-stalked.	_____	S. America.	1739. 7.10.	S. ½	Bot. mag. 1191.	
2 speciosa. B. reg.	many-flowered.	_____	_____	1815. 6.11.	S. ½	Bot. reg. 213.	
GESNERIA. W.	GESNERIA.	Bignoniaceæ? J.	_____	_____	_____	_____	
1 acaulis. W.	stemless.	_____	Jamaica.	1793.	S. h.	Sloa. jam. 1. t. 102. f. 1	
2 tomentosa. W.	woolly.	_____	S. America.	1752. 11.6.	S. h.	Bot. mag. 1023.	
LATHRÆA. W.	TOOTHWORT.	Orobanchæ. Vent.	_____	_____	_____	_____	
squamaria. W.	scaly.	_____	Britain.	4.	H. ½	Eng. bot. c. ic.
OROBANCHE. W.	BROOM-RAPE.	Orobanchæ. Vent.	_____	_____	_____	_____	_____
1 major. E. B.	greater.	_____	Britain.	6.7.	H. ½	Eng. bot. 421.
2 elatior. E. B.	taller.	_____	_____	7.8.	H. ½	_____ 568.
3 minor. E. B.	smaller.	_____	_____	—	H. ½	_____ 422.
4 rubra. E. B.	red.	_____	_____	8.	H. ½	_____ c. ic.
5 cærulea. E. B.	blue.	_____	_____	7.	H. ½	_____ 423.
6 ramosa. E. B.	branching.	_____	_____	8.9.	H. ½	_____ 84.
ACANTHUS. W.	BEAR'S-BREECH	Acanthaceæ. B. P.	_____	_____	_____	_____	_____
1 mollis. W.	smooth.	_____	Italy.	1548. 7.9.	H. ½	Lam. ill. t. 550.	_____
2 uigra. Mill.	shining-leaved.	_____	Portugal.	1759. —	H. ½	_____	_____
3 spinosus. P. S.	prickly-leaved.	_____	Italy.	1629. —	H. ½	Bot. mag. 1808.	_____
4 spinosissimus. P. S.	white-spined.	_____	S. Europe.	—	H. ½	_____	_____
5 ilicifolius. B. P.	Holly-leaved.	_____	E. Ind.	1759.	S. h.	Rheed. mal. 2. t. 46.	_____
THUNDERBIA. W.	THUNDERBIA.	Acanthaceæ. B. P.	_____	_____	_____	_____	_____
fragrans. W.	twining.	_____	E. Ind.	1796. 5.9.	S. h.	Bot. mag. 1881.	_____
BAILLERIA. W.	BAILLERIA.	Acanthaceæ. B. P.	_____	_____	_____	_____	_____
1 longifolia. W.	long-leaved.	_____	E. Ind.	1781. 7.9.	S. ½	Pluk. alm. t. 133. f. 4.	_____
2 Prionitis. W.	thorny.	_____	_____	1759. 7.8.	S. h.	Rheed. mal. 9. t. 41.	_____
3 buxifolia. W.	Box-leaved.	_____	_____	1768. 6.7.	S. ½	_____ 2. t. 47.	_____

4 cristata. W.	crested.	Acanthaceæ. B. P. E. Ind.	1796. 6.9.	S. h.	Bot. mag. 1615.
5 pititis. B. reg.	yellow-flowered.	_____	1816. _____	S. h.	Bot. reg. 191.
6 longiflora. W.	long-flowered.	_____	_____	S. h.	Vahl. symb. 1. t. 16.
RUELLIA. J.	RUELLIA.	Acanthaceæ. B. P.			
1 ovata. W.	oval-leaved.	_____ Mexico.	1800. 7.8.	S. h.	Cav. ic. 3. t. 254.
2 strepens. W.	whorl-flowered.	_____ N. America.	1796. _____	G. h.	Schb. hand. 2. t. 177.
3 ocymoides. Cav.	Basil-like.	_____ Mexico.	1815. _____	S. h.	Cav. ic. 5. t. 456.
4 patula. W.	spreading.	_____ E. Ind.	1774. _____	S. h.	Jac. ic. 1. t. 119.
5 lactea. W.	white.	_____ Mexico.	1796. 6.8.	G. h.	Cav. ic. 3. t. 255.
6 clandestina. W.	three-flowered.	_____ Barbadoes.	1728. 7.8.	S. h.	Dill. elt. t. 248. f. 320
7 paniculata. W.	panicled.	_____ W. Ind.	1768. 8.	S. h.	Slo. jam. 1. t. 100. f. 2.
8 tuberosa. W.	tuberous-rooted.	_____ Jamaica.	1752. 7.8.	S. h.	_____ 1. t. 95. f. 1.
9 biflora. W.	two-flowered.	_____ Carolina.	1765. 7.	G. h.	
10 formosa. H. K.	splendid.	_____ Brazil.	1808. 6.9.	S. h.	Bot. mag. 1400.
11 fulgida. H. K.	bright-flowered.	_____ W. Ind.	1804. 7.8.	S. h.	Bot. rep. 527.
12 ciliata. W. en.	ciliated.	_____ E. Ind.	1806. 7.	S. h.	
13 ringens. W.	gaping-flowered.	_____ E. Ind.	1807. 7.8.	S. h.	
<i>Hygrophila sp. B. P.</i>					
BLECHUM. B. P.	BLECHUM.	Acanthaceæ. B. P.			
Brownei. H. K.	dense-spiked.	_____ W. Ind.	1780. 6.	S. h.	Slo. jam. 1. t. 109. f. 1.
APHELANDRA. B. P.	APHELANDRA.	Acanthaceæ. B. P.			
cristata. H. K.	dense-spiked.	_____ W. Ind.	1783. 6.9.	S. h.	Bot. mag. 1578.
CROSSANDRA. P. L.	CROSSANDRA.	Acanthaceæ. B. P. <i>Harrackia. Jac.</i>			
undulæfolia. P. S.	waved-leaved.	_____ E. Ind.	1800. 6.1.	S. h.	Bot. reg. 69.
LIMOSELLA. W.	MUDWORT.	Scrophularinæ. B. P.			
aquatica. W.	water.	_____ Britain. 7.9.	H. ☉	Eng. bot. 357.
BROWALLIA. W.	BROWALLIA.	Scrophularinæ. B. P.			
1 demissa. W.	spreading.	_____ S. America.	1735. 6.9.	G. ☉	Bot. mag. 1136.
2 elata. W.	upright.	_____ Peru.	1768. _____	G. ☉	34.
STEMODIA. W.	STEMODIA.	Scrophularinæ. B. P.			
parviflora. H. K.	small-flowered.	_____ S. America.	1759. 7.8.	S. h.	
MAZUS. B. P.	MAZUS.	Scrophularinæ. B. P.			
rugosus. H. K.	China.	_____ China.	1780. 5.9.	F. ☉	
LINDERNIA. B. P.	LINDERNIA.	Scrophularinæ. B. P.			
Pyxidaria. W.	European.	_____ S. Europe.	1789. 6.8.	H. ☉	Lam. ill. t. 522.
HERPESTIS. B. P.	HERPESTIS.	Scrophularinæ. B. P. <i>Monniera. Mich. Gratioli sp. W.</i>			
1 Monniera.	Thyme-leaved.	_____ India.	1772. 7.9.	S. h.	Rox. cor. 2. t. 178.
2 cuneifolia. Ph.	wedge-leaved.	_____ N. America.	1812. 8.	H. h.	
CAPRARIA. P. S.	CAPRARIA.	Scrophularinæ. B. P.			
1 biflora. W.	{ Shrubby Goat-weed.	_____ S. America.	1752. 7.8.	S. h.	Jac. amer. t. 115.
2 cuneata. H. K.	wedge-leaved.	_____	1759.	S. h.	
3 lanceolata. W.	spear-leaved.	_____ C. B. S.	1774.	G. h.	
4 undulata. W.	wave-leaved.	_____	3.7.	G. h.	Bot. mag. 1556.
5 humilis. W.	dwarf.	_____ E. Ind.	1781. 7.8.	S. ☉	
TEEDIA. P. S.	TEEDIA.	Scrophularinæ. B. P. <i>Borchhausenia. Roth.</i>			
1 lucida. P. S.	shining.	_____ C. B. S.	1774. 4.7.	G. ♂	Bot. reg. 210.
2 pubescens. B. reg.	pubescent.	_____	1816. 5.10.	G. ♂	214.
BESLERIA. W.	BESLERIA.	Scrophularinæ. B. P.			
1 melittifolia. W.	Balm-leaved.	_____ Guiana.	1739. 6.7.	S. h.	Exot. bot. 1. t. 54.
2 lutea. W.	yellow-flowered.	_____	7.8.	S. h.	Plum. ic. 49. f. 1.
3 serrulata. W.	saw-leaved.	_____ W. Ind.	1806.	S. h.	Jac. schœn. 3. t. 290.
4 pulchella. H. K.	striped-flowered.	_____ Trinidad.	1806. 7.8.	S. h.	Bot. mag. 1146.
5 cristata. W.	crested.	_____ W. Ind.	1739. 6.8.	S. h.	Jac. amer. t. 119.
TREVIRANA. W. en.	TREVIRANA.	Scrophularinæ. B. P. <i>Achimenes. P. S.</i>			
coccinea. W. en.	scarlet.	_____ Jamaica.	1778. 8.10.	S. h.	Bot. mag. 374.
<i>Cyrrilla pulchella. B. M.</i>					
COLUMNÆA. W.	COLUMNÆA.	Scrophularinæ. B. P.			
1 scandens. H. K.	climbing.	_____ W. Ind.	1759. 8.9.	S. h.	Bot. mag. 1614.
2 hirsuta. W.	hairy.	_____ Jamaica.	1780. 8.11.	S. h.	Brown. jam. t. 30. f. 3
RUSSELLIA. W.	RUSSELLIA.	Scrophularinæ. B. P.			
multiflora. B. M.	many-flowered.	_____ S. America.	1812. 6.8.	S. h.	Bot. mag. 1528.
DODARTIA. W.	DODARTIA.	Scrophularinæ. B. P.			
orientalis. W.	oriental.	_____ Levant.	1752. 7.8.	H. h.	Lam. ill. t. 530.
HALLERIA. W.	HALLERIA.	Scrophularinæ. B. P.			
lucida. W.	shining-leaved.	_____ C. B. S.	1752. 6.8.	G. h.	Bot. mag. 1744.
MIMULUS. W.	MONKEY-FLOW.	Scrophularinæ. B. P.			
1 ringens. W.	gaping.	_____ N. America.	1759. 7.8.	H. h.	Bot. mag. 283.
2 glutinosus. W.	Orange-coloured.	_____ California.	1794. 1.12.	G. h.	354.

3 alatus. W.	oval-leaved.	Scrophularinae. B.P. N. America.	1783. 7.8. H. ♀.	
4 luteus. W.	yellow-flowered.	_____ America.	1812. 6.9. F. ♀.	Bot. mag. 1501.
HORNEMANNIA. } W. en.	HORNEMANNIA.	Scrophularinae. B. P.		
bicolor. W. en.	two-coloured.	_____ E. Ind.	1816. 6.9. S. ♂.	
* DIGITALIS. W.	Fox-glove.	Scrophularinae. B. P.		
1 purpurea. W.	purple.	_____ Britain. 8.8. H. ♂.	Eng. bot. 1297.
β alba.	white.			
2 minor. W.	dwarf.	_____ Spain.	1789. 6.7. H. ♀.	
3 Thapsi. W.	Mullein.	_____	1752. 5.8. H. ♀.	Exot. bot. 1. t. 48.
4 ambigua. W.	greater yellow.	_____ Switzerland.	1596. 7.8. H. ♀.	Bot. reg. 64.
5 intermedia. P. S.	middle yellow.	_____ Germany.	1816. — H. ♀.	
6 lutea. W.	small yellow.	_____ France.	1629. — H. ♀.	Bot. reg. 251.
7 crubescens. H. K.	blush-flowered.	_____ Italy.	1776. 6.7. H. ♀.	
8 parviflora. W.	small-flowered.	_____	1798. 6.8. H. ♀.	Bot. reg. 257.
9 lanata. W.	woolly.	_____ Hungary.	1789. 6.7. H. ♀.	Bot. mag. 1159.
10 leucophæa. H. K.	broad-lipped.	_____ Greece.	1788. 6.10. H. ♀.	
11 ferruginea. W.	iron-coloured.	_____ Italy.	1597. 7.8. H. ♀.	
12 lævigata. P. S.	shining-leaved.	_____ Hungary.	1816. — H. ♀.	Pl. rar. hung. 2. t. 158.
13 obscura. W.	Willow-leaved.	_____ Spain.	1778. — H. ♀.	Jac. vind. 1. t. 91.
14 canariensis. W.	Canary.	_____ Canaries.	1698. 6.7. G. ♀.	Bot. reg. 48.
15 Sceptrum. W.	Madeira shrubby	_____ Madeira.	1777. 7.8. G. ♀.	Exot. bot. 2. t. 73.
SCROPHULARIA. W.	FIGWORT.	Scrophularinae. B. P.		
1 marilandica. W.	Maryland.	_____ N. America.	1759. 5.7. H. ♀.	
2 nodosa. W.	knotty-rooted.	_____ Britain. — H. ♀.	Eng. bot. 1644.
3 aquatica. W.	water.	_____ — H. ♀.	854.
4 appendiculata. W. en.	heart-leaved.	_____ Morocco.	1805. 7. — H. ♀.	
5 auriculata. W.	ear-leaved.	_____ Spain.	1772. 7.8. H. ♀.	Lob. ic. 538.
6 Scardonica. W.	Balm-leaved.	_____ Britain. — H. ♀.	Eng. bot. 2209.
7 glabrata. W.	spear-leaved.	_____ Canaries.	1779. 4.5. G. ♂.	Jac. schæn. 2. t. 308.
8 betonicifolia. W.	Betony-leaved.	_____ Spain.	1752. 6.8. H. ♀.	Barr. ic. 274.
9 biserrata. W. en.	doubly-sawed.	_____	1816. — H. ♀.	
10 glandulosa. W. en.	glandular.	_____ Hungary.	1806. 6.9. H. ♀.	Pl. rar. hung. 2. t. 214.
11 orientalis. W.	Hemp-leaved.	_____ Levant.	1710. 7.8. H. ♀.	Schk. hand. 2. t. 178.
12 ascendens. W. en.	ascending.	_____	1816. H. ♀.	
13 frutescens. W.	shrubby.	_____ Portugal.	1768. 6.8. F. ♀.	Herm. lugdb. t. 547.
14 altaica. W.	white-flowered.	_____ Siberia.	1786. 5.6. H. ♀.	Mur. com. got. 4. t. 3.
15 vernalis. W.	yellow.	_____ Britain. 8.5. H. ♂.	Eng. bot. 567.
16 arguta. W.	slender upright.	_____ Canaries.	1778. 5.6. G. ♂.	
17 trifoliata. W.	three-leaved.	_____ Africa.	1781. 5.9. H. ♂.	Jac. schæn. 3. t. 286.
18 sambucifolia. W.	Elder-leaved.	_____ Spain.	1640. 7.9. F. ♀.	Mill. ic. 2. t. 231.
19 laciniata. W. en.	flag-leaved.	_____ Hungary.	1806. 7. — H. ♀.	Pl. rar. hung. 2. t. 170.
20 lyrata. W. en.	lyrate-leaved.	_____ Portugal.	1816. 7.8. H. ♀.	W. hort. ber. 1. t. 55.
21 tanacetifolia. W. en.	Tansy-leaved.	_____ Tauria.	1804. 7.9. H. ♀.	1. t. 56.
22 mellifera. W.	Barbary.	_____ Barbary.	1786. 7.8. F. ♀.	Desf. atl. 2. t. 143.
23 canina. W.	wing-leaved.	_____ S. Europe.	1683. 6.8. H. ♀.	Lob. ic. 2. p. 55.
24 lucida. W.	shining-leaved.	_____ Levant.	1596. — H. ♀.	W. hort. ber. 57.
25 variegata. M. B.	variegated.	_____ Caspian Shores.	1816. — H. ♀.	
26 multifida. W. en.	multifid-leaved.	_____ — H. ♀.	W. hort. ber. 1. t. 56.
27 chrysanthemifolia. W. en.	{ Chrysanthemum-leaved. }	_____ Tauria. — H. ♀.	1. t. 59.
28 peregrina. W.	Nettle-leaved.	_____ Italy.	1640. — H. ♂.	Camer. hort. t. 43.
MAURANDIA. W.	MAURANDIA.	Scrophularinae. B. P.		
1 semperflorens. W.	red-flowered.	_____ Mexico.	1796. 1.12. G. ♀.	Bot. mag. 460.
2 antirrhiniflora. W. en.	blue-flowered.	_____	1814. — G. ♀.	1643.
CYMBARIA. W.	CYMBARIA.	Scrophularinae. B. P.		
daurica. W.	Daurian.	_____ Dauria.	1796. 6.7. H. ♀.	Amm. ruth. t. 1. f. 2.
NEMESIA. Vent.	NEMESIA.	Scrophularinae. B. P. <i>Antirrhini</i> sp. W.		
1 chamædrysifolia. V.	Chamædrys-leaf.	_____ C. B. S.	1787. 4.9. G. ♀.	
2 fortens. V.	festid.	_____	1798. — G. ♀.	Vent. malin. t. 41.
3 bicorne. P. S.	horned.	_____	1774. 7.8. G. ♂.	Burm. afr. t. 75. f. 3.
ANARRHINUM. } Desf.	ANARRHINUM.	Scrophularinae. B.P. <i>Antirrhini</i> sp. L.		
bellidifolium. W.	Daisy-leaved.	_____ France.	1629. 6.8. H. ♂.	Bauh. prod. t. 106.
ANTIRRHINUM. J.	SNAP-DRAGON.	Scrophularinae. B.P.		
1 majus. W.	great.	_____ England. 6.8. H. ♀.	Eng. bot. 129.
β coccinea.	scarlet-flowered.			
γ bicolor.	two-coloured.			
δ flore pleno.	double-flowered.			

1. W.	Sicilian.	Scrophularinae. B.P. Sicily.	1804. 7.8. H. 2.	
12. W.	lesser.	Britain. 7.9. H. 2.	Eng. bot. 1155.
a. W.	heart-leaved.	Italy.	1699. 7. F. 2.	Bot. mag. 902.
W.	soft-leaved.	Spain.	1752. 7.10. F. 2.	
J.	TOAD-FLAX.	Scrophularinae. B.P. <i>Antirrhini</i> sp. L.		
laria. H. K.	Ivy-leaved.	England. 5.11. H. 2.	Eng. bot. 502.
H. K.	hairy-leaved.	Pyrenees.	1800. 6.9. H. 2.	Jac. obs. 2. t. 48.
H. K.	sharp-pointed.	England. 7.11. H. 2.	Eng. bot. 692.
H. K.	round-leaved.	 7.9. H. 2.	691.
a. H. K.	tendrilled.	Egypt.	1777. 7. H. 2.	Jac. vind. 1. t. 82.
aca. H. K.	Egyptian.		1771. — H. 2.	
la. H. K.	three-leaved.	Sicily.	1596. 6.9. H. 2.	Bot. mag. 324.
a. H. K.	broad-leaved.	N. America.	1800. 6.7. H. 2.	Desf. atl. 2. t. 134.
thophora. }	three-bird's.	Portugal.	1710. 6.9. F. 2.	Bot. mag. 523.
ta. P. S.	two-parted.	Barbary.	1815. — F. 2.	Vent. cels. t. 82.
ea. H. K.	purple.	S. Europe.	1648. 7.9. H. 2.	Bot. mag. 99.
lor. H. K.	various-coloured.	France.	1777. — H. 2.	Jac. ic. 1. t. 116.
H. K.	creeping-rooted.	England. 7.10. H. 2.	Eng. bot. 1253.
H. K.	branching.	Spain.	1772. 6.10. H. 2.	Bot. mag. 200.
tata. H. K.	two-spotted.		1749. 6.8. H. 2.	
a. W.	hairy-calyxed.	Egypt.	1808. 7. H. 2.	
H. K.	melancholy.	Spain.	1727. 7.8. F. 2.	Bot. mag. 74.
H. K.	trailing.		1728. 7. H. 2.	
x. P. S.	upright.	S. Europe.	1816. 7.8. H. 2.	Jac. ic. 3. t. 499.
is. P. S.	corn.	 — H. 2.	
iana. H. K.	violet-coloured.		1640. 6.9. H. 2.	Barrel. ic. 1162.
H. K.	clammy.	Spain.	1786. 7. H. 2.	Bot. mag. 368.
aulis. H. K.	many-stalked.	Levant.	1728. 6.7. H. 2.	Boc. sic. t. 19. f. 1.
ata. H. K.	net-flowered.	Algiers.	1788. — F. 2.	Smith. ic. pict. 2.
H. K.	glaucous-leaved.	S. Europe.	1800. 6.8. H. 2.	Buxb. cent. 4. t. 27.
H. K.	Alpine.	Austria.	1570. 7.11. F. 2.	Bot. mag. 205.
H. K.	villous.	Spain.	1786. 7.8. F. 2.	Barrel. ic. 597.
ifolia. H. K.	Marjoram-leav ^d .	S. Europe.	1785. 6.9. F. 2.	598.
H. K.	east erect.	England. 6.11. H. 2.	Eng. bot. 2014.
tica. H. K.	Dalmatian.	Levant.	1731. 6.7. H. 2.	Buxb. cent. t. 24.
H. K.	shaggy-leaved.	Spain.	1759. 6.9. H. 2.	Jac. ic. 1. t. 117.
ifolia. H. K.	Broom-leaved.	Austria.	1704. 7.8. H. 2.	Jac. aus. 3. t. 244.
H. K.	Rush-stalked.	Spain.	1780. — H. 2.	
is. H. K.	yellow.	Britain. 6.9. H. 2.	Eng. bot. 658.
ria.	regular-flowered.	 — H. 2.	260.
nsis. P. S.	Canada.	N. America.	1812. 6.8. H. 2.	Vent. cels. 49.
ensis. H. K.	white-flowered.	Levant.	1680. 6.7. H. 2.	Moris. s. 5. t. 25. f. 9.
IA. W.	GERARDIA.	Scrophularinae. B.P.		
nifolia. W.	Larkspur-leaved.	E. Ind.	1800. 6.7. S. 2.	Rox. cor. 1. t. 90.
rea. Ph.	purple.	N. America.	1772. 7.8. H. 2.	Pluk. mant. 388. f. 1.
lia. Ph.	slender-leaved.		1812. — H. 2.	Pluk. alm. t. 12. f. 4.
Ph.	yellow.		1796. — H. 2.	Pluk. amal. t. 369. f. 3.
folia. Ph.	Oak-leaved.		1812. — H. 2.	Pursh. amer. t. 19.
LARIS. W.	LOUSEWORT.	Scrophularinae. B.P.		
ris. W.	marsh.	Britain. 6.7. H. 2.	Eng. bot. 399.
ca. W.	common.	 5.7. H. 2.	400.
sioides. W.	Eyebright-leav ^d .	Siberia.	1816. F. 2.	Gmel. sib. 3. t. 43.
hylla. W.	Milfoil-leaved.	Dauria.	— 5.7. F. 2.	Pall. it. 3. app. t. 8. f. 11.
nata. W.	resupinate.	Siberia.	— F. 2.	Gmel. sib. 3. t. 44.
um Caro- }	sceptred.	Sweden.	1793. 8. F. 2.	Flor. dan. t. 26.
a. W.	jagged-leaved.	Austria.	1787. 7.8. F. 2.	Jac. aust. 3. t. 258.
W.	leafy.		1786. 7. F. 2.	2. t. 139.
nsis. W.	Canadian.	N. America.	1800. 7.8. H. 2.	
ata. W.	flesh-coloured.	Austria.	1796. 6.7. H. 2.	Jac. aust. 2. t. 140.
ita. W.	hooked-flowered	Siberia.	1815. 7.8. F. 2.	Gmel. sib. 3. t. 45.
llata. W.	whorled.	Austria.	1790. 5.6. F. 2.	Jac. aust. 3. t. 206.
ca. W.	upright.	Switzerland.	1775. 7. F. 2.	Hall. helv. t. 8. f. 3.
ca. W.	tuberos.		1799. 7.8. F. 2.	n. 323. t. 10.
cta. W.	close-headed.	Siberia.	1815. — F. 2.	
a. W.	spiked.	Italy.	1775. — F. 2.	All. ped. 1. t. 4. f. 1.
PYRUM. W.	Cow-WHEAT.	Scrophularinae. B.P.		
um. W.	crested.	England. 7.8. H. 2.	Eng. bot. 41.
e. W.	purple.	 6.7. H. 2.	53.

3 pratense. W.	common.	Scrophularinæ. B.P. Britain.	7.8.	H.⊙.	Eng. bot. 113.
4 sylvaticum. W.	wood.	_____	_____	H.⊙.	804.
RHINANTHUS. W.	YELLOW RATTLE	Scrophularinæ. B.P.				
Crista-galli. W.	Cock's Comb.	_____ Britain.	6.8.	H.⊙.	Eng. bot. 657.
BARTSIA. W.	BARTSIA.	Scrophularinæ. B.P.				
1 coccinea. W.	scarlet.	_____ N. America.	1787.	7.	H.⊙.	Pluk. alm. t. 102. f. 5.
2 pallida. W.	pale-flowered.	_____ Siberia.	1782.	6.9.	H.⊙.	Gmel. sib. 3. t. 42.
3 viscosa. W.	yellow viscid.	_____ Britain.	7.8.	H.⊙.	Eng. bot. 1045.
4 Odontites. H. K.	red.	_____	7.9.	H.⊙.	1415.
5 alpina. W.	Alpine.	_____	7.8.	H.⊙.	361.
CASTILLEJA. Sm.	CASTILLEJA.	Scrophularinæ. B.P.				
sessiliflora. Ph.	sessile-flowered.	_____ Louisiana.	1811.	7.8.	H.⊙.	
EUPHRASIA. W.	EYE-BRIGHT.	Scrophularinæ. B.P.				
1 officinalis. W.	common.	_____ Britain.	7.9.	H.⊙.	Eng. bot. 1416.
2 lutea. W.	yellow.	_____ S. Europe.	1816.	_____	H.⊙.	Jac. aust. t. 398.
BUCHNERA. B. P.	BUCHNERA.	Scrophularinæ. B.P.				
americana. W.	American.	_____ N. America.	1733.	6.8.	H.⊙.	
MANULEA. W. en.	MANULEA.	Scrophularinæ. B.P.				
1 fastida. P. S.	stinking.	_____ <i>Buchnera</i> sp. H. K.				
2 villosa. P. S.	villous.	_____ C. B. S.	1794.	6.9.	G.⊙.	Bot. rep. 80.
<i>Buchnera capensis.</i>	<i>W.</i>	_____	1783.	6.7.	G.⊙.	Burm. afr. t. 50. f. 2.
3 pedunculata. P. S.	solitary-flower ^d .	_____	1790.	6.11.	G. h.	Bot. rep. 84.
4 viscosa. W. en.	clammy.	_____	1774.	_____	G. h.	Bot. mag. 217.
5 rubra. W.	red.	_____	1790.	4.9.	G. h.	
6 tomentosa. W.	woolly.	_____	1774.	5.11.	G. h.	Bot. mag. 322.
7 Cheiranthus. W.	Wall Flower.	_____	1795.	6.8.	G. ♂.	Com. hort. 2. t. 42.
8 argentea. W.	silvery.	_____	1801.	7.11.	G.⊙.	
ERINUS. W.	ERINUS.	Scrophularinæ. B.P.				
1 alpinus. P. S.	smooth-leaved.	_____ Pyrenees.	1739.	3.4.	F.⊙.	
2 hispanicus. P. S.	hairy-leaved.	_____ Spain.	_____	_____	F.⊙.	
3 fragrans. W.	fragrant.	_____ C. B. S.	1776.	5.6.	G. h.	Burm. afr. t. 49. f. 4.
SIBTHORPIA. W.	SIBTHORPIA.	Scrophularinæ. B.P.				
europæa. W.	Cornish.	_____ England.	7.8.	H.⊙.	Eng. bot. 619.
BRUNFELSIA. W.	BRUNFELSIA.	Solanæ? J.				
1 undulata. W.	wave-flowered.	_____ Jamaica.	1780.	6.7.	S. h.	Bot. reg. 228.
2 americana. W.	American.	_____ W. Ind.	1735.	_____	S. h.	Bot. mag. 393.
<i>a latifolia.</i>	<i>broad-leaved.</i>					
<i>β angustifolia.</i>	<i>narrow-leaved.</i>					
CRESCENTIA. W.	CALABASH TREE.	Solanæ? J.				
1 Cujete. W.	oval-fruited.	_____ Jamaica.	1690.	S. h.	Jac. amer. t. 111.
2 cucurbitina. W.	round-fruited.	_____ W. Ind.	1733.	S. h.	Plum. ic. t. 109.
CELSIA. W.	CELSIA.	Solanæ. J.				
1 orientalis. W.	oriental.	_____ Levant.	1713.	7.8.	H.⊙.	Lam. ill. t. 532.
2 Arcturus. W.	scallop-leaved.	_____ Candia.	1780.	7.9.	F. ♂.	Jac. vind. 2. t. 117.
3 coromandelina. W.	Coromandel.	_____ E. Ind.	1783.	7.8.	S.⊙.	
4 viscosa. W. en.	clammy.	_____	1816.	_____	S.⊙.	
5 cretica. W.	great-flowered.	_____ Crete.	1752.	7.9.	F. ♂.	Bot. mag. 964.
6 lanceolata. P. S.	spear-leaved.	_____ Levant.	1816.	_____	F. ♂.	Vent. cels. t. 27.
ALONSOA. H. K.	ALONSOA.	Solanæ. J.				
1 acutifolia. P. S.	acute-leaved.	_____ <i>Hemimeridia</i> sp. <i>W.</i>				
2 incisifolia. H. K.	Nettle-leaved.	_____ Peru.	1790.	5.10.	G. h.	
<i>Hemimeris urticifolia. W.</i>	<i>Celsia urticifolia. B. M.</i>	_____ Chili.	1795.	_____	G. h.	Bot. mag. 417.
3 linearis. H. K.	linear-leaved.	_____ Peru.	1790.	_____	G. h.	210.
ANTHOCERCIS. B.P.	ANTHOCERCIS.	Solanæ. B. P.				
littorea. B. P.	yellow.	_____ N. Holland.	1803.	5.8.	G. h.	Bot. reg. 212.
LINNÆA. W.	LINNÆA.	Caprifoliæ. J.				
borealis. W.	two-flowered.	_____ Scotland.	5.8.	H.⊙.	Eng. bot. 433.
MELIANTHUS. W.	HONEY-FLOWER	Rutacæ? J.				
1 major. W.	great.	_____ C. B. S.	1688.	5.7.	G. h.	Bot. reg. 45.
2 minor. W.	small.	_____	1696.	8.	G. h.	Bot. mag. 301.

CLASS XV.

TETRADYNAMIA SILICULOSA.

CAKILE. H. K.	CAKILE.	Cruciferae. J.				
1 maritima. H. K.	Sea Rocket.	_____ Britain.	6.9.	H.⊙.	Eng. bot. 231.
2 perennis. H. K.	perennial.	_____ Germany.	1789.	7.	H.⊙.	Jac. aust. 5. t. 414.
3 rugosa. H. K.	wrinkled.	_____ S. Europe.	1739.	6.7.	H.⊙.	All. ped. 1. t. 78.

GRAMBE. W.	COLEWORT.	Cruciferae. J.				
1 maritima. W.	Sea Kale.	_____	Britain. 5.6. H. ♀.	Eng. bot. 924.	
2 pinnatifida. H. K.	smooth-winged.	_____	Siberia.	1759. 6.7. H. ♀.	Jac. ic. 1. t. 128.	
3 orientalis. W.	oriental.	_____	Levant.	1752. — H. ♀.	—	
4 tatarica. W.	Tartarian.	_____	Siberia.	1789. — H. ♀.	Jac. ic. 1. t. 129.	
5 hispanica. W.	Spanish.	_____	Spain.	1683. — H. ♂.	Schk. hand. 2. t. 189.	
6 fruticosa. W.	Madeira.	_____	Madeira.	1777. 5.11. G. h.	—	
7 strigosa. W.	Canary.	_____	Canaries.	1779. 5.6. G. h.	Jac. ic. 1. t. 120.	
8 filiformis. W.	Patagonian.	_____	Patagonia.	1796. 7.8. H. ♀.	— 3. t. 504.	
MYAGRUM. H. K.	MYAGRUM.	Cruciferae. J.				
1 perfoliatum. W.	perfoliate.	_____	France.	1648. 6.7. H. ♂.	Schk. hand. 2. t. 178.	
2 orientale. P. S.	oriental.	_____	Levant.	1795. 7. H. ♂.	—	
EUCLIDIUM. H. K.	EUCLIDIUM.	Cruciferae. J.				
1 syriacum. H. K.	Syrian.	_____	Levant.	1778. 7.8. H. ♂.	Jac. aus. 1. t. 6.	
RAPISTRUM. G.	RAPISTRUM.	Cruciferae. J. Myagri sp. W.				
1 ægyptiacum. H. K.	Egyptian.	_____	Egypt.	1787. 8. H. ♂.	Jac. vind. 2. t. 145.	
2 paniculatum. H. K.	panicked.	_____	Europe.	1683. 7.8. H. ♂.	Gært. de fr. 2. t. 141.	
BUNIAS. W.	BUNIAS.	Cruciferae. J.				
1 Eruca. W.	prickly-podded.	_____	Austria.	1640. 6.7. H. ♂.	Jac. aust. 4. t. 340.	
2 orientalis. W.	oriental.	_____	Levant.	1731. 5.7. H. ♀.	Gmel. sib. 3. t. 57.	
CORONOPUS. G.	WART CRESS.	Cruciferae. J. Seneciera sp. P. S.				
1 Ruellii. H. K.	common.	_____	Britain. 6.8. H. ♂.	Eng. bot. 1660.	
2 didyma. H. K.	lesser.	_____	England. 7.8. H. ♂.	— 248.	
DISCUTELLA. W.	{ BUCKLER MUSTARD. }	Cruciferae. J.				
1 auriculata. W.	ear-podded.	_____	S. Europe.	1683. 6.7. H. ♂.	Lam. ill. t. 560. f. 2.	
2 apula. W.	spear-leaved.	_____	Italy.	1710. — H. ♂.	— t. 560. f. 1.	
3 lyrata. W.	lyre-leaved.	_____	Spain.	1799. — H. ♂.	—	
4 didyma. W. en.	distant-toothed.	_____	Italy.	1816. — H. ♂.	—	
5 coronopifolia. W. en.	buck's-horn-le'd.	_____	—	1790. — H. ♂.	Dec. an. mus. 18. t. 14.	
6 lævigata. W.	smooth-podded.	_____	—	1777. — H. ♀.	Jac. aust. 4. t. 332.	
7 alpestris. W. en.	Hungarian.	_____	Hungary.	1816. — H. ♀.	Pl. rar. hun. 3. t. 228.	
8 sempervirens. W.	downy-leaved.	_____	Spain.	1784. — F. h.	Barr. ic. t. 841.	
PELTARIA. W.	PELTARIA.	Cruciferae. J.				
1 alliacea. W.	Garlic-scented.	_____	Austria.	1601. 5.7. H. ♀.	Jac. aust. 2. t. 128.	
CLYPEOLA. W.	{ TREACLE MUSTARD. }	Cruciferae. J.				
1 Ionthis. W.	annual.	_____	S. Europe.	1710. 5.7. H. ♂.	Cav. ic. 1. t. 34. f. 2.	
ISATIS. W.	WOAD.	Cruciferae. J.				
1 tinctoria. W.	common dyer's.	_____	England. 5.7. H. ♂.	Eng. bot. 97.	
2 aleppica. H. K.	oriental.	_____	Levant.	1739. 6.7. H. ♂.	Scop. ins. 2. t. 16.	
3 alpina. W.	Alpine.	_____	Italy.	1800. — H. ♀.	All. ped. t. 89. f. 2.	
SUCCOWIA. P. S.	SUCCOWIA.	Cruciferae. J.				
1 balearica. P. S.	Minorca.	_____	Minorca.	1781. 6.7. H. ♂.	Jac. vind. 2. t. 144.	
VELLA. W.	CRESS ROCKET.	Cruciferae. J.				
1 annua. W.	annual.	_____	England. 6.7. H. ♂.	Eng. bot. 1441.	
2 Pseudo-Cytisus. W.	shrubby.	_____	Spain.	1759. 4.5. F. h.	Cav. ic. 1. t. 42.	
ANASTATICA. W.	{ ROSE OF JERICHO. }	Cruciferae. J.				
1 hierochuntica. W.	common.	_____	Levant.	1597. 6.8. H. ♀.	Jac. vind. 1. t. 58.	
ÆTHIONEMA. H. K.	ÆTHIONEMA.	Cruciferae. J.				
1 saxatile. H. K.	rock.	_____	S. Europe.	1759. 6.7. H. ♂.	Jac. aust. 3. t. 236.	
2 monospermum. H. K.	one-seeded.	_____	Spain.	1778. 7.8. H. ♂.	—	
THELASPI. W.	{ SHEPHERD'S PURSE. }	Cruciferae. J.				
1 arvensis. W.	Penny Cress.	_____	Britain. 6.7. H. ♂.	Eng. bot. 1652.	
2 alliaceum. W.	Garlic-scented.	_____	S. Europe.	1714. 5.7. H. ♂.	Jac. ic. 1. t. 121.	
3 oerato-carpon. W.	Siberian.	_____	Siberia.	1779. 7. H. ♂.	Scop. ins. 1. t. 4.	
4 Bursa pastoris. W.	common.	_____	Britain. 2.11. H. ♂.	Eng. bot. 1485.	
5 hjrtum. W.	hairy.	_____	— 6.7. H. ♂.	— 1803.	
6 perfoliatum. W.	perfoliate.	_____	England. 4.7. H. ♀.	Eng. bot. 2354.	
7 alpestris. W.	Alpine.	_____	— 5.7. H. ♀.	— 81.	
8 montanum. W.	mountain.	_____	Austria. 7. H. ♂.	Jac. aust. 3. t. 237.	
HUTCHINSIA. H. K.	HUTCHINSIA.	Cruciferae. J. Lepidii sp. W.				
1 rotundifolia. H. K.	round-leaved.	_____	Switzerland.	1759. 5.7. H. ♀.	All. ped. 1. t. 55. f. 2.	
2 alpina. H. K.	Alpine.	_____	Germany.	1775. 4.6. H. ♀.	Jac. aust. 2. t. 137.	
3 petraea. H. K.	rock.	_____	England. 3.5. H. ♂.	Eng. bot. 111.	
TEESDALIA. H. K.	TEESDALIA.	Cruciferae. J. Iberidis sp. W.				
1 nudicaulis. H. K.	naked-stalked.	_____	Britain. 5.7. H. ♂.	Eng. bot. 327.	

IBERIS. H. K.	CANDY TUFT.	Cruciferae. J.				
1 sempervirens. W.	broad-leaved.	_____	Sicily.	1679. 1.12. G. h.	Zanon. hist. t. 165.	
2 sempervirens. W.	narrow-leaved.	_____	Candia.	1731. 4.6. H. h.	Riv. tetr. 224. f. 2.	
3 gibraltaria. W.	Gibraltar.	_____	Spain.	1732. 5.6. G. h.	Bot. mag. 124.	
4 saxatilis. W.	rock.	_____	S. Europe.	1732. 4.6. H. h.	Garid. prov. t. 101.	
<i>β corifolia.</i>	smooth-leaved.	_____	_____	_____ H. h.	Bot. mag. 1642.	
5 ciliata. W.	ciliate-leaved.	_____	Caucasus.	1802. 6.7. F. h.	_____ 1030.	
6 umbellata. W.	purple.	_____	S. Europe.	1596. _____	_____ 106.	
7 violacea. H. K.	blunt-le ^d purple.	_____	_____	1782. _____ H. h.	_____	
8 amara. W.	bitter.	_____	England.	_____ H. h.	Eng. bot. 52.	
9 linifolia. W.	Flax-leaved.	_____	S. Europe.	1759. 7.8. H. h.	Garid. prov. t. 104.	
10 odorata. W.	sweet-scented.	_____	Geneva.	1806. _____	_____	
11 pinnata. W.	wing-leaved.	_____	S. Europe.	1596. 6.8. H. h.	Lob. ic. 218.	
LEPIDIDIUM. H. K.	PEPPERWORT.	Cruciferae. J.				
1 latifolium. W.	broad-leaved.	_____	Britain.	_____ 6.7. H. h.	Eng. bot. 182.	
2 lyratum. W.	lyre-leaved.	_____	Levant.	1759. _____	Tourn. it. 2. t. 339.	
3 Draba. H. K.	Whitlow.	_____	Europe.	1596. 5.6. H. h.	Jac. aust. 4. t. 315.	
4 graminifolia. H. K.	bushy.	_____	_____	1693. 8.9. H. h.	Bauh. h. 2. p. 318. ic.	
5 Iberis. Roth.	diandrous.	_____	Germany.	1793. 7.8. H. h.	Lob. ic. 223.	
6 divaricatum. W.	close-spiked.	_____	C. B. S.	1774. 5.8. G. h.	_____	
7 rudrale. W.	narrow-leaved.	_____	Britain.	_____ 6.7. H. h.	Eng. bot. 1595.	
8 bonariense. W.	Buenos Ayres.	_____	S. America.	1732. 5.6. H. h.	Dill. elt. t. 226. f. 370.	
9 Cardamines. W.	Spanish Cress.	_____	Spain.	1789. 6.7. F. h.	Arduin. sp. 1. t. 18.	
10 subulatum. W.	awl-leaved.	_____	_____	1739. 7.8. F. h.	D. Asso arag. t. 61. 3.	
11 piscidium. W.	South Sea.	_____	Society Isl.	1779. 9. H. h.	_____	
12 perfoliatum. W.	various-leaved.	_____	Austria.	1640. 7. H. h.	Jac. aust. 4. t. 346.	
13 spinosum. W.	prickly.	_____	Levant.	1787. 9. H. h.	_____	
14 campestre. H. K.	hoary-field.	_____	Britain.	_____ 6.7. H. h.	Eng. bot. 1385.	
15 sativum. W.	Common Cress.	_____	_____	1548. _____	Zorn. ic. 16.	
<i>β crispum.</i>	Curled Cress.	_____	_____	_____	_____	
16 virginicum. W.	Virginian.	_____	America.	1713. _____	Schk. hand. 2. t. 180.	
17 chalepense. W.	Aleppo.	_____	Aleppo.	1798. 5.7. H. h.	_____	
COCHLEARIA. H. K.	SCURVY-GRASS.	Cruciferae. J.				
1 officinalis. W.	common.	_____	Britain.	_____ 4.5. H. h.	Eng. bot. 550.	
2 anglica. W.	English.	_____	_____	_____ 5. H. h.	_____ 552.	
3 danica. W.	Danish.	_____	_____	_____ 5.6. H. h.	_____ 696.	
4 glastifolia. W.	Wood-leaved.	_____	Germany.	1648. 5.7. H. h.	Moris. his. 2. t. 21. f.	
5 groenlandica. E. B.	Greenland.	_____	Scotland.	_____ 5.6. H. h.	Eng. bot. 2403.	
6 saxatilis. W.	rock.	_____	Austria.	1775. 6.7. H. h.	Jac. aust. 2. t. 124.	
7 macrocarpa. W.	large-capsuled.	_____	Hungary.	1806. 7. H. h.	_____	
8 Armoriaca. W.	Horse-Radish.	_____	England.	_____ 5. H. h.	Eng. bot. 2223.	
SUBULARIA. W.	AWLWORT.	Cruciferae. J.				
<i>aquatica. W.</i>	water.	_____	Britain.	_____ 7. H. h.	Eng. bot. 732.	
DRABA. W.	{ WHITLOW-GRASS. }	Cruciferae. J.				
1 verna. W.	common.	_____	Britain.	_____ 3.4. H. h.	Eng. Bot. 586.	
2 rupestris. H. K.	rock.	_____	Scotland.	_____ 5.7. H. h.	_____ 1339.	
<i>hirta. E. B.</i>	_____	_____	_____	_____	_____	
3 incana. W.	twisted-podded.	_____	Britain.	_____ 5.6. H. h.	_____ 388.	
4 muralis. W.	Speedwell-leaved.	_____	England.	_____ 5. H. h.	_____ 912.	
5 nemoralis. W.	wood.	_____	Europe.	1759. 5.6. H. h.	Hout. sys. 4. t. 60. f.	
6 aizoides. W.	sen-green.	_____	Wales.	_____ 2.4. H. h.	Eng. bot. 1271.	
7 ciliaris. W.	ciliate-leaved.	_____	Switzerland.	1731. _____	Bot. mag. 170.	
PETROCALLIS. H. K.	PETROCALLIS.	Cruciferae. J.	<i>Draba sp. W.</i>			
<i>pyrenaica. H. K.</i>	Pyrenean.	_____	Pyrenees.	1759. 5.6. H. h.	Bot. mag. 713.	
CAMELINA. P. S.	CAMELINA.	Cruciferae. J.	<i>Myagris et Alysi sp. W.</i>			
1 sativa. H. K.	cultivated.	_____	Britain.	_____ 5.7. H. h.	Eng. bot. 1254.	
2 dentata. P. S.	tooth-leaved.	_____	Europe.	1806. _____	Lind. albat. p. 46. f.	
3 austriaca. H. K.	Austrian.	_____	Austria.	1795. 6.7. H. h.	Jac. aust. 3. t. 111.	
ALYSSUM. H. K.	MADWORT.	Cruciferae. J.				
1 calycinum. H. K.	calycine.	_____	Austria.	1740. 7.8. H. h.	Jac. aust. t. 328.	
2 campestre. W.	field.	_____	France.	1768. _____	_____	
3 montanum. W.	mountain.	_____	Germany.	1713. _____	Bot. mag. 413.	
4 saxatile. W.	rock.	_____	Candia.	1710. 4.5. H. h.	_____ 159.	
5 alpestre. W.	Italian.	_____	Italy.	1777. 6.10. H. h.	Jac. col. 4. t. 4. f.	
6 spinosum. W.	thorny.	_____	S. Europe.	1693. 6.8. F. h.	Barr. ic. 808.	
7 tortuosum. W.	twisted.	_____	Hungary.	1804. 6.7. H. h.	Pl. rar. hung. t. 91.	
8 minimum. W.	small.	_____	Spain.	1791. 7. H. h.	_____	
9 maritimum. W.	sweet.	_____	England.	_____ 6.9. H. h.	Eng. bot. 1729.	

TETRADYNAMIA SILIQUOSA.

145

A. H. K.	PARSETIA	Cruciferae. J.	<i>Alyssi sp. W.</i>				
anthoides. H. K.	Stock.		Levant.	1788.	6.7.	G. h.	Desf. atl. 2. t. 160.
sides. H. K.	oriental.		Archipelago.	1731.	—	H. 2.	Tourn. it. 1. p. 242.
a. H. K.	buckler-podded.		S. Europe.	1596.	—	H. 0.	
ilis. H. K.	changeable.		Levant.	1802.	7.8.	H. 2.	Vent. cels. 85.
. H. K.	hoary.		Europe.	1640.	7.9.	H. 3.	
ea. H. K.	purple.		Levant.	1710.	8.5.	H. 2.	Bot. mag. 126.
J. A. Lam.	VESICARIA.	Cruciferae. J.	<i>Alyssi sp. W.</i>				
ata. H. K.	smooth.		Levant.	1739.	4.6.	H. 2.	Bot. mag. 130.
. P. S.	Cretan.		Crete.	—	5.8.	H. 2.	Alp. exot. t. 118.
. H. K.	sinuate-leaved.		Spain.	1596.	4.6.	H. 3.	
. W.	HONESTY.	Cruciferae. J.					
a. W.	perennial.		Germany.	1596.	5.6.	H. 2.	Lam. ill. t. 561. f. 1.
. W.	annual.		—	1570.	—	H. 3.	— t. 561. f. 2.
. W.	RICOTIA.	Cruciferae. J.					
ica. W.	Egyptian.		Egypt.	1757.	6.7.	H. 0.	Bot. reg. 42.

SILIQUOSA.

HILA. W.	HELIOPHILA.	Cruciferae. J.					
. W.	hoary.		C. B. S.	1774.	5.8.	G. h.	
ia. W.	awl-podded.		—	1786.	7.8.	G. 0.	
liqua. H. K.	broad-podded.		—	1774.	—	G. h.	
H. K.	hairy.		—	1768.	5.9.	H. 0.	Jac. ic. 3. t. 526.
a.	cut-leaved.		—	—	—	—	Bot. mag. 496.
icaulis. W.	opposite-leaved.		—	1774.	6.9.	H. 0.	
lacea. H. K.	Fennel-leaved.		—	—	—	H. 0.	
. H. K.	wing-leaved.		—	1792.	—	H. 0.	Vent. malm. t. 113.
ifolia. W. en.	Samphire-leaved		—	1816.	—	H. 0.	
pifolia. W.	Buck's-horn-le ^d .		—	1778.	6.7.	G. 3.	Herm. lugdb. t. 367.
LINE. H. K.	LADY'S SMOCK.	Cruciferae. J.	<i>Cardamine et Dentaria. W.</i>				
hylla. H. K.	nine-leaved.		Austria.	1656.	5.6.	H. 3.	Jac. aust. 4. t. 316.
hylla. H. K.	five-leaved.		Switzerland.	—	—	H. 2.	Garid. prov. t. 29.
. H. K.	seven-leaved.		—	1683.	—	H. 2.	— t. 28.
ra. H. K.	bulbiferous.		England.	4.5.	H. 2.	Eng. bot. 309.
ylla. P. S.	many-leaved.		Hungary.	1817.	5.6.	H. 2.	Pl. rar. hung. 2. t. 169.
lossa. P. S.	glandular.		—	1815.	—	H. 2.	
a. P. S.	two-leaved.		N. America.	1810.	—	H. 2.	Bot. mag. 1465.
lia. W.	kidney-leaved.		Italy.	1710.	6.7.	H. 2.	— 1735.
olia. W.	Daisy-leaved.		Scotland.	4.6.	H. 2.	Eng. bot. 2356.
. W.	three-leaved.		Switzerland.	1629.	3.4.	H. 2.	Bot. mag. 452.
a. W.	African.		C. B. S.	1691.	5.6.	G. 2.	Herm. parad. 202.
nia. W.	Celandine-leav ^d .		Italy.	1739.	6.8.	H. 2.	Pl. rar. hung. 2. t. 149.
. W.	Cretan.		S. Europe.	1710.	6.7.	H. 0.	Boc. sic. t. 44. f. 2.
. W.	bitter.		Britain.	4.5.	H. 2.	Eng. bot. 1000.
a. W.	broad-leaved.		Spain.	1710.	6.8.	H. 3.	Herm. parad. 203.
is. W.	Cuckoo-flower.		Britain.	4.5.	H. 2.	Eng. bot. 776.
. W.	double-flowered.		—	—	—	—	
ns. W.	impatiant.		—	4.6.	H. 0.	— 80.
. W.	hairy.		—	1.12.	H. 0.	— 492.
olia. W.	Rocket-leaved.		Germany.	1658.	7.	H. 0.	All. ped. 1. t. 57. f. 2.
H. K.	WALL CRESS.	Cruciferae. J.					
a. W.	blue.		Switzerland.	1793.	6.7.	H. 2.	All. ped. 1. t. 40. f. 2.
. W.	nodding.		—	1658.	3.4.	H. 2.	Jac. aust. 3. t. 281.
olia. W.	Daisy-leaved.		—	1773.	5.6.	H. 2.	— 3. t. 280.
ica. W. en.	early-flowering.		Caucasus.	1798.	1.10.	H. 2.	
Boya. W.	naked-stalked.		Siberia.	—	3.5.	H. 2.	Lamoen. ac. t. 4. f. 20.
. W.	Alpine.		Switzerland.	1596.	—	H. 2.	Bot. mag. 226.
a. W. en.	curled-leaved.		Carniola.	1816.	3.4.	H. 2.	
H. K.	vernal.		France.	1710.	5.6.	H. 0.	Barr. ic. 476.
. W.	Bristol.		England.	5.	H. 2.	Eng. bot. 614.
a. H. K.	purple.		Germany.	1798.	6.7.	H. 0.	Scop. carn. t. 49.
. H. K.	short-podded.		Britain.	5.7.	H. 2.	Eng. bot. 469.
a. W.	common.		—	4.5.	H. 0.	— 901.
H. K.	ciliated.		Ireland.	6.7.	H. 3.	— 1746.
is alping. E. B.							
. H. K.	hairy.		Britain.	5.7.	H. 2.	— 537.
a. W.	pendulous.		Siberia.	1759.	—	H. 0.	Jac. vind. 3. t. 34.
. W.	tower.		England.	4.6.	H. 3.	Eng. bot. 129.

17 canadensis. W.	sickle-podded.	Cruciferae. J.	N. America.	1768.	5.7.	H. ♀.	
18 lucida. W. en.	shining-leaved.	_____	Hungary.	1790.	6.7.	H. ♀.	
19 incana. W. en.	hispid-stalked.	_____	Switzerland.	1816.	5.6.	H. ♂.	
MACROPODIUM.		Cruciferae. J.	Cardaminis sp. W.				
H. K.							
nivalis. H. K.	Siberian.	_____	Siberia.	1796.	6.9.	H. ♀.	Pall. it. 2. ap. t. U.
TURNITIS. H. K.	{ TOWER	Cruciferae. J.					
	MUSTARD.						
1 arvensis. H. K.	Cabbage-flow ^d .	_____	S. Europe.	1739.	6.	H. ♀.	Bocc. sic. t. 25. f. 3. 4.
2 glabra. H. K.	long-podded.	_____	England.	5.6.	H. ♂.	Eng. bot. 777.
3 stricta. W.	upright.	_____	Italy.	1804.	—	H. ♀.	
4 Loeselii. H. K.	Loeselius's.	_____	Germany.	1683.	8.	H. ♂.	Jac. aust. 4. t. 324.
BARBAREA. H. K.	WINTER CRESS.	Cruciferae. J.	Erysini sp. W.				
1 vulgaris. H. K.	common.	_____	Britain.	5.8.	H. ♀.	Eng. bot. 443.
2 praecox. H. K.	early.	_____	England.	4.10.	H. ♀.	— 1129.
NASTURTium. H. K.	NASTURTium.	Cruciferae. J.	Sisymbrii sp. W.				
1 officinale. H. K.	Water Cress.	_____	Britain.	5.7.	H. ♀.	Eng. bot. 855.
2 sylvestre. H. K.	creeping.	_____	_____	6.9.	H. ♀.	— 2324.
3 terrestre. H. K.	marsh.	_____	_____	—	H. ♂.	— 1747.
4 amphibium. H. K.	amphibious.	_____	_____	6.8.	H. ♀.	— 1840.
5 pyrenaicum. H. K.	Pyrenean.	_____	Pyrenees.	1775.	5.6.	H. ♀.	Act. helv. 4. t. 15.
6 sagittatum. H. K.	arrow-leaved.	_____	Siberia.	1780.	—	H. ♀.	Jac. ic. 1. t. 123.
SISYMBRIUM. H. K.	SISYMBRIUM.	Cruciferae. J.					
1 officinale. H. K.	Hedge Mustard.	_____	Britain.	5.7.	H. ♂.	Eng. bot. 725.
2 Irio. W.	London Rocket.	_____	England.	5.8.	H. ♂.	— 1631.
3 Columnae. W.	Columna's.	_____	Italy.	1796.	6.7.	H. ♂.	Jac. aust. 4. t. 323.
4 orientale. W.	oriental.	_____	Levant.	1739.	7.8.	H. ♂.	
5 pannonicum. W.	Hungarian.	_____	Hungary.	1787.	—	H. ♂.	Jac. ic. 1. t. 123.
6 Barbarea. W.	Winter-Cress-1 ^d .	_____	Levant.	1799.	7.9.	H. ♀.	
7 austriacum. W.	Austrian.	_____	Austria.	—	6.8.	H. ♂.	Jac. aust. 3. t. 262.
8 sinapoides. H. K.	Pyrenean.	_____	Pyrenees.	1791.	6.7.	H. ♂.	Jac. vind. 3. t. 97.
9 altissimum. W.	tall.	_____	Siberia.	1759.	8.	H. ♂.	Walth. hort. t. 23.
10 eckartbergense. W.	Austrian.	_____	Austria.	1799.	6.7.	H. ♂.	
11 asperum. W.	rough-podded.	_____	S. France.	1778.	5.6.	H. ♂.	
12 supinum. W.	dwarf.	_____	S. Europe.	—	6.7.	H. ♂.	Isnard. act. par. t. 18.
13 polyceratum. W.	Dandelion-leav ^d .	_____	_____	1633.	—	H. ♂.	Jac. vind. 1. t. 79.
14 bursifolium. W.	various-leaved.	_____	_____	1732.	—	H. ♂.	Dill. elt. t. 148. f. 171
15 tanacetifolium. W.	Tansy-leaved.	_____	Italy.	1731.	—	H. ♀.	Zanon. hist. t. 72.
16 Barrelieri. W.	small.	_____	S. Europe.	1770.	—	H. ♂.	Barr. ic. 1016.
17 Sophia. W.	Flix Weed.	_____	Britain.	7.	H. ♂.	Eng. bot. 963.
18 millefolium. W.	Milfoil-leaved.	_____	Canaries.	1779.	5.9.	G. ♀.	Jac. ic. 1. t. 127.
19 strictissimum. W.	spear-leaved.	_____	Switzerland.	1658.	6.8.	H. ♀.	Jac. aust. 2. t. 194.
ERYSIMUM. H. K.	{ HEDGE	Cruciferae. J.	Erysimum. W. et Cheiranthi sp. W.				
	MUSTARD.						
1 cheiranthoides. W.	treacle.	_____	Britain.	7.8.	H. ♂.	Eng. bot. 942.
2 repandum. W.	small-flowered.	_____	Spain.	1772.	5.6.	H. ♂.	Jac. aust. 1. t. 22.
3 diffusum. H. K.	Alpine.	_____	S. Europe.	1731.	5.7.	H. ♀.	— 1. t. 75.
4 angustifolium. W.	narrow-leaved.	_____	Hungary.	1800.	7.8.	H. ♂.	Pl. rar. hung. 1. t. 98.
5 sessiliflorum. H. K.	sessile-flowered.	_____	Siberia.	1794.	6.7.	H. ♀.	L'Her. stirp. 1. t. 44.
6 lanceolatum. H. K.	spear-leaved.	_____	S. Europe.	1597.	5.7.	H. ♂.	Jac. aust. 1. t. 74.
7 helveticum. H. K.	Swiss.	_____	Switzerland.	1793.	5.6.	H. ♂.	Jac. vind. 3. t. 9.
8 odoratum. W.	fragrant.	_____	Austria.	1795.	7.8.	H. ♂.	Jac. aust. 1. t. 73.
9 virgatum. W.	twiggy.	_____	Portugal.	1807.	7.	H. ♂.	
10 Alliaria. W.	Garlick-scented.	_____	Britain.	5.	H. ♀.	Eng. bot. 796.
11 orientale. H. K.	Hare's Ear.	_____	England.	6.	H. ♂.	— 1804.
NOTOCERAS. H. K.	NOTOCERAS.	Cruciferae. J.	Erysini sp. W.				
canariensis. H. K.	Canary.	_____	Canaries.	1779.	8.9.	G. ♂.	
CHEIRANTHUS.		Cruciferae. J.					
H. K.							
1 Cheiri. W.	garden.	_____	S. Europe.	1573.	4.7.	H. ♀.	
β flore plena.	double-flowered.	_____	_____	1816.	—	H. ♀.	Bot. reg. 219.
γ Chameleon.	various-coloured.	_____	_____	—	—	H. ♀.	Eng. bot. 1934.
2 fruticosus. E. B.	common.	_____	Britain.	—	H. ♀.	
β flore pleno.	double.	_____	_____	—	—	H. ♀.	
3 strictus. W.	upright.	_____	C. B. S.	1802.	7.	G. ♀.	
4 mutabilis. W.	changeable.	_____	Madeira.	1777.	3.5.	G. ♀.	Bot. mag. 124.
5 longifolius. Vent.	long-leaved.	_____	_____	1815.	9.12.	G. ♀.	
6 frutescens. Vent.	entire-leaved.	_____	Teneriffe.	—	3.7.	G. ♀.	Vent. malm. t. 62.
7 scoparius. W. en.	{ crowded- branched.	_____	_____	1815.	8.9.	G. ♀.	

8 linifolius. W. en.	Flax-leaved.	Cruciferae. J.	Spain.	1815. 3.8. G. h.	
9 semperflorens. W. en.	ever-blowing.	_____	Barbary.	1.12. G. h.	
10 silenifolius. W. en.	Catchfly-leaved.	_____	_____	_____	
11 tenuifolius. H. K.	fine-leaved.	_____	Madaira.	1777. 5.6. G. h.	
12 armeniacus. B. M.	Armenian.	_____	Armenia.	1803. 5. H. 2.	Bot. mag. 835.
13 ibericus. W. en.	Barbarea-leaved.	_____	Iberia.	1816. 5.8. H. 2.	
MATHIOLA. H. K.	Strock.	Cruciferae. J.	Cheiranthi sp. W.		
1 incana. H. K.	Gilly Flower.	_____	England. 5.11. H. h.	Eng. bot. 1935.
β coccinea.	Brompton.	_____			
γ alba.	white branching.	_____			
2 annua. W.	ten-week.	_____	S. Europe.	1731. — H. ⊙.	
3 græca. P. S.	Wall-flower-le ^d .	_____	_____ — H. ⊙.	
4 fenestralis. H. K.	window.	_____	1759. 7.8. G. ♂.	Jac. vind. 2. t. 179.	
5 taraxacifolia. W.	Dandelion-leav ^d .	_____	Siberia.	1795. 6. H. ♂.	
6 sinuata. H. K.	greater sea.	_____	England. 5.8. H. ♂.	Eng. bot. 462.
7 odoratissima. H. K.	Persian.	_____	Persia.	1797. 6.7. G. h.	Bot. mag. 1711.
8 tristis. H. K.	dark-flowered.	_____	S. Europe.	1768. 5.7. G. h.	729.
9 tricuspidata. H. K.	three-forked.	_____	Barbary.	1739. 7. H. ⊙.	Lam. ill. t. 564. f. 2.
10 parviflora. H. K.	small-flowered.	_____	Morocco.	1799. 7.8. H. ⊙.	
MALCOMIA. H. K.	MALCOMIA.	Cruciferae. J.	Cheiranthi et Hesperidis sp. W.		
1 maritima. H. K.	dwarf annual.	_____	S. Europe.	1713. 5.6. H. ⊙.	Bot. mag. 166.
2 Chius. W.	dwarf branching	_____	Chio.	1732. 6. H. ⊙.	Dill. elt. t. 147. f. 179.
3 africana. H. K.	African.	_____	Africa.	1747. 6.7. H. ⊙.	Bocc. sic. t. 42. f. 1.
4 littorea. H. K.	small sea.	_____	S. Europe.	1693. 6.11. H. ⊙.	
HESPERIS. H. K.	ROCKET.	Cruciferae. J.			
1 tristis. W.	night-smelling.	_____	Austria.	1629. 4.6. H. ♂.	Bot. mag. 730.
2 matronalis. W.	common.	_____	Italy.	1597. 5.9. H. 2.	Lam. ill. t. 564. f. 1.
β albo-plena.	double white.	_____			
γ purpureo-plena.	double purple.	_____			
3 inodora. W.	scentless.	_____	Britain. 5.6. H. 2.	Eng. bot. 731.
4 runcinata. W. en.	runcinate.	_____	Hungary.	1804. 6.7. H. ♂.	Pl. rar. hung. 2. t. 200.
5 bituminosa. W. en.	clammy.	_____	1816. — H. ♂.		
6 arenaria. W.	sand.	_____	Algiers.	1804. — H. ⊙.	Desf. atl. 2. t. 162.
ERUCARIA. G.	ERUCARIA.	Cruciferae. J.	Cordylocarpi sp. W.		
aleppica. Vent.	Aleppo.	_____	Levant.	1680. 7.8. H. ⊙.	Gært. ac. 2. t. 143. f. 9.
BRASSICA. H. K.	CABBAGE.	Cruciferae. J.			
1 Napus. W.	Rape.	_____	Britain. 6. H. ♂.	Eng. bot. 2146.
2 Rapa. W.	Turnep.	_____	England. 4. H. ♂.	Eng. bot. 2176.
3 oleracea. W.	common.	_____	_____ 4.6. H. ♂.	637.
α capitata.	white.	_____			
β rubra.	red.	_____			
γ sabauda.	Savoy.	_____			
δ sabellica.	Borecole.	_____			
ε botrytis.	Cauliflower.	_____			
ζ —	Broccoli.	_____			
η napobrassica.	Turnep-rooted.	_____			
4 chinensis. W.	Chinese.	_____	China.	1770. 7. H. ⊙.	
5 polymorpha. W.	various-leaved.	_____	Hungary.	1804. — H. 2.	Pl. rar. hung. t. 90.
6 Erucastrum. W.	runcinate-leav ^d .	_____	S. Europe.	1790. 6.8. H. ⊙.	Fuech. hist. 262. ic.
7 Bruca. W.	stripe-flowered.	_____	Austria.	1573. 7. H. ⊙.	Schk. hand. 2. t. 166.
8 monensis. H. K.	Isle of Man.	_____	Britain. 6.8. H. ⊙.	Eng. bot. 962.
9 elongata. W.	stalk-leaved.	_____	Hungary.	1801. 5.6. H. ♂.	Pl. rar. hung. 1. t. 28.
10 campestris. W.	field.	_____	England. 6. H. ⊙.	Eng. bot. 2234.
11 alpina. W.	Alpine.	_____	Germany.	1798. 5.6. H. 2.	Vill. dauph. 3. t. 35.
SINAPIS. H. K.	MUSTARD.	Cruciferae. J.			
1 arvensis. W.	Charlock.	_____	Britain. 5.7. H. ⊙.	Eng. bot. 1746.
2 orientalis. W.	oriental.	_____	Levant.	1778. 6.7. H. ⊙.	Schk. hand. 1. t. 166.
3 alba. W.	white.	_____	Britain. — H. ⊙.	Eng. bot. 1677.
4 Allioni. W.	Allioni's.	_____	1789. — H. ⊙.	Jac. vind. 2. t. 168.	
5 chinensis. W.	Chinese.	_____	China.	1782. 7. H. ⊙.	Arduin. spec. 1. t. 10.
6 juncea. W.	fine-leaved.	_____	1710. 6.7. H. ⊙.	Jac. vind. 2. t. 171.	
7 brassicata. W.	Cabbage-leaved.	_____	1801. — H. ⊙.		
8 lavigata. W.	smooth.	_____	Spain.	1769. — H. ♂.	
9 nigra. W.	common.	_____	Britain. 5.6. H. ⊙.	Eng. bot. 969.
10 pubescens. W.	downy.	_____	Sicily.	1789. 6.7. H. 2.	Arduin. spec. 1. t. 9.
11 hispida. W.	hispid.	_____	Morocco.	1804. 7. H. ⊙.	Schous. Maroc. t. 4.
12 erucoides. W.	dwarf.	_____	S. Europe.	1786. 6.7. H. ⊙.	Jac. vind. 2. t. 170.
73 pyrenaica. W.	Pyrenean.	_____	Pyrenees.	1799. 7. H. ♂.	All. ped. t. 55. f. 1.
14 frutescens. W.	shrubby.	_____	Madaira.	1777. 12.6. G. h.	
15 tenuifolia. H. K.	fine-leaved.	_____	England. 7.10. H. 2.	Eng. bot. 595.

MONADELPHIA TRIANDRIA.

16 muralis. H. K.	sand.	Cruciferae. J.	England.	7.8.	H. ♂.	Eng. bot. 1098.
17 incana. H. K.	hoary-jointed.	_____	S. Europe.	1771.	7.	H. ♂.	Jac. vind. 2. t. 168.
18 hispanica. W.	Spanish.	_____	Spain.	1710.	5.7.	H. ♂.	_____
19 integrifolia. W.	entire-leaved.	_____	E. Ind.	1804.	7.8.	H. ♂.	_____
RAPHANUS. H. K.	RADISH.	Cruciferae. J.	_____	_____	_____	_____	_____
1 sativus. W.	common.	_____	China.	1648.	5.6.	H. ♂.	Lam. ill. t. 564.
2 caudatus. W.	long-podded.	_____	1815.	5.8.	H. ♂.	Linn. dec. 3. t. 10.
3 Raphanistrum. W.	wild.	_____	Britain.	6.7.	H. ♂.	Eng. bot. 856.
4 maritimus. H. K.	sea.	_____	_____	5.7.	H. ♀.	_____ 1643.
5 cheiranthifolius. W.	Stock-leaved.	_____	Spain.	1806.	6.8.	H. ♂.	W. hort. ber. t. 19.
CHORISPERMUM		CHORISPERMUM. Cruciferae. J.	Raphani sp. W.	_____	_____	_____	_____
H. K.		_____	_____	_____	_____	_____	_____
tenellum. H. K.	purple.	_____	Siberia.	1780.	6.7.	H. ♂.	Pall. it. 3. t. 1. f. 2.
CLEOME. W.	CLEOME.	Capparidea. J.	_____	_____	_____	_____	_____
1 Chelidonii. W.	Celandine-flow ^d .	_____	E. Ind.	1790.	6.7.	S. ♂.	_____
2 viscosa. W.	viscid.	_____	Ceylon.	1730.	—	S. ♂.	Rheed. mal. 9. t. 28.
3 dodecandra. W.	three-leaved.	_____	India.	1795.	—	S. ♂.	Bur. seyl. t. 100. f. 1.
4 pentaphylla. W.	five-leaved.	_____	_____	1640.	—	S. ♂.	Jac. vind. 1. t. 21.
5 gigantea. W.	gigantic.	_____	S. America.	1774.	—	S. ♀.	Jac. obs. 4. t. 76.
6 spinosa. W.	white-fl ^d prickly.	_____	W. Ind.	1731.	—	S. ♂.	Marogr. bras. t. 24.
7 pungens. W.	red-fl ^d prickly.	_____	_____	1812.	7.6.	S. ♂.	W. hort. ber. 1. t. 18.
spinosa. B. M. 1640.		_____	_____	_____	_____	_____	_____
8 Houstoni. H. K.	Houstonia's.	_____	_____	1730.	7.	S. ♂.	_____
9 violacea. W.	Violet-coloured.	_____	Portugal.	1776.	6.7.	H. ♂.	{ Schk. hand. 2. t. 189. b.
10 ornithopodioides. W.	bird's-foot.	_____	Levant.	1732.	—	H. ♂.	Dill. elt. t. 266. f. 245
11 arabica. W.	Arabian.	_____	Arabia.	1794.	—	H. ♂.	Linn. fil. fasc. t. 2.
12 monophylla. W.	simple-leaved.	_____	E. Ind.	1759.	—	S. ♂.	Burm. seyl. t. 100. f. 2
13 procumbens. W.	procumbent.	_____	W. Ind.	1798.	—	S. ♀.	Jac. amer. t. 120.
14 pubescens. B. M.	pubescent.	_____	1815.	7.	H. ♂.	Bot. mag. 1857.

CLASS XVI.

MONADELPHIA TRIANDRIA.

TAMARINDUS. W.	TAMARIND TREE. Leguminosae. J.	_____	India.	1833.	6.7.	S. ♀.	Jac. amer. t. 10.
indica. W.	common.	_____	_____	_____	_____	_____	_____
PATERSONIA. B. P.	PATERSONIA.	Iridae. B. P.	N. S. W.	1803.	5.7.	G. ♀.	Bot. mag. 1041.
1 sericea. B. P.	silky.	_____	_____	1814.	—	G. ♀.	Bot. reg. 50.
2 glabrata. B. P.	smooth.	_____	_____	_____	_____	_____	_____
FERRARIA. Ker.	FERRARIA.	Iridae. B. P.	C. B. S.	1755.	3.4.	G. ♀.	Bot. mag. 144.
1 undulata. W.	coiled.	_____	_____	1800.	3.7.	G. ♀.	751.
2 antherosa. Ker.	variegated.	_____	_____	_____	_____	_____	_____
TIGRIDIA. J.	TIGER FLOWER.	Iridae. B. P.	Ferraria sp. W.	_____	_____	_____	_____
paronia. P. S.	Mexican.	_____	Mexico.	1796.	5.2.	H. ♀.	Bot. mag. 532.
GALAXIA. W.	GALAXIA.	Iridae. B. P.	_____	_____	_____	_____	_____
1 ovata. W.	oval-leaved.	_____	C. B. S.	1739.	4.9.	G. ♀.	Bot. rep. 94.
2 grandiflora. B. R.	great-flowered.	_____	_____	_____	_____	G. ♀.	164.
3 mucronularis. Sal.	mucronated.	_____	C. B. S.	—	4.	G. ♀.	{ Jac. ic. t. 291.
4 versicolor. Sal.	various-coloured.	_____	_____	_____	_____	G. ♀.	inf. ad sinis.
5 graminea. W.	narrow-leaved.	_____	_____	1795.	7.8.	G. ♀.	Bot. mag. 1292.
WALTHERIA. W.	WALTHERIA.	PENTANDRIA.	_____	_____	_____	_____	_____
1 americana. W.	American.	Tiliaceae? J.	S. America.	1691.	5.10.	S. ♂.	Jac. ic. 1. t. 130.
2 indica. W.	Indian.	_____	E. Ind.	1759.	6.8.	S. ♀.	Burm. seyl. t. 68.
3 elliptica. W.	woolly.	_____	_____	1812.	S. ♀.	Cav. dia. 5. t. 171. f. 2.
HERMANNIA. W.	HERMANNIA.	Tiliaceae? J.	_____	_____	_____	_____	_____
1 althaeifolia. W.	Althaea-leaved.	_____	C. B. S.	1728.	3.7.	G. ♀.	Bot. mag. 207.
2 plicata. W.	plaited-leaved.	_____	_____	1774.	11.12.	G. ♀.	Jac. sebum. 3. t. 212.
3 caudicosa. W.	white.	_____	_____	—	4.6.	G. ♀.	— 1. t. 117.
4 disticha. W.	round-leaved.	_____	_____	1729.	5.2.	G. ♀.	— 1. t. 114.
5 salicifolia. W.	Sage-leaved.	_____	_____	1795.	4.6.	G. ♀.	Cav. dia. 5. t. 169. f. 2.
6 mimosa. W.	glittering.	_____	_____	1799.	5.2.	G. ♀.	Jac. sebum. 1. t. 119.

sta. W.	involved.	Tiliaceæ. J.	C. B. S.	1794. 5.6.	G. h.	Cav. dis. 6. t. 177. f. 1.
ia. W.	Germaner-lea ^d .			— 4.11.	G. h.	Jac. schœn. 1. t. 120.
V. en.	soft-leaved.			1814. 5.6.	G. h.	
l. W.	smooth.			1774. 5.7.	G. h.	Jac. schœn. 1. t. 122.
folia. W.	simple-flowered.			1795. 3.4.	G. h.	— 1. t. 121.
W.	Alder-leaved.			1728. 2.5.	G. h.	Bot. mag. 299.
a. W.	wedge-leaved.			1791. 8.9.	G. h.	Jac. schœn. 1. t. 124.
sa. W.	velvet-leaved.			1792. 5.6.	G. h.	— 3. t. 292.
W.	hairy-branched.			1790. —	G. h.	Schrad. s. han. 1. t. 4.
V.	rough-leaved.			1789. 3.4.	G. h.	Jac. schœn. 1. t. 127.
a. W.	many-flowered.			1791. 3.5.	G. h.	— 1. t. 128.
W.	flame-flowered.			1794. 1.12.	G. h.	Bot. mag. 1349.
s. W.	angular.			1791. 4.5.	G. h.	Jac. schœn. 1. t. 126.
olia. W.	Hyssop-leaved.			1725. 4.6.	G. h.	Cav. dis. 6. t. 181. f. 3.
a. W.	three-forked.			1789. 4.7.	G. h.	Jac. schœn. 1. t. 125.
W.	sweet-scented.			1780. 2.10.	G. h.	
ifolia. W.	Lavender-leaved.			1732. 5.9.	G. h.	Bot. mag. 304.
W.	thread-leaved.			1816. 5.8.	G. h.	Jac. schœn. 1. t. 123.
l. W.	three-leaved.			1752. —	G. h.	Cav. dis. 6. t. 192. f. 2.
ens. W.	procumbent.			1792. 5.6.	G. h.	— 6. t. 177. f. 2.
rifolia. W.	Gooseberry-lea ^d .			1731. 4.5.	G. h.	
enta. B. R.	powdered.			1800. 5.8.	G. h.	Bot. rep. 161.
V.	cut-leaved.			1806. 6.7.	G. h.	
a. B. M.	slender-leaved.			G. h.	Bot. mag. 1348.
A. W.	MELOCHIA.	Malvaceæ. J.				
ata. W.	pyramidal.		Brazil.	1768. 7.8.	S. h.	Jac. vind. 1. t. 30.
sa. W.	downy.		W. Ind.	— 5.6.	S. h.	{ Cav. dis. 6. t. 172. f. 2.
folia. W.	Corchorus-leav ^d .		E. Ind.	1732. 7.8.	S. h.	Dill. elt. 1. 176. f. 217
IA. J.	MELHANIA.	Malvaceæ. J.	<i>Dombeya sp. W.</i>			
ylon. H. K.	red-wood.		St. Helena.	1772. 5.8.	S. h.	Bot. mag. 1000.
ylon. H. K.	black-wood.			1800. 7.8.	S. h.	Pluk. man. 1. 333. f. 5
A. W.	OCHROMA.	Malvaceæ. J.				
sa. W. en.	woolly-leaved.		S. America.	1806.	S. h.	
l. W. en.	downy-leaved.		Jamaica.	1802.	S. h.	Cav. dis. 5. t. 153.
RA. W.	PASSIFLORÆ.	Passifloræ. J. in Ann. Mus.				
lia. W.	notched-leaved.		W. Ind.	1731. 5.10.	S. h.	Bot. mag. 651.
lia. W.	copper-coloured.		Bahama Isl.	1724. 7.8.	S. h.	Jac. ic. 3. t. 608.
nis. W.	Apple-fruited.		W. Ind.	1731. 7.11.	S. h.	Bot. reg. 95.
gularis. W.	square-stalked.		Jamaica.	1768. 8.9.	S. h.	— 14.
.	wing-stalked.		W. Ind.	1779. 4.8.	S. h.	Bot. mag. 66.
a. W.	Laurel-leaved.			1690. 6.7.	S. h.	Bot. reg. 12.
ra. W.	many-flowered.		Vera Cruz.	1731. 6.9.	S. h.	Plum. amer. t. 90.
ja. W.	purple.		W. Ind.	1739. 7.8.	S. h.	— t. 87.
a. W.	perfoliate-leaved.			1806. —	S. h.	Bot. reg. 79.
V.	red-fruited.			1731. 4.9.	S. h.	— 95.
s. W.	linear-lobed.		Vera Cruz.	1771. 5.6.	S. h.	
W.	crescent-leaved.		Jamaica.	1728. 6.8.	S. h.	Smith ic. pict. 1.
lio. W.	bat-winged.		W. Ind.	1732. 5.6.	S. h.	Dill. elt. 1. 137. f. 164.
folia. W.	round-leaved.			1779. 5.8.	S. h.	Cav. ic. 10. t. 290.
s. W.	dotted-leaved.		Peru.	1784. 5.6.	S. h.	— 6. t. 269.
r.	yellow.		America.	1714. —	S. h.	Bot. reg. 79.
olia. W.	narrow-leaved.		W. Ind.	1773. 6.9.	S. h.	— 122.
W.	small.		Curacao.	1690. 7.8.	S. h.	— 144.
l. W.	Cork-barked.		W. Ind.	1759. 8.9.	S. h.	Exot. bot. 1. t. 28.
W.	peltate.			1778. 8.9.	S. h.	Cav. dis. 10. t. 274.
sa. W.	Ivy-leaved.		 6.7.	S. h.	Plum. amer. t. 84.
W.	glaucous-leaved.		Cayenne.	1778. 6.9.	S. h.	Bot. reg. 88.
t. W.	large-stipuled.		Guiana.	1815. —	S. h.	Aub. gui. 3. t. 323.
cea. W.	silky-leaved.		Vera Cruz.	1733. 5.8.	S. h.	Bot. reg. 49.
W.	hairy.		W. Ind.	1778. 9.	S. h.	Plum. amer. t. 88. f. A
W.	stinking.			1731. 7.8.	S. h.	Cav. dis. 10. t. 289.
W.	ciliated.		Jamaica.	1723. 7.9.	S. h.	Bot. mag. 298.
olia. B. Reg.	Adiantum-leav ^d .		Norfolk Isl.	1799. 8.8.	G. h.	Bot. reg. 238.
laris. Cav.	long-peduncled.		Peru.	1816.	S. h.	Cav. ic. 5. t. 426.
a. W.	Rose-coloured.		America.	1690. 7.8.	G. h.	Miss Lowr. pass.
.	larger.		Brazil.	G. h.	Bot. reg. 153.
W.	common.			1693. 6.12.	H. h.	Bot. mag. 28.
W.	saw-leaved.		Martinique.	1800.	S. h.	Plum. amer. t. 79.
W.	curl-flowered.		W. Ind.	1781.	S. h.	— t. 61.

ERODIUM. W.	HERRON'S BILL.	Geraniæ. J. Gerani sp. Linn.			
1 crassifolium. W.	thick-leaved.	Cyprus.	1788. 3.8. G. 2.	Bot. rep. 136.	
2 petraeum. W.	rock.	S. Europe.	1640. 6.7. H. 2.	Gouan. ill. t. 21. f. 1.	
3 glandulosum. W.	glandulous.	Spain.	1798. — F. 2.	Lapey. pyr. 1. t. 1.	
4 bipinnatum. W.	Numidian.	Numidia.	1808. 5.6. G. 3.	Cav. diss. 5. t. 126. f. 3.	
5 alpinum. W.	Alpine.	Italy.	1814. 5.8. H. 2.	L'Her. ger. t. 3.	
6 ciconium. W.	long-beaked.	S. Europe.	1711. 6.7. H. 2.	Jac. vind. 1. t. 18.	
7 cicutarium. W.	Hemlock-leav'd.	Britain. 4.9. H. 2.	Eng. bot. 1768.	
8 romanum. W.	Roman.	Rome.	1724. 5.6. H. 2.	Bot. mag. 877.	
9 moschatum. W.	musky.	England. 5.7. H. 2.	Eng. bot. 902.	
10 laciniatum. W.	lacinated.	Crete.	1794. 5.8. G. 2.	Cav. diss. 4. t. 113. f. 3.	
11 gruinum. W.	broad-leaved.	—	1896. 6.7. H. 2.	— 4. t. 88. f. 2.	
12 chium. W.	Chion.	Levant.	1724. — H. 2.	— 4. t. 92. f. 1.	
13 hymenodes. W.	three-leaved.	Barbary.	1789. 1.12. G. 2.	Bot. mag. 74.	
14 glaucophyllum. W.	glaucous-leaved.	Egypt.	1732. 7.8. H. 2.	Dil. elt. t. 124. f. 150.	
15 incarnatum. W.	flesh-coloured.	C. B. S.	1787. 5.7. G. 2.	Bot. mag. 261.	
16 malacoides. W.	Mallow-leaved.	S. Europe.	1886. — H. 2.	Cav. diss. 4. t. 91. f. 2.	
17 maritimum. W.	sea.	England. 5.9. H. 2.	Eng. bot. 646.	
18 chama-dryoides. W.	dwarf.	Minorca.	1783. 4.9. F. 2.	Bot. mag. 18.	

HEPTANDRIA.

PELARGONIUM. W.	STORK'S BILL.	Geraniæ. J. Gerani sp. Linn.			
1 longifolium. W.	long-leaved.	C. B. S.	1812. 5.6. G. 2.	Jac. ic. 3. t. 518.	
2 longiflorum. W.	long-flowered.	—	— G. 2.	— 3. t. 521.	
3 dipetalum. W.	two-petalled.	—	1795. 4.5. G. 2.	L'Her. ger. t. 43.	
4 ciliatum. W.	ciliated.	—	— 4.6. G. 2.	— t. 7.	
5 undulatum. H. K.	wave-flowered.	—	— 5.7. G. 2.	Bot. rep. 292.	
6 auriculatum. W.	ear-leaved.	— 4.6. G. 2.	Jac. ic. 3. t. 519.	
7 radiculatum. Vent.	fleshy-fringe-le ^d .	—	1802. 6.7. G. 2.	Bot. mag. 1718.	
8 ciliatum. B. R.	conca-vifolium. P. S.	—	—	—	
9 spatulatum. H. K.	spatula-leaved.	—	1795. 4.5. G. 2.	Bot. rep. 152.	
9 affine. P. S.	fringed spatula-l ^d .	—	— G. 2.	— 282.	
10 radiatum. H. K.	ray-leaved.	—	1801. 6.8. G. 2.	— 222.	
11 lineare. H. K.	linear-petalled.	—	1800. 6.7. G. 2.	Bot. rep. 193.	
12 punctatum. W.	dotted-flowered.	—	1794. 4.5. G. 2.	— 60.	
13 roseum. H. K.	Rose-coloured.	—	1792. 3.5. G. 2.	— 173.	
14 laciniatum. P. S.	jag-leaved.	—	1800. 5.8. G. 2.	— 131.	
15 penniforme. P. S.	winged.	—	— G. 2.	— 263.	
16 purpurascens. P. S.	purple-flowered.	—	— G. 2.	— 204.	
17 hirsutum. W.	various-leaved.	—	1788. 3. G. 2.	Cav. diss. 4. t. 101. f. 2.	
18 virginicum. P. S.	virgin.	—	1795. 5.7. G. 2.	Bot. rep. 317.	
19 atrum. W.	dark-brown.	—	1793. — G. 2.	L'Her. ger. t. 44.	
20 dioicum. H. K.	dioecious.	—	1795. 6.7. G. 2.	Bot. rep. 209.	
Geranium melananthum. B. R.					
21 revolutum. H. K.	revolute.	—	1800. 7.8. G. 2.	— 354.	
22 oxalidifolium. H. K.	Wood-Sorrel-l ^d .	—	1801. 5.8. G. 2.	— 300.	
23 pictum. P. S.	painted.	—	1800. 4.5. G. 2.	— 160.	
24 triphyllum. W.	three-leaved.	—	1812. — G. 2.	Jac. ic. 3. t. 515.	
25 nervifolium. W.	nerved-leaved.	—	— 5.8. G. 2.	— 3. t. 517.	
26 reflexum. H. K.	reflex-leaved.	—	1800. 6.7. G. 2.	Bot. rep. 224.	
27 astragalifolium. P. S.	Astragalus-lea ^d .	—	1788. 7. G. 2.	— 190.	
28 coronillafolium. P. S.	Coronilla-lea ^d .	—	1795. 6.7. G. 2.	— 305.	
29 pinnatum. W.	wing-leaved.	—	1779. 4.6. G. 2.	Bot. mag. 579.	
30 floribundum. H. K.	many-flowered.	—	1795. 3.5. G. 2.	Bot. rep. 420.	
31 fissifolium. H. K.	cloven-leaved.	—	— 4.8. G. 2.	— 376.	
32 bubonifolium. H. K.	Bubon-leaved.	—	1800. 3.7. G. 2.	— 328.	
33 luteum. B. R.	small yellow.	—	— 6.7. G. 2.	— 123.	
34 nummularifolium.	Moneywort.	—	1801. 5.8. G. 2.	Par. lond. t. 23.	
35 barbatum. W.	bearded.	—	1780. 7.8. G. 2.	Bot. rep. 323.	
36 pilosum. H. K.	hairy.	—	1801. 5.7. G. 2.	— 259.	
37 melananthum. W.	black-flowered.	—	1790. 5.6. G. 2.	Jac. ic. 3. t. 514.	
38 rapaceum. W.	Fumitory-flow ^d .	—	1788. 4.6. G. 2.	Bot. rep. 239.	
38 luteum.	yellow-flowered.	—	— G. 2.	Bot. mag. 1877.	
39 carneum. W.	flesh-coloured.	—	1812. — G. 2.	Jac. ic. 3. t. 512.	
40 Grenvillianum. A. G.	Lady Grenville's.	— 4.5. G. 2.	And. ger. c. ic.	
41 incrassatum. H. K.	fleshy-leaved.	—	1801. 6.7. G. 2.	Bot. mag. 761.	
42 lobatum. W.	Cow-Parsnep-l ^d .	—	1710. 7.8. G. 2.	Cav. diss. 4. t. 114. f. 3.	
43 triste. W.	night-smelling.	—	1692. 5.10. G. 2.	— 4. t. 107. f. 1.	
44 filipendulifolium.	Dropwort-lea ^d .	—	1812. — G. 2.	Bot. mag. 1641.	
45 flarum. W.	Carrot-leaved.	—	1724. 7.9. G. 2.	Jac. ic. 3. t. 525.	

MONADELPHIA HEPTANDRIA.

151

Ham. H. K.	nonesuch.	Geranium. J.	C. B. S.	1795. 3.5.	G. 2.	Bot. mag. 524.
ms.	burnished.			1812. 3.6.	G. 2.	
sera. W.	fiery-flowered.			G. 2.	
drifolium. W.	(Ecnothera-like.	C. B. S.		G. 2.	Jac. ic. 3. t. 525.
W.	Chamaedrya-lea ^d .		1812. 5.6.	G. 2.		Jac. ic. 3. t. 523.
ium. W.	oval-leaved.		1774. 5.7.	G. 2.		L'Her. ger. t. 28.
mon. W.	downy-leaved.		1790. 6.8.	G. 2.		Jac. schœn. 2. t. 131.
s. W.	velvet-leaved.		1794. 3.6.	G. 2.		2. t. 132.
re. W.	elegant.		1795.	G. 2.		Bot. rep. 28.
illoides. W.	rough-stalked.		1775. 5.8.	G. 2.		L'Her. ger. t. 9.
issimum. W.	mantle-leaved.		1693. 5.10.	G. 2.		Cav. diss. 4. t. 98. f. 11.
is. W. en.	sweet-scented.		1724.	G. 2.		4. t. 103. f. 11.
um. W. en.	Nutmeg-scented.		G. 2.		W. hort. ber. 2. t. 77.
larioides. W.	scentless.		1796.	G. 2.		1. t. 34.
. W.	Gooseberry-lea ^d .		1781. 4.8.	G. 2.		Cav. diss. 4. t. 119. f. 2.
ides. W.	flat-stalked.		1788. 5.7.	G. 2.		Jac. coll. 4. t. 22. 3.
inum. W.	Althæa-leaved.		1724. 4.6.	G. 2.		4. t. 2. f. 2.
pifolium. W.	Dove's-foot.		1795. 6.10.	G. 2.		Jac. schœn. 2. t. 133.
r. W.	Buck's-horn-lea ^d .		1791.	G. 2.		Bot. rep. 338.
um. Jac. ic. 3. t. 527	three-coloured.		G. 2.		Bot. mag. 240.
ides. W.	small white-flow ^d .		1775. 6.7.	G. 2.		L'Her. ger. t. 11.
isum. W. en.	trailing.		1801. 5.7.	G. 2.		
abens. H. K.	procumbent.		G. 2.		Bot. rep. 234.
ifolium. W.	Myrrh-leaved.		1696. 5.8.	G. 2.		Jac. ic. 3. t. 531.
n. W.	torn-leaved.		1781. 6.8.	G. 2.		3. t. 532.
aule. W.	many-stalked.		1802.	G. 2.		3. t. 534.
drifolium. W.	Coriander-leav'd.		1724. 3.9.	G. 2.		3. t. 538.
ifolium. W.	Caucalus-leaved.		1812.	G. 2.		3. t. 523.
m. W.	glaucous-leaved.		1775. 6.8.	G. 2.		Bot. mag. 56.
latum. A. G.	spear-leaved.		G. 2.		And. ger. c. ic.
um. A. G.	tooth-leaved.		G. 2.		c. ic.
folium. W.	different-leaved.		1794. 6.8.	G. 2.		
atum. W. en.	sharp-pointed.		G. 2.		
latum. W. en.	pencilled.		1794.	G. 2.		W. hort. ber. 1. t. 87.
um. W.	Birch-leaved.		1759.	G. 2.		Bot. mag. 148.
um. A. G.	handsome.		G. 2.		And. ger. c. ic.
um. W.	Sorrel-leaved.		1710. 5.9.	G. 2.		Bot. mag. 103.
um. W.	bastard.		1732.	G. 2.		Cav. diss. 4. t. 105. f. 2.
me. H. K.	kidney-leaved.		1791. 1.12.	G. 2.		Bot. mag. 493.
etalum. W.	narrow-petalled.		1800. 6.7.	G. 2.		
am. W. en.	dwarf.		G. 2.		
ns. W.	climbing.		G. 2.		
ium. W. en.	brick-coloured.		G. 2.		
. W.	{ common horse- shoe.		1710. 4.12.	G. 2.		Cav. diss. 4. t. 98. f. 2.
ginatum.	white-margined.					
lianum. A. G.	Greville's.		G. 2.		And. ger. c. ic.
um. A. G.	Cape scarlet.		G. 2.		c. ic.
ans. W.	scarlet-flowered.		1714. 5.9.	G. 2.		Cav. diss. 4. t. 106. f. 2.
gamum. W.	six-stamened.		1786.	G. 2.		L'Her. ger. t. 18.
rum. W.	cluster-leaved.		1784. 7.8.	G. 2.		
aule. W.	thick-stalked.	Africa.	1786.	S. 2.		Bot. mag. 477.
um. W.	peltated.	C. B. S.	1701. 6.8.	G. 2.		20.
es. W.	ivy-leaved.		1727.	G. 2.		L'Her. ger. t. 24.
onum. W.	square-stalked.		1774.	G. 2.		Plant. grass. 96.
egatum.	variegated.		G. 2.		Bot. mag. 136.
um. W.	heart-leaved.		G. 2.		165.
uplicatum. } en.	curl'd-heart-lea ^d	G. 2.		
ingtonii. W. en.	Barrington's.	C. B. S.	G. 2.		
llatum. W. en.	hooded-leaved.		1690.	G. 2.		Cav. diss. 4. t. 106. f. 1.
losum. W.	Marshmallow-lea ^d .		1724. 7.9.	G. 2.		4. t. 112. f. 2.
leatum. W. en.	concave-leaved.		G. 2.		
folium. W.	Maple-leaved.	C. B. S.	1784. 4.5.	G. 2.		L'Her. ger. t. 21.
folium. W. en.	Sida-leaved.		G. 2.		
osum. W. en.	specious.		1794.	G. 2.		
issimum. } en.	stately.		G. 2.		
scens. A. G.	pubescent.	C. B. S.	G. 2.		And. ger. c. ic.

110 rugosum. A. G.	wrinkled.	Geraniae. J.	C. B. S.	5.7.	G. h.	And. ger. c. ic.
111 rubeus. W. en.	red-flowered.		G. h.	
112 papilionaceum. W.	Butterfly.		C. B. S.	1724.	4.7.	G. h.	Cav. diss. 4. t. 112. f. 1
113 Beaufortianum. P. S. Beaufort.			1798.	5.8.	G. h.	
114 cortusae-folium. W.	Cortusa-leaved.		Africa.	1786.	7.8.	S. h.	Bot. rep. 121.
115 quinatum. H. K.	five-fingered.		C. B. S.	1793.	3.7.	G. h.	Bot. mag. 547.
116 fuscum. W.	dark-marked.			1812.	4.7.	G. h.	Jac. ic. 3. t. 540.
117 patulum. W.	spreading.			G. h. 3. t. 541.
118 sororium. W. en.	sister.			G. h.	
119 grandiflorum. W.	great-flowered.		C. B. S.	1794.	G. h.	Bot. rep. 12.
120 variegatum. W.	variegated-flow'd.			1812.	G. h.	Cav. diss. 4. t. 118. f. 3
121 delphinifolium. W. en.	Larkspur-leaved.		G. h.	
122 cynosbatifolium. W. en.		Cynosbati-leav'd.	G. h.	W. hort. ber. 2. t. 78.
123 saniculæ-folium. W.	Sanicle-leaved.		C. B. S.	1808.	6.8.	G. h.	Jac. ic. t. 539.
124 Cotyledonis. W.	Hollyhock-leav'd.		St. Helena.	1763.	5.7.	S. h.	L'Her. ger. t. 27.
125 discipes. H. S.	central-stalked.		Africa.	1808.	S. h.	
126 echinatum. W.	prickly-stalked.		C. B. S.	1789.	5.8.	S. h.	Bot. mag. 309.
127 australe. W.	Botany-Bay.		N. S. W.	1792.	G. h.	
128 vitifolium. W.	Vine-leaved.		C. B. S.	1724.	4.8.	G. h.	Cav. diss. 4. t. 111. f. 2
129 capitatum. W.	Rose-scented.			1690.	4.8.	G. h.	And. ger. c. ic.
130 glutinosum. W.	clammy.			1777.	5.6.	G. h.	Bot. mag. 143.
131 hispidum. W.	hispid.			1790.	5.7.	G. h.	Cav. diss. 4. t. 10. f. 1
132 tomentosum. W.	Pennyroyal.			6.7.	G. h.	Bot. mag. 518.
133 ribifolium. W.	Current-leaved.			1798.	5.6.	G. h.	Jac. ic. 3. t. 538.
134 quercifolium. W.	Oak-leaved.			1774.	3.8.	G. h.	L'Her. ger. t. 14.
135 candidum.	white-leaved.			1812.	12.8.	G. h.	
136 graveolens. W.	Odour of Rose.			1774.	3.7.	G. h.	L'Her. ger. t. 17.
137 asperum. W.	rough multifid.			1798.	7.9.	G. h.	Roth. abhand. t. 10.
138 balsameum. W.	balsamic.			1790.	G. h.	Jac. ic. 3. t. 548.
139 Radula. W.	Rasp-leaved.			1774.	3.7.	G. h.	Bot. mag. 95.
140 denticulatum. W.	tooth-leaved.			1789.	6.7.	G. h.	Jac. schœm. 2. t. 135.
141 quinquevuln- rum. P. S.	dark-flowered.			1796.	5.10.	G. h.	Bot. rep. t. 114.
142 bicolor. W.		two-coloured.	1778.	7.8.	G. h.	Bot. mag. 201.
143 canariense. W.	Canary.		Canaries.	1802.	7.9.	G. h.	W. hort. ber. t. 17.
144 tricuspidatum. W.	three-pointed.		C. B. S.	1790.	5.8.	G. h.	L'Her. ger. t. 30.
145 scabrum. W.	rough wedge-lea'd.			1775.	8.4.	G. h.	Jac. ic. 3. t. 542.
146 spinosum. W.	thorny.			1795.	5.8.	G. h.	Paters. it. t. ad. p. 87.
147 spurium. W. en.	spurious.			4.7.	G. h.	
148 nothum. W. en.	mixed.			G. h.	
149 alnifolium. W. en.	Alder-leaved.			G. h.	
150 crispum. W.	curl-leaved.		C. B. S.	1774.	7.11.	G. h.	L'Her. ger. t. 32. 33.
151 gratum. W. en.	Citron-scented.			4.8.	G. h.	
152 consanguineum. W. en.	kindred.		G. h.	
153 pallidum. W. en.		pale-flowered.	G. h.	
154 obtusilobum. W. en.	blunt-lobed.		G. h.	
155 hermannifolium. W.	Hermannia-lea'd.		C. B. S.	4.8.	G. h.	Jac. ic. 3. t. 546.
156 adulterinum. W.	hoary-trifid-lea'd.			1785.	G. h.	L'Her. ger. t. 34.
157 tripartitum. W.	glaucous-trifid-l'd.			1794.	4.8.	G. h.	Jac. schœm. 2. t. 134.
158 semitrilobum. W.	three-lobed.			1800.	4.7.	G. h. 2. t. 133.
159 splendens. W. en.	splendid.			G. h.	W. hort. ber. 2. t. 76.
160 fulgidum. W.	Celandine-leav'd.			1723.	G. h.	Cav. diss. 4. t. 116. f. 3
161 gibbosum. W.	gouty.			1712.	G. h.	And. ger. c. ic.
162 exstipulatum. W.	soft-trifid-leav'd.			1779.	5.8.	G. h.	L'Her. ger. t. 34.
163 ternatum. W.	ternate-leaved.			1789.	G. h.	Bot. mag. 413.
164 unicolorum. W. en.	self-coloured.			G. h.	
165 Willdenowii.	Willdenow's.			G. h.	
<i>pulchellum. W. en. esp. not B. M.</i>							
166 lævigatum. W.	{ glaucous ter- nate-leav'd. }		G. h.	Cav. diss. 4. t. 121. f. 1
167 fragile. W.		brittle-stalked.	1789.	G. h.	Bot. rep. 37.
168 incisum. W.	cut-leaved.		1791.	3.8.	G. h. 67.
169 carnosum. W.	fleshy-stalked.		1724.	6.8.	G. h.	Cav. diss. 4. t. 99. f. 1.
170 ceratophyllum. W.	horn-leaved.		Africa.	1786.	5.6.	S. h.	Bot. mag. 315.
171 alternans. W.	Parsley-leaved.		C. B. S.	1791.	5.8.	G. h.	Wendl. harr. 2. t. 2.
172 dasycaulis. H. S.	thick-stemmed.			1795.	7.12.	G. h.	
173 cymifolium. W.	Scamphire-leav'd.			1790.	5.6.	G. h.	Smith in. pict. 19.

MONADELPHIA DODECANDRIA.

153

stanifolium. W.	Southernwood-1 ^d .	Geraniae. J.	C. B. S.	1791. 5.7.	G. h.	Jac. schoen. 2. t. 136.
ifolium. W.	fine-leaved.			1768. —	G. h.	L'Her. ger. t. 12.

OCTANDRIA.

IA. W.	ANTONIA.	Melae. J.				
is. W.	Cape.		C. B. S.	1774. 4.9.	G. h.	Bot. mag. 173.

DECANDRIA.

IUM. W.	CRANE'S-BILL.	Geraniae. J.				
sum. W.	spiny.		C. B. S.	1790. 7.	G. h.	Cav. diss. 4. t. 75. f. 2.
cum. W.	Siberian.		Siberia.	1758. 6.7.	H. 2.	Jac. vind. 1. t. 19.
ineum. W.	bloody.		Britain. 6.9.	H. 2.	Eng. bot. 272.
striense. With.	Lancashire.			H. 2.	Cav. diss. 4. t. 76. f. 3.
ostm. W.	tuberos-rooted.		Italy.	1596. 5.8.	H. 2.	4. t. 78. f. 1.
onefolium. W.	Anemone-leav ^d .		Madeira.	1778. —	G. h.	Bot. mag. 206.
orbium. W.	long-rooted.		Italy.	1576. 5.6.	H. 2.	Jac. ic. 1. t. 134.
m. W.	dusky.		England. 4.6.	H. 2.	Eng. bot. 322.
um. W.	reflex-flowered.		Italy.	1758. 5.6.	H. 2.	Cav. diss. 4. t. 81. f. 1.
im. W.	wrinkle-leaved.		Switzerland.	1775. 6.7.	H. 2.	L'Her. ger. t. 39.
m. W.	brown.		S. Europe.	1759. 7.	H. 2.	
um. W.	knotty.		England. 5.10.	H. 2.	Eng. bot. 1091.
um. W.	streaked.		Italy.	1629. —	H. 2.	Bot. mag. 55.
latum. W.	angular-stalked.		1789. 5.6.	H. 2.	203.
um. W.	Iberian.		Levant.	1802. 6.9.	H. 2.	1886.
ticum. W.	wood.		Britain. 5.6.	H. 2.	Eng. bot. 121.
florum. W. en.	small-flowered.		1816. —	H. 2.	
tre. W.	marsh.		Germany.	1732. 6.8.	H. 2.	Flor. dan. 596.
tifolium. W.	Aconite-leaved.		Switzerland.	1775. 5.6.	H. 2.	L'Her. ger. t. 40.
um. W.	hill.		Siberia.	1815. 5.8.	H. 2.	
nse. W.	Crowfoot-leaved.		Britain. 5.7.	H. 2.	Eng. bot. 404.
latum. W.	spotted.		N. America.	1732. 5.8.	H. 2.	Cav. diss. 4. t. 86. f. 2.
icens. W.	silky-leaved.		C. B. S.	1787. 5.6.	G. 2.	L'Her. ger. t. 38.
um. W.	hoary multifid.			1701. 5.7.	G. 2.	Cav. diss. 4. t. 82. f. 2.
iteum. W.	silvery-leaved.		S. Europe.	1699. 6.7.	F. 2.	Bot. mag. 504.
m. W.	grey.		Pyrenees. 6.8.	H. 2.	L'Her. ger. t. 37.
iaicum. W.	mountain.		Britain. 5.8.	H. 2.	Eng. bot. 405.
osum. P. S.	naked-stalked.		Hungary.	1804. 6.9.	H. 2.	Pl. rar. hung. 2. t. 124.
micum. W.	Bohemian.		Bohemia.	1683. 6.8.	H. 2.	Cav. diss. 4. t. 81. f. 2.
icatum. W.	straddling.		Hungary.	1799. 7.8.	H. 2.	Pl. rar. hun. 2. t. 123.
um. W.	shining.		Britain. 5.8.	H. 2.	Eng. bot. 75.
. W.	Dove's-foot.		 4.8.	H. 2.	778.
inianum. Ph.	spreading.		N. America.	1725. 7.8.	H. 2.	Cav. diss. 4. t. 84. f. 1.
ginosum. W. en.	upright.		H. 2.	Jac. schoen. 2. t. 140.
ubinum. W.	long-stalked.		Britain. 6.7.	H. 2.	Eng. bot. 259.
stum. W.	jagged-leaved.		 5.7.	H. 2.	753.
idifolium. W.	round-leaved.		England. 6.7.	H. 2.	157.
lum. W.	small-flowered.		 6.9.	H. 2.	385.
tianum. W.	Herb-Robert.		Britain. 4.10.	H. 2.	1486.
areum. W.	purple.			H. 2.	Vill. delph. 3. t. 40.
NEA. W.	BROWNEA.	Leguminosæ? J.				
nea. W.	scarlet-flowered.		W. Ind.	1793. 7.8.	S. h.	Jac. amer. t. 121.

DODECANDRIA.

NIA. W.	MONSONIA.	Geraniae. J.				
osa. W.	large-flowered.		C. B. S.	1774. 4.5.	G. 2.	Bot. mag. 73.
l. W. en.	hairy.			1778. 7.8.	G. 2.	Bot. rep. 276.
a. W.	broad-leaved.			1774. 4.5.	G. 2.	Bot. mag. 385.
. W.	oval-leaved.		 8.	G. 2.	L'Her. ger. t. 40.
sa. W.	thorny.			1790. 5.6.	G. h.	t. 42.
ERES. W.	SCREW-TREE.	Malvaceæ. J.				
nsis. W.	small-fruited.		W. Ind.	1739. 9.10.	S. h.	Jac. amer. t. 149.
icensis. W.	great-fruited.		Jamaica. 6.7.	S. h.	Jac. vind. 2. t. 143.
. W.	East-Indian.		E. Ind.	1733. —	S. h.	Rum. am. 7. t. 17. f. 1.
YA. J.	DOMBEYA.	Malvaceæ. J.				
ginea. W.	ferrugineous.		Mauritius.	1815.	S. h.	Cav. diss. 3. t. 42. f. 2.
PETES. W.	PENTAPETES.	Malvaceæ. J.				
icea. W.	scarlet-flowered.		India.	1690. 7.8.	S. 2.	Mill. ic. t. 201.
. R. S.	oval-leaved.		New Spain.	1805. 6.9.	S. h.	Cav. ic. t. 433.

IBERIS. H. K.		CANDY TUFT.	Cruciferae. J.				
1	sempervirens. W.	broad-leaved.	_____	Sicily.	1679. 1.12. G. h.	Zanon. hist. t. 163.	
2	sempervirens. W.	narrow-leaved.	_____	Candia.	1731. 4.6. H. h.	Riv. tetr. 294. f. 2.	
3	gibraltaria. W.	Gibraltar.	_____	Spain.	1732. 5.6. G. h.	Bot. mag. 124.	
4	saxatilis. W.	rock.	_____	S. Europe.	1739. 4.6. H. h.	Garid. prov. t. 101.	
	<i>β corifolia.</i>	smooth-leaved.	_____	_____	_____	Bot. mag. 1642.	
5	ciliata. W.	ciliate-leaved.	_____	Caucasus.	1802. 6.7. F. h.	_____ 1030.	
6	umbellata. W.	purple.	_____	S. Europe.	1596. 5.6. H. h.	_____ 109.	
7	violacea. H. K.	blunt-le ^d purple.	_____	_____	1787. _____	H. h.	
8	amara. W.	bitter.	_____	England.	_____	H. h.	Eng. bot. 52.
9	linifolia. W.	Flax-leaved.	_____	S. Europe.	1759. 7.8. H. h.	Garid. prov. t. 104.	
10	odorata. W.	sweet-scented.	_____	Geneva.	1808. _____	H. h.	
11	pinnata. W.	wing-leaved.	_____	S. Europe.	1596. 6.8. H. h.	Lob. ic. 218.	
LEPIDIUM. H. K.		PEPPERWORT.	Cruciferae. J.				
1	latifolium. W.	broad-leaved.	_____	Britain. 6.7. H. h.	Eng. bot. 182.	
2	lyratum. W.	lyre-leaved.	_____	Levant.	1759. _____	H. h.	Tourn. it. 2. t. 339.
3	Draba. H. K.	Whitlow.	_____	Europe.	1596. 5.6. H. h.	Jac. aust. 4. t. 315.	
4	graminifolia. H. K.	busby.	_____	_____	1682. 8.9. H. h.	Bauh. h. 2. p. 318. ic.	
5	Iberia. Roth.	diandrous.	_____	Germany.	1793. 7.8. H. h.	Lob. ic. 223.	
6	divaricatum. W.	close-spiked.	_____	C. B. S.	1774. 5.8. G. h.	_____	
7	rudérale. W.	narrow-leaved.	_____	Britain. 6.7. H. h.	Eng. bot. 1595.	
8	bonariense. W.	Buenos Ayres.	_____	S. America.	1732. 5.6. H. h.	Dill. elt. t. 296. f. 370.	
9	Cardamines. W.	Spanish Cress.	_____	Spain.	1789. 6.7. F. h.	Arduin. sp. 1. t. 18.	
10	subulatum. W.	awl-leaved.	_____	_____	1739. 7.8. F. h.	D. Asso arag. t. 6 f. 2.	
11	psidium. W.	South Sea.	_____	Society Isl.	1779. 9. H. h.	_____	
12	perfoliatum. W.	various-leaved.	_____	Austria.	1640. 7. H. h.	Jac. aust. 4. t. 346.	
13	spinosum. W.	prickly.	_____	Levant.	1787. 9. H. h.	_____	
14	campestre. H. K.	hoary-field.	_____	Britain. 6.7. H. h.	Eng. bot. 1395.	
15	sativum. W.	Common Cress.	_____	1548. _____	H. h.	Zorn. ic. 16.
	<i>β crispum.</i>	Curled Cress.	_____	_____	_____	_____	
16	virginicum. W.	Virginian.	_____	America.	1713. _____	H. h.	Schk. hand. 2. t. 180.
17	chalepense. W.	Aleppo.	_____	Aleppo.	1798. 5.7. H. h.	_____	
COCHLEARIA. H. K.		SCURVY-GRASS.	Cruciferae. J.				
1	officinalis. W.	common.	_____	Britain. 4.5. H. h.	Eng. bot. 550.	
2	anglica. W.	English.	_____	_____ 5. H. h.	_____ 552.	
3	danica. W.	Danish.	_____	_____ 5.6. H. h.	_____ 696.	
4	glastifolia. W.	Wood-leaved.	_____	Germany.	1648. 5.7. H. h.	Moris. his. 2. t. 21. f. 2.	
5	greenlandica. E. B.	Greenland.	_____	Scotland. 5.6. H. h.	Eng. bot. 2403.	
6	saxatilis. W.	rock.	_____	Austria.	1775. 6.7. H. h.	Jac. aust. 2. t. 128.	
7	macrocarpa. W.	large-capsuled.	_____	Hungary.	1806. 7. H. h.	_____	
8	Armoracia. W.	Horse-Radish.	_____	England. 5. H. h.	Eng. bot. 2223.	
SUBULARIA. W.		AWLWORT.	Cruciferae. J.				
	aquatica. W.	water.	_____	Britain. 7. H. h.	Eng. bot. 732.	
DRABA. W.		{ WHITLOW-GRASS. }	Cruciferae. J.				
1	verna. W.	common.	_____	Britain. 3.4. H. h.	Eng. Bot. 586.	
2	rupestris. H. K.	rock.	_____	Scotland. 5.7. H. h.	_____ 1838.	
	<i>hirta. E. B.</i>	_____	_____	_____	_____	_____	
3	incana. W.	twisted-podded.	_____	Britain. 5.8. H. h.	_____ 888.	
4	muralis. W.	Speedwell-leaved.	_____	England. 5. H. h.	_____ 919.	
5	memoralis. W.	wood.	_____	Europe.	1759. 5.8. H. h.	Hout. sys. 4. t. 60. f. 2.	
6	aizoides. W.	sen-green.	_____	Wales. 2.4. H. h.	Eng. bot. 1271.	
7	ciliaris. W.	ciliate-leaved.	_____	Switzerland.	1731. _____	H. h.	Bot. mag. 170.
PETROCALLIS. H. K.		PETROCALLIS.	Cruciferae. J.	<i>Draba sp. W.</i>			
	pyrenaica. H. K.	Pyrenean.	_____	Pyrenees.	1759. 5.8. H. h.	Bot. mag. 718.	
CAMELINA. P. S.		CAMELINA.	Cruciferae. J.	<i>Myagris et Algaei sp. W.</i>			
1	sativa. H. K.	cultivated.	_____	Britain. 5.7. H. h.	Eng. bot. 1254.	
2	dentata. P. S.	tooth-leaved.	_____	Europe.	1806. _____	H. h.	Lind. alcat. p. 49 f. 1.
3	austriaca. H. K.	Austrian.	_____	Austria.	1795. 6.7. H. h.	Jac. aust. 3. t. 111.	
ALYSSUM. H. K.		MADWORT.	Cruciferae. J.				
1	calycinum. H. K.	calycine.	_____	Austria.	1740. 7.8. H. h.	Jac. aust. t. 388.	
2	campestre. W.	field.	_____	France.	1768. _____	H. h.	
3	montanum. W.	mountain.	_____	Germany.	1713. _____	H. h.	Bot. mag. 419.
4	saxatile. W.	rock.	_____	Candia.	1710. 4.5. H. h.	_____ 169.	
5	alpestre. W.	Italian.	_____	Italy.	1777. 6.10. H. h.	Jac. pol. 4. t. 4. f. 1.	
6	spinosum. W.	thorny.	_____	S. Europe.	1683. 6.8. F. h.	Barr. ic. 808.	
7	tortuosum. W.	twisted.	_____	Hungary.	1804. 6.7. H. h.	Pl. rar. hung. t. 27.	
8	minimum. W.	small.	_____	Spain.	1791. 7. H. h.	_____	
9	maritimum. W.	sweet.	_____	England. 6.9. H. h.	Eng. bot. 1789.	

FARSETIA. H. K.	FARSETIA.	Cruciferae. J.	<i>Alysi sp. W.</i>		
1 Cheiranthoides. H. K.	Stock.		Levant.	1788. 6.7. G. h.	Desf. atl. 2. t. 160.
2 lanarioides. H. K.	oriental.		Archipelago.	1731. — H. h.	Tourn. it. 1. p. 242.
3 clypeata. H. K.	buckler-podded.		S. Europe.	1696. — H. o.	
4 mutabilis. H. K.	changeable.		Levant.	1809. 7.8. H. h.	Vent. cels. 95.
5 incana. H. K.	hoary.		Europe.	1640. 7.9. H. j.	
6 deltoidea. H. K.	purple.		Levant.	1710. 8.5. H. h.	Bot. mag. 126.
VESICARIA. Lam.	VESICARIA.	Cruciferae. J.	<i>Alysi sp. W.</i>		
1 atriculata. H. K.	smooth.		Levant.	1739. 4.6. H. h.	Bot. mag. 130.
2 cretica. P. S.	Cretan.		Crete.	— 5.8. H. h.	Alp. exot. t. 118.
3 sinuata. H. K.	sinuate-leaved.		Spain.	1696. 4.6. H. j.	
LUNARIA. W.	HONESTY.	Cruciferae. J.			
1 pediviva. W.	perennial.		Germany.	1696. 5.6. H. h.	Lam. ill. t. 561. f. 1.
2 annua. W.	annual.		—	— H. j.	t. 561. f. 2.
RICOTIA. W.	RICOTIA.	Cruciferae. J.			
egyptiaca. W.	Egyptian.		Egypt.	1757. 6.7. H. o.	Bot. reg. 49.

SILIQUOSA.

HELIOPHILA. W.	HELIOPHILA.	Cruciferae. J.			
1 incana. W.	hoary.		C. B. S.	1774. 5.8. G. h.	
2 filiformis. W.	awl-podded.		—	1786. 7.8. G. o.	
3 platysilqua. H. K.	broad-podded.		—	1774. — G. h.	
4 pilosa. H. K.	hairy.		—	1768. 5.9. H. o.	Jac. ic. 3. t. 526.
β incisa.	cut-leaved.		—	—	Bot. mag. 496.
5 amplexicaulis. W.	opposite-leaved.		—	1774. 6.9. H. o.	
6 fœniculacea. H. K.	Fennel-leaved.		—	— H. o.	
7 pinnata. H. K.	wing-leaved.		—	1792. — H. o.	Vent. malm. t. 113.
8 crithmifolia. W. en.	Samphire-leaved.		—	1816. — H. o.	
9 coronopifolia. W.	Buck's-horn-le ^d .		—	1778. 6.7. G. j.	Herm. lugdb. t. 367.
CARDAMINE. H. K.	LADY'S SMOCK.	Cruciferae. J.	<i>Cardamine et Dentaria. W.</i>		
1 enneaphylla. H. K.	nine-leaved.		Austria.	1658. 5.6. H. j.	Jac. aust. 4. t. 316.
2 pentaphylla. H. K.	five-leaved.		Switzerland.	— H. h.	Garid. prov. t. 29.
3 pinnata. H. K.	seven-leaved.		—	1683. — H. h.	t. 28.
4 bulbifera. H. K.	bulbiferous.		England. 4.5. H. h.	Eng. bot. 309.
5 polyphylla. P. S.	many-leaved.		Hungary.	1817. 5.6. H. h.	Pl. rar. hung. 2. t. 169.
6 glandulosa. P. S.	glandular.		—	1815. — H. h.	
7 diphylla. P. S.	two-leaved.		N. America.	1810. — H. h.	Bot. mag. 1465.
8 asarifolia. W.	kidney-leaved.		Italy.	1710. 6.7. H. h.	— 1735.
9 bellidifolia. W.	Daisy-leaved.		Scotland. 4.6. H. h.	Eng. bot. 2356.
10 trifolia. W.	three-leaved.		Switzerland.	1629. 3.4. H. h.	Bot. mag. 452.
11 africana. W.	African.		C. B. S.	1691. 5.6. G. h.	Herm. parad. 202.
12 chelidonia. W.	Celandine-leav ^d .		Italy.	1739. 6.8. H. h.	Pl. rar. hung. 2. t. 140.
13 græca. W.	Grecian.		S. Europe.	1710. 6.7. H. o.	Boc. sic. t. 44. f. 2.
14 amara. W.	bitter.		Britain. 4.5. H. h.	Eng. bot. 1000.
15 latifolia. W.	broad-leaved.		Spain.	1710. 6.8. H. j.	Herm. parad. 203.
16 pratensis. W.	Cuckoo-flower.		Britain. 4.5. H. h.	Eng. bot. 776.
β plena.	double-flowered.		— 4.6. H. o.	— 80.
17 impatiens. W.	impatient.		— 1.12. H. o.	— 492.
18 hirsuta. W.	hairy.		Germany.	1658. 7. H. o.	All. ped. 1. t. 57. f. g.
19 roscidifolia. W.	Rocket-leaved.	Cruciferae. J.			
ARABIS. H. K.	WALL CRESS.		Switzerland.	1793. 6.7. H. h.	All. ped. 1. t. 40. f. 2.
1 cœrulea. W.	blue.		—	1658. 3.4. H. h.	Jac. aust. 3. t. 281.
2 nutans. W.	nodding.		—	1773. 5.6. H. h.	— 3. t. 280.
3 bellidifolia. W.	Daisy-leaved.		Caucasus.	1798. 1.10. H. h.	
4 caucasica. W. en.	early-flowering.		Siberia.	— 3.5. H. h.	Lam. cen. ac. t. 4. f. 20.
5 grandiflora. W.	naked-stalked.		Switzerland.	1696. — H. h.	Bot. mag. 226.
6 alpina. W.	Alpine.		Carniola.	1816. 3.4. H. h.	
7 crispata. W. en.	curled-leaved.		France.	1710. 5.6. H. o.	Barr. ic. 476.
8 verna. H. K.	vernal.		England. 5. H. h.	Eng. bot. 614.
9 stricta. W.	Bristol.		Germany.	1798. 6.7. H. o.	Scop. carn. t. 40.
10 areoidea. H. K.	purple.		Britain. 5.7. H. h.	Eng. bot. 469.
11 hispida. H. K.	short-podded.		— 4.5. H. o.	— 901.
12 thaliapa. W.	common.		Ireland. 6.7. H. j.	— 1746.
13 ciliata. H. K.	ciliated.		—	—	—
Turritis alpina. E. B.			Britain. 5.7. H. h.	— 587.
14 hirsuta. H. K.	hairy.		Siberia.	1759. — H. o.	Jac. vind. 3. t. 34.
15 pendula. W.	pendulous.		England. 4.5. H. j.	Eng. bot. 129.
16 Turrita. W.	tower.		—	—	—

17 canadensis. W.	sickle-podded.	Cruciferae. J.	N. America.	1768.	5.7.	H. 2.	
18 lucida. W. en.	shining-leaved.	_____	Hungary.	1790.	6.7.	H. 2.	
19 incana. W. en.	hispid-stalked.	_____	Switzerland.	1816.	5.6.	H. 2.	
MACROPODIUM.							
H. K.		MACROPODIUM.	Cruciferae. J.	<i>Cardantus sp. W.</i>			
nivalis. H. K.	Siberian.	_____	Siberia.	1796.	6.9.	H. 2.	Pall. it. 2. ap. t. U.
TURBITIS. H. K.	{ TOWER	Cruciferae. J.					
	MUSTARD.						
1 arvensis. H. K.	Cabbage-flow ^d .	_____	S. Europe.	1739.	6.	H. 2.	Bocc. sic. t. 25. f. 3. A.
2 glabra. H. K.	long-podded.	_____	England.	5.6.	H. 2.	Eng. bot. 777.
3 stricta. W.	upright.	_____	Italy.	1804.	—	H. 2.	
4 Loeselii. H. K.	Loeselius's.	_____	Germany.	1683.	8.	H. 2.	Jac. aust. 4. t. 324.
BARBAREA. H. K.	WINTER CRESS.	Cruciferae. J.	<i>Erysini sp. W.</i>				
1 vulgaris. H. K.	common.	_____	Britain.	5.8.	H. 2.	Eng. bot. 443.
2 præcox. H. K.	early.	_____	England.	4.10.	H. 2.	— 1129.
NASTURTIUM. H. K.	NASTURTIUM.	Cruciferae. J.	<i>Sisymbrii sp. W.</i>				
1 officinale. H. K.	Water Cress.	_____	Britain.	5.7.	H. 2.	Eng. bot. 855.
2 sylvestre. H. K.	creeping.	_____	_____	6.9.	H. 2.	— 3324.
3 terrestre. H. K.	marsh.	_____	_____	—	H. 2.	— 1747.
4 amphibium. H. K.	amphibious.	_____	_____	6.8.	H. 2.	— 1840.
5 pyrenaicum. H. K.	Pyrenean.	_____	Pyrenees.	1775.	5.6.	H. 2.	Act. helv. 4. t. 15.
6 sagittatum. H. K.	arrow-leaved.	_____	Siberia.	1780.	—	H. 2.	Jac. ic. 1. t. 122.
SISYMBRIUM. H. K.	SISYMBRIUM.	Cruciferae. J.					
1 officinale. H. K.	Hedge Mustard.	_____	Britain.	5.7.	H. 2.	Eng. bot. 725.
2 Irio. W.	London Rocket.	_____	England.	5.8.	H. 2.	— 1631.
3 Columnæ. W.	Column's.	_____	Italy.	1796.	6.7.	H. 2.	Jac. aust. 4. t. 323.
4 orientale. W.	oriental.	_____	Levant.	1739.	7.8.	H. 2.	
5 pannonicum. W.	Hungarian.	_____	Hungary.	1787.	—	H. 2.	Jac. ic. 1. t. 123.
6 Barbarea. W.	Winter-Cress-1 ^d .	_____	Levant.	1799.	7.9.	H. 2.	
7 austriacum. W.	Austrian.	_____	Austria.	—	6.8.	H. 2.	Jac. aust. 3. t. 262.
8 sinapoides. H. K.	Pyrenean.	_____	Pyrenees.	1791.	6.7.	H. 2.	Jac. vind. 3. t. 97.
9 altissimum. W.	tall.	_____	Siberia.	1759.	8.	H. 2.	Walth. hort. t. 22.
10 eckartabergense. W.	Austrian.	_____	Austria.	1799.	6.7.	H. 2.	
11 asperum. W.	rough-podded.	_____	S. France.	1778.	5.6.	H. 2.	
12 supinum. W.	dwarf.	_____	S. Europe.	—	6.7.	H. 2.	Isnard. act. par. t. 12.
13 polyceratium. W.	Dandelion-leav ^d .	_____	_____	1633.	—	H. 2.	Jac. vind. 1. t. 79.
14 bursifolium. W.	various-leaved.	_____	_____	1732.	—	H. 2.	Dill. elt. t. 148. f. 177
15 tanacetifolium. W.	Tansy-leaved.	_____	Italy.	1731.	—	H. 2.	Zanon. hist. t. 72.
16 Barrelieri. W.	small.	_____	S. Europe.	1770.	—	H. 2.	Barr. ic. 1016.
17 Sophia. W.	Flix Weed.	_____	Britain.	7.	H. 2.	Eng. bot. 963.
18 millefolium. W.	Milfoil-leaved.	_____	Canaries.	1779.	5.9.	G. h.	Jac. ic. 1. t. 127.
19 strictissimum. W.	spear-leaved.	_____	Switzerland.	1658.	6.8.	H. 2.	Jac. aust. 2. t. 194.
ERYSIMUM. H. K.	{ HEDGE	Cruciferae. J.	<i>Erysimum. W. et Cheiranthi sp. W.</i>				
	MUSTARD.						
1 cheiranthoides. W.	treacle.	_____	Britain.	7.8.	H. 2.	Eng. bot. 942.
2 repandum. W.	small-flowered.	_____	Spain.	1772.	5.6.	H. 2.	Jac. aust. 1. t. 92.
3 diffusum. H. K.	Alpine.	_____	S. Europe.	1731.	5.7.	H. 2.	— 1. t. 75.
4 angustifolium. W.	narrow-leaved.	_____	Hungary.	1800.	7.8.	H. 2.	Pl. rar. hung. 1. t. 98.
5 sessiliflorum. H. K.	sessile-flowered.	_____	Siberia.	1794.	6.7.	H. 2.	L'Her. stirp. 1. t. 44.
6 lanceolatum. H. K.	spear-leaved.	_____	S. Europe.	1597.	5.7.	H. 2.	Jac. aust. 1. t. 74.
7 helveticum. H. K.	Swiss.	_____	Switzerland.	1793.	5.6.	H. 2.	Jac. vind. 3. t. 9.
8 odoratum. W.	fragrant.	_____	Austria.	1795.	7.8.	H. 2.	Jac. aust. 1. t. 73.
9 virgatum. W.	twiggy.	_____	Portugal.	1807.	7.	H. 2.	
10 Alliaria. W.	Garlick-scented.	_____	Britain.	5.	H. 2.	Eng. bot. 796.
11 orientale. H. K.	Hare's Ear.	_____	England.	6.	H. 2.	— 1804.
NOTOCERAS. H. K.	NOTOCERAS.	Cruciferae. J.	<i>Erysini sp. W.</i>				
canariensis. H. K.	Canary.	_____	Canaries.	1779.	8.9.	G. 2.	
CHEIRANTHUS.							
H. K.		Cruciferae. J.					
1 Cheiri. W.	garden.	_____	S. Europe.	1573.	4.7.	H. h.	
2 flore pleno.	double-flowered.	_____	_____	1816.	—	H. h.	Bot. reg. 219.
3 Chameleon.	various-coloured.	_____	_____	—	H. h.	Eng. bot. 1934.
4 fruticosus. E. B.	common.	_____	Britain.	—	H. h.	
5 flore pleno.	double.	_____	_____				
6 strictus. W.	upright.	_____	C. B. S.	1802.	7.	G. h.	
7 mintabilis. W.	changeable.	_____	Madeira.	1777.	3.5.	G. h.	Bot. mag. 195.
8 longifolius. Vent.	long-leaved.	_____	_____	1815.	9.12.	G. h.	
9 frutescens. Vent.	entire-leaved.	_____	Teneriffe.	—	3.7.	G. h.	Vent. malm. t. 82.
10 scoparius. W. sa.	{ crowded-	_____	_____	1815.	3.9.	G. h.	
	branched.						

TETRADYNAMIA SILIQUOSA.

147

8 linifolius. W. en.	Flax-leaved.	Cruciferae. J.	Spain.	1815.	3.8.	G. h.	
9 semperflorens. W. en.	ever-blowing.		Barbary.	—	1.12.	G. h.	
10 silenifolius. W. en.	Catchfly-leaved.		—	—	G. h.	
11 tenuifolius. H. K.	fine-leaved.		Madeira.	1777.	5.6.	G. h.	
12 armeniacus. B. M.	Armenian.		Armenia.	1803.	5.	H. 2.	Bot. mag. 835.
13 ibericus. W. en.	Barbarea-leaved.		Iberia.	1816.	5.8.	H. 2.	
MATHIOLA. H. K.	Stock.	Cruciferae. J.	Cheiranthi sp. W.				
1 incana. H. K.	Gilly Flower.		England.	5.11.	H. h.	Eng. bot. 1935.
β coccinea.	Brompton.						
γ alba.	white branching.						
2 annua. W.	ten-week.		S. Europe.	1731.	—	H. ○.	
3 græca. P. S.	Wall-flower-le ^d	—	—	H. ○.	
4 fenestralia. H. K.	window.		1759.	7.8.	G. 3.	Jac. vind. 2. t. 179.
5 taraxacifolia. W.	Dandelion-leav ^d .		Siberia.	1795.	6.	H. 3.	
6 sinuata. H. K.	greater sea.		England.	5.8.	H. 3.	Eng. bot. 462.
7 odoratissima. H. K.	Persian.		Persia.	1797.	6.7.	G. h.	Bot. mag. 1711.
8 tristis. H. K.	dark-flowered.		S. Europe.	1768.	5.7.	G. h.	— 729.
9 tricuspidata. H. K.	three-forked.		Barbary.	1739.	7.	H. ○.	Lam. ill. t. 564. f. 2.
10 parviflora. H. K.	small-flowered.		Morocco.	1799.	7.8.	H. ○.	
MALCOMIA. H. K.	MALCOMIA.	Cruciferae. J.	Cheiranthi et Hesperidis sp. W.				
1 maritima. H. K.	dwarf annual.		S. Europe.	1713.	5.6.	H. ○.	Bot. mag. 166.
2 Chius. W.	dwarf branching		Chio.	1732.	6.	H. ○.	Dill. elt. t. 147. f. 178
3 africana. H. K.	African.		Africa.	1747.	6.7.	H. ○.	Bocc. sic. t. 42. f. 1.
4 littorea. H. K.	small sea.		S. Europe.	1683.	6.11.	H. ○.	
HESPERIS. H. K.	ROCKET.	Cruciferae. J.					
1 tristis. W.	night-smelling.		Austria.	1629.	4.6.	H. 3.	Bot. mag. 730.
2 matronalis. W.	common.		Italy.	1597.	5.8.	H. 2.	Lam. ill. t. 564. f. 1.
β alba-plena.	double white.						
γ purpureo-plena.	double purple.						
3 inodora. W.	scentless.		Britain.	5.6.	H. 2.	Eng. bot. 731.
4 runcinata. W. en.	runcinate.		Hungary.	1804.	6.7.	H. 3.	Pl. rar. hung. 2. t. 200
5 bituminosa. W. en.	clammy.		1816.	—	H. 3.	
6 arenaria. W.	sand.		Algiers.	1804.	—	H. ○.	Desf. atl. 2. t. 162.
ERUCARIA. G.	ERUCARIA.	Cruciferae. J.	Cordylorcarpi sp. W.				
1 aleppica. Vent.	Aleppo.		Levant.	1680.	7.8.	H. ○.	Gert. ac. 2. t. 143. f. 9.
BRASSICA. H. K.	CABBAGE.	Cruciferae. J.					
1 Napus. W.	Rape.		Britain.	6.	H. 3.	Eng. bot. 2146.
2 Rapa. W.	Turnep.		England.	4.	H. 3.	Eng. bot. 2176.
3 oleracea. W.	common.		4.6.	H. 3.	— 637.
α capitata.	white.						
β rubra.	red.						
γ sabauda.	Savoy.						
δ sabellica.	Borecole.						
ε botrytis.	Cauliflower.						
ζ —	Broccoli.						
η napobrassica.	Turnep-rooted.						
4 chinensis. W.	Chinese.		China.	1770.	7.	H. ○.	
5 polymorpha. W.	various-leaved.		Hungary.	1804.	—	H. 2.	Pl. rar. hung. t. 90.
6 Erucastrum. W.	runcinate-leav ^d .		S. Europe.	1790.	6.8.	H. ○.	Fusch. hist. 262. ic.
7 Eruca. W.	stripe-flowered.		Austria.	1573.	7.	H. ○.	Schk. hand. 2. t. 186.
8 monensis. H. K.	Isle of Man.		Britain.	6.2.	H. ○.	Eng. bot. 962.
9 elongata. W.	stalk-leaved.		Hungary.	1801.	5.6.	H. 3.	Pl. rar. hung. 1. t. 22.
10 campestris. W.	field.		England.	6.	H. ○.	Eng. bot. 2234.
11 alpina. W.	Alpine.		Germany.	1798.	5.6.	H. 2.	Vill. dauph. 3. t. 35.
SINAPIS. H. K.	MUSTARD.	Cruciferae. J.					
1 arvensis. W.	Charlock.		Britain.	5.7.	H. ○.	Eng. bot. 1746.
2 orientalis. W.	oriental.		Levant.	1778.	6.7.	H. ○.	Schk. hand. 1. t. 186.
3 alba. W.	white.		Britain.	—	H. ○.	Eng. bot. 1677.
4 Allioni's.	Allioni's.		1789.	—	H. ○.	Jac. vind. 2. t. 162.
5 chinensis. W.	Chinese.		China.	1782.	7.	H. ○.	Arduin. spec. 1. t. 10.
6 juncea. W.	fine-leaved.		—	1710.	6.7.	H. ○.	Jac. vind. 2. t. 171.
7 brassicata. W.	Cabbage-leaved.		—	1801.	—	H. ○.	
8 lavigata. W.	smooth.		Spain.	1769.	—	H. 3.	
9 nigra. W.	common.		Britain.	5.6.	H. ○.	Eng. bot. 969.
10 pubescens. W.	downy.		Sicily.	1789.	6.7.	H. 2.	Arduin. spec. 1. t. 9.
11 hispida. W.	hispid.		Morocco.	1804.	7.	H. ○.	Schous. Maroc. t. 2.
12 arucoides. W.	dwarf.		S. Europe.	1736.	6.7.	H. ○.	Jac. vind. 2. t. 170.
13 pyrenæica. W.	Pyrenean.		Pyrenees.	1799.	7.	H. 3.	All. ped. t. 55. f. 1.
14 frutescens. W.	shrubby.		Madeira.	1777.	12.6.	G. h.	
15 tenuifolia. H. K.	fine-leaved.		England.	7.10.	H. 2.	Eng. bot. 525.

CLASS XVII.

DIADELPHIA PENTANDRIA.

MONNIERIA. W.	MONNIERIA.					
trifolia. W.	three-leaved.	Guiana.	1792.	7.8.	S.⊙.	Aub. gui. 2. t. 233.
PETALOSTEMUM } Mi.	PETALOSTEMUM.	Leguminosæ. J. Dalea sp. IV.					
1 candidum. Ph.	white.	N. America.	1811.	7.8.	H.⊙.	Mich. am. 2. t. 37. f. l.
2 carneum. Ph.	flesh-coloured.				H.⊙.	
3 violaceum. Ph.	purple.			7.9.	H.⊙.	Bot. mag. 1707.
4 corymbosum. Ph.	corymbose.				H.⊙.	
<i>Dalea Kuhnistera. IV.</i>							

HEXANDRIA.

CORYDALIS. Vent.	CORYDALIS.	Papaveraceæ. J. <i>Fumaria</i> sp. L.					
1 Cucullaria. P. S.	naked-stalked.	N. America.	1731.	6.7.	H.⊙.	Bot. mag. 1127.
2 formosa. Ph.	bluish.		1796.		H.⊙.	1335.
3 eximia. B. Reg.	choice.		1812.		H.⊙.	Bot. reg. 51. ~
4 fungosa. Ph.	spongy-flowered.		1778.	6.9.	H.⊙.	Vent. choix. t. 19.
5 nobilis. P. S.	great-flowered.	Siberia.	1783.	5.	H.⊙.	Bot. rep. 614.
6 bulbosa. P. S.	bulbous-rooted.	Europe.	1596.	2.4.	H.⊙.	Bot. mag. 232.
7 fabacea. W. en.	bean-leaved.	Germany.	1815.		H.⊙.	
8 Halleri. W. en.	solid-rooted.	Britain.	2.5.	H.⊙.	Eng. bot. 1471.
<i>Fumaria solida. B. mag. 231.</i>							
9 sempervirens. P. S.	glaucous.	N. America.	1683.	7.8.	H.⊙.	Bot. mag. 179.
10 aurea. W. en.	golden.		1812.	5.7.	H.⊙.	Bot. reg. 66.
11 lutea. P. S.	yellow.	England.	4.10.	H.⊙.	Eng. bot. 588.
12 capnoides. P. S.	white-flowered.	S. Europe.	1596.	5.10.	H.⊙.	
13 claviculata. W.	climbing.	Britain.	6.7.	H.⊙.	Eng. bot. 103.
CYSTICAPNOS. W. en	CYSTICAPNOS.	Papaveraceæ. J.					
africana. W. en.	African.	C. B. S.	1696.	6.7.	H.⊙.	Boerh. lugd. 1. t. 300
<i>Fumaria vesicaria. H. K.</i>							
FUMARIA. P. S.	FUMITORY.	Papaveraceæ. J.					
1 enneaphylla. P. S.	nine-leaved.	Spain.	1714.	5.7.	H.⊙.	Boc. mus. 2. t. 73. f. l.
2 officinalis. P. S.	common.	Britain.	5.8.	H.⊙.	Eng. bot. 589.
3 capreolata. P. S.	ramping.	5.9.	H.⊙.	943.
4 parviflora. P. S.	small-flowered.	England.	8.9.	H.⊙.	590.
5 spicata. P. S.	narrow-leaved.	S. Europe.	1714.	7.8.	H.⊙.	

OCTANDRIA.

POLYGALA. W.	MILKWORT.	Pedicularæ. J.					
1 incarnata. W.	flesh-coloured.	N. America.	1812.	6.7.	H.⊙.	
2 amara. W.	bitter.	Europe.	1775.	6.	H.⊙.	Jac. aust. 5. t. 414.
3 vulgaris. W.	common.	Britain.	5.6.	H.⊙.	Eng. bot. 76.
4 major. W.	large Austrian.	Austria.	1739.	7.8.	H.⊙.	Jac. aust. 5. t. 414.
5 paucifolia. W.	naked-stalked.	N. America.	1812.	5.8.	H.⊙.	
6 bractcolata. W.	spear-leaved.	C. B. S.	1713.	5.10.	G. h.	Bot. mag. 345.
7 speciosa. B. M.	showy.		1814.		G. h.	Bot. reg. 150.
8 teretifolia. W.	columnar-leaved		1791.	5.8.	G. h.	Bot. rep. 370.
9 purpurea. H. K.	purple.	N. America.	5.6.	H. h.	
10 virgata. Th.	twiggy.	C. B. S.	1812.	5.8.	G. h.	
11 myrtifolia. W.	Myrtle-leaved.		1707.		G. h.	Com. hort. 1. t. 46.
12 oppositifolia. W.	opposite-leaved.		1790.		G. h.	Bot. mag. 493.
13 cordifolia. W.	heart-leaved.		1791.	3.8.	G. h.	
14 tomentosa. W.	woolly-leaved.		1812.		G. h.	
15 spinosa. W.	spiny.		1780.	1.5.	G. h.	
16 Chamæbuxus. W.	Box-leaved.	Austria.	1658.	5.8.	H. h.	Bot. mag. 316.
17 alopecuroides. W.	Fox Tail.	C. B. S.	1800.	5.8.	G. h.	1006.
18 Heisteria. W.	Furze-leaved.		1787.	1.12.	G. h.	340.
19 mixta. W.	Heath-leaved.		1791.		G. h.	1714.
20 filiformis. W.	filiform.		1812.	5.12.	G. h.	
21 micrantha. W.	small-flowered.		1800.	1.12.	G. h.	Bot. rep. 324.
22 stipulacea. W.	stipuled.		1801.	4.9.	G. h.	Bot. mag. 1716.
23 Senega. W.	Rattlesnake Root.	N. America.	1739.	7.	H.⊙.	1051.
24 lutea. W.	golden.	6.7.	H.⊙.	Pluk. small. 4. 438. 14
<i>tridesiens. W.</i>							
	greenish-flowerd.		1815.	7.8.	H.⊙.	

crata. W.	Involucrad.	Tiliaceæ. J.	C. B. S.	1794. 5.6.	G. h.	Cav. dis. 6. t. 177. f. 1.
folia. W.	Germaner-lea ^d .			— 4.11.	G. h.	Jac. schœn. 1. t. 120.
. W. en.	soft-leaved.			1814. 5.6.	G. h.	
ata. W.	smooth.			1774. 5.7.	G. h.	Jac. schœn. 1. t. 122.
axifolia. W.	simple-flowered.			1795. 3.4.	G. h.	— 1. t. 121.
lia. W.	Alder-leaved.			1728. 2.5.	G. h.	Bot. mag. 299.
folia. W.	wedge-leaved.			1791. 8.9.	G. h.	Jac. schœn. 1. t. 124.
ricea. W.	velvet-leaved.			1792. 5.6.	G. h.	— 3. t. 292.
a. W.	hairy-branched.			1790. —	G. h.	Schrad. s. han. 1. t. 4.
. W.	rough-leaved.			1789. 3.4.	G. h.	Jac. schœn. 1. t. 127.
Bora. W.	many-flowered.			1791. 3.5.	G. h.	— 1. t. 128.
sa. W.	flame-flowered.			1794. 1.12.	G. h.	Bot. mag. 1349.
aris. W.	angular.			1791. 4.5.	G. h.	Jac. schœn. 1. t. 126.
pisifolia. W.	Hyssop-leaved.			1725. 4.6.	G. h.	Cav. dis. 6. t. 181. f. 3.
cata. W.	three-forked.			1789. 4.7.	G. h.	Jac. schœn. 1. t. 125.
ta. W.	sweet-scented.			1780. 2.10.	G. h.	
dulifolia. W.	Lavender-leaved.			1732. 5.9.	G. h.	Bot. mag. 304.
ia. W.	thread-leaved.			1816. 5.8.	G. h.	Jac. schœn. 1. t. 123.
ata. W.	three-leaved.			1752. —	G. h.	Cav. dis. 6. t. 182. f. 2.
mbens. W.	procumbent.			1792. 5.6.	G. h.	— 6. t. 177. f. 2.
ularifolia. W.	Gooseberry-lea ^d .			1731. 4.5.	G. h.	
rulenta. B. R.	powdered.			1800. 5.8.	G. h.	Bot. rep. 161.
. W.	cut-leaved.			1806. 6.7.	G. h.	
folia. B. M.	slender-leaved.			G. h.	Bot. mag. 1348.
HIA. W.	MELOCHIA.	Malvaceæ. J.				
idata. W.	pyramidal.		Brazil.	1768. 7.8.	S. h.	Jac. vind. 1. t. 30.
ntosa. W.	dowry.		W. Ind.	— 5.6.	S. h.	{ Cav. dis. 6. t. 172. f. 2.
orifolia. W.	Corchorus-leav ^d .		E. Ind.	1732. 7.8.	S. h.	{ Dill. elt. 1. 176. f. 217
INIA. J.	MELHANIA.	Malvaceæ. J.	<i>Dombeya</i> sp. FF.			
roxylon. H. K.	red-wood.		St. Helena.	1772. 5.8.	S. h.	Bot. mag. 1000.
oxylon. H. K.	black-wood.			1800. 7.8.	S. h.	Pluk. man. 1. 333. f. 5
MA. W.	OCHROMA.	Malvaceæ. J.				
atosa. W. en.	woolly-leaved.		S. America.	1806.	S. h.	
pus. W. en.	downy-leaved.		Jamaica.	1802.	S. h.	Cav. dis. 5. t. 153.
LORA. W.	PASSIFLORA.	Passifloræ. J. in Ann. Mus.				
ifolia. W.	netched-leaved.		W. Ind.	1731. 5.10.	S. h.	Bot. mag. 651.
a. W.	copper-coloured.		Bahama Isl.	1724. 7.8.	S. h.	Jac. ic. 3. t. 606.
ormis. W.	Apple-fruited.		W. Ind.	1731. 7.11.	S. h.	Bot. reg. 95.
angularis. W.	square-stalked.		Jamaica.	1768. 8.9.	S. h.	— 14.
. W.	wing-stalked.		W. Ind.	1779. 4.8.	S. h.	Bot. mag. 66.
olia. W.	Laurel-leaved.			1690. 6.7.	S. h.	Bot. reg. 12.
Bora. W.	many-flowered.		Vera Cruz.	1731. 6.9.	S. h.	Plum. amer. t. 90.
cuja. W.	purple.		W. Ind.	1739. 7.8.	S. h.	— t. 67.
liata. W.	perfoliate-leaved.			1806. —	S. h.	Bot. reg. 79.
. W.	red-fruited.			1731. 4.9.	S. h.	— 86.
alis. W.	linear-lobed.		Vera Cruz.	1771. 5.6.	S. h.	
a. W.	crescent-leaved.		Jamaica.	1733. 6.8.	S. h.	Smith ic. pict. 1.
ertilis. W.	bat-winged.		W. Ind.	1732. 5.6.	S. h.	Dill. elt. 1. 137. f. 164.
idifolia. W.	round-leaved.			1779. 5.8.	S. h.	Cav. dis. 10. t. 230.
cata. W.	dotted-leaved.		Peru.	1784. 5.6.	S. h.	— 6. t. 269.
. W.	yellow.		America.	1714. —	S. h.	Bot. reg. 79.
stifolia. W.	narrow-leaved.		W. Ind.	1773. 6.9.	S. h.	— 132.
sa. W.	small.		Curacao.	1690. 7.8.	S. h.	— 144.
osa. W.	Cork-barked.		W. Ind.	1759. 8.9.	S. h.	Exot. bot. 1. t. 28.
ta. W.	peltate.			1776. 8.9.	S. h.	Cav. dis. 10. t. 274.
acea. W.	Ivy-leaved.		 6.7.	S. h.	Plum. amer. t. 64.
a. W.	glaucous-leaved.		Ceylon.	1778. 6.9.	S. h.	Bot. reg. 88.
lata. W.	large-stipuled.		Guiana.	1815. —	S. h.	Aub. gui. 8. t. 323.
ericea. W.	silky-leaved.		Vera Cruz.	1733. 5.8.	S. h.	Bot. reg. 69.
ta. W.	hairy.		W. Ind.	1778. 9.	S. h.	Plum. amer. t. 88. f. A
a. W.	stinking.			1731. 7.3.	S. h.	Cav. dis. 10. t. 239.
a. W.	ciliated.		Jamaica.	1723. 7.9.	S. h.	Bot. mag. 298.
stifolia. B. Reg.	Adiantum-leav ^d .		Norfolk Isl.	1799. 5.8.	G. h.	Bot. reg. 238.
scularis. Cav.	long-peduncled.		Peru.	1816.	S. h.	Cav. ic. 5. t. 426.
nata. W.	Rose-coloured.		America.	1690. 7.8.	G. h.	Miss Lawr. pass.
jer.	larger.		Brazil.	G. h.	Bot. reg. 152.
lea. W.	common.			1693. 6.12.	H. h.	Bot. mag. 28.
ta. W.	saw-leaved.		Martinique.	1800.	S. h.	Plum. amer. t. 79.
m. W.	curl-flowered.		W. Ind.	1731.	S. h.	— 191.

ERODIUM. W.	HERON'S BILL.	Geraniæ. J. Gerani sp. Linn.				
1 crassifolium. W.	thick-leaved.	Cyprus.	1788.	3.8.	G. 2.	Bot. rep. 186.
2 petraeum. W.	rock.	S. Europe.	1640.	6.7.	H. 2.	Gouan. ill. t. 21. f. 1.
3 glandulosum. W.	glandulous.	Spain.	1798.	—	F. 2.	Lapey. pyr. 1. t. 1.
4 bipinnatum. W.	Numidian.	Numidia.	1808.	5.6.	G. 2.	Cav. diss. 5. t. 126. f. 3.
5 alpinum. W.	Alpine.	Italy.	1814.	5.8.	H. 2.	L'Her. ger. t. 3.
6 ciconium. W.	long-beaked.	S. Europe.	1711.	6.7.	H. 2.	Jac. vind. 1. t. 18.
7 cicutarium. W.	Hemlock-leav'd.	Britain.	4.9.	H. 2.	Eng. bot. 1768.
8 romanum. W.	Roman.	Rome.	1724.	5.6.	H. 2.	Bot. mag. 377.
9 moschatum. W.	musky.	England.	5.7.	H. 2.	Eng. bot. 902.
10 laciniatum. W.	lacinated.	Crete.	1794.	5.8.	G. 2.	Cav. diss. 4. t. 113. f. 3.
11 gruinum. W.	broad-leaved.	—	1696.	6.7.	H. 2.	— 4. t. 88. f. 2.
12 chium. W.	Chion.	Lerant.	1724.	—	H. 2.	— 4. t. 92. f. 1.
13 hymenodes. W.	three-leaved.	Barbary.	1789.	1.12.	G. 2.	Bot. mag. 174.
14 glaucophyllum. W.	glaucous-leaved.	Egypt.	1732.	7.8.	H. 2.	Dil. elt. t. 124. f. 150.
15 incarnatum. W.	flesh-coloured.	C. B. S.	1787.	5.7.	G. 2.	Bot. mag. 261.
16 malacoides. W.	Mallow-leaved.	S. Europe.	1586.	—	H. 2.	Cav. diss. 4. t. 91. f. 12.
17 maritimum. W.	sea.	England.	5.9.	H. 2.	Eng. bot. 646.
18 chamaedryoides. W.	dwarf.	Minorca.	1783.	4.9.	F. 2.	Bot. mag. 18.

HEPTANDRIA.

PELARGONIUM. W.	STORK'S BILL.	Geraniæ. J. Gerani sp. Linn.				
1 longifolium. W.	long-leaved.	C. B. S.	1812.	5.6.	G. 2.	Jac. ic. 3. t. 518.
2 longiflorum. W.	long-flowered.	—	—	—	G. 2.	— 3. t. 591.
3 dipetalum. W.	two-petalled.	—	1795.	4.5.	G. 2.	L'Her. ger. t. 42.
4 ciliatum. W.	ciliated.	—	—	4.6.	G. 2.	— t. 7.
5 undulatum. H. K.	wave-flowered.	—	—	5.7.	G. 2.	Bot. rep. 292.
6 auriculatum. W.	ear-leaved.	—	4.6.	G. 2.	Jac. ic. 3. t. 519.
7 radicum Vent. ciliatum. B. R.	fleshy-fringe-le ^d .	—	1802.	6.7.	G. 2.	Bot. mag. 1718.
8 spatulatum. H. K.	spatula-leaved.	—	1795.	4.5.	G. 2.	Bot. rep. 152.
9 affine. P. S.	fringed spatula-le ^d .	—	—	—	G. 2.	— 292.
10 radiatum. H. K.	ray-leaved.	—	1801.	6.8.	G. 2.	— 292.
11 lineare. H. K.	linear-petalled.	—	1800.	6.7.	G. 2.	Bot. rep. 193.
12 punctatum. W.	dotted-flowered.	—	1794.	4.5.	G. 2.	— 60.
13 roseum. H. K.	Rose-coloured.	—	1792.	3.5.	G. 2.	— 173.
14 laciniatum. P. S.	jag-leaved.	—	1800.	5.6.	G. 2.	— 131.
15 penniforme. P. S.	winged.	—	—	—	G. 2.	— 269.
16 purpurascens. P. S.	purple-flowered.	—	—	—	G. 2.	— 204.
17 hirsutum. W.	various-leaved.	—	1788.	3.	G. 2.	Cav. diss. 4. t. 101. f. 48.
18 virgineum. P. S.	virgin.	—	1795.	5.7.	G. 2.	Bot. rep. 317.
19 atrum. W.	dark-brown.	—	1798.	—	G. 2.	L'Her. ger. t. 44.
20 dioicum. H. K.	diœcious.	—	1795.	6.7.	G. 2.	Bot. rep. 209.
<i>Geranium melananthum. B. R.</i>						
21 revolutum. H. K.	revolute.	—	1800.	7.8.	G. 2.	— 354.
22 oxalidifolium. H. K.	Wood-Sorrel-le ^d .	—	1801.	5.8.	G. 2.	— 300.
23 pictum. P. S.	painted.	—	1800.	4.5.	G. 2.	— 160.
24 triphyllum. W.	three-leaved.	—	1812.	—	G. 2.	Jac. ic. 3. t. 515.
25 nervifolium. W.	nerved-leaved.	—	—	5.8.	G. 2.	— 3. t. 517.
26 reflexum. H. K.	reflex-leaved.	—	1800.	6.7.	G. 2.	Bot. rep. 224.
27 astragalifolium. P. S.	Astragalus-lea ^d .	—	1768.	7.	G. 2.	— 190.
28 coronillafolium. P. S.	Coronilla-leav ^d .	—	1795.	6.7.	G. 2.	— 305.
29 pinnatum. W.	wing-leaved.	—	1779.	4.6.	G. 2.	Bot. mag. 579.
30 floribundum. H. K.	many-flowered.	—	1795.	3.5.	G. 2.	Bot. rep. 420.
31 fissifolium. H. K.	cloven-leaved.	—	—	4.8.	G. 2.	— 378.
32 bubonifolium. H. K.	Buben-leaved.	—	1800.	3.7.	G. 2.	— 328.
33 luteum. B. R.	small yellow.	—	—	6.7.	G. 2.	— 123.
34 nummularifolium.	Moneywort.	—	1801.	5.8.	G. 2.	Par. lond. t. 23.
35 barbatum. W.	bearded.	—	1790.	7.8.	G. 2.	Bot. rep. 323.
36 pilosum. H. K.	hairy.	—	1801.	5.7.	G. 2.	— 258.
37 melananthum. W.	black-flowered.	—	1790.	5.6.	G. 2.	Jac. ic. 3. t. 514.
38 rapaceum. W.	Fumitory-flow ^d .	—	1788.	4.6.	G. 2.	Bot. rep. 239.
39 latum.	yellow-flowered.	—	—	—	G. 2.	Bot. mag. 1877.
39 carneum. W.	flesh-coloured.	—	1812.	—	G. 2.	Jac. ic. 3. t. 512.
40 Grenvillianum. A. G.	Lady Grenville's.	—	4.5.	G. 2.	And. ger. c. ic.
41 incrassatum. H. K.	fleshy-leaved.	—	1801.	6.7.	G. 2.	Bot. mag. 761.
42 lobatum. W.	Cow-Parsnep-le ^d .	—	1710.	7.8.	G. 2.	Cav. diss. 4. t. 114. f. 2.
43 triste. W.	night-smelling.	—	1632.	5.10.	G. 2.	— 4. t. 107. f. 1.
44 filipendulifolium.	Dropwort-leav ^d .	—	1812.	—	G. 2.	Bot. mag. 1641.
45 flarum. W.	Carrot-leaved.	—	1724.	7.9.	G. 2.	Jac. ic. 3. t. 522.

bellum. H. K.	nonesuch.	Gerania. J.	C. B. S.	1795. 3.5.	G. 2.	Bot. mag. 524.
ns.	burnished.			1812. 3.6.	G. 2.	
scens.	fiery-flowered.				G. 2.	
stern. W.	Oenothera-like.		C. B. S.		G. 2.	Jac. ic. 3. t. 525.
andriifolium. W.	Chamaedrys-lea ^d .			1812. 5.6.	G. 2.	Jac. ic. 3. t. 523.
e. W.	oval-leaved.			1774. 5.7.	G. 2.	L'Her. ger. t. 28.
larium. W.	downy-leaved.			1790. 6.8.	G. 2.	Jac. schœn. 2. t. 131.
stemon. W.	velvet-leaved.			1794. 3.6.	G. 2.	2. t. 132.
ans. W.	elegant.			1795.	G. 2.	Bot. rep. 28.
lare. W.	rough-stalked.			1775. 5.8.	G. 2.	L'Her. ger. t. 9.
imiloides. W.	mantle-leaved.			1693. 5.10.	G. 2.	Cav. diss. 4. t. 98. f. 1.
atissimum. W.	sweet-scented.			1724.	G. 2.	4. t. 103. f. 1.
rans. W. en.	Nutmeg-scented.				G. 2.	W. hort. ber. 2. t. 77.
lorum. W. en.	scentless.			1796.	G. 2.	1. t. 34.
sularioides. W.	Gooseberry-lea ^d .			1781. 4.8.	G. 2.	Cav. diss. 4. t. 19. f. 2.
pa. W.	flat-stalked.			1788. 5.7.	G. 2.	Jac. coll. 4. t. 22. f. 3.
roides. W.	Althæa-leaved.			1724. 4.6.	G. 2.	4. t. 2. f. 2.
mbinum. W.	Dove's-foot.			1795. 6.10.	G. 2.	Jac. schœn. 2. t. 133.
noipifolium. W.	Buck's-horn-l ^d .			1791.	G. 2.	Bot. rep. 338.
lor. W.	three-coloured.				G. 2.	Bot. mag. 240.
vinum. Jac. ic. 3. t. 527						
cioides. W.	small white-flow ^d .			1775. 6.7.	G. 2.	L'Her. ger. t. 11.
nifusum. W. en.	trailing.			1801. 5.7.	G. 2.	
umbens. H. K.	procumbent.				G. 2.	Bot. rep. 234.
rhifolium. W.	Myrrh-leaved.			1696. 6.8.	G. 2.	Jac. ic. 3. t. 531.
rum. W.	torii-leaved.			1781. 6.8.	G. 2.	3. t. 532.
ticule. W.	many-stalked.			1802.	G. 2.	3. t. 534.
andriifolium. W.	Coriander-leav ^d .			1724. 3.9.	G. 2.	3. t. 538.
alifolium. W.	Caucalus-leaved.			1812.	G. 2.	3. t. 529.
icum. W.	glaucous-leaved.			1775. 6.8.	G. 2.	Bot. mag. 56.
colatum. A. G.	spear-leaved.				G. 2.	And. ger. c. ic.
latum. A. G.	tooth-leaved.				G. 2.	c. ic.
raifolium. W.	different-leaved.			1794. 6.8.	G. 2.	
idatum. W. en.	sharp-pointed.				G. 2.	
icillatum. W. en.	pencilled.			1794.	G. 2.	W. hort. ber. 1. t. 37.
linum. W.	Birch-leaved.			1759.	G. 2.	Bot. mag. 48.
osum. A. G.	handsome.				G. 2.	And. ger. c. ic.
osum. W.	Sorrel-leaved.			1710. 5.9.	G. 2.	Bot. mag. 103.
ridum. W.	bastard.			1732.	G. 2.	Cav. diss. 4. t. 105. f. 2.
forme. H. K.	kidney-leaved.			1791. 1.12.	G. 2.	Bot. mag. 493.
opetalum. W.	narrow-petalled.			1800. 6.7.	G. 2.	
ilum. W. en.	dwarf.				G. 2.	
idens. W.	climbing.				G. 2.	
ritium. W. en.	brick-coloured.				G. 2.	
le. W.	{ common horse- shoe.			1710. 4.12.	G. 2.	Cav. diss. 4. t. 98. f. 2.
arginatum.	white-margined.					
villianum. A. G.	Greville's.				G. 2.	And. ger. c. ic.
atum. A. G.	Cape scarlet.				G. 2.	c. ic.
inans. W.	scarlet-flowered.			1714. 5.9.	G. 2.	Cav. diss. 4. t. 106. f. 2.
rogamum. W.	six-stamened.			1786.	G. 2.	L'Her. ger. t. 18.
istram. W.	cluster-leaved.			1784. 7.8.	G. 2.	
sicaule. W.	thick-stalked.		Africa.	1786.	S. 2.	Bot. mag. 477.
atum. W.	peltated.		C. B. S.	1701. 6.8.	G. 2.	20.
ripec. W.	Ivy-leaved.			1787.	G. 2.	L'Her. ger. t. 24.
agonum. W.	square-stalked.			1774.	G. 2.	Plant. grass. 96.
riegatum.	variegated.				G. 2.	Bot. mag. 136.
latum. W.	heart-leaved.				G. 2.	165.
nduplicatum. } N. en.	curl'd-heart-lea ^d .				G. 2.	
arringtonii. W. en.	Barrington's.		C. B. S.		G. 2.	
cullatum. W. en.	hooded-leaved.			1690.	G. 2.	Cav. diss. 4. t. 106. f. 1.
gulosum. W.	Marshmallow-l ^d .			1724. 7.9.	G. 2.	4. t. 112. f. 2.
chleatum. W. en.	concave-leaved.				G. 2.	
erifolium. W.	Maple-leaved.		C. B. S.	1784. 4.5.	G. 2.	L'Her. ger. t. 21.
læfolium. W. en.	Sida-leaved.				G. 2.	
eciosum. W. en.	specious.			1794.	G. 2.	
plissimum. } W. en.	stately.				G. 2.	
bescens. A. G.	pubescent.		C. B. S.		G. 2.	And. ger. c. ic.

110 rugosum. A. G.	wrinkled.	Geraniae. J.	C. B. S.	5.7.	G. h.	And. ger. c. 16
111 rubens. W. en.	red-flowered.		G. h.	
112 papilionaceum. W.	Butterfly.		C. B. S.	1724.	4.7.	G. h.	Cav. diss. 4. t. 112. f. 1
113 Beaufortianum. P. S.	Beaufort.		1798.	5.8.	G. h.	
114 cortusifolium. W.	Cortusa-leaved.		Africa.	1786.	7.8.	S. h.	Bot. rep. 121.
115 quinatum. H. K.	five-fingered.		C. B. S.	1793.	3.7.	G. h.	Bot. mag. 547.
116 fuscum. W.	dark-marked.		1812.	4.7.	G. h.	Jac. ic. 3. t. 540.
117 patulum. W.	spreading.		G. h. 3. t. 541.
118 sororium. W. en.	sister.		G. h.	
119 grandiflorum. W.	great-flowered.		C. B. S.	1794.	G. h.	Bot. rep. 12.
120 variegatum. W.	variegated-flow'd.		1812.	G. h.	Cav. diss. 4. t. 118. f. 3
121 delphinifolium. W. en.	Larkspur-leaved.		G. h.	
122 cynosbatifolium W. en.	Cynosbati-leav'd.		G. h.	W. hort. ber. 2. t. 73.
123 sauculaefolium. W.	Sauicula-leaved.		C. B. S.	1808.	6.8.	G. h.	Jac. ic. t. 539.
124 Cotyledonis. W.	Hollyhock-leav'd.		St. Helena.	1763.	5.7.	S. h.	L'Her. ger. t. 27.
125 discipes. H. S.	central-stalked.		Africa.	1808.	S. h.	
126 echinatum. W.	prickly-stalked.		C. B. S.	1789.	5.8.	S. h.	Bot. mag. 309.
127 australe. W.	Botany-Bay.		N. S. W.	1792.	G. h.	
128 vitifolium. W.	Vine-leaved.		C. B. S.	1724.	4.8.	G. h.	Cav. diss. 4. t. 111. f. 3
129 capitatum. W.	Rose-scented.		1690.	4.8.	G. h.	And. ger. c. 16.
130 glutinosum. W.	clammy.		1777.	5.6.	G. h.	Bot. mag. 143.
131 hispidum. W.	hispid.		1790.	5.7.	G. h.	Cav. diss. 4. t. 110. f. 1
132 tomentosum. W.	Pennyroyal.		6.7.	G. h.	Bot. mag. 518.
133 ribifolium. W.	Currant-leaved.		1798.	5.6.	G. h.	Jac. ic. 3. t. 538.
134 quercifolium. W.	Oak-leaved.		1774.	3.8.	G. h.	L'Her. ger. t. 14.
135 candidum.	white-leaved.		1812.	12.8.	G. h.	
136 graveolens. W.	Odour of Rose.		1774.	3.7.	G. h.	L'Her. ger. t. 17.
137 asperum. W.	rough multifid.		1795.	7.9.	G. h.	Roth. abhand. t. 16.
138 balsameum. W.	balsamic.		1790.	G. h.	Jac. ic. 3. t. 543.
139 Radula. W.	Rasp-leaved.		1774.	3.7.	G. h.	Bot. mag. 95.
140 denticulatum. W.	tooth-leaved.		1789.	6.7.	G. h.	Jac. schœn. 2. t. 135.
141 quinquevuln-rum. P. S.	dark-flowered.		1796.	5.10.	G. h.	Bot. rep. t. 114.
142 bicolor. W.	two-coloured.		1778.	7.8.	G. h.	Bot. mag. 201.
143 canariense. W.	Canary.		Canaries.	1802.	7.9.	G. h.	W. hort. ber. t. 17.
144 tricuspidatum. W.	three-pointed.		C. B. S.	1780.	5.8.	G. h.	L'Her. ger. t. 30.
145 scabrum. W.	rough wedge-leav'd.		1775.	8.4.	G. h.	Jac. ic. 3. t. 542.
146 spinosum. W.	thorny.		1795.	5.6.	G. h.	Paters. it. t. ad. p. 67.
147 spurium. W. en.	spurious.		4.7.	G. h.	
148 nothum. W. en.	mixed.		G. h.	
149 alnifolium. W. en.	Alder-leaved.		G. h.	
150 crispum. W.	curl-leaved.		C. B. S.	1774.	7.11.	G. h.	L'Her. ger. t. 32. 53
151 gratum. W. en.	Citron-scented.		4.8.	G. h.	
152 consanguineum. W. en.	kindred.		G. h.	
153 pallidum. W. en.	pale-flowered.		G. h.	
154 obtusilobum. W. en.	blunt-lobed.		G. h.	
155 hermannifolium. W.	Hermannia-leav'd.		C. B. S.	4.6.	G. h.	Jac. ic. 3. t. 545.
156 adulterinum. W.	hoary-trifid-leav'd.		1785.	G. h.	L'Her. ger. t. 34.
157 tripartitum. W.	glauconstrifid-leav'd.		1794.	4.8.	G. h.	Jac. schœn. 2. t. 134.
158 semitrilobum. W.	three-lobed.		1800.	4.7.	G. h. 2. t. 135.
159 splendens. W. en.	splendid.		G. h.	W. hort. ber. 2. t. 76.
160 fulgidum. W.	Celandine-leav'd.		1723.	G. h.	Cav. diss. 4. t. 161. f. 3
161 gibbosum. W.	gouty.		1712.	G. h.	And. ger. c. 16.
162 exstipulatum. W.	soft-trifid-leav'd.		1779.	5.3.	G. h.	L'Her. ger. t. 35.
163 ternatum. W.	ternate-leaved.		1789.	G. h.	Bot. mag. 413.
164 unicolorum. W. en.	self-coloured.		G. h.	
165 Willdenowii.	Willdenow's.		G. h.	
<i>pulchellum. W. en. n. sp. not B. M.</i>							
166 larigatum. W.	{ glaucous ternate-leav'd. }		G. h.	Cav. diss. 4. t. 121. f. 1
167 fragile. W.	brittle-stalked.		1789.	G. h.	Bot. rep. 37.
168 incisum. W.	cut-leaved.		1791.	5.8.	G. h. 67.
169 carnosum. W.	fleshy-stalked.		1724.	6.3.	G. h.	Cav. diss. 4. t. 99. f. 1.
170 ceratophyllum. W.	horn-leaved.		Africa.	1786.	5.6.	S. h.	Bot. mag. 315.
171 alternans. W.	Parsley-leaved.		C. B. S.	1791.	5.8.	G. h.	Wendl. herr. 2. t. 2.
172 dasycaulis. H. S.	thick-stemmed.		1795.	7.12.	G. h.	
173 cymatium. W.	Sapphire-leav'd.		1790.	5.6.	G. h.	Smith is. pict. 12.

MONADELPHIA DODECANDRIA.

153

174 abrotanifolium. W.	Southernwood-1 ^d .	Geranie. J.	C. B. S.	1791. 5.7.	G. h.	Jac. schoen. 2. t. 136.
175 tenuifolium. W.	fine-leaved.	_____	_____	1768. —	G. h.	L'Her. ger. t. 12.

OCTANDRIA.

AITONIA. W.	AITONIA.	Melise. J.	_____	_____	_____	_____
capensis. W.	Cape.	_____	C. B. S.	1774. 4.9.	G. h.	Bot. mag. 173.

DECANDRIA.

GERANIUM. W.	CRANE'S-BILL.	Geranie. J.	_____	_____	_____	_____
1 spinosum. W.	spiny.	_____	C. B. S.	1790. 7.	G. h.	Cav. diss. 4. t. 75. f. 2.
2 sibiricum. W.	Siberian.	_____	Siberia.	1758. 6.7.	H. 2.	Jac. vind. 1. t. 19.
3 sanguineum. W.	bloody.	_____	Britain. 6.9.	H. 2.	Eng. bot. 272.
4 lancastriense. With.	Lancashire.	_____	_____	H. 2.	Cav. diss. 4. t. 76. f. 3.
5 tuberosum. W.	tuberous-rooted.	_____	Italy.	1596. 5.8.	H. 2.	— 4. t. 78. f. 1.
6 anemonefolium. W.	Anemone-leav ^d .	_____	Madeira.	1778. —	G. h.	Bot. mag. 206.
7 macrorrhizum. W.	long-rooted.	_____	Italy.	1576. 5.6.	H. 2.	Jac. ic. 1. t. 134.
8 phæum. W.	dusky.	_____	England.	... 4.6.	H. 2.	Eng. bot. 322.
9 reflexum. W.	reflex-flowered.	_____	Italy.	1758. 5.6.	H. 2.	Cav. diss. 4. t. 81. f. 1.
10 lividum. W.	wrinkle-leaved.	_____	Switzerland.	1775. 6.7.	H. 2.	L'Her. ger. t. 39.
11 fuscum. W.	brown.	_____	S. Europe.	1759. 7.	H. 2.	_____
12 nodosum. W.	knotty.	_____	England. 5.10.	H. 2.	Eng. bot. 1091.
13 striatum. W.	streaked.	_____	Italy.	1629. —	H. 2.	Bot. mag. 55.
14 angulatum. W.	angular-stalked.	_____	_____	1789. 5.6.	H. 2.	— 203.
15 ibericum. W.	Iberian.	_____	Levant.	1802. 6.9.	H. 2.	— 1886.
16 sylvaticum. W.	wood.	_____	Britain. 5.6.	H. 2.	Eng. bot. 121.
17 parviflorum. W. en.	small-flowered.	_____	_____	1816. —	H. 2.	_____
18 palustre. W.	marsh.	_____	Germany.	1732. 6.8.	H. 2.	Flor. dan. 596.
19 aconitifolium. W.	Aconite-leaved.	_____	Switzerland.	1775. 5.6.	H. 2.	L'Her. ger. t. 40.
20 collinum. W.	hill.	_____	Siberia.	1815. 5.8.	H. 2.	_____
21 pratense. W.	Crowfoot-leaved.	_____	Britain. 5.7.	H. 2.	Eng. bot. 404.
22 maculatum. W.	spotted.	_____	N. America.	1732. 5.8.	H. 2.	Cav. diss. 4. t. 86. f. 2.
23 canescens. W.	silky-leaved.	_____	C. B. S.	1787. 5.6.	G. 2.	L'Her. ger. t. 38.
24 incanum. W.	hoary multifid.	_____	_____	1701. 5.7.	G. 2.	Cav. diss. 4. t. 82. f. 2.
25 argenteum. W.	silvery-leaved.	_____	S. Europe.	1699. 6.7.	F. 2.	Bot. mag. 504.
26 varium. W.	grey.	_____	Pyrenees. 6.8.	H. 2.	L'Her. ger. t. 37.
27 pyrenaicum. W.	mountain.	_____	Britain. 5.8.	H. 2.	Eng. bot. 405.
28 umbrosum. P. S.	naked-stalked.	_____	Hungary.	1804. 6.9.	H. 2.	Pl. rar. hung. 2. t. 124
29 bohemicum. W.	Bohemian.	_____	Bohemia.	1683. 6.8.	H. 2.	Cav. diss. 4. t. 81. f. 2.
30 divaricatum. W.	straddling.	_____	Hungary.	1799. 7.8.	H. 2.	Pl. rar. hun. 2. t. 123.
31 lucidum. W.	shining.	_____	Britain. 5.8.	H. 2.	Eng. bot. 75.
32 molle. W.	Dove's-foot.	_____	_____ 4.8.	H. 2.	— 778.
33 carolinianum. Ph.	spreading.	_____	N. America.	1725. 7.8.	H. 2.	Cav. diss. 4. t. 84. f. 1.
34 lanuginosum. W. en.	upright.	_____	_____	H. 2.	Jac. schoen. 2. t. 140
35 columbinum. W.	long-stalked.	_____	Britain. 6.7.	H. 2.	Eng. bot. 259.
36 dissectum. W.	jagged-leaved.	_____	_____ 5.7.	H. 2.	— 753.
37 rotundifolium. W.	round-leaved.	_____	England. 6.7.	H. 2.	— 157.
38 pusillum. W.	small-flowered.	_____	_____ 6.9.	H. 2.	— 385.
39 robertianum. W.	Herb-Robert.	_____	Britain. 4.10.	H. 2.	— 1486.
40 purpureum. W.	purple.	_____	_____	H. 2.	Vill. delph. 3. t. 40.
BROWNEA. W.	BROWNEA.	Leguminosæ? J.	_____	_____	_____	_____
coccinea. W.	scarlet-flowered.	_____	W. Ind.	1793. 7.8.	S. h.	Jac. amer. t. 121.

DODECANDRIA.

MONSONIA. W.	MONSONIA.	Geranie. J.	_____	_____	_____	_____
1 speciosa. W.	large-flowered.	_____	C. B. S.	1774. 4.5.	G. 2.	Bot. mag. 73.
2 pilosa. W. en.	hairy.	_____	_____	1778. 7.8.	G. 2.	Bot. rep. 276.
3 lobata. W.	broad-leaved.	_____	_____	1774. 4.5.	G. 2.	Bot. mag. 385.
4 ovata. W.	oval-leaved	_____	_____	— 8.	G. 2.	L'Her. ger. t. 40.
5 spinosa. W.	thorny.	_____	_____	1790. 5.6.	G. h.	— t. 42.
HELICTERES. W.	SCREW-TREE.	Malvaceæ. J.	_____	_____	_____	_____
1 baruensis. W.	small-fruited.	_____	W. Ind.	1739. 9.10.	S. h.	Jac. amer. t. 149.
2 jamaicensis. W.	great-fruited.	_____	Jamaica.	— 6.7.	S. h.	Jac. vind. 2. t. 143.
3 Isora. W.	East-Indian.	_____	E. Ind.	1733. —	S. h.	Rum. am. 7. t. 17. f. 1.
DOMBEYA. J.	DOMBEYA.	Malvaceæ. J.	_____	_____	_____	_____
ferruginea. W.	ferrugineous.	_____	Mauritius.	1815.	S. h.	Cav. diss. 3. t. 42. f. 2.
PENTAPETES. W.	PENTAPETES.	Malvaceæ. J.	_____	_____	_____	_____
1 phœnicea. W.	scarlet-flowered.	_____	India.	1690. 7.8.	S. 2.	Mill. ic. t. 201.
2 ovata. P. S.	oval-leaved.	_____	New Spain.	1805. 6.9.	S. h.	Cav. ic. t. 433.

PTEROSPERMUM. W. PTEROSPERMUM. Malvaceæ. J.

1 suberifolium. W.	various-leaved.	E. Ind.	1788. 9.10	S. h.	Bot. mag. 1526.
2 acerifolium. W.	Maple-leaved.		1790. 7.9.	S. h.	620.

POLYANDRIA.

CAROLINEA. W.	CAROLINEA.	Malvaceæ. J.			
1 princeps. W.	digitated.		W. Ind.	1787.	S. h. Aub. gni. 2. t. 291. 2.
2 minor. H. K.	lesser.		Guiana.	1798. 7.8.	S. h. Bot. mag. 1412.
3 insignis. W.	great-flowered.		W. Ind.	1796.	S. h. Cav. diss. 5. t. 154.
ADANSONIA. W.	ADANSONIA.	Malvaceæ. J.			
digitata. W.	Sour-Gourd.		Senegal.	1724.	S. h. Cav. diss. 5. t. 157.
BOMBAX. W.	{ SILK-COTTON-TREE. }	Malvaceæ. J.			
1 pentandrum. W.	five-stamened.		E. Ind.	1739.	S. h. Jac. amer. pict. t. 176
2 Ceiba. W.	five-leaved.		India.	1692.	S. h. Cav. diss. 5. t. 152. f. 8
3 heptaphyllum. W.	seven-leaved.		America.	1699.	S. h. Pluk. alm. t. 188. f. 4.
LAGUNEA. W.	LAGUNEA.	Malvaceæ. J.	Solandra. Cav.		
lobata. W.	Maple-leaved.		Bourbon.	1787. 7.8.	S. O. Cav. diss. 5. t. 186. f. 1
NAPÆA. L.	NAPÆA.	Malvaceæ. J.	Sida. sp. H.		
1 lavis. P. S.	smooth.		Virginia.	1748. 8.9.	H. 2. Cav. diss. 5. t. 132. f. 1
2 scabra. P. S.	rough.			1759.	H. 2. 5. t. 132. f. 2.
SIDA. W.	SIDA.	Malvaceæ. J.			
1 augustifolia. W.	narrow-leaved.		Brazil.	1726. 7.9.	S. 2. L'Her. stirp. t. 52.
2 spinosa. W.	prickly.		E. Ind.	1680.	S. 3. Cav. diss. 1. t. 1. f. 9.
3 carpinifolia. W.	Hornbeam-leav'd.		Canaries.	1774.	G. h. Jac. ic. 1. t. 135.
4 suberosa. W.	corky.		Hispaniola.	1798.	S. h. L'Her. stirp. t. 54
5 rhombifolia. W.	rhomboid-leaved.		India.	1732. 6.8.	S. h. Cav. diss. t. 3. f. 1
6 alnifolia. W.	Alder-leaved.		E. Ind.	7.9.	S. 3. Dill. elt. t. 72. f. 2
7 ciliaris. W.	ciliated.		Jamaica.	1759. 6.9.	S. 3. Cav. diss. 1. t. 8. f. 9.
8 periplocifolia. W.	Periploca-leav'd.		India.	1691. 7.8.	S. 3. Dill. elt. 4. t. 3. f. 2.
9 hernandioides. W.	Hernandia-leav'd.		Hispaniola.	1798.	S. h. L'Her. stirp. t. 158.
10 nudiflora. W.	naked-flowered.		Peru.	1731. 5.6.	S. h. 1. t. 59.
11 periptera. B. M.	Shuttlecock.		S. h. Bot. mag. 1644.
12 triquetra. W.	triangular.		W. Ind.	1775. 7.8.	S. h. Jac. vind. 2. t. 18.
13 reflexa. W.	reflex'd-flower'd.		Peru.	1799.	S. h. L'Her. stirp. t. 164.
14 patens. H. K.	spreading.		Abyssinia.	1806. 7.9.	S. 3. Bot. rep. 571.
15 humilis. W.	dwarf.		E. Ind.	1800. 7.8.	S. O.
16 foetida. W.	stinking.		Peru.	1795.	S. O. L'Her. stirp. t. 153.
17 crispa. W.	curled.		Carolina.	1726.	S. O. Cav. diss. 5. t. 135. f. 8
18 arborea. W.	great-flowered.		Peru.	1772.	S. h. L'Her. stirp. t. 163.
19 mauritiana. W.	Mauritius.		Mauritius.	1789. 7.9.	S. O. Jac. ic. 1. t. 137.
20 occidentalis. W.	downy.		America.	1732. 7.8.	S. O. Dill. elt. 7. t. 6. f. 6
21 americana. W.	woolly.		Jamaica.	1730. 7.8.	S. O.
22 Abutilon. W.	broad-leaved.		India.	1596. 6.8.	S. O. Houtt. syst. t. 61.
23 asiatica. W.	small-flowered.		E. Ind.	1768. 7.8.	S. O. Cav. diss. 1. t. 7. f. 2.
24 populifolia. W.	Poplar-leaved.			1796.	S. O. 1. t. 7. f. 9.
25 indica. W.	rough-capsuled.		India.	1731.	S. O. 1. t. 7. f. 10.
26 mollissima. W.	soft-leaved.		Peru.	1789. 6.7.	S. 3. 2. t. 14. f. 1.
27 Sonneratiana. W.	Sonnerat's.		C. B. S.	1806.	G. 3. 1. t. 6. f. 4.
28 arguta. W.	smooth sharp-l'd.		W. Ind.	1732. 7.8.	S. h.
29 pilosa. W.	pilose.		St. Domingo.	1793. 7.9.	S. 3. 1. t. 1. f. 8.
30 alba. W.	white-flowered.		E. Ind.	1732. 6.7.	S. O. Dill. elt. t. 171. f. 210.
31 cordifolia. W.	heart-leaved.		C. B. S.	6.9.	S. O. t. 179. f. 209.
32 urens. W.	stinging.		Jamaica.	1781. 7.9.	S. h. Cav. diss. 1. t. 2. f. 7.
33 umbellata. W.	umbelld.			1788.	S. 3. Jac. vind. 1. t. 16.
34 paniculata. W.	panicled.			1795.	S. 3. Cav. diss. 1. t. 12. f. 5.
35 vesicaria. W.	bladdered.		Mexico.	1796.	S. h. 2. t. 14. f. 3.
36 hastata. W.	halberd-leaved.			1799. 6.7.	S. O. Bot. mag. 1541.
37 cristata. W.	crested.			1720. 7.9.	G. O. Cav. diss. 1. t. 10. f. 3.
38 Dilleniana. W.	Dillenius's.			1725. 6.11.	G. O. Dill. elt. 3. t. 2. f. 2.
39 triloba. W.	three-lobed.		C. B. S.	1794. 7.9.	G. 3. Jac. schœn. 2. t. 142.
40 sericea. P. S.	silky.		1804.	S. 3.
41 jatrophioides. W.	Physic-Nut-like.		S. America.	1787. 8.	S. 3. L'Her. stirp. t. 156.
CRISTARIA. Cav.	CRISTARIA.	Malvaceæ. J.			
coccinea. Ph	scarlet.		Missouri.	1811. 7.9.	H. 2. Bot. mag. 1673.
PALAVIA W	PALAVIA.	Malvaceæ. J.			
malvifolia. W.	Mallow-leaved.		Peru.	1794. 6.8.	H. O. Cav. diss. 1. t. 11. f. 4
MALACHRA. W.	MALACHRA.	Malvaceæ. J.			
1 capitata. W.	headed.		W. Ind.	1759. 8.9.	S. O. Cav. diss. 2. t. 33. f. 1. 3.

9 alceaefolia. W.	Hollyhock-leaf ^d .	Malvaceæ. J.	Caracas.	1805. 8.9.	S. ☉.	Jac. ic. 3. t. 549.
3 radiata. W.	rayed.		St. Domingo.	1794. 7.8.	S. ☉.	Cav. diss. 2. t. 33. f. 3.
ALTHEÆA. W.	MARSH MALLOW.	Malvaceæ. J.				
1 officinalis. W.	common.		Britain. 7.9.	H. ♀.	Eng. bot. 147.
2 uarbonensis. W.	Narbonne.		S. Europe.	1780. 8.9.	H. ♀.	Jac. ic. 1. t. 138.
3 cannabina. W.	Heimp-leaved.			1597. 6.7.	H. ♀.	Jac. aust. 2. t. 101.
4 hirsuta. W.	hairy.			1683. —	H. ☉.	2. t. 170.
5 Ludwigii. W.	Ludwig's.		Sicily.	1791. —	H. ☉.	Cav. diss. 2. t. 30. f. 3.
6 acaulis. W.	stemless.		Aleppo.	1680. —	H. ☉.	2. t. 27. f. 3.
7 rosea. W.	Hollyhock.		China.	1573. 7.9.	H. ☉.	2. t. 28. f. 1.
8 pallida. W.	pale-flowered.		Hungary.	1805. 7.8.	H. ☉.	
9 caribæa. B. M.	West Indian.		W. Ind.	1816. 3.4.	S. ☉.	Bot. mag. 1916.
10 flexuosa. B. M.	Seringapatam.		E. Ind.	1803. 6.3.	S. ♀.	892.
11 ficifolia. W.	Fig-leaved.		Levant.	1597. 6.9.	H. ☉.	Cav. diss. 2. t. 28. f. 2.
MALVA. W.	MALLOW.	Malvaceæ. J.				
1 spicata. W.	simple-spiked.		Jamaica.	1726. 9.10.	S. ♀.	Cav. diss. 2. t. 20. f. 4.
2 polystachia. W.	many-spiked.		Peru.	1798. 7.8.	G. ♀.	5. t. 138. f. 3.
3 borbonica. W. en.	Bourbon.		Mauritius.	1816. —	S. ♀.	
4 scoparia. W.	Birch-leaved.		Peru.	1782. 8.9.	S. ☉.	Jac. ic. 1. t. 139.
5 tricuspidata. H. K.	Jamaica.		W. Ind.	1726. 7.8.	S. ☉.	Cav. diss. 2. t. 22. f. 2.
coromandeliana. IF.	americana. Cav.					
6 americana. W.	American.			1756. 6.7.	H. ☉.	
7 calycina. W.	large-calyxed.		C. B. S.	1812. 5.8.	G. ♀.	Cav. diss. 2. t. 22. f. 4.
8 angustifolia. W.	narrow-leaved.		Mexico.	1780. 8.	G. ♀.	Cav. ic. 1. t. 68.
9 scabra. W.	rough-stemmed.		Peru.	1798. 6.7.	S. ♀.	Cav. diss. 5. t. 138. f. 1.
10 leprosa. W. en.	leprous.		Cuba.	1815. 5.7.	S. ♀.	
11 peruviana. W.	Peruvian.		Peru.	1759. 6.8.	H. ☉.	Jac. vind. 2. t. 156.
12 limensis. W.	blue-flowered.			1768. 7.	H. ☉.	2. t. 141.
13 capitata. W.	various-leaved.			1798. 11.12.	S. ♀.	Cav. diss. 5. t. 137. f. 1.
14 bryonifolia. W.	Bryony-leaved.		C. B. S.	1731. 7.8.	G. ♀.	Wen. hort. her. 1. t. 4.
15 asperima. W. en.	roughest.			1796. 6.9.	G. ♀.	Jac. schœn. 2. t. 39.
16 procumbens. W. en.	procumbent.		S. America.	1815. —	G. ♀.	
17 abutiloides. W.	Bahama.		Bahama Isl.	1725. —	G. ♀.	Jac. schœn. 3. t. 293.
18 stricta. W.	upright.		C. B. S.	1805. 5.8.	G. ♀.	3. t. 294.
19 lactea. W.	panicled white.		Mexico.	1780. 1.2.	G. ♀.	Cav. ic. 1. t. 20.
20 operculata. W.	lid-capsuled.		Peru.	1795. 7.8.	G. ♀.	Cav. diss. 2. t. 35. f. 1.
21 fragrans. W.	fragrant.		C. B. S.	1759. 5.7.	G. ♀.	Jac. vind. 3. t. 33.
22 capensis. W.	Cape.			1713. 1.12.	G. ♀.	Cav. diss. 2. t. 24. f. 3.
23 balsamica. W.	balsamic.			1800. 5.9.	G. ♀.	Jac. ic. 1. t. 140.
24 grossularifolia. W.	Gooseberry-leaf ^d .			1732. —	G. ♀.	Cav. diss. 2. t. 24. f. 2.
25 virgata. W.	twiggy.			1747. 5.7.	G. ♀.	2. t. 18. f. 2.
26 miniata. W.	painted.		S. America.	1798. —	G. ♀.	Cav. ic. 3. t. 278.
27 retusa. W.	blunt-leaved.		C. B. S.	1803. 3.5.	G. ♀.	Cav. diss. 2. t. 21. f. 1.
28 tridactylides. W.	reflex-flowered.			1791. 6.8.	G. ♀.	Bot. rep. 135.
29 divaricata. H. K.	straddling.			1792. 6.9.	G. ♀.	182.
30 caroliniana. W.	creeping.		Carolina.	1723. 6.7.	H. ☉.	Cav. diss. 2. t. 15. f. 1.
31 prostrata. W.	trailing.		Brazil.	1806. 6.8.	G. ♀.	2. t. 16. f. 3.
32 parviflora. W.	small-flowered.		Barbary.	1779. 6.7.	H. ☉.	Jac. vind. 1. t. 39.
33 rotundifolia. W.	round-leaved.		Britain. 6.9.	H. ☉.	Eng. bot. 1092.
β pusilla.	dwarf.				241.
34 sylvestris. W.	common.		Britain. 5.10.	H. ♀.	Eng. bot. 671.
35 mauritiana. W.	Ivy-leaved.		S. Europe.	1768. 6.7.	H. ☉.	Cav. diss. 2. t. 25. f. 2.
36 hispanica. W.	Spanish.		Spain.	1710. 7.	H. ☉.	Desf. atl. 2. t. 170.
37 verticillata. W.	whorl-flowered.		China.	1683. 6.7.	H. ☉.	Jac. vind. 1. t. 40.
38 crispa. W.	curled.		Syria.	1573. 6.8.	H. ☉.	Cav. diss. 2. t. 28. f. 1.
39 stipulacea. W.	long-stipuled.		Spain.	1815. —	H. ☉.	2. t. 15. f. 2.
40 Alcea. W.	Vervain.		Germany.	1597. 7.10.	H. ♀.	2. t. 17. f. 2.
41 moschata. W.	musk.		Britain. 7.8.	H. ♀.	Eng. bot. 754.
42 elegans. W.	elegant.		C. B. S.	1791. 5.8.	G. ♀.	Jac. col. 4. t. 6. f. 1.
43 Tournefortiana. W.	Tournefort's.		Spain.	1759. 7.8.	H. ☉.	Cav. diss. 2. t. 17. f. 3.
44 ægyptia. W.	Egyptian.		Egypt.	1789. 6.7.	H. ☉.	2. t. 17. f. 1.
45 trifida. W.	large-flowered.		Spain.	1815. —	H. ☉.	5. t. 137. f. 2.
LAVATERA. W.	LAVATERA.	Malvaceæ. J.				
1 arborea. W.	Tree Mallow.		Britain. 7.10.	H. ♀.	Eng. bot. 1841.
2 micans. W.	glittering.		Spain.	1796. 6.7.	G. ♀.	Mor. his. 1. t. 17. f. 9.
3 Olbia. W.	downy-leaved.		France.	1570. 6.10.	G. ♀.	Cav. diss. 2. t. 32. f. 2.
4 unguiculata. P. S.	clawed.		1807. 7.9.	G. ♀.	
5 hispida. P. S.	hispid.		Algiers.	1804. 6.7.	G. ♀.	Desf. atl. 2. t. 171.
6 triloba. W.	three-lobed.		Spain.	1759. —	G. ♀.	Jac. vind. 1. t. 24.
7 lusitanica. W.	Portugal.		Portugal.	1731. 6.9.	G. ♀.	

8 maritima. W.	sea-side.	Malvaceæ. J.	S. Europe.	1597. 4.6.	G. h.	Cav. diss. 2. t. 32. f. 3.
9 thuringiaca. W.	large-flowered.	_____	Germany.	1731. 7.9.	H. 2.	Bot. mag. 517.
10 cretica. W.	Cretan.	_____	Candia.	1723. —	H. 2.	Jac. vind. 1. t. 41.
11 punctata. W.	spotted-stalked.	_____	Italy.	1800. —	H. 2.	_____
12 trimestris. W.	common annual.	_____	S. Europe.	1633. —	H. 2.	Bot. mag. 109.
RUIZIA. W.	RUIZIA.	Malvaceæ. J.	_____	_____	_____	_____
variabilis. W.	various-leaved.	_____	Bourbon.	1792. 5.	S. h.	Jac. schœn. 3. t. 295.
MALOPE. W.	MALOPE.	Malvaceæ. J.	_____	_____	_____	_____
1 malacoides. W.	Barbary.	_____	Barbary.	1710. 6.7.	G. 2.	Cav. diss. 2. t. 27. f. 1.
2 trifida. W.	trifid.	_____	_____	1808. 7.	H. 2.	2. t. 27. f. 2.
KITAIBELIA. W.	KITAIBELIA.	Malvaceæ. J.	_____	_____	_____	_____
vitifolia. W.	Vine-leaved.	_____	Hungary.	1801. 7.9.	H. 2.	Bot. mag. 821.
URENA. W.	URENA.	Malvaceæ. J.	_____	_____	_____	_____
1 lobata. W.	angular-leaved.	_____	China.	1731. 6.7.	G. h.	Cav. diss. 6. t. 185. f. 1.
2 americana. W.	American.	_____	Surinam.	1816.	S. h.	Sloan. his. 1. t. 11. f. 2.
3 sinuata. W.	cut-leaved.	_____	E. Ind.	1759. 7.8.	S. h.	Cav. diss. 6. t. 185. f. 2.
4 multifida. W.	multifid.	_____	_____	1817. 10.1.	S. h.	6. t. 184. f. 2.
GOSSYPIUM. W.	GOSSYPIUM.	Malvaceæ. J.	_____	_____	_____	_____
1 herbaceum. W.	common.	_____	E. Ind.	1594. 7.	S. 2.	Cav. dis. 6. t. 164. f. 2.
2 arboreum. W.	tree.	_____	_____	1694. 7.8.	S. h.	6. t. 193.
3 vitifolium. W.	Vine-leaved.	_____	_____	1805.	S. h.	6. t. 166.
4 hirsutum. W.	hairy.	_____	S. America.	1731. 7.8.	S. 2.	6. t. 167.
5 religiosum. W.	spotted barked.	_____	India.	1777. 7.	S. h.	6. t. 164. f. 1.
6 barbadense. W.	Barbadoes.	_____	Barbadoes.	1759. 9.	S. 2.	Bot. reg. 84.
HIBISCUS. W.	HIBISCUS.	Malvaceæ. J.	_____	_____	_____	_____
1 Moscheutos. Ph.	swamp.	_____	N. America. 8.10.	H. 2.	Cav. diss. 3. t. 65. f. 1.
2 palustris. Ph.	marsh.	_____	_____	1759. 7.9.	H. 2.	3. t. 65. f. 2.
3 Patersonii. H. K.	Norfolk Island.	_____	Norfolk Isl.	1792. 6.8.	G. h.	Bot. rep. 286.
Lagunea Patersonia. B. M. 769.	_____	_____	_____	_____	_____	_____
4 incanus. Ph.	hoary.	_____	Carolina.	1806. 9.	G. 2.	Wend. hort. her. t. 24.
5 militaris. Ph.	smooth.	_____	Louisiana.	1804. 8.9.	G. 2.	Cav. diss. 6. t. 195. f. 2.
6 populneus. W.	Poplar-leaved.	_____	E. Ind.	1770.	S. h.	Rheed. mal. 1. t. 29.
7 tiliaceus. W.	Lime-tree-leav ^d .	_____	_____	1739. 7.8.	S. h.	Bot. reg. 232.
8 elatus. Sw.	tall.	_____	Jamaica.	1790.	S. h.	_____
9 Lampas. W.	three-pointed.	_____	E. Ind.	1806.	S. h.	Cav. diss. 3. t. 56. f. 2.
10 membranaceus. W.	leafy-calyx.	_____	1816.	S. h.	3. t. 57. f. 2.
11 lunarifolius. W.	Lunaria-leaved.	_____	E. Ind.	S. h.	_____
12 Rosa-sinensis. W.	China Rose.	_____	_____	1731. 7.8.	S. h.	Bot. mag. 158.
β rubro-plenus.	double red.	_____	_____	_____	_____	_____
γ flavo-plenus.	double buff.	_____	_____	_____	_____	_____
δ variegato-plenus.	double striped.	_____	_____	_____	_____	_____
13 phœniceus. W.	purple-flowered.	_____	_____	1796. —	S. h.	Bot. reg. 230.
14 micranthus. H. K.	small-flowered.	_____	_____	1794.	S. h.	Cav. diss. 3. t. 56. f. 1.
15 æthiopicus. W.	dwarf wedge-le ^d .	_____	C. B. S.	1774. 8.	G. h.	3. t. 61. f. 1.
16 mutabilis. W.	changeable.	_____	E. Ind.	1690. 10.12.	S. h.	Bot. rep. 228.
β flore pleno.	double-flowered.	_____	_____	_____	_____	_____
17 syriacus. W.	Althea frutex.	_____	Syria.	1596. 8.9.	H. h.	Bot. mag. 83.
α purpureus.	purple-flowered.	_____	_____	_____	_____	_____
β ruber.	red-flowered.	_____	_____	_____	_____	_____
γ albus.	white-flowered.	_____	_____	_____	_____	_____
δ variegatus.	striped-flowered.	_____	_____	_____	_____	_____
ε albo-plenus.	double white.	_____	_____	_____	_____	_____
ζ purpureo-plenus.	double purple.	_____	_____	_____	_____	_____
18 acerifolius. P. L.	Maple-leaved.	_____	China.	1798. 3.6.	G. h.	Par. lond. c. ic.
19 diversifolius. W.	different-leaved.	_____	E. Ind.	— 6.7.	S. h.	Jac. ic. 3. t. 551.
20 ficulneus. W.	Fig-leaved.	_____	Ceylon.	1732. 6.7.	S. h.	Cav. diss. 3. t. 52. f. 2.
21 Sabdariffa. W.	Indian.	_____	E. Ind.	1596. 6.9.	S. 2.	6. t. 193. f. 1.
22 speciosus. W.	superb.	_____	Carolina.	1778. 6.8.	G. 2.	Bot. mag. 360.
23 pruriens. B. R.	stinging.	_____	E. Ind.	1804. 7.9.	S. 2.	Bot. rep. 498.
24 heterophyllus. H. K.	various-leaved.	_____	N. S. W.	1803. 8.9.	G. h.	Bot. reg. 29.
25 cannabinus. W.	Hemp-leaved.	_____	E. Ind.	1759. 6.7.	S. 2.	Rox. cor. 2. t. 190.
26 surattensis. W.	prickly-stalked.	_____	_____	1731. 7.9.	S. 2.	Bot. mag. 1356.
27 radiatus. W.	rayed.	_____	_____	1790. 6.8.	S. 2.	1911.
28 Manihot. W.	palmated.	_____	China.	1712. 7.9.	S. h.	1702.
29 scaber. Ph.	scabrous.	_____	Carolina.	1810. 7.9.	G. 2.	_____
30 furcatus. W. en.	forked-calyx.	_____	E. Ind.	1816. —	S. 2.	_____
31 Abelmoschus. W.	Musk Okro.	_____	India.	1640. —	S. h.	Rheed. mal. 2. t. 33.
32 pedunculatus. W.	long-peduncled.	_____	C. B. S.	1812. 5.12.	S. h.	Bot. reg. 231.
33 esculentus. W.	eatable.	_____	W. Ind.	1692. 6.7.	S. 2.	Cav. diss. 3. t. 61. f. 2.
34 clypeatus. W.	shield-capsuled.	_____	Jamaica.	1759. 7.8.	S. 2.	3. t. 58. f. 1.

MONADELPHIA POLYANDRIA.

157

35 tubulosus. W.	tubular.	Malvaceæ. J.	E. Ind.	1796. 7.10. S. ♂.	Cav. diss. 3. t. 68. f. 2.
36 vitifolius. W.	Vine-leaved.	_____	_____	1690. — S. ♂.	Rheed. mal. 6. t. 46.
37 virginicus. W.	Virginian.	_____	Virginia.	1798. 7.9. H. ♀.	Jac. ic. 1. t. 142.
38 pentacarpos. W.	angular-fruited.	_____	Venice.	1752. — G. ♀.	1. t. 143.
39 vesicarius. W.	African.	_____	Africa.	1713. 7.8. H. ♂.	Cav. diss. 3. t. 64. f. 2.
40 Trionum. W.	Bladder. Ketmia.	_____	Italy.	1596. 6.9. H. ♂.	Bot. mag. 209.
41 hispidus. Mill.	hispid.	_____	C. B. S. — G. ♂.	_____
PAVONIA. W.	PAVONIA.	Malvaceæ. J.	_____	_____	_____
1 præmorsa. W.	bitten-leaved.	_____	C. B. S.	1774. 6.8. G. ♀.	Bot. mag. 436.
2 spinifex. W.	prickly-seeded.	_____	W. Ind.	1778. 7.8. S. ♀.	Jac. vind. 2. t. 103.
3 odorata. W.	fragrant.	_____	E. Ind.	1807. S. ♀.	_____
4 coccinea. W.	scarlet.	_____	St. Domingo.	1816. S. ♀.	Cav. diss. 3. t. 47. f. 1.
5 columella. W.	angular-leaved.	_____	Bourbon.	1807. 7. S. ♀.	3. t. 48. f. 3.
6 urens. W.	stinging.	_____	Mauritius.	1801. S. ♀.	Jac. ic. 3. t. 522.
7. zeylanica. W.	Ceylon.	_____	E. Ind.	1790. 7.9. S. ♂.	Cav. diss. 3. t. 48. f. 2.
ACHANIA. W.	ACHANIA.	Malvaceæ. J.	_____	_____	_____
1 Malvaviscus. W.	scarlet.	_____	Jamaica.	1714. 1.12. S. ♀.	Cav. diss. 3. t. 48. f. 1.
2 mollis. W.	woolly.	_____	America.	1780. 8.9. S. ♀.	Bot. reg. 11.
3 pilosa. W.	hairy.	_____	Jamaica.	— 10.11. S. ♀.	_____
MYRODIA. W.	MYRODIA.	Malvaceæ. J.	_____	_____	_____
turbinata. W.	short-flowered.	_____	W. Ind.	1793. S. ♀.	_____
GORDONIA. W.	GORDONIA.	Malvaceæ. J.	_____	_____	_____
1 Lasianthus. W.	smooth.	_____	N. America.	1739. 8.11. G. ♀.	Bot. mag. 668.
2 pubescens. W.	pubescent.	_____	Carolina.	1774. — F. ♀.	Vent. malm. t. 1.
Lacathea florida. P. L. 56.	_____	_____	_____	_____	_____
STUARTIA. W.	STUARTIA.	Tiliaceæ. J.	_____	_____	_____
1 Malachodendron. W.	common.	_____	N. America.	1742. 5.8. H. ♀.	Bot. rep. 397.
2 pentagyna. W.	curled.	_____	_____	1785. 7.8. H. ♀.	Exot. bot. 2. t. 110.
Malachodendron ovatum. Cav.	_____	_____	_____	_____	_____
CAMELLIA. Ker.	CAMELLIA.	Aurantizæ. J.	Camellia & Thea. W.	_____	_____
1 Bohea.	Bohea Tea.	_____	China.	1768. 8.12. G. ♀.	Bot. mag. 998.
Thea Bohea. a. laxa. H. K. T. chinensis. B. B. M.	_____	_____	_____	_____	_____
2 viridis.	Green Tea.	_____	_____	11.2. G. ♀.	Hill exot. t. 22.
Thea Bohea. B. stricta. H. K. certainly a distinct species.	_____	_____	_____	_____	_____
3 Sasanqua. W.	Lady Banks's.	_____	_____	1811. 11.2. G. ♀.	Bot. reg. 12.
4 japonica. W.	common.	_____	_____	1789. 12.5. G. ♀.	_____
a rubra.	single red.	_____	_____	_____	Bot. mag. 42.
β alba.	single white.	_____	_____ — G. ♀.	_____
γ semiduplex.	semi-double red.	_____	_____ — G. ♀.	Bot. rep. 559.
δ rubro-plena.	double red.	_____	_____ — G. ♀.	199.
ε carneo-plena.	{ Middlemist's } red.	_____	_____ — G. ♀.	_____
ζ myrtifolia.	Myrtle-leaved.	_____	_____ — G. ♀.	Bot. mag. 1670.
η atrorubens.	Loddiges' red.	_____	_____ — G. ♀.	_____
θ aucuniflora.	{ Waratah } flowered.	_____	_____ — G. ♀.	Bot. mag. 1654.
i pæoniiflora.	Pæony-flowered	_____	_____ — G. ♀.	_____
κ variegata.	double-striped.	_____	_____ — G. ♀.	Bot. rep. 91.
λ pomponia.	Kew blush.	_____	_____ — G. ♀.	Bot. reg. 22.
μ flavescent.	{ Hume's } blush or buff.	_____	_____ — G. ♀.	112.
ν albo-plena.	double white.	_____	_____ — G. ♀.	Bot. rep. 25.
ξ longifolia.	long-leaved.	_____	_____ — G. ♀.	_____
ο rubricaulis.	{ Lady (Adl.) } Campbell's.	_____	_____ — G. ♀.	_____
BARRINGTONIA. W.	BARRINGTONIA.	Myrti. J.	Butonica. Lam.	_____	_____
speciosa. W.	Laurel-leaved.	_____	E. Ind.	1786. S. ♀.	Rumph. am. 3. t. 114
GUSTAVIA. W.	GUSTAVIA.	Myrti. J.	Pirigari. J.	_____	_____
angusta. W.	angust.	_____	Guiana.	1794. S. ♀.	Aub. gui. 1. t. 192.
CAREYA. Roxb.	CAREYA.	_____	_____	_____	_____
herbacea. Rox.	herbaceous.	_____	E. Ind.	1808. 7.3. S. ♀.	Rox. cor. 2. t. 217.

CLASS XVII.

DIADELPHIA PENTANDRIA.

MONNIERIA. W.	MONNIERIA.	Guiana.	1792.	7.8.	S. ☉.	Aob. gui. 2. t. 298.
trifolia. W.	three-leaved.					
PETALOSTEMUM } Mi.	PETALOSTEMUM. Leguminosæ. J. Dalea sp. IV.						
1 candidum. Ph.	white.	N. America.	1811.	7.8.	H. ♀.	Mich. am. 2. t. 37. f. 1.
2 carneum. Ph.	flesh-coloured.				H. ♀.	
3 violaceum. Ph.	purple.			7.9.	H. ♀.	Bot. mag. 1707.
4 corymbosum. Ph.	corymbosæ.				H. ♀.	
<i>Dalea Kuhnistera. IV.</i>							

HEXANDRIA.

CORYDALIS. Vent.	CORYDALIS.	Papaveraceæ. J. <i>Fumaria sp. L.</i>					
1 Cucullaria. P. S.	naked-stalked.	N. America.	1731.	6.7.	H. ♀.	Bot. mag. 1127.
2 formosa. Ph.	blush.		1796.		H. ♀.	1335.
3 eximia. B. Reg.	choice.		1812.		H. ♀.	Bot. reg. 51. ~
4 fungosa. Ph.	spongy-flowered.		1778.	6.9.	H. ♂.	Vent. choix. t. 19.
5 nobilis. P. S.	great-flowered.	Siberia.	1783.	5.	H. ♀.	Bot. rep. 614.
6 bulbosa. P. S.	hollow-rooted.	Europe.	1596.	2.4.	H. ♀.	Bot. mag. 232.
7 fabacea. W. en.	Bean-leaved.	Germany.	1815.		H. ♀.	
8 Halleri. W. en.	solid-rooted.	Britain.	2.5.	H. ♀.	Eng. bot. 1471.
<i>Fumaria solida. B. mag. 231.</i>							
9 sempervirens. P. S.	glaucous.	N. America.	1683.	7.8.	H. ☉.	Bot. mag. 179.
10 aurea. W. en.	golden.		1812.	5.7.	H. ♂.	Bot. reg. 66.
11 lutea. P. S.	yellow.	England.	4.10.	H. ♀.	Eng. bot. 588.
12 capnoides. P. S.	white-flowered.	S. Europe.	1596.	5.10.	H. ♂.	
13 claviculata. W.	climbing.	Britain.	6.7.	H. ☉.	Eng. bot. 103.
CYSTICAPNOS. W. en	CYSTICAPNOS.	Papaveraceæ. J.					
africana. W. en.	African.	C. B. S.	1696.	6.7.	H. ☉.	Boerh. lugd. 1. t. 200
<i>Fumaria vesicaria. H. A.</i>							
FUMARIA. P. S.	FUMITORY.	Papaveraceæ. J.					
1 enneaphylla. P. S.	nine-leaved.	Spain.	1714.	5.7.	H. ♀.	Boc. mus. 2. t. 73. f. 1.
2 officinalis. P. S.	common.	Britain.	5.8.	H. ☉.	Eng. bot. 589.
3 capreolata. P. S.	ramping.	5.9.	H. ☉.	943.
4 parviflora. P. S.	small-flowered.	England.	8.9.	H. ☉.	590.
5 spicata. P. S.	narrow-leaved.	S. Europe.	1714.	7.8.	H. ☉.	

OCTANDRIA.

POLYGALA. W.	MILKWORT.	Pedicularæ. J.					
1 incarnata. W.	flesh-coloured.	N. America.	1812.	6.7.	H. ☉.	
2 amara. W.	bitter.	Europe.	1776.	6.	H. ♀.	Jac. anst. 5. t. 418.
3 vulgaris. W.	common.	Britain.	5.6.	H. ♀.	Eng. bot. 76.
4 major. W.	large Austrian.	Austria.	1739.	7.8.	H. ♀.	Jac. anst. 5. t. 418.
5 paucifolia. W.	naked-stalked.	N. America.	1812.	5.8.	H. ♀.	
6 bracteolata. W.	spear-leaved.	C. B. S.	1713.	5.10.	G. h.	Bot. mag. 345.
7 speciosa. B. M.	showy.		1814.		G. h.	Bot. reg. 150.
8 teretifolia. W.	columnar-leaved		1791.	5.8.	G. h.	Bot. rep. 370.
9 purpurea. H. K.	purple.	N. America.	5.6.	H. h.	
10 virgata. Th.	twiggy.	C. B. S.	1812.	5.8.	G. h.	
11 myrtifolia. W.	Myrtle-leaved.		1707.		G. h.	Com. hort. 1. t. 46.
12 oppositifolia. W.	opposite-leaved.		1790.		G. h.	Bot. mag. 492.
13 cordifolia. W.	heart-leaved.		1791.	2.8.	G. h.	
14 tomentosa. W.	woolly-leaved.		1812.		G. h.	
15 spinosa. W.	spiny.		1780.	1.5.	G. h.	
16 Chamæbuxus. W.	Box-leaved.	Austria.	1658.	5.6.	H. h.	Bot. mag. 316.
17 alopecuroides. W.	Fox Tail.	C. B. S.	1800.	5.8.	G. h.	1006.
18 Heisteria. W.	Furze-leaved.		1787.	1.12.	G. h.	340.
19 mixta. W.	Heath-leaved.		1791.		G. h.	1714.
20 filiformis. W.	filiform.		1812.	5.12.	G. h.	
21 micrantha. W.	small-flowered.		1800.	1.12.	G. h.	Bot. rep. 324.
22 stipulacea. W.	stipuled.		1801.	4.9.	G. h.	Bot. mag. 1716.
23 Senega. W.	Rattlesnake Root.	N. America.	1789.	7.	H. ♀.	1051.
24 lutea. W.	golden.			6.7.	H. ☉.	Pluk. amal. t. 438. f. 4
25 viridescens. W.	greenish-flower ^d		1815.	7.8.	H. ☉.	

DIADELPHIA DECANDRIA.

159

inea. W.	purple-spiked.	Pedicularis. J.	N. America.	1739.	7.9.	H. ♂.	Pluk. man. t. 438. f. 5
illata. W.	whorl-leaved.	—	—	—	7.8.	H. ♂.	— t. 438. f. 4.
uta. W.	four-leaved.	—	—	—	6.7.	H. ♂.	—
DACA. W.	SECURIDACA.	Leguminosæ? J.	—	—	—	—	—
ilis. W.	climbing.	—	W. Ind.	1739.	S. h.	Jac. amer. t. 183. f. 38

DECANDRIA.

IA. W.	NISSOLIA.	Leguminosæ. J	—	—	—	—	—
osa. W.	shrubby.	—	S. America.	1766.	7.11.	S. h.	Jac. vind. 2. t. 167.
RGIA. W.	DALBERGIA.	Leguminosæ. J	—	—	—	—	—
lia. W.	broad-leaved.	—	E. Ind.	1811.	S. h.	Rox. cor. 2. t. 113.
inosa. W.	climbing.	—	—	—	S. h.	— 2. t. 115.
ulata. W.	panicled.	—	—	—	S. h.	— 2. t. 114.
MIA. Vent.	PONGAMIA.	Leguminosæ. J. Dalbergia sp. W.	—	—	—	—	—
a. P. S.	smooth-leaved.	—	E. Ind.	1699.	S. h.	Vent. malm. t. 28.
ARPUS. W.	PTEROCARPUS.	Leguminosæ. J	—	—	—	—	—
aplum. W.	emarginate-lea ^d .	—	E. Ind.	1811.	S. h.	Rox. cor. 2. t. 116.
ns. W.	crenate-podded.	—	S. America.	1792.	S. h.	Lam. ill. t. 602. f. 5.
linus. W.	Red Sandal Wood	—	E. Ind.	1800.	S. h.	—
aphyllum. W.	oval-leaved.	—	W. Ind.	1738.	S. h.	Brown. jam. t. 32. f. 1.
NUM. W.	AMERIMNUM.	Leguminosæ. J	—	—	—	—	—
nei. W.	Browne's.	—	W. Ind.	1793.	S. h.	Jac. amer. t. 180. f. 58
ium. W.	broad-leaved.	—	S. America.	1814.	S. h.	— t. 177. f. 50
ns. W.	Jamaica Ebony.	—	W. Ind.	1713.	7.8.	S. h.	Brown. jam. t. 31. f. 2
IX. W.	TONQUIN BEAN.	Leguminosæ. J. Baryosma. Gert.	—	—	—	—	—
ta. W.	sweet-scented.	—	Guiana.	1793.	S. h.	Aub. gui. 2. t. 296.
W.	{ WILD LIQUORICE }	Leguminosæ. J.	—	—	—	—	—
torius. W.	Jamaica.	—	W. Ind.	1680.	3.5.	S. h.	Rheed. mal. 3. t. 39.
RINA. W.	CORAL TREE.	Leguminosæ. J	—	—	—	—	—
cca. W.	herbaceous.	—	Carolina.	1724.	6.9.	G. h.	Bot. mag. 877.
a. W.	flesh-coloured.	—	Vera Cruz.	1733.	5.	S. h.	Trew. chret. t. 8.
lodendrum. W.	smooth-leaved.	—	W. Ind.	1690.	5.6.	S. h.	Comm. hort. l. t. 08
W.	Indian.	—	E. Ind.	1814.	S. h.	Rheed. mal. 6. t. 7.
W.	brown-flowered.	—	—	1800.	S. h.	Rumph. amb. 2. t. 78.
W.	Cape.	—	C. B. S.	1816.	G. h.	—
W.	prickly-leaved.	—	E. Ind.	1696.	S. h.	Rumph. amb. 2. t. 77
sa. H. K.	large-flowered.	—	W. Ind.	1805.	8.10.	S. h.	Bot. rep. 443.
galli. W.	Cock's Comb.	—	Brazil.	1771.	3.7.	S. h.	Exot. bot. 2. t. 95.
W.	BUTEA.	Leguminosæ. J	—	—	—	—	—
osa. W.	downy-branched	—	E. Ind.	1796.	S. h.	Roxb. cor. 1. t. 21.
ba. W.	smooth-branched.	—	—	1798.	S. h.	— 1. t. 22.
A. W.	PISCIDIA.	Leguminosæ. J	—	—	—	—	—
ripa. W.	{ Jamaica Dogwood }	—	W. Ind.	1690.	S. h.	Lam. ill. t. 605.
NIA. W.	BORBONIA.	Leguminosæ. J	—	—	—	—	—
lia. W.	Heath-leaved.	—	C. B. S.	1812.	7.8.	G. h.	—
via. W.	three-nerved.	—	—	1759.	—	G. h.	Pluk. alm. t. 297. f. 4.
lata. W.	many-nerved.	—	—	1752.	—	G. h.	Jac. schœn. 2. t. 217.
lata. W.	perfoliate.	—	—	1812.	—	G. h.	—
ata. W.	wave-leaved.	—	—	—	—	G. h.	—
ta. W.	heart-leaved.	—	—	1759.	7.9.	G. h.	Jac. schœn. 2. t. 218.
ta. W.	notch-leaved.	—	—	1774.	6.8.	G. h.	Bot. mag. 274.
UM. W.	BROOM.	Leguminosæ. J	—	—	—	—	—
um. W.	Spanish.	—	S. Europe.	1548.	7.9.	H. h.	Bot. mag. 85.
e pleno.	double-flowered.	—	—	—	—	—	—
spermum. W.	{ white single-seeded }	—	—	1690.	6.7.	G. h.	— 683.
ocarpon. W.	{ yellow single-seeded }	—	—	1731.	—	G. h.	Reuealm. spec. t. 33.
rum. W. en.	tall.	—	Portugal.	1816.	—	G. h.	—
stum. W. en.	close-branched.	—	Teneriffe.	4.7.	G. h.	—
um. W.	long-twiggd.	—	Madeira.	1777.	3.6.	G. h.	Jac. ic. 1. t. 147.
ns. W.	purging.	—	S. France.	1768.	6.7.	H. h.	Bulliard herb. t. 115
llatum. W.	umbellid.	—	Barbary.	1799.	4.6.	G. h.	Deaf. atl. 2. t. 180.
ius. W.	Scorpion.	—	S. Europe.	1570.	8.4.	H. h.	—
um. Vent.	silky.	—	Mogadore.	1812.	5.8.	G. h.	Vent. choix. t. 17.
florum. W.	white Portugal.	—	Portugal.	1752.	5.	H. h.	Duham. arb. t. 23.
atum. W.	small-flowered.	—	Levant.	1739.	5.6.	H. h.	Vent. cele. 87.
s. W.	woolly-podded.	—	Portugal.	1752.	6.7.	H. h.	Car. ic. 2. t. 179.

14 nubigenum. W.	cluster-flowered.	Leguminosae, J.	Teneriffe.	1779. 5.8. G. h.	
15 linifolium. W.	Flax-leaved.		Spain.	1789. 1.6. G. h.	Bot. mag. 442.
16 scoparium. W.	common.		Britain. 4.6. H. h.	Eng. bot. 1389.
17 radiatum. W.	starry.		Italy.	1758. 6.7. H. h.	Mill. ic. 2. t. 359. f. 1.
18 ferox. W.	fierce.		Barbary.	1800. — G. h.	Desf. atl. 2. t. 182.
19 spinosum. W.	prickly.		S. Europe.	1596. — G. h.	Lob. ic. 2. p. 95.
GENISTA. W.	GENISTA.	Leguminosae, J.			
1 canariensis. W.	Canary.		Canaries.	1656. 5.9. G. h.	Bot. reg. 217.
2 candicans. W.	hoary.		Spain.	1735. 4.7. H. h.	
3 viscosa. W.	clammy.		Canaries.	1815. — G. h.	
4 triquetra. W.	triangular.		Corsica.	1770. 5.6. H. h.	Bot. mag. 314.
5 sagittalis. W.	jointed.		Germany.	1570. — H. h.	Jac. aust. 3. t. 208.
6 triangularis. W.	three-sided.		Hungary.	1815. — H. h.	Pl. rar. hung. 2. t. 153.
7 tinctoria. W.	Green Weed.		Britain. 6.8. H. h.	Eng. bot. 44.
8 sibirica. W.	Siberian.		Siberia.	1785. — H. h.	Jac. vind. 2. t. 190.
9 ovata. W.	oval-leaved.		Hungary.	1816. 6.8. H. h.	Pl. rar. hung. t. 53.
10 florida. W.	Spanish.		Spain.	1752. — H. h.	
11 procumbens. W.	procumbent.		Hungary.	1816. — H. h.	
12 decumbens. W.	trailing.		France.	1775. 5.6. H. h.	
13 pilosa. W.	hairy green-weed.		England. — H. h.	Eng. bot. 208.
14 diffusa. W.	diffuse.		Italy.	1816. — H. h.	Jac. ic. 3. t. 355.
15 sericea. W.	silky.		Austria.	1812. — H. h.	— 3. t. 556.
16 anglica. W.	Petty Whin.		Britain. — H. h.	Eng. bot. 132.
17 germanica. W.	German.		Germany.	1778. 6.8. H. h.	
18 hispanica. W.	dwarf prickly.		Spain.	1759. 6.7. H. h.	Cav. ic. 3. t. 211.
19 lusitanica. W.	Portugal.		Portugal.	1771. 3.5. H. h.	Bot. rep. 419.
LEBECKIA. W.	LEBECKIA.	Leguminosae, J.			
1 contaminata. W.	narrow-leaved.		C. B. S.	1787. 4.5. G. h.	
2 sericea. W.	silky.		—	1774. 4. — G. h.	
3 cytisoides. W.	Cytisus-leaved.		—	— G. h.	Comm. hort. 2. t. 107.
RAFIA. Th.	RAFIA.	Leguminosae, J.			
1 triflora. W.	three-flowered.		C. B. S.	1786. 6.7. G. h.	Bot. mag. 482.
ASPALATHUS. W.	ASPALATHUS.	Leguminosae, J.			
1 Chenopoda. W.	Goose-foot.		C. B. S.	1759. 7.8. G. h.	Breyn. cent. t. 11.
2 albens. W.	silky.		—	1774. — G. h.	
3 pedunculata. H. K.	small-leaved.		—	1775. — G. h.	Bot. mag. 344.
4 ericifolia. W.	Heath-leaved.		—	1789. — G. h.	Pluk. man. t. 413. f. 6.
5 asparagoides. W.	Asparagus-leav'd.		—	1812. — G. h.	
6 carnosa. W.	fleshy-leaved.		—	1795. 5.6. G. h.	Bot. mag. 1289.
7 crassifolia. B. R.	bristle-pointed.		—	1800. 7.8. G. h.	Bot. rep. 351.
8 ciliaris. W.	ciliated.		—	1799. — G. h.	
9 uniflora. W.	single-flowered.		—	1812. — G. h.	Pluk. man. t. 414. f. 7.
10 subulata. W.	awl-leaved.		—	1789. — G. h.	
11 globosa. B. R.	globular.		—	1802. 6.7. G. h.	Bot. rep. c. ic.
12 araneosa. W.	cobweb.		—	1795. — G. h.	Bot. mag. 929.
13 indica. W.	Indian.		E. Ind.	1759. 7.8. S. h.	Rheed. mal. 9. t. 53.
14 argentea. W.	silver-leaved.		C. B. S.	— G. h.	
15 candicans. H. K.	white.		—	1774. 6.7. G. h.	
16 callosa. W.	oval-spiked.		—	1812. 7.8. G. h.	Pluk. man. t. 245. f. 4.
17 mucronata. W.	thorny-branch'd.		—	1796. 6.7. G. h.	
SARCOPHYLLUM } Th.	SARCOPHYLLUM.	Leguminosae, J.			
1 carnosum. Th.	jointed-leaved		C. B. S.	1812. 5.8. G. h.	
STAUACAN- } THUS. W. en.	{ STAUACAN- } Leguminosae, J.				
1 aphyllus. W. en.	leafless.		Portugal.	1815. 6.7. F. h.	
ULEX. W.	FURZE.	Leguminosae, J.			
1 europaeus. W.	common.		Britain. 4.5. H. h.	Eng. bot. 742.
2 nanus. W.	dwarf.		— 8.12. H. h.	— 743.
AMORPHA. W.	BASTARD-INDIGO.	Leguminosae, J.			
1 fruticosa. W.	shrubby.		Carolina.	1724. 6.7. H. h.	Schmidt. arb. 1. t. 30.
2 emarginata.	emarginate-leav.		—	— H. h.	
3 microphylla. Ph.	dwarf.		Missouri.	1811. 7.8. F. h.	
4 pubescens. Ph.	pubescent.		Carolina.	1803. 6.7. F. h.	
5 canescens. Ph.	canescent.		Missouri.	1812. 7.8. F. h.	
PLATYLOBIMUM. Sm.	FLAT-PEA.	Leguminosae, J.			
1 formosum. H. K.	large-flowered.		N. S. W.	1790. 6.8. G. h.	Bot. mag. 459.
2 parviflorum. H. K.	small-flowered.		—	1792. 5.9. G. h.	— 1520.
3 triangulare. H. K.	triangular-leav'd.		VanDiem. Isl.	1805. 6.9. G. h.	— 1508.

EA. Sm.	BOSSEA.	Leguminosæ. J.	<i>Platylobii</i> sp. B. R.			
pendrium. H. K.	Plank-plant.		N. S. W.	1792. 5.7.	G. h.	Bot. rep. 191.
H. K.	red-flowered.		N. Holland.	1803. 6.9.	G. h.	
ophylla. V.	various-leaved.		N. S. W.	1792. 5.12.	G. h.	Bot. mag. 1144.
hylla. H. K.	narrow-leaved.		N. Holland.	1803. 7.9.	G. h.	
rata. H. K.	procumbent.		N. S. W.	—	G. h.	Bot. mag. 1493.
ea. H. K.	downy-sharp-l ^d .		VanDiem. Isl.	1805. 5.7.	G. h.	
pphylla. H. K.	small-leaved.		N. S. W.	1803. 5.8.	G. h.	Bot. mag. 863.
IA. H. K.	SCOTTIA.	Leguminosæ. J.				
ita. H. K.	tooth-leaved.		N. Holland.	1803. 6.9.	G. h.	
ETONIA. H. K.	TEMPLETONIA.	Leguminosæ. J.				
a. H. K.	wedge-leaved.		N. Holland.	1803. 3.6.	G. h.	Vent. malm. 53.
A. P. L.	GOODIA.	Leguminosæ. J.				
lia. H. K.	smooth.		VanDiem. Isl.	1793. 4.7.	G. h.	Bot. mag. 958.
scens. H. K.	downy.			1805. —	G. h.	1810.
ESIA. B. M.	LODDIGESIA.	Leguminosæ. J.				
bifolia. B. M.	Oxalis-leaved.		C. B. S.	1802. 5.9.	G. h.	Bot. mag. 965.
GIA. W.	WISORGIA.	Leguminosæ. J.				
a. W.	silky.		C. B. S.	1780. 7.8.	G. h.	
LARIA. W.	CROTALARIA.	Leguminosæ. J.				
alis. W.	Virginian.		America.	1731. 6.7.	S. ♂.	Pluk. alm. t. 169. f. 6.
rata. W. en.	prostrate.		E. Ind.	1804. 7.	S. ♂.	
inosa. W.	ferrugineous.			1807. —	S. ♂.	
iloides. H. K.	{ large-flower- cupped. }			1789. 8.9.	S. h.	
gona. H. K.	square-stalked.			1806. 10.11.	S. ♂.	Bot. rep. 593.
balensis. P. S.	Bengal.			— 6.7.	S. ♂.	Pluk. alm. t. 169. f. 5.
a. W.	striated-stalked.			1700. —	S. ♂.	Bot. rep. 422.
trata. B. M.	window-calyxed.			1815. —	S. ♂.	Bot. mag. 1933.
a. W.	silky.			1807. —	S. ♂.	
a. W.	wedge-leaved.			1731. —	S. ♂.	Bot. reg. 253.
cosa. W.	blue-flowered.			— 7.8.	S. ♂.	Bot. rep. 308.
ira. H. K.	short-podded.			1800. 3.5.	S. h.	— 601.
erflorens. P. S.	ever-blowing.			1816. 3.9.	S. h.	Vent. cels. t. 17.
. W. en.	hairy.			— 6.8.	S. ♂.	
a. W.	two-flowered.			1790. 7.8.	S. ♂.	Burm. ind. t. 48. f. 2.
ulata. W.	panicled.			1807. —	S. h.	
lia. W.	Lotus-leaved.		Jamaica.	1732. 6.7.	S. ♂.	Dill. elt. t. 102. f. 121
nifolia. W.	Laburnum-leav ^d .		E. Ind.	1739. 7.9.	S. ♂.	Rheed. mal. 9. t. 27.
ifolia. W.	heart-leaved.		C. B. S.	1790. 4.6.	G. h.	
urea. H. K.	dark-purple.			— 3.5.	G. h.	Bot. reg. 128.
iella. H. K.	large-flowered.			1800. 7.8.	G. h.	Bot. mag. 1699.
ana. B. R.	Salt's.		Abyssinia.	1810. 6.7.	S. h.	Bot. rep. 648.
ris. W.	axil-flowered.		Guinea.	1781. 7.8.	S. ♂.	
nsis. W. en.	strigose.		E. Ind.	1816. —	S. ♂.	
rescens. W.	spreading.		C. B. S.	1774. 6.10.	G. h.	Jac. vind. 3. t. 64.
ia. W.	hoary.		W. Ind.	1714. 6.7.	S. ♂.	
la. W.	pale-flowered.		Africa.	1775. —	S. ♂.	
stifolia. W.	narrow-leaved.		C. B. S.	1815. 5.9.	G. h.	Jac. schoen. 2. t. 219.
uefolia. W.	five-leaved.		E. Ind.	1792. 6.7.	S. ♂.	Rheed. mal. 9. t. 28.
. H. K.	HOVEA.	Leguminosæ. J.	<i>Poiretia</i> L. T.			
ris. H. K.	linear-leaved.		N. S. W.	1796. 3.7.	G. h.	
folia. H. K.	long-leaved.			1805. 6.9.	G. h.	
olata. B. M.	spear-leaved.		N. Holland.	— 3.7.	G. h.	Bot. mag. 1624.
. L. T.	oval-leaved.			1817. —	G. h.	
S. W.	REST-HARROW.	Leguminosæ. J.				
uorum. W.	tall.		S. Europe.	1790. 6.7.	H. ♀.	
sa. W. &	Cammock.		Britain.	— 6.8.	H. ♀.	Eng. bot. 682.
na. W.	stinking.		Italy.	1596. 5.8.	H. ♀.	Jac. vind. 1. t. 93.
is. W.	creeping.		Britain.	— 6.8.	H. ♀.	Dill. elt. t. 25. f. 28.
mnis. W.	small-flowered.		S. Europe.	1732. 6.7.	H. ♀.	Jac. aust. 3. t. 240.
stis. W.	cluster-flowered.		Portugal.	1732. —	H. ♂.	Dill. elt. t. 24. f. 27.
curoides. W.	Fox-tail.			1696. 7.8.	H. ♂.	Lap. pyr. 1. t. 9.
gata. W.	variegated.		Spain.	1784. —	H. ♂.	Desf. atl. 2. t. 185.
scens. W.	downy.		S. Europe.	1680. 6.8.	H. ♂.	
uk. W.	hanging-podded.		C. B. S.	1774. 7.9.	G. h.	Comm. hort. 2. t. 82.
nata. W.	two-flowered.			1787. —	G. ♀.	
nata. W.	spreading.		S. Europe.	1800. 6.8.	H. ♂.	
la. W.	narrow-leaved.		Italy.	1759. —	H. ♀.	All. ped. 1. t. 10. f. 2.
stis. P. S.	sheathed.		Egypt.	1815. —	G. h.	Vent. cels. t. 32.

15 Cherleri. W.	dwarf.	Leguminosæ. J.	S. Europe.	1771. 6.7.	H. ½.	
16 viscosa. W.	clammy.			1759. 7.8.	H. ½.	Barr. ic. 1239.
17 ornithopodioides. W.	Bird's-foot.		Sicily.	1713. —	H. ½.	Cav. ic. 2. t. 192.
18 pinguis. W.	greasy.		S. Europe.	1739. 7.	G. ½.	
19 Natrix. W.	yellow-shrubby.			1683. 5.9.	G. ½.	Bot. mag. 329.
20 hispanica. W.	Spanish.		Spain.	1799. —	G. ½.	Barr. ic. 775.
21 tridentata. W.	three-toothed.			1752. 6.8.	G. ½.	Cav. ic. 2. t. 152.
22 crispa. W.	curl-leaved.			1739. —	G. ½.	Magn. mons. t. 17.
23 fruticosa. W.	shrubby.		S. France.	1680. 5.6.	H. ½.	Bot. mag. 317.
24 rotundifolia. W.	round-leaved.		Switzerland.	1570. 5.7.	H. ½.	335.
ANTHYLLIS. W.						
1 tetraphylla. W.	four-leaved.	Leguminosæ. J.	S. Europe.	1640. 7.8.	H. ½.	Bot. mag. 108.
2 Vulneraria. W.	common.		Britain. 5.8.	H. ½.	Eng. bot. 104.
	<i>β rubra.</i>					
3 montana. W.	mountain.		S. Europe.	1759. 6.7.	H. ½.	Jac. aust. 4. t. 334.
4 sericea. W.	wing-leaved.		Barbary.	1786. 7.8.	G. ½.	Desf. act. par. 1. t. 3.
5 cornicina. W.	horny.		Spain.	1759. —	H. ½.	Cav. ic. 1. t. 39. f. 2.
6 lotoides. W.	Lotus-like.			1739. 6.7.	H. ½.	1. t. 40.
7 Gerardi. W.	Gerard's.		Provence.	1806. 6.8.	H. ½.	Ger. prov. t. 18.
8 Barba-jovis. W.	Jupiter's-beard.		S. Europe.	1640. 3.5.	G. ½.	Bot. mag. 1. 27.
9 cretica. W.	Cretan.		Candia.	1737. 6.7.	G. ½.	1092.
10 heterophylla. W.	various-leaved.		S. Europe.	1768. —	G. ½.	
11 cytisoides. W.	downy-leaved.		Spain.	1731. 4.6.	G. ½.	Barr. ic. 1182.
12 Hermanniae. W.	Lavender-leav'd.		Levant.	1739. 4.7.	F. ½.	Alp. exot. t. 26.
13 tragacanthoides. P.S.	Goat's-thorn-like.		Barbary. 6.5.	G. ½.	Desf. atl. 2. t. 194.
14 Erinacea. W.	prickly.		Spain.	1759. 4.5.	F. ½.	Bot. mag. 676.
ARACHIS. W.						
	<i>hypogæa.</i>	EARTH-NUT.	Leguminosæ. J.			
	American.		S. America.	1712. 5.6.	S. ½.	Trew. pl. rar. 3. t. 2.
LUPINUS. W.						
	<i>LUPINE.</i>	Leguminosæ. J.				
1 perennis. Ph.	smooth perennial.		N. America.	1658. 5.7.	H. ½.	Bot. mag. 202.
2 nootkatensis. Ph.	hairy perennial.		Nootka Sound	1794. 6.8.	H. ½.	1311.
3 albus. W.	white.		Levant.	1596. 7.8.	H. ½.	
4 Termis. W.	Egyptian.		Egypt.	1802. 6.7.	H. ½.	
5 varius. W.	small blue.		S. Europe.	1596. 7.8.	H. ½.	
6 hirsutus. W.	great blue.			1629. —	H. ½.	
7 pilosus. W.	rose.			1710. —	H. ½.	
8 angustifolius. W.	narrow-leaved.		Spain.	1686. —	H. ½.	Knorr. del. 2. t. L.7.
9 linifolius. W.	Flax-leaved.		1799. —	H. ½.	Roth. abhand. 14. t. 6.
10 luteus. W.	yellow.		Sicily.	1596. —	H. ½.	Bot. mag. 140.
11 villosus. W.	villous.		Carolina.	1787. —	F. ½.	
12 arboreus. H. K.	tree.		1793. —	F. ½.	Bot. mag. 682.
CARPOPOGON. Rox.						
	<i>CARPOPOGON.</i>	Leguminosæ. J.				
1 giganteum. Rox.	gigantic.		E. Ind.	1815.	S. ½.	
2 imbricatum. Rox.	imbricated.			S. ½.	
PHASEOLUS. W.						
	<i>KIDNEY-BEAN.</i>	Leguminosæ. J.				
1 vulgaris. W.	common.		India.	1597. 6.9.	H. ½.	Lob. ic. 2. p. 53.
2 multiflorus. W.	scarlet.		S. America?	1633. 7.9.	H. ½.	Schk. han. 2. t. 1994.
3 lunatus. W.	cimeter-podded.		E. Ind.	1779. 6.7.	S. ½.	Ho. n. h. 10. t. 63. f. 1.
4 inamænus. W.	various-coloured.		Africa.	1794. 7.8.	H. ½.	Jac. vind. 1. t. 66.
5 farinosus. W.	mealy.		E. Ind.	1759. —	S. ½.	{ Niss. act. par. 1730.
6 vexillatus. W.	sweet-scented.		W. Ind.	1732. —	S. ½.	t. 42.
7 helvolus. W.	pale-red.		Carolina.	—	H. ½.	Jac. vind. 2. t. 103.
8 semierectus. W.	dark-red.		W. Ind.	—	S. ½.	Dill. elt. t. 233. f. 300.
9 alatus. W.	winged.		Carolina.	—	S. ½.	— t. 233. f. 301.
10 Caracalla. W.	Snail-flower.		India.	1690. 8.9.	S. ½.	— t. 235. f. 303.
11 aconitifolius. W.	Aconite-leaved.		E. Ind.	1731. 6.8.	S. ½.	Bot. rep. 341.
12 trilobus. W.	three-lobed.		—	1777. 7.8.	S. ½.	Jac. obs. 3. t. 52.
13 stipularis. W.	large stipuled.		Peru.	1805. —	H. ½.	Burm. ind. t. 50. f. 1.
14 nanus. P. S.	common dwarf.		India. 6.9.	H. ½.	
15 radiatus. W.	rayed.		China.	1732. 6.7.	H. ½.	Dill. elt. t. 235. f. 305.
16 Max. W.	hairy-podded.		India.	1758. —	H. ½.	Rumph. am. 5. t. 140.
17 Mungo. W.	small-fruited.		—	1790. —	H. ½.	
18 diversifolius. P. S.	various-leaved.		N. America.	1806. —	H. ½.	
	<i>trilobus. Ph. Glycine angulosa. W. ex. Ph.</i>					
19 lathyroides. W.						
	<i>Lathyrus-like.</i>		Jamaica.	1786. 7.8.	S. ½.	Slö. jam. 1. t. 116. f. 1.
DOLICHOS. W.						
	<i>DOLICHOS.</i>	Leguminosæ. J.				
1 Lablab. W.	black-seeded.		Egypt.	1694. 6.7.	S. ½.	Bot. mag. 896.
2 sinensis. W.	Chinese.		India.	1776. 7.8.	H. ½.	Jac. vind. 3. t. 74.
3 luteolus. Ph.	yellow.		America.	1805. —	H. ½.	Jac. hort. t. 96.

4 unguiculatus. W.	Bird's-foot.	Leguminosæ. J.	W. Ind.	1780. 6.7.	S.⊙	Jac. vind. 1. t. 23.
5 tranquebaricus. W.	Tranquebar.		E. Ind.	1801. 6.7.	S.⊙	Jac. vind. 3. t. 70.
6 gladiatus. W.	sabre-podded.			1790. 8.	S.⊙	Jac. ic. 3. t. 560.
7 tetragonolobus. W.	square-podded.			1816. 9.11.	S.⊙	
8 sesquipedalis. W.	long-podded.		W. Ind.	1781. 8.	S.⊙	Jac. vind. 1. t. 67.
9 hirsutus. W.	hirsute.		China.	1802. 6.	G. h.	Kæmpf. ic. t. 41.
10 pilosus. W.	hairy-podded.		E. Ind.	1790. 8.	S.⊙	
11 minimus. W.	small.		Jamaica.	1776. 7.8.	S.⊙	Jac. obs. 1. t. 22.
12 tetraspermus. W.	four-seeded.		E. Ind.	1816. 5.8.	S.⊙	
13 scarabæoides. W.	silver-leaved.			1773. 6.7.	S.⊙	Pluk. alm. t. 53. f. 3.
14 reticulatus. W.	net-leaved.		N. S. W.	1781. —	G. h.	
15 bulbosus. W.	bulbous.		W. Ind.	— 7.	S. h.	Rumph. am. 5. t. 132.
16 purpureus. W.	purple.		E. Ind.	1790. 8.9.	S. h.	Exot. bot. 2. t. 74.
17 lignosus. W.	woody.			1776. 7.8.	G. h.	Bot. mag. 380.
18 luteus. W.	yellow-flowered.		Jamaica.	1812. —	S. h.	
19 ensiformis. W.	cimeter-podded.		E. Ind.	1778. —	S.⊙	Jac. ic. 3. t. 559.
20 Soja. W.	Soy.			1790. —	S.⊙	— 1. t. 145.
21 Catiang. W.	small-fruited.			1793. —	S.⊙	Rheed. mal. 8. t. 41.
22 biflorus. W.	two-flowered.			1776. —	S.⊙	Pluk. alm. t. 213. f. 4.
23 roseus. W.	Rose-coloured.		Jamaica.	1812. —	S.⊙	
STIZOLOBIUM. P. S.	Cow-ITCH.	Leguminosæ. J.	Negretia. Fl. Per.			
1 altissimum. P. S.	tall.		Martinico.	1779.	S. h.	Jac. amer. t. 182. f. 85
2 urens. P. S.	broad-podded.		W. Ind.	1691. 6.7.	S. h.	Plum. amer. t. 107.
3 pruriens. P. S.	common.		India.	1680.	S. h.	Jac. amer. t. 192.
GLYCINE. P. S.	GLYCINE.	Leguminosæ. J.				
1 sarmentosa. W.	sarmentose.		Carolina.	1805. 6.8.	II.⊙	Schk. bot. ann. 12. t. 2
2 monoica. W.	pale-flowered.		N. America.	1781. 9.	H. h.	Weudl. in Rœm. Arch. 3. t. 2.
3 angustifolia. W.	narrow-leaved.		C. B. S.	1795. 6.8.	G. h.	Jac. schum. 2. t. 231.
4 debilis. W.	hairy.		E. Ind.	1778. 6.7.	S. h.	
5 comosa. W.	tufted.		N. America.	1812. 7.9.	H. h.	
6 tomentosa. Ph.	downy.			1732. 6.9.	H. h.	Dill. elt. t. 26. f. 29.
7 reniformis. Ph.	kidney-leaved.		Carolina.	1806. 7.8.	F. h.	
8 suaveolens. W.	sweet-scented.		E. Ind.	1816. 7.9.	S. h.	
9 reticulata. W.	net-leaved.		Jamaica.	1779. —	S. h.	
10 caribæa. W.	trailing.		W. Ind.	1742. 9.10.	S. h.	Jac. ic. 1. t. 146.
11 bituminosa. W.	clammy.		C. B. S.	1774. 4.9.	G. h.	Bot. reg. 261.
12 parviflora. P. S.	small-flowered.		E. Ind.	1812. 7.	S. h.	
13 sagittata. W. en.	arrow-leaved.		Havannah.	1815. 5.8.	S. h.	
14 rhombifolia. W.	rhomb-leaved.		E. Ind.	— —	S. h.	
APIOS. Ph.	APIOS.	Leguminosæ. J.	Glycinis sp. IV.			
1 tuberosa. Ph.	tuberous-rooted.		N. America.	1640. 8.9.	H. h.	Bot. mag. 1198.
2 frutescens. Ph.	shrubby.			1734. 6.9.	H. h.	Hort. angl. t. 15.
KENNEDIA. Vent.	KENNEDIA.	Leguminosæ. J.	Glycinis sp. IV.			
1 rubicunda. V.	dingy-flowered.		N. S. W.	1788. 3.8.	G. h.	Bot. mag. 268.
2 coccinea. V.	many-flowered.		N. Holland.	1803. 5.8.	G. h.	Vent. malm. 105.
3 prostrata. H. K.	single-flowered.		N. S. W.	1790. 3.6.	G. h.	Bot. mag. 270.
4 Comptoniana. B. R.	Comptonian.		N. Holland.	1803. —	G. h.	Bot. rep. c. ic.
5 monophylla. V.	simple-leaved.		N. S. W.	1790. —	G. h.	Bot. mag. 263.
CYLISTA. W.	CYLISTA.	Leguminosæ. J.				
1 villosa. H. K.	Cape.		C. B. S.	1776. 4.5.	S. h.	Bot. rep. 446.
2 albiflora. B. M.	white-flowered.		Mauritius.	S. h.	Bot. mag. 1859.
3 scariosa. W.	Coromandel.		E. Ind.	1806.	S. h.	Rox. cor. 1. t. 92.
CLITORIA. W.	CLITORIA.	Leguminosæ. J.				
1 Ternatea. W.	wing-leaved.		E. Ind.	1739. 7.8.	S. h.	Bot. mag. 1542.
2 heterophylla. V.	various-leaved.			1812. —	S.⊙	Vent. choix. t. 26.
3 brasiliæna. W.	Brazilian.		Brazil.	1759. —	S.⊙	Breyn. cent. t. 32.
4 virginica. W.	small-flowered.		America.	1732. —	S. h.	Par. lond. 51.
5 mariana. W.	Maryland.		N. America.	1759. 8.	H. h.	
6 arborescens. H. K.	tree.		Trinidad.	1804.	S. h.	
7 Plumieri. B. reg.	Plumier's.		W. Ind. 9.11.	S. h.	Bot. reg. 268.
GALACTIA. Mi.	GALACTIA.	Leguminosæ. J.	Clitoria sp. IV.			
pendula. B. reg.	pendulous.		Jamaica.	1794. 7.8.	S. h.	Bot. reg. 269.
PISUM. W.	PEA.	Leguminosæ. J.				
1 sativum. W.	common.		S. Europe. 6.9.	H.⊙	Lam. ill. t. 633.
2 arvense. W.	field.			H.⊙	
3 maritimum. W.	sea.		England. 7.	H. h.	Eng. bot. 1046.
OCHRUS. P. S.	OCHRUS.	Leguminosæ. J.				
pallida. P. S.	yellow-flowered.		S. Europe.	1635. 6.7.	H.⊙	Schk. hand. 2. t. 280.
<i>Pisum Ochrus. IV. Lathyrus Ochrus. Dec.</i>						

OROBUS. W.		BITTER-VETCH. Leguminosæ. J.					
1	lathyroides. W.	upright.	Siberia.	1758.	6.	H. 2.	Amm. ruth. t. 7. f. 2.
2	luteus. W.	yellow.	_____	1759.	6.7.	H. 2.	Gmel. sib. 4. t. 4.
3	vernus. W.	spring.	Europe.	1629.	3.4.	H. 2.	Bot. mag. 521.
4	tuberosus. W.	tuberos.	Britain.	5.6.	H. 2.	Eng. bot. 1153.
5	albus. W.	white-flowered.	Austria.	1794.	—	H. 2.	Jac. aust. 1. t. 39.
6	varius. H. K.	parti-coloured.	Italy.	1759.	5.6.	H. 2.	Bot. mag. 675.
7	angustifolius. W.	narrow-leaved.	Siberia.	1766.	—	H. 2.	Gmel. sib. 4. t. 5.
8	niger. W.	black.	Europe.	1696.	6.7.	H. 2.	Flor. dan. t. 1170.
9	pyrenaicus. W.	Pyrenean.	Spain.	1699.	5.6.	H. 2.	Pluk. alm. t. 210. f. 2.
10	sylvaticus. W.	wood.	Britain.	5.7.	H. 2.	Eng. bot. 518.
11	ochroleucus. P. S.	sulphur-colour ^d .	Hungary.	1816.	—	H. 2.	Phar. hung. 2. t. 118
LATHYRUS. W.		Leguminosæ. J.					
1	Aphaca. W.	Yellow Vetchling.	England.	6.7.	H. 2.	Eng. bot. 1167.
2	Nissolia. W.	crimson.	_____	5.	H. 2.	— 112.
3	amphicarpos. W.	Earth Pea.	Levant.	1680.	6.7.	H. 2.	Mor. his. 2. t. 23. f. 1.
4	Cicera. W.	flat-podded.	S. Europe.	1633.	—	H. 2.	Ger. emac. f. 3.
5	sativus. W.	Chickling Vetch.	_____	1640.	—	H. 2.	Bot. mag. 115.
6	inconspicuus. W.	small-flowered.	Levant.	1739.	7.8.	H. 2.	Jac. vind. 1. t. 86?
7	setifolius. W.	bristle-leaved.	S. Europe.	—	6.7.	H. 2.	—
8	coccineus. P. S.	scarlet.	Italy.	1800.	—	H. 2.	—
9	sphaericus. W.	round-seeded.	S. Europe.	1801.	—	H. 2.	—
10	angulatus. W.	angular-seeded.	_____	1683.	—	H. 2.	Bux. cent. 3. t. 42. f. 2
11	spurius. W. en.	bastard.	1815.	—	H. 2.	—
12	monanthos. W.	one-flowered.	Russia.	1731.	5.7.	H. 2.	—
13	articulatus. W.	joint-podded.	S. Europe.	1640.	7.8.	H. 2.	Bot. mag. 253.
14	odoratus. W.	Sweet Pea.	Sicily.	1700.	6.7.	H. 2.	— 60.
15	grandiflorus. B. M.	perennial.	S. Europe.	1814.	6.8.	H. 2.	— 1938.
16	annuus. W.	two-flowered.	_____	1621.	—	H. 2.	—
17	tingitanus. W.	Tangier.	Barbary.	1680.	—	H. 2.	Bot. mag. 100.
18	Clymenum. W.	various-flowered.	Levant.	1713.	6.7.	H. 2.	Pluk. alm. t. 114. f. 6.
19	hirsutus. W.	rough-podded.	England.	7.	H. 2.	Eng. bot. 1255.
20	magellanicus. W.	Lord Anson's Pea.	Cape Horn.	1744.	6.7.	H. 2.	—
21	tuberosus. W.	tuberos.	Holland.	1596.	7.8.	H. 2.	Bot. mag. 111.
22	pratensis. W.	meadow.	Britain.	6.8.	H. 2.	Eng. bot. 670.
23	sylvestris. W.	{ Wood Ever- lasting Pea. }	_____	7.9.	H. 2.	— 805.
24	latifolius. W.	{ broad-leaved everlasting. }	England.	—	H. 2.	— 1108.
25	heterophyllus. W.	various-leaved.	Europe.	1731.	—	H. 2.	—
26	palustris. W.	marsh.	Britain.	7.8.	H. 2.	Eng. bot. 169.
27	incurvus. W.	curve-podded.	Russia.	1802.	—	H. 2.	Buxb. cent. 4. t. 46.
28	pisiformis. W.	Siberian.	Siberia.	1759.	6.7.	H. 2.	Lin. fil. dec. t. 20.
VICIA. W.		VETCH. Leguminosæ. J.					
1	pisiformis. W.	Pea-shaped.	Austria.	1739.	7.8.	H. 2.	Jac. aust. 4. t. 364.
2	dumetorum. W.	great wood.	France.	1752.	5.6.	H. 2.	Spreng. fl. hal. t. 7.
3	sylvatica. W.	common wood.	Britain.	7.8.	H. 2.	Eng. bot. 79.
4	cassubica. W.	Cassubian.	Germany.	1711.	6.7.	H. 2.	Jac. aust. 3. t. 229.
5	atropurpurea. W.	dark purple.	Algiers.	1815.	—	H. 2.	Vent. cels. t. 84.
6	villosa. W.	villous.	Germany.	—	—	H. 2.	—
7	Cracca. W.	tufted.	Britain.	6.8.	H. 2.	Eng. bot. 1168.
8	tenuifolia. W.	slender-leaved.	Germany.	1799.	6.7.	H. 2.	—
9	onobrychioides. W.	Saintfoin.	S. Europe.	1789.	—	H. 2.	All. ped. 1. t. 42. f. 1.
10	biennis. W.	biennial.	Siberia.	1753.	7.9.	H. 2.	Gmel. sib. 4. t. 2.
11	nissoliana. W.	red-flowered.	Levant.	1773.	6.7.	H. 2.	—
12	benghalensis. W.	Bengal.	E. Ind.	1792.	—	S. 2.	Herm. lugd. t. 626.
13	canescens. W.	hoary.	Libanus.	1800.	6.8.	H. 2.	Labill. syr. t. 7.
14	capensis. W.	Cape.	C. B. S.	1802.	—	G. 2.	—
15	pellucida. W.	pellucid.	_____	1812.	—	G. 2.	Jac. schœm. 2. t. 222.
16	Ervilia. W.	effical.	S. Europe.	1596.	6.7.	H. 2.	Blackw. t. 208. f. 3.
17	biflora. W.	two-flowered.	Algiers.	1801.	6.8.	H. 2.	Desf. atl. 2. t. 197.
18	globosa. W.	globular.	1804.	—	H. 2.	—
19	sativa. W.	common.	Britain.	5.6.	H. 2.	Eng. bot. 334.
	β segetalis.	hedge.	_____	—	—	—	—
	γ nemoralis.	wood.	_____	—	—	—	—
20	angustifolia. P. S.	narrow-leaved.	Germany.	—	H. 2.	—
21	amphicarpos. P. S.	subterraneous.	France.	1815.	—	H. 2.	Clus. exot. t. 88.
22	lathyroides. W.	spring.	Britain.	4.6.	H. 2.	Eng. bot. 30.
23	lutea. W.	yellow.	_____	6.8.	H. 2.	— 481.
24	hybrida. W.	hairy-flowered.	England.	—	H. 2.	— 482.

25 laevigata. W.	smooth-podded.	Leguminosæ. J.	England.	7.8. H. 2.	Eng. bot. 483.
26 megalosperma. W. en.	Taurian.		Tauria.	1798.	— H. 0.	
27 articulata. W. en.	jointed.		—	H. 0.	
28 pannonica. W.	Hungarian.		Hungary.	1658.	6.7. H. 0.	Jac. aust. 1. t. 84.
29 sordida. W.	sordid.		—	1802.	— H. 0.	Pl. rar. hung. 2. t. 134
30 Michauxii. W. en.	white-flowered.		1803.	7.8. H. 0.	
31 peregrina. W.	broad-podded.		France.	1779.	— H. 0.	Pluk. alm. t. 233. f. 6.
32 monantha. W.	single-flowered.		Barbary.	1790.	— H. 0.	
33 sepium. W.	bush.		Britain.	5.6. H. 2.	Eng. bot. 1515.
34 bithynica. W.	purple.		England.	7.8. H. 2.	Jac. vind. 2. t. 147.
35 platycarpus. W.	flat-podded.		Germany.	1723.	— H. 0.	Roth. abhand. t. 1.
36 narbonensis. W.	broad-leaved.		France.	1596.	6.7. H. 0.	— t. 2.
37 serratifolia. W.	saw-leaved.		Hungary.	1723.	— H. 0.	Jac. aust. app. t. 8.
38 Faba. W.	Garden Bean.		Egypt.	— H. 0.	
<i>β equina.</i>	Horse Bean.					
ERVUM. W.	TARE.	Leguminosæ. J.				
1 Lens. L.	Lentil.		France.	1548.	5. H. 0.	
<i>Cicer Lens. W. Lens esculenta. Manch.</i>						
2 tetraspermum. W.	smooth.		Britain.	6. H. 0.	Eng. bot. 1223.
3 hirsutum. W.	hairy.		6.7. H. 0.	—	970.
4 dispernum. W. en.	two-seeded.		E. Ind.	1802.	— H. 0.	
CICER. W.	CHICK PEA.	Leguminosæ J.				
arietinum. W.	common.		S. Europe.	1548.	7.8. H. 0.	Schk. hand. 2. t. 202.
LIPARIA. W.	LIPARIA.	Leguminosæ. J.				
1 sphaerica. W.	globe-flowered.		C. B. S.	1794.	7.8. G. h.	Bot. mag. 1241.
2 capitata. W.	headed.		—	1812.	— G. h.	
3 tomentosa. W.	downy.		—	—	— G. h.	
4 vestita. W.	concave-leaved.		—	1800.	5.6. G. h.	Bot. rep. 382.
5 graminifolia. W.	narrow-leaved.		—	—	6.7. G. h.	
6 villosa. W.	woolly.		—	1774.	— G. h.	{ Hoult. nat. his. 5. t. 29. f. 1.
7 hirsuta. W.	shaggy-stemmed.		—	1792.	12.4. G. h.	Bot. reg. 8.
8 sericea. W.	silky-leaved.		—	1794.	6.7. G. h.	
CYTISUS. W.	CYTISUS.	Leguminosæ. J.				
1 Laburnum. W.	{ Common Laburnum.		Switzerland.	1596.	5.6. H. h.	Bot. mag. 176.
2 alpinus. W. en.	{ Scotch Laburnum.		Europe.	—	6. H. h.	
3 tomentosus. B. R.	tomentose.		C. B. S.	1798.	7.8. G. h.	Bot. rep. 237.
4 nigricans. W.	black-rooted.		Austria.	1730.	6.7. H. h.	Jac. aust. t. 387.
5 foliolosus. W.	leafy.		Canaries.	1779.	7.8. G. h.	Bot. mag. 426.
6 divaricatus. W.	clammy.		S. Europe.	1656.	— F. h.	— 1387.
7 sessilifolius. W.	common.		Italy.	1629.	5.6. H. h.	— 255.
8 wolgaricus. W.	wing-leaved.		Siberia.	1786.	— H. h.	Pall. ross. 1. t. 47.
9 Cajan. W.	Pigeon Pea.		E. Ind.	1687.	7.8. S. 3.	Rheed. mal. 6. t. 13.
10 nanus. W. en.	dwarf.		Levant.	1816.	5.6. G. h.	
11 hirsutus. W.	hairy.		S. Europe.	1739.	6.8. H. h.	Jac. obs. 4. t. 96.
12 capitatus. W.	cluster-flowered.		Austria.	1774.	6.7. H. h.	Schmidt arb. 1. t. 29.
13 austriacus. W.	Austrian.		—	1741.	6.9. H. h.	Jac. aust. 1. t. 21.
14 leucanthus. W.	cream-coloured.		Hungary.	1806.	6.7. H. h.	Bot. mag. 1438.
15 purpureus. W.	purple-flowered.		Austria.	1792.	5.8. H. h.	— 1176.
16 supinus. W.	trailing.		S. Europe.	1755.	— H. h.	Jac. aust. 1. t. 20.
17 biflorus. W.	two-flowered.		Hungary.	1760.	5.6. H. h.	Pl. rar. hung. 2. t. 166
18 falcatus. W. en.	sickle-shaped.		—	1816.	6.8. H. h.	— 3. t. 238
19 triflorus. W.	three-flowered.		Spain.	1640.	6.7. H. h.	
20 elongatus. W. en.	long-branched.		Hungary.	1804.	5.6. H. h.	Pl. rar. hung. 2. t. 183
21 rhombifolia. Ph.	rhomb-leaved.		Louisiana.	1811. H. h.	
22 proliferus. W.	silky.		Canaries.	1779.	4.5. G. h.	Bot. reg. 121.
23 argenteus. W.	silver-leaved.		France.	1739.	8. H. h.	
MULLERA. W.		Leguminosæ. J.				
moniliformis. W.	bracelet.		Guiana.	1792. S. h.	
GEOFFROYA. W.	{ BASTARD CAR- BAGE-TREE.	Leguminosæ. J.				
inermis. W.	smooth.		Jamaica.	1778. S. h.	Phil. tran. 1777. t. 10
ROBINIA. W.	ROBINIA.	Leguminosæ. J.				
1 Pseudacacia. W.	Common Acacia.		N. America.	1640.	5.6. H. h.	Schmidt arb. 1. t. 32.
<i>β inermis.</i>	smooth large-ld.					
2 viscosa. W.	clammy.		—	1797.	6.8. H. h.	Bot. mag. 560.
3 violacea. W.	Ash-leaved.		W. Ind.	1759. S. h.	

4 hispida. W.	Rose-acacia.	Leguminosæ. J.	Carolina.	1743. 5.9. H. h.	Bot. mag. 311.
<i>β rosea.</i>	<i>upright.</i>				
5 Caragana. W.	Caragana.		Siberia.	1752. 4.5. H. h.	Schmidt arb. 1. t. 33.
6 arenaria.	sand.			1802. 6.7. H. h.	Bot. mag. 1686.
7 Altagana. W.	flat-podded.			1789. 4.6. H. h.	L'Her. stirp. t. 76.
8 jubata. W.	bearded.			1796. H. h.	Pall. act. pet. 10. t. 6.
9 tragacanthoides. W.	Goat's-thorn-like.			1816. H. h.	10. t. 7.
10 spinosa. W.	thorny.			1775. 4.5. H. h.	Schmidt arb. 1. t. 36.
11 Halodendron. W.	Salt-tree.			1779. 5.6. H. h.	Bot. mag. 1016.
12 Chamlagu. W.	shining.		China.	1773. H. h.	L'Her. stirp. t. 77.
13 frutescens. W. K.	shrubby.		Siberia.	1752. 4.5. H. h.	Schmidt arb. 1. t. 34.
14 pygmæa. W.	dwarf.			1751. H. h.	1. t. 37.
15 candida. Rox.	white-leaved.		E. Ind.	1810. S. h.	
COLUTEA. H. K.	BLADDER-SENNA.	Leguminosæ. J.			
1 arborescens. W. en.	common.		France.	1568. 6.8. H. h.	Bot. mag. 81.
2 media. W. en.	smaller.	 H. h.	
3 cruenta. W. en.	oriental.		Levant.	1710. 6.7. H. h.	Schmidt arb. t. 119.
4 Pocockii. W. en.	Pocock's.			1752. 5.10. H. h.	1. t. 120.
SWAINSONA. H. K.	SWAINSONA.	Leguminosæ. J.	<i>Loxidum. Vent.</i>		
1 galegifolia. H. K.	red-flowered.		N. S. W.	1800. 7.8. G. h.	Bot. mag. 792.
2 coronillifolia. H. K.	purple-flowered.			1802. G. h.	1725.
SUTHERLANDIA. } H. K.	SUTHERLANDIA.	Leguminosæ. J.	<i>Colutea sp. W.</i>		
frutescens. H. K.	scarlet.		C. B. S.	1683. 6.7. G. h.	Bot. mag. 181.
LESSERTIA. H. K.	LESSERTIA.	Leguminosæ. J.	<i>Colutea sp. W.</i>		
1 annua. H. K.	annual.		C. B. S.	1731. 6.7. G. h.	Comm. hort. 2. t. 44.
2 diffusa. H. K.	procumbent.			1792. 7.8. G. h.	Jac. ic. 3. t. 576.
3 perennans. H. K.	perennial.			1753. 8. G. h.	Jac. vind. 3. t. 3.
GLYCYRRHIZA. W.	LIQUORICE.	Leguminosæ. J.			
1 echinata. W.	prickly-headed.		Italy.	1596. 6.9. H. h.	Jac. vind. 1. t. 95.
2 glandulifera. W.	glandulous.		Hungary.	1805. 6.8. H. h.	Pl. rar. hung. 1. t. 21.
3 lepidota. Ph.	silky-leaved.		Missouri.	1811. 7.8. H. h.	
4 glabra. W.	common.		S. Europe.	1562. H. h.	Lam. ill. t. 625. f. 2.
5 asperima. W.	rough.		Siberia.	1795. H. h.	Pall. it. app. t. M. f. 3.
6 hirsuta. W.	hairy.		Levant.	1739. H. h.	
SESBANA. H. K.	SESBANA.	Leguminosæ. J.	<i>Coronilla sp. W.</i>		
1 grandiflora. H. K.	great-flowered.		E. Ind.	1768. 7.8. S. h.	Rheed. mal. 1. t. 51.
2 ægyptiaca. H. K.	Egyptian.		Egypt.	1680. S. h.	Alp. ægypt. 81. t. 82.
3 aculeata. H. K.	prickly.		E. Ind.	1690. S. h.	Jac. ic. 3. t. 564.
4 canabina. P. S.	Hemp.			1800. S. h.	
CORONILLA. H. K.	CORONILLA.	Leguminosæ. J.			
1 Emerus. W.	Scorpion Senna.		France.	1596. 4.6. H. h.	Bot. mag. 445.
2 juncea. W.	Rush.			1656. 6.7. G. h.	Barr. ic. 133.
3 valentina. W.	nine-leaved.		S. Europe.	1596. 11.3. G. h.	Bot. mag. 185.
4 glauca. W.	seven-leaved.		France.	1722. 9.5. G. h.	13.
5 viminalis. H. K.	slender.		Mogador.	1798. 5.11. G. h.	Par. lond. 13.
6 coronata. W.	large-headed.		S. Europe.	1776. 6.7. F. h.	Bot. mag. 907.
7 minima. W.	least.			1658. 7. F. h.	Jac. aust. 3. t. 271.
8 argentea. W.	silvery-leaved.		Crete.	1664. 5.6. G. h.	Mill. ic. 2. t. 289. f. 1.
9 varia. W.	purple.		Europe.	1597. 6.11. H. h.	Bot. mag. 258.
10 cretica. W.	Cretan.		Candia.	1731. 6.7. H. h.	Jac. vind. 1. t. 25.
11 Securidaca. W.	Hatchet-vetch.		Spain.	1562. 7.8. H. h.	{ Gært. de fr. 2. t. 153. f. 3.
ORNITHOPUS. W.	BIRD'S-FOOT.	Leguminosæ. J.			
1 perpusillus. W.	common.		Britain. 5.8. H. h.	Eng. bot. 369.
2 ebracteatus. H. K.	round-podded.		Portugal. 5.6. H. h.	
3 compressus. W.	hairy.		S. Europe.	1730. 6.7. H. h.	
4 durus. W.	perennial.		Spain.	1805. H. h.	Cav. ic. 1. t. 41.
5 scorpioides. W.	Purslane-leaved.		S. Europe.	1596. H. h.	1. t. 37.
6 repandus. P. S.	repand.		Barbary.	1805. H. h.	Lam. ill. t. 631. f. 2.
HIPPOCREPIS. W.	{ HORSESHOE- VETCH. }	Leguminosæ. J.			
1 unisiliquosa. W.	single-podded.		Italy.	1570. 6.7. H. h.	Lam. ill. t. 630.
2 multisiliquosa. W.	many-podded.		S. Europe.	1683. 7.8. H. h.	Schk. hand. 2. t. 206.
3 balearica. W.	shrubby.		Minorca.	1776. 5.6. G. h.	Bot. mag. 427.
4 comosa. W.	tufted.		England. 4.8. H. h.	Eng. bot. 31.
SCORPIURUS. W.	CATERPILLAR.	Leguminosæ. J.			
1 vermiculata. W.	common.		S. Europe.	1621. 6.7. H. h.	Mor. hist. 2. t. 11. f. 3.
2 muricata. W.	two-flowered.			1640. H. h.	2. t. 11. f. 4.

3 sulcata. W.	three-flowered.	Leguminosæ. J.	S. Europe.	1596. 6.7.	H.⊙.	Desf. atl. 2. f. 4.
4 subbrillosa. W.	four-flowered.	Leguminosæ. J.	—	1731. —	H.⊙.	Mor. hist. 2. t. 11. f. 2.
MITHIA. W.	SMITHIA.	Leguminosæ. J.	—	—	—	—
sensitiva. W.	annual.	—	E. Ind.	1785. 7.10.	S.⊙.	Par. lond. 92.
ESCHYNOMENE. H. K.	ÆSCHYNOMENE.	Leguminosæ. J.	—	—	—	—
1 sensitiva. W.	shrubby.	—	W. Ind.	1733.	S. h.	Plum. ic. t. 149.
2 aspera. W.	rough-stemmed.	—	E. Ind.	1759. 6.7.	S.⊙.	Breyn. cent. t. 52.
3 hispida. W.	hispid.	—	N. America.	1803. 8.	H.⊙.	—
4 americana. W.	hairy.	—	Jamaica.	1732. 7.8.	S. .	Sloan. h. 1. t. 118. f. 3.
5 indica. W.	Indian.	—	E. Ind.	1799. 6.7.	S.⊙.	Rheed. mal. 9. t. 18.
HALLIA. Th.	HALLIA.	Leguminosæ. J.	—	—	—	—
1 flaccida. W.	long-leaved.	—	C. B. S.	1789. 8.9.	G. ♂.	—
2 cordata. W.	heart-leaved.	—	—	1787. 8.	G. ♀.	Jac. schorn. 3. t. 296.
3 imbricata. W.	imbricated.	—	—	1812. —	G. h.	Bot. mag. 1850.
LESPEDEZA. Mich.	LESPEDEZA.	Leguminosæ. J.	Hedysari sp. IV.	—	—	—
1 fruticosa. P. S.	shrubby.	—	Virginia.	1739. 7.8.	H. h.	Jac. vind. 3. t. 89.
2 sessiliflora. Ph.	sessile-flowered.	—	N. America. 7.	H. ♀.	—
3 juncea. P. S.	slender-branch'd.	—	India.	1776. 7.8.	S. ♀.	Linn. fl. dec. 1. t. 4.
4 capitata. Ph.	headed.	—	N. America.	1789. 6.7.	H. ♀.	—
5 polystachia. Ph.	hairy.	—	—	— 6.8.	H. ♀.	Mich. amer. 2. t. 40.
6 violacea. Ph.	Violet-flowered.	—	—	— 7.8.	H. ♀.	—
7 lagopodioides. P. S.	Hare's-foot-like.	—	China.	1790. 5.6.	G. ♀.	Burm. ind. t. 53. f. 2.
HEDYSARUM. W.	HEDYSARUM.	Leguminosæ. J.	—	—	—	—
1 Alhagi. W.	prickly-stem'd.	—	Levant.	1714. 7.8.	G. h.	Rauw. it. 94. t. 14.
2 bupleurifolium. W.	Hare's-ear-leav'd.	—	India.	1793. —	S. ♂.	Roxb. cor. 2. t. 194.
3 nummularifolium. W.	Moneywort-lea'd.	—	—	1777. 7.9.	S.⊙.	Pet. gaz. t. 26. f. 4.
4 styracifolium. W.	Storax-leaved.	—	E. Ind.	1796.	S. h.	—
5 gangeticum. W.	oval-leaved.	—	—	1762. 7.8.	S.⊙.	Burm. zel. t. 49. f. 2.
6 triquetrum. W.	triangular-stalk'd.	—	—	1802. —	S. ♂.	Burm. ind. t. 52. f. 2.
7 maculatum. W.	spotted.	—	India.	1782. 6.8.	S.⊙.	Dill. elt. t. 141. f. 168.
8 vaginale. W.	scented.	—	E. Ind.	1790. 7.8.	S.⊙.	Burm. zeyl. t. 49. f. 1.
9 sagittatum. P. S.	arrow-leaved.	—	—	1807.	S. h.	—
10 vespertilionis. W.	bat-winged.	—	Cochinchina.	1780. 7.8.	S. ♂.	Jac. ic. 3. t. 566.
11 tomentosum. W.	woolly.	—	China.	1782. 6.7.	G. ♀.	—
12 umbellatum. W.	umbel-flowered.	—	E. Ind.	1801.	S. h.	Jac. schorn. 3. t. 297.
13 biarticulatum. W.	jointed.	—	—	1808.	S. h.	Burm. zeyl. t. 50. f. 2.
14 gyrans. W.	Moving-plant.	—	—	1775. 7.8.	S. ♂.	Jac. ic. 3. t. 565.
15 trigonum. W.	three-sided.	—	Jamaica.	1733. —	S. h.	—
16 canadense. W.	Canadian.	—	N. America.	1640. —	H. ♀.	Corn. canad. t. 45.
17 canescens. Ph.	hoary.	—	—	1733. —	H. ♀.	—
18 marilandicum. W.	Maryland.	—	—	1725. 7.10.	H. ♀.	Dill. elt. t. 144. f. 171.
19 obtusum. Ph.	obtuse.	—	—	1805. 7.8.	H. ♀.	—
20 capitatum. W.	headed.	—	Ceylon. 7.	S. h.	Burm. ind. t. 54. f. 1.
21 tortuosum. W.	twisted-podded.	—	Jamaica.	1781. 7.8.	S. h.	Slo jam. 1. t. 116. f. 2.
22 viridiflorum. W.	green-flowered.	—	N. America.	1787. 7.9.	H. ♀.	Pluk. alm. t. 308. f. 5.
23 paniculatum. W.	panicled.	—	—	1781. 7.	H. ♀.	Pluk. man. t. 432. f. 6.
24 tuberosum. W.	tuberous.	—	E. Ind.	1806.	S. h.	—
25 cuspidatum. W.	sharp-pointed.	—	N. America.	— 7.8.	H. ♀.	—
26 glutinosum. W.	glutinous.	—	—	1805. —	H. ♀.	—
27 serotinum. W. en.	late-flowering.	—	— 7.9.	H. ♀.	—
28 triflorum. W.	three-flowered.	—	India.	1796. 6.7.	S. ♂.	Burm. ind. t. 54. f. 2.
29 pictum. W.	painted-leaved.	—	E. Ind.	1788.	S. h.	Jac. ic. 3. t. 567.
30 argenteum. W.	silver-leaved.	—	Siberia.	1796. 7.8.	H. ♀.	Pall. it. 2. t. 9.
31 fruticosum. W.	Siberian shrubby.	—	—	1782. 6.7.	H. h.	— 2. t. 5. f. 1.
32 alpinum. W.	Alpine.	—	—	1798. —	H. ♀.	{ Gmel. sib. 4. n. 35. t. 10.
33 obscurum. W.	creeping-rooted.	—	Alps of Eur.	1640. 7.8.	H. ♀.	Bot. mag. 282.
34 tauricum. W.	Taurian.	—	Tauria.	1804. 7.	H. ♀.	—
35 roseum. H. K.	Rose-coloured.	—	Caucasus.	1803. 7.8.	H. ♀.	Bot. mag. 996.
36 coronarium. W.	{ French Honey-suckle.	—	Italy.	1596. 6.7.	H. ♂.	—
37 flexuosum. W.	wave-podded.	—	Asia.	1680. 7.8.	H.⊙.	Schk. hand. 2. t. 207.
38 humile. W.	dwarf.	—	Spain.	1640. —	H. ♀.	—
39 muricatum. W.	prickly-podded.	—	Patagonia.	1793. 6.7.	F. ♀.	Jac. ic. 3. t. 568.
40 spinosissimum. W.	thorny.	—	Spain.	1731. 7.8.	H.⊙.	Pluk. alm. t. 50. f. 2.
41 Onobrychis. W.	Saint-foin.	—	Britain. 6.7.	H. ♀.	Eng. bot. 96.
42 saxatile. W.	rock.	—	S. Europe.	1790. 6.8.	H. ♀.	All. ped. 1. t. 19. f. 1.
43 album. P. S.	white.	—	Hungary.	1804. —	H. ♀.	Pl. rar. hung. 2. t. 111.

44 Caput-galli. W.	Cock's-head.	Leguminosæ. J.	France.	1731. 7.8.	H.⊙.	
46 Crista-galli. W.	Cock's-comb.		S. Europe.	1710. 6.8.	H.⊙.	
46 crinitum. W.	crook-podded.		E. Ind.	1780. 7.9.	S. h.	Burm. ind. t. 56.
ZORNIA. Mich.	ZORNIA.	Leguminosæ. J.	<i>Hedysari sp. W.</i>			
1 pulchella. P. S.	neat Indian.		E. Ind.	1799. 7.8.	S. h.	Burm. zeyl. t. 52.
2 diphylla. P. S.	two-leaved.		India.	1733. —	S.⊙.	Rheed. mal. 9. t. 82.
FLEMINGIA. Rox.	FLEMINGIA.	Leguminosæ. J.	<i>Hedysari sp. W.</i>			
1 stricta. H. K.	straight.		India.	1798. 7.9.	S. h.	
2 semialata. H. K.	many-spiked.		Nepaul.	1805. 7.8.	S. h.	
3 congesta. H. K.	crowded-spiked.		India.	1802. 7.9.	S. h.	
4 nana. H. K.	dwarf.		—	1804. 8.	S. h.	
5 lineata. H. K.	branch-spiked.		—	1793. 7.8.	S. j.	Burm. ind. t. 53. f. l.
6 strobilifera. H. K.	Beech-leaved.		E. Ind.	1787. —	S. h.	Linn. zeyl. t. 3.
INDIGOFERA. W.	INDIGO.	Leguminosæ. J.				
1 filifolia. W.	naked-stalked.		C. B. S.	1812. 7.10.	G. h.	Bot. reg. 104.
2 linifolia. W.	Flax-leaved.		E. Ind.	1792. 7.8.	S.⊙.	Rox. cor. 2. t. 194.
3 psoraloides. W.	long-spiked.		C. B. S.	1758. 7.9.	G. h.	Bot. mag. 476.
4 candicans. W.	white-leaved.		—	1774. 5.9.	G. h.	— 198.
5 amœna. W.	scarlet-flowered.		—	— 3.4.	G. h.	Jac. schœn. 2. t. 234.
6 incana. W.	hoary.		—	1812. 6.7.	G. h.	
7 sarmentosa. W.	dwarf.		—	1786. 6.7.	G. h.	
8 denudata. W.	smooth-leaved.		—	1790. 5.7.	G. h.	
9 trita. W.	oval-leaved.		E. Ind.	1803. 6.7.	S. j.	Jac. schœn. 2. t. 233.
10 microphylla. P. S.	small-leaved.		C. B. S.	1812. 1.12.	G. h.	
11 coriacea. W.	leathery-leaved.		—	1774. 7.8.	G. h.	
12 enneaphylla. W.	trailing.		E. Ind.	1776. —	S.⊙.	Burm. ind. t. 55. f. l.
13 cytisoides. W.	angular-stalked.		C. B. S.	1774. —	G. h.	Bot. mag. 742.
14 stricta. W.	upright.		—	1812. —	G. h.	Jac. schœn. 3. t. 236.
15 hirsuta. W.	hairy-leaved.		E. Ind.	1759.	S. h.	Burm. zeyl. t. 14.
16 angustifolia. W.	narrow-leaved.		C. B. S.	1774. 6.10.	G. h.	Bot. mag. 465.
17 australis. W.	Botany Bay.		N. S. W.	1790. 3.8.	G. h.	Vent. malm. 45.
18 viscosa. W.	clammy.		E. Ind.	1806. 6.7.	S.⊙.	Sert. han. 2. t. 12.
19 Anil. W.	West Indian.		W. Ind.	1731. 7.8.	S. j.	
20 tinctoria. W.	East Indian.		E. Ind.	—	S. h.	Rheed. mal. 1. t. 54.
21 argentea. W.	silver-leaved.		W. Ind.	1776. —	S. h.	L'Her. stirp. t. 79.
TEPHROSIA. P. S.	TEPHROSIA.	Leguminosæ. J.	<i>Galega sp. W.</i>			
1 toxicaria. P. S.	Fish Poison.		S. America.	1791.	S. h.	Plum. ic. t. 135.
2 virginiana. Ph.	Virginian.		N. America.	1765. 6.8.	H. h.	Pluk. alm. t. 23. f. 2.
3 grandiflora. P. S.	Rose-coloured.		C. B. S.	1774. 5.9.	G. h.	
4 stricta. P. S.	upright.		—	1774. 5.6.	G. h.	Scop. insub. 1. t. 3.
5 pallens. P. S.	pale-flowered.		—	1787. 6.8.	G. h.	
6 villosa. P. S.	villous.		E. Ind.	1779. 6.7.	S. h.	Pluk. alm. t. 59. f. 6.
7 piscatoria. P. S.	woolly.		India.	1778. —	S. j.	
8 purpurea. P. S.	purple.		E. Ind.	1768. 7.8.	S. h.	Burm. zeyl. t. 82.
GALEGA. P. S.	GOAT'S RUE.	Leguminosæ. J.				
1 officinalis. W.	officinal.		Spain.	1568. 6.9.	H. h.	Sch. hand. 2. t. 208. a.
α cœrulea.	blue-flowered.					
β alba.	white-flowered.					
2 orientalis. W.	oriental.		Levant.	1801. 6.8.	H. h.	
3 caribæa. W.	Caribbean.		Caribees.	1786. 6.7.	S. h.	Jac. amer. t. 123.
4 ochroleuca. W.	sulphur-colour'd		1799.	S. h.	Jac. ic. 1. t. 150.
5 Heyniana. Rox.	Heyne's.		E. Ind.	1807. 7.	S. j.	
PHACA. W.	BASTARD VETCH	Leguminosæ. J.				
1 hortica. W.	hairy.		Spain.	1640. 7.	H. h.	Moris. s. 2. t. 8. f. l.
2 frigida. W.	small.		Austria.	1795. —	H. h.	Jac. aust. t. 168.
3 alpina. W.	smooth Alpine.		—	1759. —	H. h.	Jac. ic. 1. t. 151.
4 australis. W.	trailing.		S. Europe.	1779. 5.6.	H. h.	Jac. misc. 2. t. 3.
5 arenaria. W.	sand.		Siberia.	1796. 7.8.	H. h.	Pall. it. 3. t. Cc. f. 1. 8.
6 astragalina. P. S.	procumbent.		N. Europe.	1771. 6.7.	H. h.	Fl. dan. 51.
<i>Astragalus alpinus. W.</i>						
OXYTROPIS. Dec.	OXYTROPIS.	Leguminosæ. J.	<i>Astragali sp. W.</i>			
1 montana. P. S.	mountain.		Austria.	1581. 7.8.	H. h.	Bot. mag. 843.
2 Lambertii. Ph.	Lambert's.		Missouri.	1811. 8.9.	H. h.	
3 uralensis. P. S.	silky.		Siberia.	1800. 7.	H. h.	Pall. astrag. t. 42.
4 sordida. P. S.	hairy mountain.		Scotland. 5.8.	H. h.	Eng. bot. 465.
<i>Astragalus uralensis. E. B.</i>						
5 campestris. P. S.	field.		Germany.	1778. 6.7.	H. h.	Pl. rar. hung. 2. t. 180.
6 uncata. P. S.	Aleppo.		Aleppo.	1768. 7.8.	H.⊙.	
7 altaica. P. S.	Altai.		Siberia.	1802. 7.9.	H. h.	Pall. astrag. t. 45.
8 cynobarpus. P. S.	bow-podded.		Portugal.	1800. 7.8.	H.⊙.	

9 pilosa. P. S.	pale-flowered.	Leguminosæ. J.	Siberia.	1732.	6.8.	H. 2.	Jac. aust. 1. t. 51.
10 decubata. P. S.	mealy.		Caucasus.	1803.	7.8.	H. 2.	Pall. astrag. t. 23. f. 2.3
11 deflexa. P. S.	small-flowered.		Siberia.	1800.	6.7.	H. 2.	Jac. ic. 1. t. 153.
<i>Astragalus parviflorus. W.</i>							
12 dichoptera. P. S.	pubescent.			1815.	—	H. 2.	Pall. astrag. t. 39.
ASTRAGALUS. Dec.		MILK VETCH.	Legum. nosæ. J.				
1 christianus. W.	great yellow.		Armenia.	1737.	7.	H. 2.	Tourn. it. 2. t. 254.
2 tomentosus. W.	downy-leaved.		Egypt.	1800.	7.	G. 2.	Dec. astrag. t. 29.
3 alopecuroides. W.	Fox-tail-like.		Spain.	1737.	6.7.	H. 2.	Pall. astrag. t. 8.
4 vulpinus. W.	Fox-tail.		Siberia.	1815.	—	H. 2.	— t. 7.
5 narbonensis. W.	French.		S. Europe.	1789.	—	H. 2.	— t. 10.
6 capitatus. W.	headed.		Levant.	1759.	7.8.	H. 2.	—
7 sulcatus. W.	furrowed.		Siberia.	1785.	7.	H. 2.	Jac. vind. 3. t. 40.
8 melilotoides. W.	Melilot-like.			—	6.7.	H. 2.	Pall. astrag. t. 41.
9 virgatus. W.	twigg.			1806.	5.8.	H. 2.	— t. 18.
10 tenuifolius. W.	fine-leaved.			1780.	7.8.	H. 2.	—
11 asper. W.	rough Astracan.		Astracan.	1796.	—	H. 2.	Jac. ic. t. 152.
12 galegiformis. W.	Goat's-Rue-lea ^d .		Siberia.	1729.	6.8.	H. 2.	Pall. astrag. t. 29.
13 chinensis. W.	upright Chinese.		China.	1795.	6.7.	G. 2.	Linn. fil. dec. t. 3.
14 virescens. Dec.	green-flowered.		Siberia.	1737.	—	H. 2.	—
15 falcatus. Dec.	sickle-podded.		—	—	—	H. 2.	Dec. astrag. t. 26.
16 uliginosus. W.	marsh.		—	1752.	6.8.	H. 2.	Pall. astrag. t. 26.
17 carolinianus. W.	Carolina.		N. America.	1732.	7.8.	H. 2.	Dill. elt. t. 39. f. 45.
18 canadensis. W.	woolly.		—	—	6.7.	H. 2.	Dodart. mem. t. 64.
19 semibilocularis. P.S.	semibilocular.		Siberia.	1804.	6.8.	H. 2.	Dec. astrag. t. 23.
20 Cicer. W.	bladdered.		Europe.	1570.	6.7.	H. 2.	Jac. aus. t. 251.
21 carnosus. Ph.	fleshy-podded.		Louisiana.	1811.	—	H. 2.	—
22 caryocarpus. B. reg.	swelled-podded.		N. America.	—	—	H. 2.	Bot. reg. 176.
23 glycyphyllos. W.	sweet.		Britain.	—	—	H. 2.	Eng. bot. 203.
24 microphyllus. W.	small-leaved.		Siberia.	1773.	—	H. 2.	—
25 trimestris. W.	Egyptian.		Egypt.	1739.	—	H. 2.	Jac. vind. 2. t. 174.
26 Buceras. W. en.	horned.		—	1816.	—	H. 2.	—
27 hamosus. W.	hook-podded.		Spain.	1633.	—	H. 2.	Lam. ill. t. 622. f. 4.
28 canaliculatus. W. en.	channel-podded.		—	1816.	—	H. 2.	—
29 contortuplicatus. W.	wave-podded.		Siberia.	1764.	7.8.	H. 2.	Pall. astrag. t. 79.
30 beticus. W.	triangular-pod ^d .		S. Europe.	1759.	6.7.	H. 2.	Bocc. sic. 7. t. 4.
31 Stella. W.	star-podded.		—	1658.	7.8.	H. 2.	Pluk. alm. t. 79. f. 4.
32 sesamens. W.	Sesama.		—	1616.	6.7.	H. 2.	Garid. prov. t. 12.
33 annularia. W.	ring-podded.		Egypt.	1800.	—	H. 2.	—
34 pentaglottis. W.	rough Spanish.		Spain.	1739.	—	H. 2.	Cav. ic. 2. t. 188.
35 epiglottis. W.	heart-podded.		S. Europe.	1737.	—	H. 2.	Herm. lugd. t. 77.
36 hypoglottis. W.	purple mountain.		Britain.	—	—	H. 2.	Eng. bot. 274.
37 austriacus. W.	Austrian.		Austria.	1640.	—	H. 2.	Jac. aus. 2. t. 195.
38 fruticosus. W.	woody.		Siberia.	1804.	—	H. 2.	Pall. astrag. t. 19.
39 arenarius. W.	sand.		Germany.	1798.	—	H. 2.	Retz. obs. 3. t. 3.
40 leucophæus. W.	dwarf white.		—	1776.	5.8.	H. 2.	—
41 depressus. W.	depressed.		Europe.	1772.	5.6.	H. 2.	All. ped. 1. t. 119. f. 2.
42 leontinus. Jac.	Lion's-tail.		Austria.	1816.	—	H. 2.	Jac. ic. 1. t. 154.
43 Glaux. W.	small Spanish.		Spain.	1596.	6.7.	H. 2.	—
44 sinicus. W.	Chinese annual.		China.	1763.	7.8.	H. 2.	Bot. mag. 1850.
45 albidus. W.	white Italian.		Europe.	1737.	7.8.	H. 2.	Pl. rar. hung. 1. t. 40.
46 Onobrychis. W.	purple-spiked.		Austria.	1640.	6.7.	H. 2.	Jac. aus. 1. t. 38.
47 Laxmanni. P. S.	Laxmann's.		Siberia.	1804.	6.8.	H. 2.	Jac. vind. 3. t. 37.
48 physodes. W.	inflated yellow.		—	1759.	6.7.	H. 2.	Dec. astrag. t. 48.
49 halicacabus. P. S.	bladdered.		Armenia.	1806.	6.	H. 2.	Schreb. decad. t. 3.
<i>Phaca vesicaria. W.</i>							
50 caprinus. W.	scented.		Barbary.	1683.	6.7.	H. 2.	Mor. his. 2. t. 24. f. 3.
51 longiflorus. W.	long-flowered.		Tartary.	1806.	—	H. 2.	Pall. astrag. t. 60.
52 monspessulanus. W.	Montpelier.		France.	1710.	7.8.	H. 2.	Bot. mag. 375.
53 incanus. W.	hoary.		Montpelier.	1759.	6.7.	H. 2.	—
54 exscapus. W.	hairy-podded.		Hungary.	1787.	5.7.	H. 2.	Jac. ic. 3. t. 561.
55 tragacanthoides. W.	Armenian.		Armenia.	1791.	—	H. 2.	Bux. cent. 3. t. 38. f. 2
56 aristatus. W.	awned.		Pyrenees.	—	—	H. 2.	Pall. astrag. t. 3.
57 Tragacantha. W.	{ Great Goat's } Thorn.		S. Europe.	1640.	—	H. 2.	{ W. act. ber. 1794. t. 1. f. 5.
58 Poterium. W.	{ Small Goat's } Thorn.		Levant.	—	6.7.	H. 2.	Park. theat. f. 2.
BISERRULA. W.		{ HATCHET } VETCH.	Leguminosæ. J.				
Pelecinus. W.	bastard.		S. Europe.	1640.	7.8.	H. 2.	Lam. ill. t. 622.

DALEA. P. S.		DALEA.	Leguminosæ. J.						
1	Cliffortiana. W.	Vera Cruz.	_____	Vera Cruz.	1737.	7.8.	H.⊙.	Linn.hort.clif.t.22.	
2	alopocuroides. Ph.	Fox-tail.	_____	Mississippi.	1812.	_____	H.⊙.	Mich.amer.2.t.33.	
3	aurea. Ph.	golden.	_____	Louisiana.	1811.	_____	H.⊙.		
4	laxiflora. Ph.	loose-flowered.	_____	_____	_____	_____	H.⊙.		
5	enneaphylla. W.	nine-leaved.	_____	W. Ind.	1772.	_____	S.⊙.		
6	citriodora. W.	leafy.	_____	N. Spain,	1780.	10.11.	S.⊙.	Cav. ic. 3. t. 271.	
7	Lagopus. W.	downy-spiked.	_____	Mexico.	_____	_____	G.⊙.	_____ 1. t. 86.	
PSORALEA. W.		PSORALEA.	Leguminosæ. J.						
1	pinnata. W.	wing-leaved.	_____	C. B. S.	1690.	5.7.	G. h.	Bot. rep. 474.	
2	odoratissima. W.	fragrant.	_____	_____	1795.	_____	G. h.	Jac.schoen.2.t.229.	
3	verrucosa. W.	warted.	_____	_____	1774.	5.8.	G. h.	_____ 2. t. 226.	
4	aculeata. W.	prickly.	_____	_____	_____	6.7.	G. h.	Bot. rep. 146.	
5	bracteata. W.	oval-spiked.	_____	_____	1731.	_____	G. h.	Bot. mag. 446.	
6	spicata. W.	long-spiked.	_____	_____	1774.	7.8.	G. h.	Bot. rep. 411.	
7	aphylla. W.	leafless.	_____	C. B. S.	1790.	6.7.	G. h.	Bot. mag. 1727.	
8	multicaulis. W.	many-stalked.	_____	_____	1793.	8.10.	G. h.	Jac.schoen.2.t.230.	
9	tenuifolia. W.	fine-leaved.	_____	_____	_____	5.7.	G. h.	_____ 2. t. 225.	
10	decumbens. W.	trailing.	_____	_____	1774.	4.5.	G. h.		
11	hirta. W.	hairy.	_____	_____	1713.	6.8.	G. h.	Jac.schoen.2.t.228.	
12	Stachydis. W.	Stachys-leaved.	_____	_____	1793.	4.5.	G. h.		
13	repens. W.	creeping.	_____	_____	1774.	7.8.	G. h.		
14	bituminosa. W.	bituminous.	_____	S. Europe.	1570.	4.9.	G. h.	Lam. ill. t. 614. f. 1.	
15	glandulosa. W.	stripe-flowered.	_____	Peru.	1770.	5.8.	G. h.	Bot. mag. 990.	
16	pedunculata. B. reg.	flat-headed.	_____	C. B. S.	1815.	10.8.	G. h.	Bot. reg. 223.	
17	palmatina. W.	Palestine.	_____	Levant.	1771.	4.9.	G. h.	Jac. vind. 2. t. 184.	
18	americana. W.	Madeira.	_____	Madeira.	1640.	7.8.	G. h.	Jac.schoen.2.t.227.	
19	capitata. W.	headed.	_____	C. B. S.	1793.	_____	G. h.		
20	corylifolia. W.	Hazel-leaved.	_____	India.	1739.	6.7.	S. ♂.	Bot. mag. 665.	
21	esculenta. Ph.	Bread-root.	_____	Missouri.	1811.	_____	H. ♂.	Pursh. amer. t. 22.	
22	cuspidata. Ph.	large-rooted.	_____	Louisiana.	_____	_____	H. ♂.		
23	Lupinellus. Ph.	small-flowered.	_____	Carolina.	1812.	_____	H. ♂.		
MELILOTUS. J.		MELILOT.	Leguminosæ. J.	Trifolii sp. W.					
1	cærulea. P. S.	blue.	_____	Germany.	1562.	8.9.	H.⊙.		
2	indica. P. S.	Indian.	_____	India.	1680.	6.8.	H.⊙.	Pluk. alm. t. 45. f. 4.	
3	rugulosa. W. en.	White Indian.	_____	_____	1810.	_____	H.⊙.		
4	parviflora. P. S.	small-flowered.	_____	Barbary.	1798.	_____	H.⊙.		
5	messanensis. P. S.	Sicilian.	_____	Sicily.	1680.	_____	H.⊙.		
6	aulcata. P. S.	Barbary.	_____	Barbary.	1798.	_____	H.⊙.		
7	polonica. P. S.	Polish.	_____	Poland.	1778.	_____	H.⊙.		
8	macrorrhiza. P. S.	long-rooted.	_____	Hungary.	1801.	7.8.	H. ♂.	Pl.rar.hung.1.t.22.	
9	dentata. P. S.	toothed.	_____	_____	1802.	6.8.	H. ♂.	_____ 1. t. 42.	
10	officinalis. W. en.	common.	_____	Britain.	7.9.	H.⊙.	Eng. bot. 1340.	
11	vulgaris. W. en.	white-flowered.	_____	Europe.	_____	H. ♂.		
12	Kochiana. W. en.	smooth-podded.	_____	Germany.	1816.	6.9.	H. ♂.		
13	Petitpierreana. W. en.	rough-podded.	_____	_____	_____	_____	H. ♂.		
14	italica. P. S.	Italian.	_____	Italy.	1596.	6.8.	H.⊙.	Camer. hort. t. 23.	
15	cretica. P. S.	Cretan.	_____	Candia.	1713.	_____	H.⊙.	Bauh.prodr. t. 144.	
16	ornithopodioides } P. S.	Bird's-foot.	_____	Britain.	6.7.	H.⊙.	Eng. bot. 1047.	
LUPINASTER. Ph.		BASTARD LUPINE.	Leguminosæ. J.	Pentaphyllon. P. S.					
	pentaphyllus.	five-leaved.	_____	Siberia.	1741.	7.8.	H. ♂.	Bot. mag. 879.	
TRIFOLIUM. J.		TREFOIL.	Leguminosæ. J.						
1	reflexum. W.	reflexed.	_____	Virginia.	1794.	6.8.	H. ♂.		
2	angulatum. W.	angular.	_____	Hungary.	1803.	_____	H.⊙.	Pl.rar.hung.1.t.27.	
3	strictum. W.	upright.	_____	S. Europe.	1805.	7.8.	H.⊙.	_____ 1. t. 37.	
4	hybridum. W.	mule.	_____	Europe.	1777.	_____	H. ♂.	Mich.gen.t.25.f.3.6	
5	Michelianum. P. S.	Italian.	_____	Italy.	1815.	_____	H.⊙.	{ Mich. N. G. Pl. t. 25. f. 2.	
6	cæspitosum. W.	turfy.	_____	Switzerland.	_____	6.8.	H. ♂.	Vill. delph. 3. t. 41.	
7	repens. W.	White Clover.	_____	Britain.	5.9.	H. ♂.	Eng. bot. 1769.	
8	comosum. W.	tufted.	_____	America.	1798.	6.7.	H. ♂.		
9	alpinum. W.	Alpine.	_____	Italy.	1775.	6.8.	H. ♂.		
10	pallescent. P. S.	pale.	_____	Carinthia.	1804.	_____	H. ♂.		
11	subterraneum. W.	subterraneous.	_____	England.	5.	H.⊙.	Eng. bot. 1048.	
12	globosum. W.	globular.	_____	Levant.	1713.	6.8.	H.⊙.		
13	Cherleri. W.	hairy.	_____	Montpelier.	1750.	5.6.	H.⊙.	Barr. ic. 859.	
14	pictum. W.	painted.	_____	1800.	7.8.	H.⊙.		
15	lappaceum. W.	burr.	_____	Montpelier.	1787.	6.8.	H.⊙.		
16	diffusum. W.	diffuse.	_____	Hungary.	1801.	7.8.	H.⊙.	Pl.rar.hung.1.t.26.	

DIADELPHIA DECANDRIA.

171

17 saxatile. W.	rock.	Leguminosæ. J.	Switzerland.	1816.	5.7.	H. ♂.	All. ped. t. 59. f. 3.
18 rubens. W.	long-spiked.	_____	S. Europe.	1633.	6.9.	H. ♀.	Jac. aust. 4. t. 385.
19 pratense. W.	Common Clover.	_____	Britain.	5.9.	H. ♀.	Eng. bot. 1770.
20 pensylvanicum. Ph.	Buffalo Clover.	_____	N. America.	1811.	6.9.	H. ♀.	_____
21 medium. W.	Cow Grass.	_____	England.	6.7.	H. ♀.	Eng. bot. 190.
22 alpestre. W.	oval-spiked.	_____	Europe.	1789.	7.	H. ♀.	Jac. aust. 5. t. 433.
23 bracteatum. W. en.	large-bracted.	_____	Morocco.	1804.	6.7.	H. ♂.	_____
24 pannonicum. W.	Hungarian.	_____	Hungary.	1752.	—	H. ♀.	Jac. obs. 2. t. 42.
25 canescens. W.	gray.	_____	Caucasus.	1803.	5.6.	H. ♀.	Bot. mag. 1168.
26 maritimum. W.	teasel-headed.	_____	Britain.	6.7.	H. ♂.	Eng. bot. 220.
27 squarrosum. W.	various-leaved.	_____	Spain.	1640.	7.	H. ♂.	Mor. hist. 2. t. 13. f. 1.
28 incarnatum. W.	flesh-coloured.	_____	Italy.	1590.	—	H. ♂.	Bot. mag. 328.
29 pallidum. W.	pale-flowered.	_____	Hungary.	1803.	6.7.	H. ♂.	Pl. rar. hung. 1. t. 36.
30 oohroleucum. W.	sulphur-colour'd.	_____	England.	5.7.	H. ♀.	Eng. bot. 1224.
31 armenium. W. en.	Armenian.	_____	Armenia.	1816.	—	H. ♀.	_____
32 angustifolium. W.	narrow-leaved.	_____	S. Europe.	1640.	6.8.	H. ♂.	Barr. ic. t. 698.
33 arvense. W.	Hare's-foot.	_____	Britain.	7.8.	H. ♂.	Eng. bot. 944.
34 stellatum. W.	starry.	_____	England.	7.	H. ♂.	1546.
35 clypeatum. W.	oriental.	_____	Levant.	1711.	6.8.	H. ♂.	Alp. exot. t. 306.
36 albidum. W.	white.	_____	1796.	7.8.	H. ♂.	_____
37 scabrum. W.	rough.	_____	Britain.	5.6.	H. ♂.	Eng. bot. 903.
38 glomeratum. W.	round-headed.	_____	England.	6.	H. ♂.	1063.
39 striatum. W.	soft-knotted.	_____	Britain.	6.	H. ♂.	1843.
40 alexandrinum. W.	Egyptian.	_____	Egypt.	1798.	6.7.	H. ♂.	_____
41 suffocatum. W.	suffocated.	_____	England.	—	H. ♂.	Eng. bot. 1042.
42 spumosum. W.	bladdered.	_____	France.	1771.	6.7.	H. ♂.	_____
43 resupinatum. W.	Salamanca.	_____	Germany.	1713.	—	H. ♂.	Barr. ic. t. 872.
44 recurvum. P. S.	recurved.	_____	Hungary.	1805.	—	H. ♂.	Pl. rar. hung. 2. t. 163.
45 tomentosum. W.	woolly.	_____	S. Europe.	1640.	—	H. ♂.	Mag. mons. t. 264.
46 fragiferum. W.	{ Strawberry- headed. }	_____	England.	7.8.	H. ♀.	Eng. bot. 1050.
47 montanum. W.	mountain.	_____	Europe.	1786.	—	H. ♀.	Flor. dan. t. 1172.
48 badium. P. S.	villous-stalked.	_____	Pyrenees.	6.8.	H. ♀.	Barr. ic. 1024.
49 spadiceum. P. S.	Bay-coloured.	_____	Europe.	1778.	—	H. ♀.	Bot. mag. 557.
50 speciosum. W.	large-flowered.	_____	Candia.	1752.	6.7.	H. ♀.	_____
51 agrarium. W.	golden.	_____	Europe.	1815.	—	H. ♂.	Flor. dan. t. 558.
52 procumbens. H. K.	Hop.	_____	Britain.	—	H. ♂.	Bot. mag. 945.
campestre. P. S.	_____	_____	_____	_____	_____	_____	_____
53 minus. H. K.	lesser yellow.	_____	_____	—	H. ♂.	Eng. bot. 1256.
procumbens. P. S.	_____	_____	_____	_____	_____	_____	_____
54 filiforme. W.	slender yellow.	_____	_____	5.7.	H. ♂.	Eng. bot. 1257.
LOTUS. W.	{ BIRD'S-FOOT TREFOIL. }	Leguminosæ. J.	_____	_____	_____	_____	_____
1 maritimus. W.	sea.	_____	Europe.	1683.	5.10.	H. ♀.	Fl. dan. 800.
2 siliculosus. W.	square-podded.	_____	S. Europe.	—	7.8.	H. ♀.	Jac. aust. 4. t. 361.
3 tetragonolobus. W.	Winged Pea.	_____	Sicily.	1796.	—	H. ♂.	Bot. mag. 151.
4 conjugatus. W.	twin-podded.	_____	Montpelier.	1754.	—	H. ♂.	_____
5 edulis. W.	esulent.	_____	Italy.	1710.	—	H. ♂.	Cav. ic. 2. t. 157.
6 peregrinus. W.	flat-podded.	_____	S. Europe.	1713.	—	H. ♂.	_____
7 glaucus. W.	glaucous.	_____	Madeira.	1777.	6.8.	G. ♂.	_____
8 anthylloides. V.	Anthyllis-like.	_____	C. B. S.	1812.	—	G. ♀.	Vent. malm. t. 92.
9 angustissimus. W.	narrow-podded.	_____	France.	1683.	7.8.	H. ♂.	Bauh. hist. 2. f. 2.
10 diffusus. W.	slender-podded.	_____	England.	5.6.	H. ♂.	Eng. bot. 925.
11 coimbrensis. W.	Portugal.	_____	Portugal.	1800.	6.7.	H. ♂.	_____
12 arabicus. W.	red-flowered.	_____	Arabia.	1773.	7.9.	H. ♂.	Jac. vind. 2. t. 155.
13 australis. H. K.	New Holland.	_____	N. S. W.	1803.	5.9.	G. ♀.	Bot. mag. 1365.
14 Dioscoridis. W.	Dioscorides's.	_____	Crete.	1658.	6.7.	H. ♂.	All. ped. 1. t. 59. f. 1.
15 ornithopodioides. W.	claw-podded.	_____	Sicily.	1683.	6.8.	H. ♂.	Cav. ic. 2. t. 163.
16 jacobæus. W.	dark-flowered.	_____	Cape Verd Isl.	1714.	1.12.	G. ♀.	Bot. mag. 79.
17 creticus. W.	silver-leaved.	_____	Levant.	1680.	6.9.	G. ♀.	Cav. ic. 2. t. 156.
18 tennis. W. en.	slender.	_____	Hungary.	1816.	6.8.	H. ♀.	_____
19 hirsutus. W.	hairy.	_____	S. Europe.	1683.	6.8.	G. ♀.	Bot. mag. 336.
20 rectus. W.	upright.	_____	_____	1640.	—	H. ♀.	Mor. s. 2. t. 13. f. 13.
21 odoratus. H. K.	sweet-scented.	_____	Barbary.	1804.	—	F. ♀.	Bot. mag. 1233.
22 pedunculatus. W.	long-peduncled.	_____	Spain.	1814.	—	H. ♀.	Cav. ic. 2. t. 164.
23 major. E. B.	greater.	_____	Britain.	—	H. ♀.	Eng. bot. 2091.
24 corniculatus. E. B.	common.	_____	_____	—	H. ♀.	2090.
25 cytisoides. W.	downy.	_____	S. Europe.	1752.	7.8.	H. ♀.	All. ped. 1. t. 20. f. 1.

DORYCNium. W.	DORYCNium.	Leguminosae. J.	S. Europe.	1640. 7.9. G. h.	Park. theat. 360. f. 1.
monspeliense. W.	shrubby.			1802. 6.9. H. 2.	Vill. dauph. 3. t. 41.
2 herbaceum. W.	herbaceous.				
TRIGONELLA. W.	FENUGREEK.	Leguminosae. J.	Siberia.	1741. 6.7. H. 2.	Gmel. sib. 4. t. 8.
1 ruthenica. W.	small.			4.9. H. 2.	4. t. 9.
2 platycarpus. W.	round-leaved.		France.	1806. — H. 2.	
3 hybrida. P. S.	hybrid.		S. Europe.	1640. 7.9. H. 2.	
4 polycrata. W.	broad-leaved.		Egypt.	7.8. H. 2.	Alp. aegypt. t. 124.
5 hamosa. W.	Egyptian.		Candia.	1710. — H. 2.	Lam. ill. t. 611. f. 2.
6 spinosa. W.	thorny.		S. Europe.	1597. 6.7. H. 2.	Moris. s. 2. t. 16. f. 1.
7 corniculata. W.	horse-shoe.		Montpelier.	1710. — H. 2.	Pl. rar. hung. 2. t. 143.
8 monspeliaca. W.	Montpelier.		Spain.	1801. 6.8. H. 2.	Cav. ic. 1. t. 38.
9 pinnatifida. W.	cut-leaved.		Montpelier.	1597. — H. 2.	Schk. s. ban. 2. t. 311.
10 Foenum-graecum. W.	common.		E. Ind.	1815. — S. 2.	
11 esculenta. W. en.	esculent.			1793. — S. 2.	Fluk. alm. t. 200. f. 7.
12 indica. W.	Indian.				
MEDICAGO. W.	MEDICK.	Leguminosae. J.	Italy.	1596. 5.11. F. h.	Lob. ic. 2. p. 46. f. 2.
1 arborea. W.	Moon Trefoil.		Tauria.	1805. 7. H. 2.	
2 cretacea. W. en.	shrubby.		Italy.	1629. 6.7. H. 2.	Lob. ic. 2. p. 38. f. 2.
3 radiata. W.	ray-podded.			1640. 7.8. H. 2.	Gært. sem. 2. t. 155.
4 circinnata. W.	kidney-podded.		England.	6.7. H. 2.	Eng. bot. 1749.
5 sativa. W.	Lucerne.		Italy.	1793. — H. 2.	Jac. vind. 1. t. 89.
6 glomerata. W. en.	clustered.			7. H. 2.	Eng. bot. 1016.
7 prostrata. W.	prostrate.		Britain.	1784. 7.8. H. 2.	Retz. obs. 1. p. 24. t. 1.
8 falcata. W.	yellow.		S. Europe.	1688. — H. 2.	Moris. s. 2. t. 15. f. 1.
9 lupulina. W.	non-such.			1816. — H. 2.	
10 obscura. W.	doubtful.		Sicily.	1680. — H. 2.	Moris. s. 2. t. 15. f. 4.
11 orbicularis. W.	flat-podded.		S. Europe.	1562. 6.8. H. 2.	2. t. 15. f. 3.
12 marginata. W. en.	marginated.			1816. 6.8. H. 2.	
13 elegans. W.	elegant.		S. Europe.	1658. — H. 2.	Moris. s. 2. t. 15. f. 5.
14 scutellata. W.	Snail.			1680. — H. 2.	2. t. 15. f. 6.
15 Helix. W.	many-flo ^d Snail.			1658. — H. 2.	
16 tornata. W.	smooth-podded.		Spain.	1802. — H. 2.	Jac. coll. t. 15. f. 2.
17 turbinata. W.	Turban.			1816. — H. 2.	
18 tuberculata. W.	wart-podded.		S. Europe.	1629. — H. 2.	Moris. s. 2. t. 15. f. 7.
19 aculeata. W.	spiny.		France.	1686. 7.8. H. 2.	
20 granadensis. W. en.	Spanish.		Carinthia.	1789. 6.7. H. 2.	Bot. mag. 909.
21 Murex. W.	Burdock-podded.		England.	5.6. H. 2.	Eng. bot. 1616.
22 intertexta. W.	hedgehog.		S. Europe.	1660. 6.7. H. 2.	Moris. s. 2. t. 15. f. 16.
23 ciliaris. W.	fringed.			1800. — H. 2.	
24 carstiensis. W.	creeping-rooted.		England.	5.6. H. 2.	Moris. s. 2. t. 15. f. 11.
25 maculata. W.	heart.		Hungary.	1816. 6.8. H. 2.	2. t. 15. f. 18.
26 coronata. W.	crowned.		S. Europe.	1596. — H. 2.	Cav. ic. 2. t. 130.
27 apiculata. W.	tufted.			1798. — H. 2.	
28 denticulata. W.	toothed.			1730. — H. 2.	
29 muricata. W.	prickly.		England.	5.6. H. 2.	Fl. dan. 211.
30 Gerardi. W.	Gerard's.		S. Europe.	1789. 7.8. H. 2.	Moris. s. 2. t. 15. f. 19.
31 marina. W.	sea.		Greece.	1804. — H. 2.	
32 Terebellum. W.	short-spined.		S. Europe.	1683. — H. 2.	Breyn. cent. t. 24.
33 tribuloides. W.	Caltrops-like.				
34 rigidula. W.	thorny-podded.				
35 minima. W.	least.				
36 nigra. W.	black.				
37 graeca. W. en.	villous.				
38 laciniata. W.	cut-leaved.				

CLASS XVIII.

POLYADELPHIA DECANDRIA.

THEOBROMA. W.	CHOCOLATE-NUT. Malvaceae. J.				
1 Cacao. W.	smooth-leaved.	S. America.	1739. S. h.	Cates. car. 2. t. 6.	
2 guianensis. W.	woolly-leaved.	Guiana.	1803. S. h.	Aub. gui. 2. t. 275.	

DODECANDRIA.

BUBROMA. W.	BASTARD CEDAR.	Malvaceæ. J.	Guazuma. P. S.				
Guazuma. W.	Elm-leaved.		Jamaica.	1739.	8.9.	S. h.	Trew. chret. t. 78.
ABROMA. W.	ABROMA.	Malvaceæ. J.					
1 angusta. H. K.	smooth-stalked.		E. Ind.	1770.	8.	S. h.	Jac. vind. 3. t. 1.
2 fastuosa. H. K.	prickly-stalked.		N. S. W.	1800.	6.10.	S. h.	Par. lond. 102.

ICOSANDRIA.

MELALEUCA. H. K.	MELALEUCA.	Myrti. J.					
1 Leucadendron. W.	Caju Puti Tree.		E. Ind.	1796.	S. h.	Rumph. amb. 2. t. 16.
2 viridiflora. W.	green-flowered.		N. S. W.	1798.	G. h.	Cav. ic. 4. t. 333.
3 paludosa. H. K.	long-leaved red.		N. Holland.	1803.	7.9.	G. h.	
4 globifera. H. K.	globe-fruited.				G. h.	
5 diosmifolia. H. K.	Diosma-leaved.			1794.	6.7.	G. h.	Bot. rep. 476.
6 stypheloides. H. K.	Styphelia-leaved		N. S. W.	1793.	5.6.	G. h.	
7 genistifolia. H. K.	Broom-leaved.				G. h.	
8 striata. H. K.	striated.		N. Holland.	1803.	G. h.	Lab. nov. ho. 2. t. 165
9 thymoides. H. K.	yellow spear-le ^d	G. h.	— 2. t. 167
10 squamea. H. K.	scaly-branched.		Van Diem.	1805.	6.7.	G. h.	— 2. t. 168
11 nodosa. H. K.	Whin-leaved.		N. S. W.	1790.	G. h.	Ex. bot. 1. t. 35.
12 ericifolia. H. K.	Heath-leaved.			1788.	7.9.	G. h.	— 1. t. 34.
13 armillaris. H. K.	pale-flowered.				6.7.	G. h.	Bot. rep. 175.
14 uncinata. H. K.	hook-leaved.		N. Holland.	1803.	G. h.	
15 scabra. H. K.	rough-leaved.				6.7.	G. h.	
16 pulchella. H. K.	neat.				6.9.	G. h.	
17 thymifolia. H. K.	Thyme-leaved.		N. S. W.	1792.	2.9.	G. h.	Bot. mag. 1868.
18 decussata. H. K.	decussate.		N. Holland.	1803.	6.9.	G. h.	
19 fulgens. H. K.	splendid.				G. h.	Bot. reg. 103.
20 linariifolia. H. K.	Toad-Flax-leav ^d .		N. S. W.	1793.	7.9.	G. h.	Exot. bot. 1. t. 56.
21 hypericifolia. H. K.	Hypericum-lea ^d .			1792.	G. h.	Bot. rep. 200.
22 squarrosa. H. K.	Myrtle-leaved.			1794.	6.8.	G. h.	Bot. mag. 1935.
23 calycina. H. K.	permanent-cup ^d .		N. Holland.	1803.	G. h.	
24 densa. H. K.	whorl-leaved.				G. h.	
TRISTANIA. H. K.	TRISTANIA.	Myrti. J. Melaleuca sp. W.					
1 nereifolia. H. K.	Oleander-leaved.		N. S. W.	1804.	6.9.	G. h.	Bot. mag. 1054.
2 laurina. H. K.	Laurel-leaved.			1798.	G. h.	
3 conferta. H. K.	Pittosporum-le ^d .			1805.	7.9.	G. h.	
Pittosporum hirtum. W. en.							

CALOTHAMNUS.

H. K. } CALOTHAMNUS, Myrti. J.

1 quadrifida. H. K.	four-cleft.		N. Holland.	1803.	7.9.	G. h.	Bot. mag. 1504.
2 villosa. H. K.	hairy.					G. h.	
3 gracilis. H. K.	slender-leaved.					G. h.	

BEAUFORTIA. H. K.

BEAUFORTIA, Myrti J.

1 decussata. H. K.	splendid.		N. Holland.	1803.	7.5.	G. h.	Bot. reg. 18.
2 sparsa. H. K.	alternate-leaved.				G. h.	

POLYANDRIA.

HOPEA. L.	HOPEA.	Ebenaceæ. J.					
tinctoria. Ph.	Laurel-leaved.		Carolina.	1780.	G. h.	Cat. car. 1. t. 54.
Symplocos tinctoria. W.							
CITRUS. W.	ORANGE-TREE.	Aurantiaæ. J.					
1 acida. Rox.	Lemon-Tree.		Asia.	1648.	5.7.	G. h.	Gær. fru. 2. t. 121. f. 2
2 limonia.	Lime-Tree.					G. h.	Blackw. t. 362.
3 Aurantium. P. S.	common.		India.	1595.	G. h.	Lam. ill. t. 639. f. 2.
4 sinensis. P. S.	Myrtle-leaved.		China.		G. h.	Tourn. inst. t. 390.
5 buxifolia. P. S.	Box-leaved.					G. h.	
6 nobilis. H. K.	Mandarin.			1805.	G. h.	Bot. rep. 608.
β minor.	smaller.					G. h.	Bot. reg. 211.
7 decumana. W.	Shaddock-Tree.		India.	1724.	G. h.	Rum. am. 2. t. 24. f. 2.
XANTHOCHY-	{ XANTHO-						
MUS. Rox.	CHYMUS. }						
pictorius. H. K.	painter's.		E. Ind.	1796.	S. h.	Roxb. cor. 2. t. 196.
HYPERICUM. W.	St. JOHN'S WORT. Hypericinaæ. J.						
1 balearicum. W.	warted.		Majorca.	1714.	3.9.	G. h.	Bot. mag. 137.
2 Kalmianum. W.	Kalmia-leaved.		N. America.	1759.	6.7.	H. h.	
3 monogynum. W.	Chinese.		China.	1753.	3.9.	G. h.	Bot. mag. 334.
4 calycinum. W.	large-flowered.		Ireland.	6.9.	H. h.	Eng. bot. 2017.
5 ascyroides. Ph.	large-capsuled.		N. America.	1812.	6.7.	H. h.	
6 Ascyron. W.	Siberian.		Siberia.	1774.	6.9.	H. h.	Gmel. sib. 4. t. 69.

7 pyramidatum. W.	pyramidal.	Hypericinae. J.	Canada.	1759. 7.8. H. 2.	Vent. malm. 118.
8 Androsænum. W.	Tutsan.		Britain. 7.9. H. 2.	Eng. bot. 1225.
9 olympicum. W.	Olympian.		Levant.	1706. — H. 2.	Exot. bot. 2. t. 96.
10 foliosum. H. K.	shining.		Azores.	1778. 8. G. 2.	
11 floribundum. W.	many-flowered.		Madeira.	1779. — G. 2.	Com. hort. 2. t. 68.
12 canariense. W.	Canary.		Canaries.	1699. 7.9. G. 2.	
13 ægypticum. W.	Egyptian.		Egypt.	1787. 6.7. G. 2.	Bot. reg. 196.
14 elatum. W.	tall.		N. America.	1762. 7.8. H. 2.	{ Juss. in ana. mus. 3. t. 17.
15 frondosum. Ph.	green.			1806. — H. 2.	
16 amœnum. Ph.	elegant.		Carolina.	1812. — H. 2.	
17 hircinum. W.	stinking.		S. Europe.	1640. 7.9. H. 2.	Dill. elt. t. 151. f. 189
β minus.	small stinking.			— H. 2.	— t. 151. f. 181
18 prolificum. W.	prolific.		N. America.	1758. 6.8. H. 2.	Jac. schœn. 3. t. 299.
19 canadense. W.	Canadian.			1770. 7.9. H. 2.	
20 angulosum. Ph.	toothed-flowered			1812. 6.7. H. 2.	
21 setosum. H. K.	unbranched.		Carolina.	1759. 7.8. F. 2.	Pluk. alm. t. 245. f. 6
22 mutilum. H. K.	small-flowered.		N. America.	— 6.9. F. 2.	
23 virginicum. W.	Virginian.			1800. 7.9. H. 2.	Bot. rep. 552.
<i>Elodea campanulata. Ph.</i>					
24 lævigatum. H. K.	smooth.			1772. — H. 2.	
25 nudiflorum. Ph.	naked-panicked.			1811. 9.10. F. 2.	
26 glaucum. Ph.	glaucous.			1812. 7.8. F. 2.	
27 rosmarinifolium. W.	Rosemary-leaved.		Carolina.	— 6.8. F. 2.	
28 aspalathoides. Ph.	Aspalathus-like.			1811. — F. 2.	
29 fasciculatum. Ph.	clustered.		N. America.	1806. 7. F. 2.	
30 reflexum. W.	hanging-leaved.		Teneriffe.	1778. 6.9. G. 2.	
31 quadrangulare. W.	square-stalked.		Britain. 7.8. H. 2.	Eng. bot. 370.
32 dubium. W.	imperfurate.		 H. 2.	— 296.
33 maculatum. Mi.	spotted.		N. America.	1789. — F. 2.	
<i>corymbosum. W.</i>					
34 perforatum. W.	perforated.		Britain. — H. 2.	Eng. bot. 295.
35 humifusum. W.	trailing.		 — H. 2.	— 1226.
36 crispum. W.	curl-leaved.		Greece.	1688. — F. 2.	Bocc. mus. t. 12.
37 undulatum. W. en.	wave-leaved.		Barbary.	1802. — F. 2.	
38 barbatum. W.	bearded.		Scotland. 6.10. H. 2.	Eng. bot. 1985.
39 perfoliatum. W.	perfoliate.		Italy.	1785. 5.6. F. 2.	
40 heterophyllum. P.S.	various-leaved.		Persia.	1812. 7.8. G. 2.	Vent. cele. t. 68.
41 ciliatum. W.	fringe-flowered.		Levant.	1789. 7. F. 2.	Bocc. mus. t. 127.
42 montanum. W.	mountain.		Britain. 7.8. H. 2.	Eng. bot. 371.
43 glandulosum. W.	glandulous.		Madeira.	1777. 5.8. G. 2.	
44 hirsutum. W.	hairy.		Britain. 6.7. H. 2.	Eng. bot. 1156.
45 elodes. W.	marsh.		 7.8. H. 2.	— 109.
46 tomentosum. W.	woolly.		S. Europe.	1648. 7.9. F. 2.	
47 pulchrum. W.	small upright.		Britain. 7. H. 2.	Eng. bot. 1227.
48 serpyllifolium. W.	Thyme-leaved.		Levant.	1688. 7.8. H. 2.	Mor. hi. 2. s. 5. t. 6. f. 4
49 Coris. W.	Heath-leaved.		Coris.	1640. 5.9. G. 2.	Bot. mag. 178.
50 verticillatum. W.	whorl-leaved.		C. B. S.	1784. 6.8. G. 2.	
ASCYRUM. W.	Ascyrum.	Hypericinae. J.			
1 pumilum. Ph.	dwarf.		Georgia.	1806. 6.8. G. 2.	
2 Crux Andree. Ph.	{ St. Andrew's } Cross.		N. America.	1759. 7. G. 2.	
3 hypericoides. Ph.	Hypericum-like.			— 7.9. G. 2.	
4 stans. W.	large-flowered.			1806. — G. 2.	Vent. malm. 30.
<i>amplexicaula. Ph.</i>					

CLASS XIX.

SYNGENESIA POLYGAMIA ÆQUALIS.

GEROPOGON. W.	{ OLD MAN'S } BEARD.	Cichoraceæ. J.			
1 glaber. W.	smooth.		Italy.	1704. 7.8. H. 2.	Bot. mag. 475.
2 hirsutus. W.	hirsute.			1759. — H. 2.	Col. exphr. t. 1. 231.
3 calyculatus. W.	perennial.			1774. 6.8. H. 2.	Jac. vind. 2. t. 106.

FRAGOPOGON. W.		GOAT'S BEARD.	Cichoraceæ. J.				
1	<i>pratensis. W.</i>	yellow.	_____	Britain.	5.6. H. ♂.	Eng. bot. 434.
2	<i>mutabilis. Jac.</i>	changeable.	_____	Siberia.	1816.	— H. ♂.	Jac. ic. 1. t. 157.
3	<i>undulatus. W.</i>	wave-leaved.	_____	Crimea.	1790.	— H. ♂.	— 1. t. 158.
4	<i>orientalis. W.</i>	oriental.	_____	Levant.	1787.	6.7. H. ♂.	—
5	<i>major. W.</i>	great.	_____	Austria.	1788.	5.6. H. ♂.	Jac. aust. 1. t. 29.
6	<i>floccosus. W.</i>	woolly.	_____	Hungary.	1816.	— H. ♂.	Pl. rar. hung. 2. t. 118
7	<i>porrifolius. W.</i>	purple.	_____	England.	— H. ♂.	Eng. bot. 638.
8	<i>crocifolius. W.</i>	Crocus-leaved.	_____	Italy.	1739.	6.7. H. ♂.	Col. cephr. 1. t. 230.
9	<i>villosus. W.</i>	hairy.	_____	Spain.	1794.	5.6. H. ♂.	—
FROXIMON. Ph.		TRUXIMON.	Cichoraceæ. J.				
1	<i>glaucum. Ph.</i>	glaucous-leaved.	_____	Missouri.	1811.	5.6. H. ♀.	Bot. mag. 1667.
2	<i>virginicum. Ph.</i>	Virginian.	_____	N. America.	1799.	7.8. H. ♀.	—
ARNOPOGON. W.		SHEP'S BEARD.	Cichoraceæ. J. Urospermum. J.				
1	<i>Dalechampii. W.</i>	great-flowered.	_____	S. Europe.	1739.	6.10. H. ♀.	Bot. mag. 1623.
2	<i>picroides. W.</i>	prickly-cupped.	_____	_____	1683.	7.8. H. ♂.	Lam. ill. t. 646. f. 3.
3	<i>asper. W.</i>	rough.	_____	Montpelier.	1774.	— H. ♂.	—
SCORZONERA. W.		VIPER'S GRASS.	Cichoraceæ. J.				
1	<i>tomentosa. W.</i>	white.	_____	Armenia.	1789.	6.7. H. ♀.	—
2	<i>humilis. Jac.</i>	dwarf.	_____	Europe.	1597.	8. H. ♀.	Jac. aust. 1. t. 36.
3	<i>hispanica. W.</i>	garden.	_____	Spain.	1576.	6.9. H. ♀.	Lam. ill. t. 647. f. 5.
4	<i>glastifolia. W.</i>	Wood-leaved.	_____	Germany.	1816.	— H. ♀.	—
5	<i>caricifolia. W.</i>	Carex-leaved.	_____	Siberia.	1805.	— H. ♀.	Pal. it. 3. ap. t. J. i. f. 1.
6	<i>purpurea. W.</i>	purple-flowered.	_____	Austria.	1759.	5.6. H. ♀.	Jac. aust. 1. t. 35.
7	<i>rosea. W.</i>	Rose-coloured.	_____	Hungary.	1807.	7. H. ♀.	Pl. rar. hung. 2. t. 121
8	<i>graminifolia. W.</i>	Grass-leaved.	_____	Portugal.	1759.	6.8. H. ♀.	Jac. obs. 4. t. 100.
9	<i>angustifolia. W.</i>	narrow-leaved.	_____	S. Europe.	—	H. ♀.	Pl. rar. hung. 2. t. 122
10	<i>eriosperma. W.</i>	woolly-seeded.	_____	Siberia.	1805.	— H. ♀.	—
11	<i>resedifolia. W.</i>	spreading.	_____	Spain.	1729.	6.7. H. ♂.	Bocc. sic. 13. t. 7. f. 4.
12	<i>lacinata. W.</i>	cut-leaved.	_____	S. Europe.	1640.	— H. ♂.	Jac. aust. 4. t. 356.
13	<i>táraxacifolia. W.</i>	Dandelion-leav ^d .	_____	Bohemia.	1801.	6.8. H. ♀.	Jac. ic. 1. t. 106.
PICRIDIUM. P. S.		PICRIDIUM.	Cichoraceæ. J. Richardia. Roth. Sonchi sp. IV.				
1	<i>vulgare. P. S.</i>	various-leaved.	_____	France.	1773.	6.8. H. ♂.	All. ped. 1. t. 16. f. 1
<i>Sonchus picroides. IV.</i>							
2	<i>tingitanum. P. S.</i>	Tangier.	_____	Barbary.	1713.	6.9. H. ♂.	Bot. mag. 142.
3	<i>albidum. P. S.</i>	pale-flowered.	_____	France.	1781.	7.10. H. ♀.	Jac. ic. 1. t. 164.
<i>Crepis albidula. W.</i>							
SONCHUS. W.		SOW THISTLE.	Cichoraceæ. J.				
1	<i>maritimus. W.</i>	sea.	_____	S. Europe.	1748.	7.9. H. ♀.	All. ped. 1. t. 16. f. 2.
2	<i>fruticosus. W.</i>	shrubby.	_____	Madeira.	1777.	4.7. G. h.	Jac. ic. 1. t. 161.
3	<i>pinnatus. W.</i>	wing-leaved.	_____	_____	G. h.	—
4	<i>lævigatus. W. en.</i>	smooth.	_____	_____	1816. G. h.	—
5	<i>lyratus. W. en.</i>	lyre-leaved.	_____	_____	G. h.	—
6	<i>radicatus. W.</i>	long-rooted.	_____	Canaries.	1780.	7. G. h.	—
7	<i>palustris. W.</i>	tall marsh.	_____	England.	7.8. H. ♀.	Eng. bot. 935.
8	<i>arvensis. W.</i>	corn.	_____	Britain.	— H. ♀.	— 674.
9	<i>oleraceus. W.</i>	common.	_____	_____	6.8. H. ♂.	— 843.
10	<i>tenerrimus. W.</i>	clammy.	_____	S. Europe.	1691.	7.8. H. ♂.	Pluk. alm. t. 93. f. 3.
11	<i>Plumieri. W.</i>	Plumier's.	_____	Pyrenees.	1794.	— H. ♀.	—
12	<i>alpinus. W.</i>	blue-flowered.	_____	Scotland.	— H. ♀.	Eng. bot. 2425.
13	<i>lapponicus. W.</i>	Lapland.	_____	Lapland.	1804.	— H. ♀.	Smithic. ined. t. 21.
14	<i>floridanus. W.</i>	small-flowered.	_____	N. America.	1713.	7. H. ♂.	—
15	<i>acuminatus. W.</i>	acuminate.	_____	_____	1812.	8.9. H. ♂.	—
16	<i>pallidus. Ph.</i>	Canadian.	_____	Canada.	1704.	7.9. H. ♀.	Rob. ic. 148 & 151.
17	<i>sibiricus. W.</i>	Siberian.	_____	Siberia.	1759.	— H. ♀.	Gmel. sib. 2. f. 3.
18	<i>tataricus. W.</i>	Tartarian.	_____	_____	1784.	6.7. H. ♀.	—
LACTUCA. W.		LETTUCE.	Cichoraceæ. J.				
1	<i>sativa. W.</i>	garden.	_____	_____	1562.	6.7. H. ♂.	—
2	<i>crispa. W.</i>	curled.	_____	_____	1570.	— H. ♂.	—
3	<i>palmata. W.</i>	Savoy.	_____	_____	1683.	— H. ♂.	—
4	<i>intybea. W.</i>	Endive-leaved.	_____	S. America.	1781.	6.8. H. ♂.	Jac. ic. 1. t. 162.
5	<i>quercina. W.</i>	Oak-leaved.	_____	Sweden.	1686.	5.7. H. ♂.	—
6	<i>stricta. W.</i>	upright.	_____	Hungary.	1805.	6.7. H. ♂.	Pl. rar. hung. 1. t. 48.
7	<i>elongata. W.</i>	elongated.	_____	Pennsylvania.	—	— H. ♂.	—
8	<i>Scariola. W.</i>	prickly.	_____	England.	7.8. H. ♂.	Eng. bot. 268.
9	<i>virosa. W.</i>	strong-scented.	_____	Britain.	7.9. H. ♂.	— 1957.
10	<i>angustata. W.</i>	entire-leaved.	_____	Italy.	1791.	7.8. H. ♂.	All. ped. 1. t. 52. f. 1.
11	<i>sagittata. W.</i>	arrow-leaved.	_____	Hungary.	1805.	— H. ♂.	Pl. rar. hung. 1. t. 1.
12	<i>saligna. W.</i>	least.	_____	England.	— H. ♂.	Eng. bot. 707.
13	<i>indica. W.</i>	Indian.	_____	E. Ind.	1784.	— S. ♂.	—

14 tenerrima. W.	purple-flowered.	Cichoraceæ. J.	S. Europe.	1815. 7.8. H. 2.	
15 perennis. W.	perennial.		Germany.	1596. 6.8. H. 2.	Mill. ic. 2. t. 157.
CHONDRIILLA. W.	GUM-SUCCORY.	Cichoraceæ. J.			
junceæ. W.	common.		France.	1633. 9.10. H. 2.	Jac. aust. 5. t. 427.
PRENANTHES. W.	PRENANTHES.	Cichoraceæ. J.			
1 purpurea. W.	purple-flowered.		Germany.	1658. 7.9. H. 2.	Jac. aust. 4. t. 317.
2 alba. W.	white-flowered.		N. America.	1762. 7.8. H. 2.	Bot. mag. 1079.
3 altissima. Ph.	tall.			1696. — H. 2.	Pluk. alm. t. 317. f. 2.
4 cordata. Ph.	heart-leaved.			1816. — H. 2.	
5 spinosa. W.	prickly.		Barbary.	1640. 3.5. F. 1.	Park. theat. 804. f. 7.
6 viminea. W.	rushy-twiggèd.		Austria.	1789. 7.8. H. 2.	Jac. aust. 1. t. 9.
7 muralis. W.	wall.		Britain. 7. H. 2.	Eng. bot. 457.
LEONTODON. W.	DANDELION.	Cichoraceæ. J.			
1 Taraxacum. W.	common.		Britain. 4.7. H. 2.	Eng. bot. 510.
2 serotinum. W.	late-flowering.		Hungary.	1816. 7.9. H. 2.	Pl. rar. hung. 2. t. 114.
3 palustre. E. B.	marsh.		Britain. 6.7. H. 2.	Eng. bot. 553.
<i>lividus. W.</i>					
4 obovatum. W.	obovate-leaved.		Spain.	1805. 7. H. 2.	
APARGIA. W.	APARGIA.	Cichoraceæ. J.	<i>Hedypnoidis</i> sp. E. B.		
1 aurantiaca. W.	Orange-coloured.		Hungary.	1816. 5.6. H. 2.	
2 alpina. W.	Alpine.		Austria.	— H. 2.	Jac. aust. 1. t. 93.
3 hastilis. W.	shining-leaved.		S. Europe.	1796. 7.8. H. 2.	— 2. t. 164.
4 dubia. W.	tooth-leaved.		Germany. 8. H. 2.	
5 tuberosa. W.	knotty-rooted.		France.	1683. 6.7. H. 2.	Lob. ic. 232. f. 1.
6 incana. W.	hoary.		S. Europe.	1784. 5.6. H. 2.	Jac. aust. 3. t. 287.
7 Taraxaci. W.	Dandelion-leav ^d .		Britain. 8. H. 2.	Eng. bot. 1109.
8 autumnalis. W.	autumnal.		 H. 2.	— 830.
9 crispæ. W.	curled.		France.	1803. 7.8. H. 2.	Vill. dauph. 3. t. 25.
10 hispida. W.	rough.		Britain. 7.9. H. 2.	Eng. bot. 554.
11 aspera. W.	hairy.		Hungary.	1805. 6.7. H. 2.	Pl. rar. hung. 2. t. 110.
THRINCIA. W.	THRINCIA.	Cichoraceæ. J.	<i>Hedypnoidis</i> sp. E. B.		
1 birta. W.	simple-haired.		Britain. 7.8. H. 2.	Eng. bot. 555.
2 hispida. W.	hispid.		S. Europe.	1815. 6.8. H. 2.	
3 maroccana. P. S.	Morocco.		Morocco.	1799. 7.8. H. 2.	
<i>Hysomeris hispida. W.</i>					
PICRIS. W.	OX-TONGUE.	Cichoraceæ. J.			
1 hieracioides. W.	Hawkweed-like.		England. 7.8. H. 2.	Eng. bot. 196.
2 asplenoides. W.	Spleenwort-leav ^d .		Barbary.	1805. — H. 2.	L'Her. stirp. t. 82.
3 hispida. H. K.	hispid.		Levant.	1789. — H. 2.	
4 sprengeriana. P. S.	branched.		Portugal.	1783. 6.7. H. 2.	Moris. s. 7. t. 5. f. 17.
HIERACIUM. W.	HAWKWEED.	Cichoraceæ. J.			
1 aureum. W.	golden.		Italy.	1769. 5.7. H. 2.	Jac. aust. 3. t. 297.
2 eriophyllum. W. en.	villous.	 6.8. H. 2.	
3 alpinum. W.	Alpine.		Britain. 7.8. H. 2.	Eng. bot. 1110.
4 pumilum. W.	small.		Germany.	1804. — H. 2.	
5 Pilosella. W.	Mouse-ear.		Britain. 5.7. H. 2.	Eng. bot. 1093.
6 flagellare. W. en.	creeping.		1816. — H. 2.	
7 dubium. W.	branching.		Britain. 7.8. H. 2.	Eng. bot. 1332.
8 Auricula. W.	{ Umbellèd Mouse-ear. }		England.	— H. 2.	— 2268.
9 florentinum. W.	Florentine.		Germany.	1796. — H. 2.	
10 cymosum. W.	small-flowered.		Europe.	1739. 5.6. H. 2.	Col. ecphr. 1. t. 249.
11 staticifolium. W.	Thrift-leaved.			1804. 6.7. H. 2.	Vill. dauph. 3. t. 27.
12 incarnatum. W.	flesh-coloured.		Carniola.	1815. — H. 2.	Jac. ic. t. 578.
13 aurantiacum. W.	Orange.		Scotland. — H. 2.	Eng. bot. 1469.
14 venosum. W.	veined.		N. America.	1790. — H. 2.	
15 Gronovii. W.	Gronovius's.			1798. — H. 2.	
16 Gmelini. W.	Gmelin's.		Siberia.	— H. 2.	Gmel. sib. 2. t. 8. f. 2.
17 Lawsoni. W.	Lawson's.		Britain. — H. 2.	Eng. bot. 2083.
18 pallescens. W. en.	pale.		Hungary.	1815. — H. 2.	Pl. rar. hung. 3. t. 217.
19 paniculatum. W.	panicked.		Canada.	1800. — H. 2.	
20 chondrilloides. W.	Gum-succory.		Austria.	1640. — H. 2.	Jac. aust. 5. t. 429.
21 nigrescens. W.	dark-coloured.		1801. 7.8. H. 2.	W. hort. ber. 10.
22 montanum. W.	mountain.		S. Europe.	1775. 6.7. H. 2.	Jac. aust. 2. t. 190.
23 porrifolium. W.	Leek-leaved.		Austria.	1640. 7.8. H. 2.	— 3. t. 226.
24 saxatile. W.	rock.			1801. — H. 2.	Jac. ic. 1. t. 163.
25 glaucum. W.	glaucous.		S. Europe.	1807. 6.7. H. 2.	
26 molle. W.	soft-leaved.		Scotland. 7.8. H. 2.	Eng. bot. 2210.
27 murorum. W.	wall.		Britain. 7. H. 2.	— 2082.
28 maculatum. E. B.	stained-leaved.		England. 7.8. H. 2.	— 2121.

29 pulmonarium. E.B.	Lungwort.	Cichoraceæ. J.	Scotland.	7.8.	H. ½.	Eng. bot. 2307.
30 sylvaticum. W.	wood.		Britain.	8.	H. ½.	— 2031.
31 ramosum W.	branching.		Hungary.	1805.	—	H. ½.	
32 paludosum. W.	Succory-leaved.		Britain.	7.8.	H. ½.	Eng. bot. 1094.
33 lapsanoides. W.	Lapsana-like.		Pyrenees.	1812.	—	H. ½.	Gouan. ill. t. 21. f. 3.
34 lyratum. W.	Lyre-leaved.		Siberia.	1777.	—	H. ½.	Gmel. sib. 2. t. 9.
35 cerinthoides. W.	Honeywort-lea ^d .		Scotland.	7.9.	H. ½.	Eng. bot. 2378.
36 flexuosum. W.	bending-stalk'd.		Hungary.	1804.	7.8.	H. ½.	
37 cydoniifolium. } W. en.	Quince-leaved.		France.	1816.	—	H. ½.	
38 amplexicaule. W.	heart-leaved.		Pyrenees.	1739.	7.8.	H. ½.	All. ped. 1. t. 15. f. 1.
39 pyrenaicum. W.	Pyrenean.		—	1723.	—	H. ½.	
β pilosum.	pilose.		—	—	—	H. ½.	Herm. parad. t. 184.
γ austriacum.	Austrian.		—	—	—	H. ½.	Jac. aust. 5. t. 44
40 sibiricum. W.	Siberian.		Siberia.	1755.	—	H. ½.	Gmel. sib. 2. t. 10.
41 grandiflorum. W.	great-flowered.		Switzerland.	1791.	—	H. ½.	Pl. rar. hung. 1. t. 99.
42 intybaceum. W.	Endive-leaved.		Europe.	1794.	—	H. ½.	Jac. aust. 5. t. app. 43.
43 villosum. W.	shaggy Alpine.		Scotland.	—	H. ½.	Eng. bot. 2379.
44 Halleri. W.	Haller's.		Europe.	1802.	—	H. ½.	Vill. dauph. 3. t. 26.
45 echioides. W.	Viper's-bugloss.		Hungary.	—	—	H. ½.	Pl. rar. hung. 1. t. 85.
46 undulatum. W.	wave-leaved.		Spain.	1778.	—	H. ½.	
47 glutinosum. W.	clammy.		S. Europe.	1796.	—	H. ½.	
48 Kalmii. W.	Kalm's.		Pensylvania.	1794.	8.	H. ½.	
49 fasciculatum. Ph.	bundled.		Canada.	7.8.	H. ½.	
50 foliosum. W.	leafy.		Hungary.	1805.	—	H. ½.	Pl. rar. hung. 2. t. 145
51 fallax. W. en.	hairy spear-leav ^d	1816.	—	H. ½.	
52 sabaudum. W.	shrubby.		Britain.	—	H. ½.	Eng. bot. 349.
53 denticulatum. E. B.	small-toothed.		Scotland.	—	H. ½.	— 2122.
54 prenanthoides. W.	rough-bordered.		6.9.	H. ½.	—	2285.
55 umbellatum. W.	narrow-leaved.		Britain.	7.9.	H. ½.	Eng. bot. 1771.
56 lævigatum. W.	smooth.		1804.	8.9.	H. ½.	W. hort. ber. t. 16.
57 fruticosum. W.	shrubby.		Madeira.	1785.	6.7.	G. ½.	
CREPIS. W.	CREPIS.	Cichoraceæ. J.					
1 nemausensis. W.	Palestine.		S. Europe.	1794.	6.7.	H. ½.	All. ped. 1. t. 75. f. 1.
2 leontodontoides. W.	Dandelion-like.		Italy.	1804.	7.8.	H. ½.	
3 alpina. W.	Alpine.		—	1739.	7.	H. ½.	Gmel. sib. 2. t. 5.
4 pulchra. L. T.	small-flowered.		Scotland.	6.9.	H. ½.	Eng. bot. 2325.
5 rigida. W.	rigid.		Hungary.	1805.	5.7.	H. ½.	Pl. rar. hung. 1. t. 19.
6 rigens. W.	bristle-leaved.		Azores.	1778.	7.8.	G. ½.	
7 rubra. W.	purple.		Italy.	1632.	6.7.	H. ½.	
8 aspera. W.	rough.		Sicily.	1797.	7.8.	H. ½.	
9 hieracioides. W.	Hawkweed-like.		Hungary.	1816.	—	H. ½.	Pl. rar. hung. 1. t. 70.
10 hispida. W.	hispid.		S. Europe.	1798.	—	H. ½.	— 1. t. 43.
11 tectorum. P. S.	smooth.		Britain.	6.9.	H. ½.	Eng. bot. 1111.
12 cinerea. P. S.	red-stalked.		—	—	—	H. ½.	
13 agrestis. W.	field.		Hungary.	1801.	7.8.	H. ½.	
14 biennis. W.	biennial.		England.	6.8.	H. ½.	Eng. bot. 149.
15 virens. W.	green.		Switzerland.	1796.	6.7.	H. ½.	
16 intybacea. W. en.	Endive-leaved.		Portugal.	1816.	—	H. ½.	
17 Dioscoridis. W.	Dioscorides's.		France.	1772.	—	H. ½.	Schk. hand. 3. t. 222.
18 raphanifolia. W. en.	Radish-leaved.		1816.	—	H. ½.	
19 coronopifolia. W.	fleshy-leaved.		Madeira.	1777.	8.9.	H. ½.	Deaf. act. par. 38. t. 9.
20 filiformis. W.	fine-leaved.		—	—	6.7.	G. ½.	
HELMINTHIA. J.	HELMINTHIA.	Cichoraceæ. J.	Picridis sp. L.				
echioides. W.	bristly.		Britain.	6.7.	H. ½.	Eng. bot. 972.
TOLPIS. W.	TOLPIS.	Cichoraceæ. J.	Crepidis sp. L.				
barbata. W.	purple-eyed.		France.	1620.	6.7.	H. ½.	Bot. mag. 85.
ANDRYALA. W.	ANDRYALA.	Cichoraceæ. J.					
1 cheiranthifolia. W.	various-leaved.		Madeira.	1777.	5.10.	G. ½.	L'Her. stirp. 35. t. 18
2 pinnatifida. W.	wing-leaved.		—	1778.	7.8.	G. ½.	
3 crithmifolia. W.	Samphire-leav ^d .		—	—	6.8.	G. ½.	
4 nigricans. W.	dark-flowered.		Barbary.	1804.	—	H. ½.	
5 rugosa. W.	downy.		Archipelago.	1753.	—	G. ½.	Mill. ic. 1. t. 146. f. 2.
6 lanata. W.	woolly.		S. Europe.	1732.	5.8.	H. ½.	— 1. t. 146. f. 1.
Hieracium verbascofolium. P. S.							
ROTHIA. W.	ROTHIA.	Cichoraceæ. J.	Andryala sp. P. S.				
1 andryaloides. W.	Andryala-like.		Spain.	1810.	8.	H. ½.	Gert. sem. 2. t. 174.
2 cheiranthifolia. W.	Stock-leaved.		S. Europe.	1768.	7.8.	H. ½.	
3 runcinata. W.	hoary.		—	1711.	—	H. ½.	

KRIGIA. W.	KRIGIA.	Cichoraceæ. J. <i>Hyoscridis</i> sp. P. S.	
virginica. W.	Virginian.	_____ N. America. 1811. 5.7. H.○	{ Lam. journ. hist. nat. 1. t. 12.
HYOSERIS. W.	{ SWINE'S- SUCCORY. }	Cichoraceæ. J.	
1 radiata. W.	starry.	_____ S. Europe. 1640. 6.7. H.2.	Pluk. alm. t. 37. f. 2.
2 lucida. W.	shining.	_____ Levant. 1770. 6.8. H.2.	Schmid. ic. t. 39. 41.
3 scabra. W.	rugged.	_____ Sicily. 1789. 7.8. H.○	Boc. mus. 146. t. 108
4 arenaria. W.	sand.	_____ Morocco. 1800. — H.○	
HEDYPNOIS. W.	HEDYPNOIS.	Cichoraceæ. J.	
1 monspeliensis. W.	branching.	_____ S. Europe. 1693. 6.7. H.○	
2 rhagadioloides. W.	Nipplewort.	_____ 1773. 7.8. H.○	Cav. ic. 1. t. 43.
3 erecta. W.	Cretan.	_____ Candia. 1731. 6.7. H.○	
SERIOLOA. W.	SERIOLOA.	Cichoraceæ. J.	
1 lævigata. W.	smooth.	_____ Candia. 1772. 7.8. H.○	Desf. atl. 2. t. 216.
2 æthnensis. W.	rough.	_____ Italy. 1763. — H.○	Jac. obs. 4. t. 79.
3 urens. W.	stinging.	_____ S. Europe. 1773. — H.○	Schmid. ic. t. 32.
HYPOCHÆRIS. W.	CAT'S-EAR.	Cichoraceæ. J.	
1 helvetica. W.	one-flowered.	_____ Switzerland. 1799. 6.7. H.2.	Jac. ic. 1. t. 165.
2 maculata. W.	spotted.	_____ England. — H.2.	Eng. bot. 225.
3 minima. W.	least.	_____ Barbary. 1797. 7.8. H.○	
4 hispida. W. en.	bristly.	_____ S. Europe. 1804. — H.2.	W. hort. ber. 1. t. 46.
5 glabra. W.	smooth.	_____ Britain. — H.○	Eng. bot. 575.
6 radicata. W.	long-rooted.	_____ 6.9. H.2.	831.
LAPSANA. W.	NIPPLEWORT.	Cichoraceæ. J.	
1 foetida. W.	stinking.	_____ Italy. 1722. 7.8. H.2.	Pl. rar. hung. 1. t. 49.
<i>Hyoseris foetida.</i> P. S.			
2 pusilla. W.	least.	_____ Britain. 5.6. H.○	Eng. bot. 95.
<i>Hyoseris minima.</i> E. B.			
3 communis. W.	common.	_____ Britain. 6.7. H.○	Eng. bot. 244.
4 crispa. W.	curled.	_____ 1799. 7.8. H.○	
5 lyrata. W. en.	lyrate.	_____ Caspian Sea. 1816. — H.2.	
ZACINTHA. W.	ZACINTHA.	Cichoraceæ. J. <i>Lapsana</i> sp. L.	
vertucosa. W.	warted.	_____ S. Europe. 1633. 6.7. H.○	{ Gert. sem. 2. t. 157. f. 7.
RHAGADIOLUS. W.	RHAGADIOLUS.	Cichoraceæ. J. <i>Lapsana</i> sp. L.	
1 stellatus. W.	starry.	_____ S. Europe. 1633. 6.7. H.○	
2 edulis. W.	heart-leaved.	_____ Levant. 1633. 6.7. H.○	Schk. hand. 3. t. 225.
3 Koelpinia. W.	small.	_____ 1788. 7. H.○	Pall. it. 3. t. 11. f. 2
CATANANCHE. W.	CATANANCHE.	Cichoraceæ. J.	
1 cærulea. W.	blue.	_____ S. Europe. 1596. 7.10. H.2.	Bot. mag. 293.
2 lutea. W.	yellow.	_____ Candia. 1640. 6.7. H.○	Alp. exot. t. 286.
CICHORIUM. W.	SUCCORY.	Cichoraceæ. J.	
1 Intybus. W.	wild.	_____ Britain. 6.8. H.2.	Eng. bot. 539.
2 pumilum. W.	dwarf.	_____ 1799. 7.8. H.○	Jac. obs. 4. t. 80.
3 Endivia. W.	Endive.	_____ E. Ind. 1548. — H.○	
4 divaricatum. W.	branching.	_____ Barbary. 1798. — H.○	
5 spinosum. W.	prickly.	_____ Candia. 1633. — F. ♂	Bauh. prodr. 1. 62.
SCOLYMUS. W.	{ GOLDEN- THISTLE. }	Cichoraceæ. J.	
1 maculatus. W.	annual.	_____ S. Europe. 1633. 7.8. H.○	Lam. ill. t. 659.
2 hispanicus. W.	perennial.	_____ 1658. 7.9. H.2.	
ARCTIUM. W.	BURDOCK.	Cynarocephalæ. J.	
1 Lappa. W.	smooth-headed.	_____ Britain. 7.8. H. ♂	Eng. bot. 1222.
2 Bardana. W.	woolly-headed.	_____ — H. ♂	2478.
SERRATULA. W.	SAW-WORT.	Cynarocephalæ. J.	
1 tinctoria. W.	common.	_____ Britain. 7.10. H.2.	Eng. bot. 38.
2 coronata. W.	Siberian.	_____ Siberia. 1739. 7.8. H.2.	Gmel. sib. 2. t. 20.
3 quinquefolia. W.	five-leaved.	_____ 1804. — H.2.	Bot. mag. 1871.
4 pygmaea. W.	Pigmy.	_____ Austria. 1816. — H.2.	Jac. aust. t. 440.
5 alpina. W.	Alpine.	_____ Britain. — H.2.	Eng. bot. 599.
6 angustifolia. W.	narrow-leaved.	_____ Siberia. 1816. — H.2.	Gmel. sib. 2. t. 23.
7 salicifolia. W.	Willow-leaved.	_____ 1796. — H.2.	2. t. 27.
8 centauroides. W.	Centaury-like.	_____ 1804. — H.2.	2. n. 38. t. 17.
CARDUUS. W.	THISTLE.	Cynarocephalæ. J.	
1 leucographus. W.	white-spotted.	_____ Italy. 1752. 6.7. H.○	Jac. vind. 3. t. 23.
2 crassifolius. W. en.	thick-leaved.	_____ 1805. 7. H.2.	
3 arabicus. W.	Arabian.	_____ 1789. 7.8. H.○	Jac. ic. 1. t. 166.
4 nutans. W.	musk.	_____ Britain. — H.○	Eng. bot. 1112.
5 carlinoides. W.	Pyrenean.	_____ Pyrenees. 1784. — H. ♂	Gouan. ill. t. 22.

♂ <i>carlinefolius</i> . W.	Carline-leaved.	Cynarocephalæ. J.	Pyrenees.	1804.	7.8.	H. ♂.	
7 <i>acanthoides</i> . W.	welted.		Britain.	6.8.	H. ♂.	Eng. bot. 973.
8 <i>tenuiflorus</i> . W.	slender-flower'd.		H. ♂.	412.
9 <i>crispus</i> . W.	curled.		Europe.	1804.	7.8.	H. ♂.	Flor. dan. t. 621.
10 <i>hamulosus</i> . W.	spiny-hooked.		Hungary.	1802.	6.7.	H. ♂.	
11 <i>candicans</i> . W.	hoary.		Hungary.	1805.	7.8.	H. ♂.	Pl. rar. hung. 1. t. 83.
12 <i>personata</i> . W.	cut-leaved.		Austria.	1776.	—	H. ♂.	Jac. aust. 4. t. 348.
13 <i>polyanthemos</i> . W.	many-flowered.		Rome.	1739.	6.7.	H. ♂.	Triumf. obs. t. 103.
14 <i>orientalis</i> . W. en.	oriental.		Iberia.	1804.	7.	H. ♀.	
15 <i>paniculatus</i> . W.	panicle.		S. Europe.	1781.	6.7.	H. ♀.	
16 <i>pycncephalus</i> . W.	Italian.		—	1739.	7.9.	H. ♀.	Jac. vind. 1. t. 44.
17 <i>argentatus</i> . W.	White Egyptian.		Egypt.	1789.	6.8.	H. ♂.	— 2. t. 192.
18 <i>cyanoideus</i> . W.	blue-bottle-lea ^d .		Siberia.	1778.	7.8.	H. ♀.	Gmel. sib. 2. t. 15.
19 <i>arctioides</i> . W.	pinnated.		Carniola.	1804.	—	H. ♀.	
20 <i>alpestris</i> . W.	Alpine.		Croatia.	1805.	—	H. ♀.	
21 <i>defloratus</i> . W.	various-leaved.		Austria.	1570.	7.9.	H. ♀.	Jac. aust. 1. t. 89.
22 <i>pannonicus</i> . W.	Hungarian.		—	1816.	—	H. ♀.	— 3. t. 5.
23 <i>parviflorus</i> . W.	small-flowered.		S. Europe.	1781.	6.7.	H. ♀.	
24 <i>radiatus</i> . W.	rayed.		Hungary.	1800.	7.	H. ♂.	Pl. rar. hung. 1. t. 11.
25 <i>marianus</i> . W.	milk.		Britain.	—	H. ♂.	Eng. bot. 976.
26 <i>nitidus</i> . W.	glossy.		Hungary.	1806.	—	H. ♀.	Pl. rar. hung. 1. t. 52.
27 <i>cerinthoides</i> . W.	Honeywort-lea ^d .		S. Europe.	1739.	7.8.	H. ♀.	Cav. ic. 3. t. 226.
CNICUS. W.	HORSE-THISTLE.	Cynarocephalæ. J.	<i>Cardus</i> sp. P. S.				
1 <i>palustris</i> . W.	marsh.		Britain.	7.8.	H. ♂.	Eng. bot. 974.
2 <i>canus</i> . W.	hoary.		Austria.	1683.	—	H. ♀.	Jac. aust. 1. t. 42. 2.
3 <i>Acarna</i> . W.	yellow.		Spain.	1683.	7.9.	H. ♂.	Cav. ic. 1. t. 53.
4 <i>monspessulanus</i> . W.	Montpelier.		Montpelier.	1596.	6.7.	H. ♀.	
5 <i>lanceolatus</i> . W.	common.		Britain.	6.9.	H. ♂.	Eng. bot. 107.
6 <i>ferox</i> . W.	prickly.		S. Europe.	1683.	7.8.	H. ♂.	All. ped. 1. t. 50.
7 <i>ciliatus</i> . W.	fringed.		Siberia.	1787.	8.	H. ♀.	Mur. com. got. 6. t. 5.
8 <i>eriphorus</i> . W.	woolly-headed.		Britain.	7.8.	H. ♂.	Eng. bot. 386.
9 <i>discolor</i> . W.	two-coloured.		N. America.	1803.	—	H. ♂.	
10 <i>altissimus</i> . W.	giant.		—	1726.	8.9.	H. ♀.	Dil. elt. t. 69. f. 80.
11 <i>pratensis</i> . W.	meadow.		Britain.	6.	H. ♀.	Eng. bot. 177.
12 <i>heterophyllus</i> . W.	melancholy.		—	7.8.	H. ♀.	— 675.
13 <i>helenioides</i> . W.	Elecampane-le ^d .		Siberia.	1804.	—	H. ♀.	
14 <i>serotuloides</i> . W.	Saw-wort-like.		—	1752.	6.10.	H. ♀.	Jac. aust. 2. t. 127.
15 <i>arvensis</i> . Ph.	corn or way.		Britain.	7.	H. ♀.	Eng. bot. 975.
<i>Serratula arvensis</i> . W.	<i>Carduus arvensis</i> . E. B.						
16 <i>rivularia</i> . W.	river.		Hungary.	1804.	7.8.	H. ♀.	Jac. aust. 1. t. 91.
17 <i>pauciflorus</i> . W.	few-flowered.		—	1816.	—	H. ♂.	Pl. rar. hung. 2. t. 161.
18 <i>tataricus</i> . W.	Tartarian.		Siberia.	1775.	—	H. ♀.	Jac. aust. 1. t. 90.
19 <i>rigens</i> . W.	upright Alpine.		Switzerland.	1775.	7.8.	H. ♀.	{ La Chen. act. helv. 4. t. 16.
20 <i>carniolicus</i> . W.	Carniola.		Carniola.	1792.	—	H. ♀.	{ Scop. carn. n. 1005. t. 54.
21 <i>oleraceus</i> . W.	pale-flowered.		Europe.	1570.	—	H. ♀.	Fl. dan. 860.
22 <i>munitus</i> . W. en.	armed.		Caucasus.	1816.	—	H. ♀.	
23 <i>obvallatus</i> . W. en.	crowded-flower ^d .		—	—	—	H. ♀.	
24 <i>Erisithales</i> . W.	clammy.		France.	1752.	6.8.	H. ♀.	Jac. aust. 4. t. 310.
25 <i>ochroleucus</i> . W.	pale yellow.		Switzerland.	1801.	7.	H. ♀.	
26 <i>tuberosus</i> . W.	tuberous.		England.	8.10.	H. ♀.	Lob. ic. t. 10. f. 2.
27 <i>acaulis</i> . W.	dwarf.		Britain.	7.8.	H. ♀.	Eng. bot. 161.
28 <i>Casabonæ</i> . W.	Fish-bone.		S. Europe.	1714.	6.8.	F. ♂.	Schmid. ic. t. 51. 52.
29 <i>afer</i> . W.	Barbary.		Barbary.	1800.	6.7.	F. ♂.	Jac. schoen. 2. t. 145.
30 <i>diacanthus</i> . Lab.	two-spined.		Syria.	—	—	F. ♂.	Lab. ic. pl. syr. 1. 3.
31 <i>stellatus</i> . W.	starry.		Italy.	1665.	—	H. ♂.	Triumf. obs. t. 96.
32 <i>syriacus</i> . W.	Syrian.		Levant.	1771.	7.8.	H. ♂.	Camer. hort. t. 10.
33 <i>spinosissimus</i> . W.	feathery-headed.		Switzerland.	1759.	6.8.	H. ♀.	Bot. mag. 1366.
34 <i>centauroides</i> . W.	Artichoke-leav ^d .		Pyrenees.	1640.	7.8.	H. ♀.	Moria. s. 7. t. 25. f. 2.
35 <i>uniflorus</i> . W.	one-flowered.		Siberia.	1796.	—	H. ♀.	Gmel. sib. 2. t. 38.
36 <i>cernuus</i> . W.	nodding.		—	1755.	6.7.	H. ♀.	Mill. ic. 2. t. 248.
ONOPORDUM. W.	{ COTTON THISTLE. }	Cynarocephalæ. J.					
1 <i>Acanthium</i> . W.	woolly.		Britain.	7.8.	H. ♂.	Eng. bot. 977.
2 <i>tauricum</i> . W.	Taurian.		Tauria.	1800.	—	H. ♂.	
3 <i>macrocanthum</i> . W.	long-spined.		Barbary.	1798.	—	H. ♂.	Schous. maroc. t. 5.
4 <i>illyricum</i> . W.	Illyrian.		S. Europe.	1648.	—	H. ♂.	Jac. vind. 2. t. 148.
5 <i>deltoides</i> . W.	Siberian.		Siberia.	1784.	8.	H. ♀.	
6 <i>græcum</i> . W.	Grecian.		Levant.	1799.	6.7.	H. ♂.	Gouan. ill. t. 25.

7 arabicum. W.	Arabian.	Cynarocephalæ. J. S. Europe.	1686. 7. H. ♂.	Jac. vind. 2. t. 148.
8 acaulon. W.	dwarf.	1739. 7.8. H. ♂.	Jac. ic. 1. t. 167.
BERARDIA. Vill.	BERARDIA.	Cynarocephalæ. J. <i>Onopordi</i> sp. W.	Italy.	1791. 7.8. H. ♀.
subacaulis. P. S.	round-leaved.			Vill. dauph. 3. t. 22.
	<i>Arctium lanuginosum. Dec.</i>	<i>Onopordum rotundifolium. W.</i>		
CYNARA. W.	ARTICHOKE.	Cynarocephalæ. J.		
1 Scolymus. W.	garden.	S. Europe.	1548. 8.9. H. ♀.	Blackw. t. 458.
2 horrida. W.	Madeira.	-----	1778. — G. ♀.	
3 Cardunculus. W.	Cardoon.	Candia.	1658. — H. ♀.	Tabern. ic. 696.
4 humilis. W.	dwarf.	Spain.	1613. 7.8. H. ♀.	Pluk. alm. t. 81. f. 2.
5 acaulis. W.	stemless.	Barbary.	1799. 7. H. ♀.	Desf. alt. 2. t. 222.
6 glomerata. Th.	Cape.	C. B. S.	1816. 7.8. G. ♀.	
CARLINA. W.	{ CARLINE THISTLE. }	Cynarocephalæ. J.		
1 acaulis. W.	dwarf.	-----	Italy.	1640. 6. H. ♀.
2 simplex. P. S.	single-flowered.	Hungary.	1816. 6.7. H. ♀.	Knorr. thes. 2. t. c. 1.
3 aggregata. W.	clustered.	-----	1804. 6.9. H. ♀.	Pl. rar. hung. 2. t. 153.
4 lanata. W.	woolly.	-----	S. Europe.	1683. 6.7. H. ♂.
5 corymbosa. W.	corymbed.	-----	1640. 7.8. H. ♀.	Garid. aix. t. 21.
6 vulgaris. W.	common.	-----	Britain.	Col. ecphr. 1. t. 27. f. 1.
7 racemosa. W.	racemed.	-----	Spain.	Eng. bot. 1144.
8 pyrenaica. W.	Pyrenean.	Pyrenees.	1658. 6.8. H. ♂.	
ATRACTYLIS. W.	ATRACTYLIS.	Cynarocephalæ. J.		
humilis. W.	dwarf.	-----	Spain.	1759. 6.7. H. ♀.
ACARNA. W.	ACARNA.	Cynarocephalæ. J. <i>Atractylidis</i> sp. Cav.		Cav. ic. 1. t. 54.
1 gumifera. W.	gummy-rooted.	S. Europe.	1640. 6.8. H. ♀.	Cav. ic. 3. t. 228.
2 cancellata. W.	netted.	-----	6.7. H. ♂.	Lam. ill. t. 662. f. 1.
STOKESIA. W.	STOKESIA.	Cynarocephalæ. J.		
cyanea. W.	blue-flowered.	-----	Carolina.	1766. 8. G. ♀.
STOBÆA. Th.	STOBÆA.	Cynarocephalæ. J.		L'Her. sert. 27. t. 28.
pinnata. Th.	Carthamus-like.	C. B. S.	1812. 1.12. G. ♀.	Bot. mag. 1788.
CARTHAMUS. W.	CARTHAMUS.	Cynarocephalæ. J.		
1 tinctorius. W.	official.	Egypt.	1551. 6.7. H. ♂.	Bot. reg. 170.
2 lanatus. W.	woolly.	S. Europe.	1596. 7.8. H. ♂.	Schk. hand. 3. t. 233.
3 creticus. W.	Cretan.	Candia.	1781. 6.7. H. ♂.	
4 tingitanus. W.	Tangier.	Barbary.	1759. — H. ♀.	Cav. ic. 2. t. 128.
5 cœruleus. W.	blue-flowered.	Spain.	1640. — H. ♀.	
6 mitissimus. W.	small.	France.	1776. — H. ♀.	
7 Carduncellus. W.	mountain.	-----	1734. 5.6. H. ♀.	
8 arborescens. W.	tree.	Spain.	1731. 7.8. G. ♀.	
9 salicifolius. W.	Willow-leaved.	Madeira.	1784. 8. G. ♀.	
STÆHELINA. W.	STÆHELINA.	Cynarocephalæ. J.		
1 dubia. W.	Rosemary-leaved.	S. Europe.	1640. 6.7. H. ♀.	Lam. ill. t. 666. f. 4.
2 arborescens. W.	Storax-leaved.	Candia.	1739. 7.9. G. ♀.	Schreb. dec. 1. t. 1.
3 Chamaepence. W.	Pine-leaved.	-----	1640. 7.11. G. ♀.	Pluk. alm. t. 94. f. 3.
PTERONIA. W.	PTERONIA.	Cynarocephalæ. J.		
1 camphorata. W.	aromatic.	C. B. S.	1774. 6.7. G. ♀.	Pluk. man. t. 345. f. 3.
2 stricta. W.	cluster-flowered.	-----	4.6. G. ♀.	
3 flexicaulis. W.	bending-stalked.	-----	1812. 6.8. G. ♀.	
4 oppositifolia. W.	opposite-leaved.	-----	1774. 7. G. ♀.	Lam. ill. t. 667. f. 2.
5 scariosa. W.	Window-calyxed.	-----	1815. 6.8. G. ♀.	
VERNONIA. W.	VERNONIA.	Corymbiferae. J.		
1 noveboracensis. W.	long-leaved.	N. America.	1710. 9.11. H. ♀.	Dill. elt. t. 263. f. 342.
2 præalta. W.	tall.	-----	1732. — H. ♀.	— t. 264. f. 343.
3 angustifolia. Ph.	narrow-leaved.	-----	1817. — H. ♀.	
4 glauca. W.	glaucous-leaved.	-----	1710. — H. ♀.	Dill. elt. t. 262. f. 341.
5 anthelmintica. W.	purple.	E. Ind.	1770. 8.9. S. ♂.	Rheed. mal. 2. t. 24.
LIATRIS. W.	LIATRIS.	Corymbiferae. J.		
1 squarrosa. W.	rough-cupped.	N. America.	1732. 7.8. H. ♀.	Dill. elt. t. 71. f. 82.
2 scariosa. W.	scarious-cupped.	-----	1739. 9.10. H. ♀.	Bot. mag. 1708.
3 sphaeroides. Ph.	globular-cupped.	-----	1817. 8.10. H. ♀.	
4 elegans. W.	hairy-cupped.	-----	1787. 9.10. H. ♀.	Bot. reg. 267.
5 pilosa. W.	hairy-leaved.	-----	1783. — H. ♀.	
6 cylindracea. Ph.	cylindrical-cup ^d .	-----	1811. 8.10. H. ♀.	
7 heterophylla. Ph.	various-leaved.	-----	1790. 7.8. H. ♀.	
8 pycnostachya. Ph.	pubescent-leav ^d .	-----	1732. 8.10. H. ♀.	Dill. elt. t. 72. f. 83.
9 spicata. W.	long-spiked.	-----	1732. — H. ♀.	Bot. rep. 401.
10 odoratissima. W.	sweet-scented.	Carolina.	1786. — G. ♀.	— 633.
MIKANIA. W.	MIKANIA.	Corymbiferae. J.		
1 Houstoni. W.	Houston's.	Jamaica.	1733. 7.8. S. ♀.	

W.	halfbert-leaved.	Corymbiferae. J.	Jamaica.	S. h.	Brown. jsm. t. 34. f. 3
is. W.	climbing.		N. America.	1714.	8.9. G. 2.	Jac. ic. 1. t. 169.
LIUM. W.	EUPATORIUM.	Corymbiferae. J.				
W.	shrubby.		Jamaica.	1773.	8. S. h.	Jac. schoen. 2. t. 146
laceum. Ph.	Fennel-leaved.		N. America.	1807.	6.9. H. 2.	
folium. W.	Hyssop-leaved.			1699.	8.9. H. 2.	Dill. elt. t. 115. f. 140
olium. W.	sessile-leaved.			1777.	9.10. H. 2.	
olium. W.	Teucrium-leaved.			1816.	8.11. H. 2.	W. hort. ber. 32.
folium. W.	round-leaved.			1699.	7.8. H. 2.	Pluk. alm. t. 88. f. 4.
um. W.	tall.				9.10. H. 2.	Jac. vind. 2. t. 164.
um. W.	three-leaved.			1768.	8.10. H. 2.	
inum. W.	Hemp Agrimony.		Britain.	7.10. H. 2.	Eng. bot. 428.
m. W.	Syrian.		Syria.	1807.	7.9. H. 2.	Jac. ic. 1. t. 170.
um. W.	purple-stalked.		N. America.	1640.	9.10. H. 2.	Corn. canad. t. 72.
tum. Ph.	spotted-stalked.			1656.	8.9. H. 2.	Herm. parad. t. 158.
tum. Ph.	punctated.			1815.	H. 2.	
latum. W.	whorl-leaved.			1811.	H. 2.	
stum. Ph.	Feverwort.			1699.	8.10. H. 2.	Pluk. alm. t. 97. f. 6.
num. W.	blue-flowered.			1732.	7.11. H. 2.	Dill. elt. t. 114. f. 139
olium. W.	Nettle-leaved.		S. America.	1803.	7.8. F. 2.	Smith ined. t. 68.
icum. W.	aromatic.		N. America.	1739.	H. 2.	Pluk. alm. t. 88. f. 3.
ides. W.	Ageratum-like.			1640.	8.10. H. 2.	Corn. canad. t. 2
im. W.	sweet-scented.		Jamaica.	1752.	S. h.	Pluk. alm. t. 177. f. 3.
um. W.	Iva-leaved.			1794.	6.7. S. 2.	
UM. W.	AGERATUM.	Corymbiferae. J.				
ides. W.	hairy.		America.	1714.	7.8. H. 2.	Schk. hand. 3. t. 239.
um. W.	broad-leaved.		Peru.	1800.	H. 2.	Cav. ic. 4. t. 357.
num. B. M.	blue-flowered.		7.10. G. h.		Bot. mag. 1730.
W.	STEVIA.	Corymbiferae. J.				
ea. W. en.	purple.		Mexico.	1812.	8.9. H. 2.	Bot. reg. 93.
ria. W.	entire-leaved.			1798.	7.9. H. 2.	Bot. mag. 1849.
ifolia. B. M.	Hyssop-leaved.			8.9. H. 2.	1861.
lia. W.	Willow-leaved.			1803.	F. 2.	Cav. ic. 4. t. 354.
. W.	saw-leaved.			1799.	7.9. H. 2.	Jac. schoen. 3. t. 300.
a. W. en.	Iva-leaved.			1816.	H. 2.	
W. en.	oval-leaved.			8.9. H. 2.	
. W.	multifid.			1803.	7.9. H. 2.	Cav. ic. 4. t. 356.
OPHORA.						
	CEPHALOPHORA.	Corymbiferae. J.				
. W.	glaucous.		Chili.	1796.	7.8. F. 2.	Cav. ic. 6. t. 599.
OPAPPUS. J.	HYMENOPAPPUS.	Corymbiferae. J.				
olius. Ph.	slender-leaved.		Louisiana.	1811.	6.8. F. 2.	
ANTHERA						
	MELANANTHERA.	Corymbiferae. J.				
			<i>Bidentis sp. W.</i>			
i. Ph.	snowy.		N. America.	1732.	6.7. G. 2.	Dill. elt. t. 47. f. 55.
hrata.	fiddle-leaved.				G. 2.	146. f. 54.
lea. Mi.	rough-leaved.		S. America.	1799.	7.8. S. 2.	Jac. ic. 3. t. 583.
aspera. W.						
ALLIA. Ph.	MARSHALLIA.	Corymbiferae. J.	<i>Persoonia. Mi. Trattenickia. P. S.</i>			
lata. Ph.	spear-leaved.		Carolina.	1812.	6.7. F. 2.	
a. Ph.	broad-leaved.			1806.	F. 2.	Mich. amer. 2. t. 43.
HES. W.	SPILANTHES.	Corymbiferae. J.				
-Acemella. W.	spear-leaved.		Ceylon.	1768.	7. S. 2.	Pluk. alm. t. 159. f. 4.
V.	white-flowered.		Peru.	1788.	6.7. S. 2.	L'Her. stirp. 7. t. 4.
a. W.	esulent.		E. Ind.	1770.	7.9. S. 2.	Jac. vind. 2. t. 135.
. B. M.	safron-coloured.		S. America.	1812.	1.3. S. 2.	Bot. mag. 1627.
W.	BIDENS.	Corymbiferae. J.				
ra. W.	sessile-flowered.		E. Ind.	1732.	7.8. S. 2.	Dill. elt. t. 44. f. 52.
ita. W.	trifid.		Britain.	7.9. H. 2.	Eng. bot. 1113.
. W.	nodding.			H. 2.	1114.
phylla. W.	various-leaved.		Mexico.	1803.	8.9. G. 2.	Orteg. dec. 8. t. 12.
sa. W.	smooth-stalked.		N. America.	1710.	7.8. H. 2.	Moris. s. 6. t. 5. f. 21.
tha. W.	white-flowered.		S. America.	H. 2.	
sis. W.	Chinese.		China.	1801.	6.7. H. 2.	{ Rumph. amb. 6. t. 15. f. 2.
W.	hairy.		N. America.	1732.	7. H. 2.	Dill. elt. t. 43. f. 51.
cifolia. W.	Elder-leaved.		S. America.	1801.	7.8. H. 2.	Cav. ic. 3. t. 229.
sta. W.	Hemlock-leav'd.		N. America.	1687.	H. 2.	Herm. parad. t. 123.
. W.	rough-leaved.			1759.	H. 2.	Arduin. spect. 2. t. 18

LAGASCA. Cav.	LAGASCA.	Corymbiferae. J.					
<i>mollis.</i> Cav.	soft.		S. America.	1815. 6.9.	S. ☉.	Bot. mag.	1804.
LAVENIA W.	LAVENIA.	Corymbiferae. J.					
<i>erecta.</i> W.	upright.		E. Ind.	1739. 7.9.	S. ☉.	Burm. zeyl. t.	42.
CACALIA. W.	CACALIA.	Corymbiferae. J.					
1 <i>papillaris.</i> W.	rough-stalked.		C. B. S.	1727.	G. h.	Dill. elt. t.	55. f. 63.
2 <i>Antenphorbium.</i> W.	oval-leaved.			1596. 2.3.	G. h.		t. 55. f. 2.3.
3 <i>Kleinia.</i> W.	Oleander-leaved.		Canaries.	1732. 9.10.	G. h.	Plant. grass.	12.
4 <i>Ficoides.</i> W.	flat-leaved.		C. B. S.	1710. 6.11.	G. h.		90.
5 <i>carnea.</i> W.	narrow-leaved.			1757. 6.	G. h.		
6 <i>repens.</i> W.	glaucous-leaved.			1759. 6.10.	G. h.	Plant. grass.	42.
7 <i>Haworthii.</i>	woolly-leaved.			1795.	G. h.		
<i>tomentosa. M. n. not of Thunberg.</i>							
8 <i>articulata.</i> W.	jointed.			1775. 9.11.	G. h.	Plant. grass.	18.
9 <i>tomentosa.</i> Th.	tomentose.			1795.	G. h.		
10 <i>appendiculata.</i> W.	appendaged.		Teneriffe.	1815.	G. h.		
11 <i>bicolor.</i> W.	two-coloured.		E. Ind.	1804. 9.5.	S. h.	Bot. reg.	110.
12 <i>ovalis.</i> B. reg.	oval-leaved.			S.		102.
13 <i>sonchifolia.</i> W.	Sow-thistle-lea ^d .		E. Ind.	1768. 7.	S. ☉.	Rheed. mal. 10. t.	56.
14 <i>coccinea.</i> H. K.	scarlet-flowered.		1799. 6.7.	H. ☉.	Bot. mag.	564.
15 <i>sarraceniaca.</i> W.	creeping-rooted.		France.	1772. 8.10.	H. h.		
16 <i>hastata.</i> W.	spear-leaved.		Siberia.	1780. —	H. h.	Gmel. sib. 2. t.	66.
17 <i>rhombifolia.</i> W.	rhomb-leaved.			1816. —	H. h.		
18 <i>suaveolens.</i> W.	sweet-scented.		N. America.	1752. —	H. h.		
19 <i>atriplicifolia.</i> W.	Orache-leaved.			1699. 8.	H. h.	Pluk. alm. t. 101. f.	2.
20 <i>reniformis.</i> W.	kidney-leaved.			1801. 7.8.	H. h.		
21 <i>alpina.</i> W.	Alpine.		Austria.	1739. —	H. h.	Jac. aust. 3. t.	234.
22 <i>albifrons.</i> W.	white-leaved.			—	H. h.		3. t. 235.
23 <i>scandens.</i> W.	climbing.		C. B. S.	1774. 4.	G. h.		
24 <i>pinnata.</i> W. en.	wing-leaved.		Iberia.	1816. 7.8.	H. h.		
KLEINIA. W.	KLEINIA.	Corymbiferae. J.					
<i>porophyllum.</i> W.	perforated.		N. America.	1699. 6.10.	S. ☉.	Cav. ic. 3. t.	222.
ETHULIA. W.	ETHULIA.	Corymbiferae. J.					
1 <i>conyzoides.</i> W.	panicked.		India.	1776. 7.8.	S. ☉.	Linn. fl. dec. t. 1.	
2 <i>divaricata.</i> W.	spreading.			1815. —	S. ☉.	Lam. ill. t.	699.
PIQUERIA. W.	PIQUERIA.	Corymbiferae. J.					
<i>trinervia.</i> W.	three-nerved.		Mexico.	1798. 7.8.	G. h.	Cav. ic. 3. t.	235.
CHRYSOLOMA. W.	CHRYSOLOMA.	Corymbiferae. J.					
1 <i>Comaurea.</i> W.	great-shrubby.		C. B. S.	1731. 6.8.	G. h.	Volk. norib. t.	148.
2 <i>sernea.</i> W.	small-shrubby.			1712. 5.9.	G. h.	Comm. hort. 2. t.	145.
3 <i>ciliaris.</i> W.	Heath-leaved.			1759. 7.10.	G. h.		2 t. 48.
4 <i>scabra.</i> W.	rugged.			1732. 8.9.	G. h.	Dill. elt. t. 88. f.	103.
5 <i>denticulata.</i> W.	toothed.		G. h.	Jac. schoen. 3. t.	368.
6 <i>Linosyris.</i> W.	German.		Europe.	1596. 9.10.	H. h.	Schk. hand. 3. t.	238.
7 <i>dracunculoides.</i> W.	Siberian.		Siberia.	H. h.		
8 <i>biflora.</i> W.	two-flowered.			1741. 8.9.	H. h.	Gmel. sib. 2. t. 82. f.	1.
9 <i>villosa.</i> W.	hairy-leaved.		Hungary.	1799. —	H. h.	Pl. rar. hung. 1. t.	58.
TARCHONANTHUS. W.	{ AFRICAN FLEA- }	Corymbiferae. J.					
<i>camphoratus.</i> W.	BANE. shrubby.		C. B. S.	1690. 6.10.	G. h.	Lam. ill. t.	671.
CALEA. W.	CALEA.	Corymbiferae. J.					
1 <i>Jamaicensis.</i> W.	purple-flowered.		W. Ind.	1739. 6.7.	S. h.	Slo. jam. 1. t. 151. f.	3.
2 <i>oppositifolia.</i> W.	opposite-leaved.			—	S. h.		
3 <i>lobata.</i> W.	Halberd-weed.			1733. 6.7.	S. h.	Bot. mag.	1734.
HUMEA. Sm.	HUMEA.	Corymbiferae. J.					
<i>elegans.</i> H. K.	rose-coloured.		Calomaria, Vent. malm.	73.			
CÆSULIA. W.	CÆSULIA.	Corymbiferae. J.	N. S. W.	1800. 6.10.	G. h.	Exot. bot. 1. t.	1.
<i>axillaris.</i> W.	axillary-flower'd.		E. Ind.	1804. 7.9.	S. h.	Bot. rep.	431.
IXODIA. H. K.	IXODIA.	Corymbiferae. J.					
<i>achillæoides.</i> H. K.	Milfoil-like.		N. Holland.	1803. 3.9.	G. h.	Bot. mag.	1534.
SANTOLINA. W.	{ LAVENDER- }	Corymbiferae. J.					
1 <i>Chamae-Cyparissus.</i> W.	COTTON. common.		S. Europe.	1573. 7.	H. h.	Lam. ill. t.	671. f. 3.
2 <i>squarrosa.</i> W.	hoary.			1570. 7.8.	H. h.	Moris. s. 6. t. 3. f.	17.
3 <i>viridis.</i> W.	dark-green.			1727. 7.	H. h.		
4 <i>rosmarinifolia.</i> W.	Rosemary-leav ^d .			1683. 7.9.	H. h.	Exot. bot. 2. t.	62.
5 <i>maritima.</i> W.	sea.		England.	H. h.	Eng. bot.	141.
6 <i>alpina.</i> W.	Alpine.		Italy.	1798. —	H. h.	Barr. rar. t.	522.
7 <i>anthemoides.</i> W.	Chamomile-lea ^d .			1727. 7.8.	H. h.		

ATHANASIA.		Corymbiferae. J.				
1 capitata. W.	hairy.		C. B. S.	1774. 1.3.	G. h.	Moria. s. 6. t. 3. f. 48.
2 pubescens. W.	villous-leaved.			1768. 6.3.	G. h.	Comm. hort. 2. t. 47.
3 annua. W.	annual.		Barbary.	1686. 7.3.	H. ♂	Sch. hand. 3. t. 239.
4 dentata. W.	tooth-leaved.		C. B. S.	1759. —	G. h.	Comm. rar. t. 41.
5 trifurcata. W.	trifid-leaved.			1710. —	G. h.	Comm. hort. 2. t. 49.
6 virgata. W.	twiggy.			1815. —	G. h.	Jac. schoen. 2. t. 148.
7 tomentosa. W.	Lavender-leav'd.			1774. 5.6.	G. h.	
8 filiformis. W.	fine-leaved.			1787. 8.	G. h.	
9 crithmifolia. W.	Samphire-leav'd.			1793. 7.8.	G. h.	Comm. hort. 2. t. 50.
10 parviflora. W.	small-flowered.			1731. 4.	G. h.	Jac. schoen. 2. t. 149.
11 pectinata. W.	pectinated.			1774. 5.6.	G. h.	
BALSAMITA. W.		COSTMARY.	Corymbiferae. J.			
1 virgata. W.	twiggy.		Italy.	1791. 6.7.	H. ♀.	Jac. obs. 4. t. 81.
2 ageratifolia. W.	Ageratum-leav'd.		Candia.	1605. 6.10.	G. h.	Alp. exot. t. 326.
3 vulgaris. W.	common.		Italy.	1568. 8.9.	H. ♀.	Sch. hand. 3. t. 240.
PENTZIA. Th.		PENTZIA.	Corymbiferae. J.			
1 flabelliformis. W.	fan-leaved.		<i>Tanacetii</i> sp. L.			
			C. B. S.	1774. 5.8.	G. h.	Bot. mag. 212.

SUPERFLUA.

TANACETUM. W.		TANSY.	Corymbiferae. J.				
1 linifolium. W.	Flax-leaved.		C. B. S.	1774. 8.	G. h.		
2 suffruticosum. W.	shrubby.			1751. 5.9.	G. h.	Comm. hort. 2. t. 100.	
3 argenteum. W.	silvery.		Levant.	1812. —	H. ♀.		
4 annuum. W.	annual.		Spain.	1629. 7.8.	H. ♂.	Mill. ic. 2. t. 227. f. 1.	
5 vulgare. W.	common.		Britain.	H. ♀.	Eng. bot. 1229.	
6 crispum.	curled.						
ARTEMISIA. W.		WORMWOOD.	Corymbiferae. J.				
1 judaica. W.	Judean.		Levant.	1683. 8.	G. h.	Pluk. alm. t. 73. f. 2.	
2 valentina. W.	Spanish.		Spain.	1739. 7.8.	F. h.	Barr. ic. t. 485.	
3 subcanescens. W. en.	hoary-leaved.		S. Europe.	F. h.		
4 Abrotanum. W.	Southernwood.			1548. 8.10.	H. h.	Blackw. t. 555.	
5 humilis. W. en.	dwarf.		Carniola.	H. h.		
6 tenuifolia. W.	slender-leaved.		1732. 9.12.	G. h.	Dill. elt. t. 33. f. 37.	
7 arborescens. W.	tree.		Levant.	1640. 6.8.	H. h.	Lob. ic. 753.	
8 argentea. W.	silvery.		Madeira.	1777. 6.7.	G. h.		
9 glacialis. W.	silky.		Switzerland.	1739. 7.8.	H. ♀.	Jac. aus. 5. t. ap. 35.	
10 mutellina. W.	Alpine.		Alps of Eur.	1815. —	H. ♀.	Vill. daup. 3. t. 35.	
11 caucasica. W.	Caucasian.		Caucasus.	1804. 6.7.	H. ♀.		
12 spicata. W.	spiked.		Switzerland.	1790. —	H. ♀.	Jac. aust. 5. t. ap. 34.	
13 pectinata. W.	comb-leaved.		Dauria.	1806. —	H. ♂.	Pall. it. 3. t. Hb. f. 2.	
14 tanacetifolia. W.	Tansy-leaved.		Siberia.	1768. 7.8.	H. ♂.	All. ped. 1. t. 10. f. 3.	
15 Santonica. W.	Tartarian.			1596. 9.11.	H. h.	Gmel. sib. 2. t. 51.	
16 scoparia. W.	besom.		Hungary.	1796. 7.9.	H. ♂.	Pl. rar. hung. 1. t. 65.	
17 campestris. W.	field.		England.	8. H. ♀.	Eng. bot. 388.	
18 pauciflora. W.	few-flowered.		Siberia.	1800. —	H. ♀.		
19 palustris. W.	marsh.			1804. 7.8.	H. ♂.	Gmel. sib. 2. t. 55.	
20 neglecta. W. en.	neglected.			1815. —	H. ♀.		
21 crithmifolia. W.	Samphire-leav'd.		Portugal.	1739. 8.10.	H. h.		
22 saxatilis. W.	rock.		Hungary.	1816. 6.8.	H. ♀.		
23 glauca. W.	glaucous.		Siberia.	1806. —	H. ♀.		
24 monogyna. W.	one-styled.		Hungary.	1816. —	H. ♀.	Pl. rar. hung. 1. t. 75.	
25 palmata. W.	palmated.		S. Europe.	1739. 6.7.	G. h.		
26 nivea. W. en.	snowy.		Siberia.	1815. —	H. ♀.		
27 maritima. W.	drooping-flow'd.		Britain.	8.9. H. ♀.	Eng. bot. 1706.	
28 gallica. W.	upright-flow'd.			H. ♀.	1001.	
29 fragrans. W.	Lavender-leaved.		Armenia.	1739. 6.7.	H. ♀.		
30 austriaca. W.	Austrian.		Austria.	1597. 8.10.	H. ♀.	Jac. aust. 1. t. 100.	
31 vallesiaca. W.	downy.		Italy.	1739. 7.8.	H. ♀.		
32 rupestris. W.	nodding-flow'r'd.		Siberia.	1748. 8.	H. ♀.	Flor. dan. t. 801.	
33 sericea. W.	silky-leaved.			1796. 6.7.	H. ♀.	Gmel. sib. t. 64. f. 1.	
34 repens. W.	creeping.			1805. 6.7.	H. ♀.		
35 balsamica. W. en.	Balsam-scented.		1816. —	H. ♀.		
36 pontica. W.	Roman.		Austria.	1570. 9.	H. ♀.	Jac. aust. 1. t. 99.	
37 chamamelifolia. W.	Chamomile-le'd.		S. Europe.	1739. 7.8.	F. ♀.	Vill. daup. 3. t. 35.	
38 annua. W.	annual.		Siberia.	1741. —	H. ♂.	Am. ruth. t. 196. f. 23.	
39 biennis. Ph.	biennial.		Missouri.	1804. —	H. ♂.	Jac. ic. 1. t. 172.	
40 Absinthium. W.	common.		Britain.	7.10. H. ♀.	Eng. bot. 1230.	
41 Siversiana. W.	Sivers's.		Siberia.	1800. 7.8.	H. ♂.		
42 vulgaris. W.	Mugwort.		Britain.	8.9. H. ♀.	Eng. bot. 978.	

43 indica. W.	Indian.	Corymbiferae. J.	E. Ind.	1796. 9.10. F. 2.	Rheed. mal. 10. t. 48.
44 integrifolia. W.	entire-leaved.	_____	Siberia.	1759. 7.8. H. 2.	Gms. sib. 2. t. 48. f. 1. 2.
45 japonica. W.	Japanese.	_____	Japan.	1804. 10. 11. H. 2.	_____
46 caerulea. W.	blueish.	_____	England. 8.10. H. 2.	Eng. bot. 2486.
47 inodora. W. en.	inodorous.	_____	Siberia.	1548. 7.8. H. 2.	{ Gmel. sib. 2. t. 59 & 60. f. 1.
48 Dracunculus. W.	Tarragon.	_____	S. Europe.	— — — H. 2.	_____
GNAPHALIUM. W.	EVERLASTING.	Corymbiferae. J.	_____	_____	_____
1 eximium. W.	giant.	_____	C. B. S.	1798. 7.8. G. 2.	Bot. rep. 654.
2 crispum. W.	curled.	_____	_____	1809. G. 2.	_____
3 arboreum. W.	tree.	_____	_____	1770. 2.8. G. 2.	_____
4 grandiflorum. W.	great-flowered.	_____	_____	1781. 6.8. G. 2.	Bot. rep. 489.
5 fruticans. W.	shrubby.	_____	_____	1779. — G. 2.	Bot. mag. 1802.
6 congestum. W.	close-headed.	_____	_____	1791. 5.6. G. 2.	Bot. reg. 248.
7 patulum. W.	spreading.	_____	_____	1771. 8.1. G. 2.	_____
8 discolorum. W.	two-coloured.	_____	_____	1815. 5.8. G. 2.	Burm. afr. t. 97. f. 4.
9 cephalotes. W.	large-headed.	_____	_____	1789. 11.1. G. 2.	Pluk. phyt. t. 410. f. 3.
10 fastigiatum. W.	close-flowered.	_____	_____	1812. 5.8. G. 2.	Pet. gaz. 12. t. 7. f. 3.
11 milleflorum. W.	many-flowered.	_____	_____	1802. 6.9. G. 2.	_____
12 diosmaefolium. P. S.	Diosma-leaved.	_____	_____	1812. 3.8. G. 2.	Vent. malm. t. 74.
13 ericoides. W.	Heath-leaved.	_____	_____	1774. — G. 2.	Bot. mag. 485.
14 teretifolia. W.	round-leaved.	_____	_____	1812. — G. 2.	Burm. afr. t. 77. f. 2.
15 Stoechas. W.	common shrubby.	_____	Europe.	1629. 6.10. H. 2.	Barr. ic. 410.
16 ignescens. W.	red-flowered.	_____	C. B. S.	1731. — G. 2.	_____
17 crassifolium. W.	thick-leaved.	_____	Balearic Isl.	1774. 7.9. G. 2.	_____
18 maritimum. W.	sea.	_____	C. B. S.	1772. 6.8. G. 2.	Burm. afr. t. 77. f. 2.
19 dasyanthum. W. en.	hairy-flowered.	_____	_____	1812. — G. 2.	_____
20 orientale. W.	eastern.	_____	Africa.	1629. 4.8. G. 2.	Comm. hort. 2. t. 55.
21 cymosum. W.	branching.	_____	_____	1781. — G. 2.	Dill. elt. t. 107. f. 128.
22 rutilans. W.	shining-flowered.	_____	C. B. S.	1781. 6.7. G. 2.	— t. 107. f. 137.
23 arenarium. W.	sand.	_____	Europe.	1789. 7.9. H. 2.	_____
24 luteo-album. W.	Jersey.	_____	England. 7.8. H. 2.	Eng. bot. 1008.
25 albescens. W.	white Jamaica.	_____	Jamaica.	1798. S. 2.	_____
26 spiculatum. H. K.	New Holland.	_____	Van Diem. Isl.	1804. 1.12. G. 2.	Bot. reg. 240.
27 odoratissimum. W.	sweet-scented.	_____	C. B. S.	1691. 4.8. G. 2.	Mill. ic. 1. t. 131. f. 2.
28 sanguineum. W.	bloody.	_____	Egypt.	1768. 5.7. H. 2.	Rauw. it. 286. t. 37.
29 foetidum. W.	strong-scented.	_____	C. B. S.	1692. 6.9. F. 2.	Comm. hort. 2. t. 56.
30 undulatum. W.	wave-leaved.	_____	Africa.	1782. — H. 2.	Dill. elt. t. 108. f. 139.
31 helianthemifolium. W.	Sun-rose-leaved.	_____	C. B. S.	1774. 7.10. G. 2.	Volck. norib. t. 184.
32 squarrosus. W.	squarrose.	_____	_____	1816. — G. 2.	Jac. frag. t. 3. f. 4.
33 obtusifolium. W.	blunt-leaved.	_____	N. America.	1699. 7.9. H. 2.	Dill. elt. t. 108. f. 131.
34 margaritaceum. W.	pearly.	_____	England. — H. 2.	Eng. bot. 2018.
35 plantaginifolium. W.	Plantain-leaved.	_____	Virginia.	1759. 6.7. H. 2.	Pluk. alm. t. 348. f. 3.
36 dioicum. W.	dicocious.	_____	Britain. 5.7. H. 2.	Eng. bot. 267.
37 alpinum. W.	Alpine.	_____	Alps of Eur.	1775. 6.7. H. 2.	Flor. dan. t. 232.
38 purpureum. W.	purple-flowered.	_____	S. America.	1782. 6.9. G. 2.	Dill. elt. t. 109. f. 138.
39 americanum. W. en.	Jamaica.	_____	Jamaica.	1815. ... S. 2.	_____
40 pennsylvanicum. W. en.	American.	_____	N. America.	— 7.9. H. 2.	_____
41 sylvaricum. W.	highland.	_____	Britain. 8. H. 2.	Eng. bot. 913.
42 rectum. W.	upright wood.	_____	_____ — H. 2.	— 124.
43 supinum. W.	dwarf.	_____	Scotland. 6.7. H. 2.	— 1193.
44 declinatum. W.	creeping.	_____	C. B. S.	1787. 7.9. G. 2.	_____
45 uliginosum. W.	marsh.	_____	Britain. 8. H. 2.	Eng. bot. 1194.
46 glomeratum. W.	cluster-flowered.	_____	C. B. S.	1774. 3.9. G. 2.	_____
47 Leontopodium. W.	Lion's-foot.	_____	Austria.	1776. 6.7. H. 2.	Bot. mag. 1959.
48 germanicum. W.	common.	_____	Britain. 6.8. H. 2.	Eng. bot. 948.
49 gallicum. W.	narrow-leaved.	_____	England. — H. 2.	— 2369.
50 pyramidatum. W.	pyramidal.	_____	S. Europe.	1779. — H. 2.	_____
51 minimum. W.	least.	_____	Britain. 7.8. H. 2.	Eng. bot. 1157.
52 arvense. W.	corn.	_____	Europe.	1804. — H. 2.	_____
XERANTHEMUM W.	XERANTHEMUM	Corymbiferae. J.	_____	_____	_____
1 annuum. W.	annual.	_____	S. Europe.	1570. 7.8. H. 2.	Jac. aust. 4. t. 388.
2 inapertum. W.	small-flowered.	_____	_____	1620. — H. 2.	Moris. s. 6. t. 12. f. 1.
3 orientale. W.	oriental.	_____	Levant.	1713. — H. 2.	_____
ELICHRYSUM W.	ELICHRYSUM	Corymbiferae. J.	Xeranthem. sp. L.	_____	_____
1 vestitum. W.	upright.	_____	C. B. S.	1774. 7.9. G. 2.	Burm. afr. t. 68. f. 1.
2 spirale. W.	spiral-leaved.	_____	_____	1801. 7.10. G. 2.	Bot. rep. 262.

3 speciosissimum. W.	showy.	Corymbiferae. J.	C. B. S.	1691. 7.9.	G. h.	Bot. rep. 51.
4 dealbatum. P. S.	herbaceous.	_____	VanDiemIsl.	1812. 1.12.	G. y.	Lab.nor.ho.2.t.190
5 fulgidum. W.	great yellow.	_____	C. B. S.	1774. 2.10.	G. h.	Bot. mag. 414.
6 variegatum. W.	large globular-fl ^d .	_____	_____	1801. 5.6.	G. h.	_____
7 proliferum. W.	proliferous.	_____	_____	1789. 5.11.	G. h.	Bot. reg. 21.
8 canescens. W.	elegant.	_____	_____	1794. 8.4.	G. h.	Bot. mag. 420.
9 argenteum. W.	silvery.	_____	_____	1800. 4.7.	G. h.	_____
10 retortum. W.	trailing.	_____	_____	1782. 7.8.	G. h.	Dill.elt. t.322.f.415
11 humile. B. R.	low.	_____	_____	1812. 6.9.	G. h.	Bot. rep. c. ic.
12 sesamoides. W.	superb.	_____	_____	1789. 4.6.	G. h.	Bot. mag. 426.
13 fasciculatum. W.	bundle-leaved.	_____	_____	1799. 3.9.	G. h.	Bot. rep. 242.
β album.	white-flowered.	_____	_____	_____	G. h.	_____ 279.
γ rubrum.	red-flowered.	_____	_____	_____	G. h.	_____ 650.
14 rigidum. H. K.	rigid-leaved.	_____	_____	1801. 5.6.	G. h.	_____ 387.
15 ericoides. P. S.	filiform.	_____	_____	1796. 4.6.	G. h.	Lam.ill. t.693. f.2.
16 Stachelina. W.	Stachelina-like.	_____	_____	1801. 12.1.	G. h.	Bot. rep. 428.
17 fragrans. B. R.	fragrant.	_____	_____	1803. 7.	G. h.	_____ c. ic.
18 herbaceum. B. R.	shining-flowered.	_____	_____	1802. 7.9.	G. y.	Bot. rep. 487.
splendens. B. M.	1778.	_____	_____	_____	_____	_____
19 paniculatum. W.	corymb-flowered.	_____	_____	1800. 6.9.	G. h.	Burm.af. t.67. f.1.
20 bracteatum. W.	wave-leaved.	_____	N. Holland.	1799. 7.10.	H. ♂	Bot. rep. 375.
CARPESUM. W.	CARPESUM.	Corymbiferae. J.	_____	_____	_____	_____
1 cernuum. W.	drooping.	_____	Austria.	1739. 7.8.	H. y.	Jac. aust. 3. t. 204.
2 abrotanoides. W.	{ Southern- wood-like.	_____	China.	1768.	H. y.	Osb. it. t. 10.
BACCHARIS. W.	{ PLOWMAN'S SPIKENARD.	Corymbiferae. J.	_____	_____	_____	_____
1 angustifolia. Ph.	narrow-leaved.	_____	N. America.	1812. 7.9.	G. h.	_____
2 ivaeifolia. W.	Peruvian.	_____	America.	1696. 7.8.	G. h.	Schk.hand.3. t.244.
3 neriifolia. W.	Oleander-leaved.	_____	C. B. S.	1752. 8.11.	G. h.	_____
4 halimifolia. W.	Groundsel Tree.	_____	N. America.	1683.10.11.	H. h.	Schmidt arb. t. 82.
CONYZA. W.	FLEA-BANE.	Corymbiferae. J.	_____	_____	_____	_____
1 squarrosa. W.	great.	_____	Britain. 7.8.	H. ♂	Eng. bot. 1195.
2 marylandica. Ph.	Maryland.	_____	N. America. 8.10.	H. ♂	Dill.elt. t. 88. f.104.
3 camphorata. Ph.	Camphor-scent ^d .	_____	_____	1704.	G. y.	_____ t. 89. f.105.
4 patula. W.	spreading.	_____	China.	1758. 7.9.	H. ♂	Mill. ic. 2. t. 247.
5 bifrons. W.	oval-leaved.	_____	N. America.	1739. 8.9.	H. y.	Pluk. alm. t.87. f.4.
6 candida. W.	woolly.	_____	Candia.	1714. 6.7.	F. h.	Barr. ic. t. 217.
7 chinensis. W.	Chinese.	_____	China.	1796. 7.8.	S. ♂	Rum.am.6. t.14. f.2.
8 verbascifolia. W.	Mullein-leaved.	_____	Sicily.	1808.	G. h.	Bocc. sic. t. 31. f.2.
9 hirsuta. W.	shaggy.	_____	China.	1767. 8.9.	G. ♂	_____
10 aegyptiaca. W.	Egyptian.	_____	Egypt.	1778. 7.	S. ♂	Jac. vind. 3. t. 19.
11 Gouani. W.	Gouan's.	_____	Canaries.	1772. 7.8.	G. ♂	_____ 3. t. 79.
12 sicula. W.	red-stalked.	_____	Sicily.	1779. 8.9.	H. ♂	Bocc. sic. t. 31. f.4.
13 foetida. W.	stinking.	_____	Africa.	1724.	G. y.	Mill. ic. 2. t. 233.
14 sordida. W.	small-flowered.	_____	S. Europe.	1570. 7.9.	G. h.	Barr. ic. t. 368.
15 saxatilis. W.	stone.	_____	_____	1640. 7.8.	G. h.	Schk.hand.3. t.241.
16 rupestris. W.	rock.	_____	Arabia.	1790.	G. h.	Schmidel. ic. t. 36.
17 sericea. W.	snowy.	_____	Canaries.	1779.	G. h.	_____
18 inuloides. W.	cluster-flowered.	_____	Teneriffe.	1780. 7.8.	G. h.	Jac. ic. 1. t. 171.
19 odorata. W.	sweet-scented.	_____	India.	1759. 6.8.	S. h.	Plum. ic. t. 97.
20 arborescens. W.	tree.	_____	Jamaica.	1733. 11.12.	S. h.	_____
21 incisa. W.	ear-leaved.	_____	C. B. S.	1774. 6.8.	G. h.	_____
22 thapsoides. W.	Thapsus-leaved.	_____	Caspian Sea.	1806. 7.9.	H. h.	_____
23 virgata. W.	wing-stalked.	_____	America.	1783. 8.9.	G. y.	Slo.hist.1. t.152.f.5.
24 rugosa. H. K.	St. Helena.	_____	St. Helena.	1772. 11.	G. h.	_____
MADIA. W.	MADIA.	Corymbiferae. J.	_____	_____	_____	_____
viscosa. W.	clammy.	_____	Chili.	1794. 7.8.	H. ♂	Jac.schoen.3. t.302.
ERIGERON. W.	ERIGERON.	Corymbiferae. J.	_____	_____	_____	_____
1 graveolens. W.	strong-smelling.	_____	S. Europe.	1633. 7.8.	H. ♂	Ger.emac. 481. f.2.
2 compositum. Ph.	Daisy-flowered.	_____	N. America.	1811.	H. y.	_____
3 carolinianum. W.	Hyssop-leaved.	_____	_____	1727.	H. y.	Dill.elt. t.306.f.394
4 canadense. W.	Canada.	_____	England. 8.9.	H. ♂	Eng. bot. 2019.
5 bonariense. W.	Buck's-horn.	_____	S. America.	1732. 7.8.	H. ♂	Dill.elt. t.257.f.334
6 linifolium. W.	Flax-leaved.	_____	_____	H. ♂	_____
7 philadelphicum. W.	spreading.	_____	N. America.	1778.	H. y.	_____
8 nudicaule. Ph.	naked-stalked.	_____	_____	1812. 7.	H. y.	_____
9 purpureum. W.	purple.	_____	Huds.'s Bay.	1776. 7.8.	H. y.	_____
10 bellidifolium. Ph.	Plantain-leaved.	_____	N. America.	1790.	H. y.	_____
11 heterophyllum. Ph.	various-leaved.	_____	_____	1640. 7.9.	H. ♂	Fl. dan. 486.

12 Villarsii. W.	Villars's.	Corymbifera. J.	Piedmont.	1804. 7.8. H. 2.	Bellar. ap. 6. ped. 1.7.
13 acre. W.	blue.	_____	Britain. H. 3.	Eng. bot. 1158.
14 alpinum. W.	Alpine.	_____	Scotland. 7. H. 2.	464.
15 uniflorum. W.	dwarf.	_____	_____ 8.9. H. 2.	2416.
16 glaucum. B. reg.	shrubby.	_____	_____	1812. 1.12. G. 2.	Bot. reg. 10.
17 delphinifolium. W. en. }	Larkspur-leaved.	_____	S. America.	1816. 7.9. G. 3.	_____
18 TUSSILAGO. W.	COLT'S FOOT.	Corymbifera. J.	_____	_____	_____
19 1 nutans. W.	drooping-flow ^d .	_____	W. Ind.	1793. 6.7. S. 3.	Plum. ic. t. 41. f. 1.
20 2 alpina. W.	Alpine.	_____	Austria.	1710. 3.5. H. 2.	Bot. mag. 84.
21 3 discolor. W.	two-coloured.	_____	_____	1633. 4.5. H. 2.	Jac. aust. 3. t. 247.
22 4 sylvestris. W.	wood.	_____	_____	1816. H. 2.	5. ap. 1. 12.
23 5 Farfara. W.	common.	_____	Britain. 3.4. H. 2.	Eng. bot. 429.
24 6 frigida. W.	Lapland.	_____	Lapland.	1710. 5. H. 2.	Fl. dan. t. 61.
25 7 fragrans. W.	sweet-scented.	_____	Italy.	1806. 1.3. F. 2.	Bot. mag. 1388.
26 8 alba. W.	White Butter Bur.	_____	Europe.	1683. 1.4. H. 2.	Fl. dan. 524.
27 9 nivea. W.	downy-leaved.	_____	Switzerland.	1713. 4. H. 2.	Retz. obs. 2. t. 3.
28 10 Petasites. E. B.	{ Common Butter Bur. }	_____	Britain. 3.4. H. 2.	Eng. bot. 431.
29 11 hybrida. E. B.	hybrid.	_____	_____ H. 2.	430.
30 12 spuria. W.	lobe-leaved.	_____	Germany.	1790. H. 2.	Retz. obs. 1. t. 2.
31 13 palmata. W.	cut-leaved.	_____	Labrador.	1778. 4. H. 2.	Hort. Kew. 3. t. 11.
32 SENECIO. W.	GROUNDSEL.	Corymbifera. J.	_____	_____	_____
33 1 reclinatus. W.	Grass-leaved.	_____	C. B. S.	1774. 6.8. G. 3.	Jac. ic. 1. t. 174.
34 2 hieracifolius. W.	Hawkweed.	_____	N. America.	1699. 8. H. 2.	Herm. parad. t. 226.
35 3 purpureus. W.	purple.	_____	C. B. S.	1774. 7.9. G. 2.	Jac. ic. 3. t. 580.
36 4 cernuus. W.	drooping.	_____	E. Ind.	1780. 7.8. H. 2.	Jac. vind. 3. t. 98.
37 5 erubescens. W.	blush-coloured.	_____	C. B. S.	1774. 6.10. G. 3.	_____
38 6 divaricatus. W.	straddling.	_____	China.	1801. 7. G. 3.	_____
39 7 croaticus. W.	Croatian.	_____	Hungary.	1805. 7.8. H. 2.	Pl. rar. hung. 2. t. 143.
40 8 Pseudo-China. W.	Chinese.	_____	E. Ind.	1732. 6.8. S. 2.	Dill. elt. t. 256. f. 235.
41 9 hematophyllus. W. en. }	purple-leaved.	_____	_____	1789. 4. S. 2.	_____
42 10 japonicus. W.	jagged-leaved.	_____	Japan.	1774. 8. H. 2.	_____
43 11 vulgaris. W.	common.	_____	Britain. 1.12. H. 2.	Eng. bot. 747.
44 12 arabicus. W.	Arabian.	_____	Egypt.	1804. 7.8. H. 3.	_____
45 13 verbenacifolius. W.	Vervain-leaved.	_____	_____	1803. 6.7. H. 2.	Jac. vind. 1. t. 3.
46 14 triflorus. W.	three-flowered.	_____	_____	1776. 7.9. H. 2.	_____
47 15 ægyptius. W.	Egyptian.	_____	_____	1771. 7.8. H. 2.	_____
48 16 crassifolius. W.	thick-leaved.	_____	S. Europe.	1813. H. 2.	_____
49 17 lividus. W.	livid.	_____	Spain.	1801. H. 2.	Schk. hand. 3. t. 243.
50 18 trilobus. W.	three-lobed.	_____	_____	1728. 6.8. H. 2.	_____
51 19 cinerascens. W.	gray.	_____	C. B. S.	1774. 5.7. G. 2.	Jac. schœn. 2. t. 150.
52 20 viscosus. W.	stinking.	_____	Britain. 6.10. H. 2.	Eng. bot. 32.
53 21 sylvaticus. W.	mountain.	_____	_____ 7.8. H. 2.	748.
54 22 nebrodensis. W.	Nebrodes.	_____	S. Europe.	1704. 6.8. H. 2.	Barr. rar. 401.
55 23 glaucus. W.	sea-green.	_____	Egypt.	1739. 6.8. H. 2.	_____
56 24 hastatus. W.	halberd-leaved.	_____	C. B. S.	1722. 5.8. G. 2.	Dill. elt. t. 152. f. 184.
57 25 vernalis. W.	spring.	_____	Hungary.	1803. 4.6. H. 2.	Pl. rar. hung. 1. t. 34.
58 26 rupestris. W.	rock.	_____	_____	1805. 6.7. H. 2.	2. t. 128.
59 27 venustus. W.	wing-leaved.	_____	C. B. S.	1774. 7.9. G. 3.	_____
60 28 elegans. W.	elegant.	_____	_____	1700. 6.8. H. 2.	_____
61 29 squalidus. W.	double-flowered.	_____	_____	1.12. G. 2.	Bot. mag. 238.
62 30 speciosus. W.	inelegant.	_____	England. 6.10. H. 2.	Eng. bot. 600.
63 31 erucæfolius. W.	red-flowered.	_____	Europe.	1789. 7.8. G. 2.	Bot. reg. 41.
64 32 uniflorus. W.	Eruca-leaved.	_____	_____	1816. H. 2.	_____
65 33 incanus. W.	Alpine.	_____	Alps of Eur.	1799. H. 2.	All. ped. t. 17. f. 3.
66 34 abrotanifolius. W.	downy.	_____	_____	1759. H. 2.	Pluk. alm. t. 89. f. 6.
67 35 tenuifolius. W.	Southernwood- ^d	_____	_____	1640. 7.10. H. 2.	Jac. aust. 1. t. 73.
68 36 Jacobæa. W.	slender-leaved.	_____	Britain. 7.8. H. 2.	Eng. bot. 574.
69 37 aquaticus. W.	{ Common Ragwort. }	_____	_____ H. 2.	1130.
70 38 aureus. W.	marsh.	_____	_____ 5.6. H. 2.	1131.
71 39 rosmarinifolius. W.	golden.	_____	N. America.	1758. 7.8. H. 2.	_____
72 40 asper. W.	Rosemary-leav ^d .	_____	C. B. S. G. 2.	Jac. ic. 3. t. 587.
73 41 rigescens. W.	rough.	_____	_____	1774. G. 2.	_____
74 42 paludosus. W.	stiff-leaved.	_____	_____	1815. G. 2.	Jac. coll. 5. t. 6. f. 1.
75 43 nemorensis. W.	bird's-tongue.	_____	England. 6.8. H. 2.	Eng. bot. 650.
76 44 sarracenicus. W.	branching.	_____	Austria.	1785. 7.8. H. 2.	Jac. aust. 2. t. 184.
	creeping-rooted.	_____	Britain. 7.10. H. 2.	Eng. bot. 2211.

45 umbrosus. W. en.	various-leaved.	Corymbiferae. J.	Hungary.	1815.	7.8.	H. 2.	
46 coriaceus. W.	leathery-leaved.		Levant.	1723.	—	H. 2.	Dill. elt. t. 105. f. 125
47 Doria. W.	broad-leaved.		Austria.	1570.	7.9.	H. 2.	Jac. aust. 2. t. 185.
48 Doronicum. W.	Leopard's Baile.		S. Europe.	1705.	—	H. 2.	— 5. t. ap. 45.
49 lanceus. W.	spear-leaved.		C. B. S.	1774.	7.10.	G. 2.	
50 longifolius. W.	long-leaved.			1775.	8.11.	G. 2.	Comm. hort. 2. t. 71.
51 halimifolius. W.	succulent-leav'd.			1723.	7.	G. 2.	Dill. elt. t. 104. f. 124
52 ilicifolius. W.	Ilex-leaved.			1731.	6.7.	G. 2.	Comm. rar. t. 42.
53 rigidus. W.	hard-leaved.			1704.	6.9.	G. 2.	Com. hort. 2. t. 75.
ASTER. W.	STARWORT.	Corymbiferae. J.					
1 reflexus. W.	reflexed-leaved.		C. B. S.	1759.	2.9.	G. 2.	Bot. mag. 884.
2 tomentosus. W.	tooth-leaved.		N. S. W.	1793.	5.7.	G. 2.	Bot. rep. 61.
3 sericeus. W.	silky-leaved.		Missouri.	1802.	5.11.	G. 2.	Vent. cel. 33.
4 Cymbalaria. W.	Ivy-leaved.		C. B. S.	1786.	—	G. 2.	Vent. malm. 95.
5 liratus. B. M.	fluted-stemmed.		N. S. W.	1812.	5.7.	G. 2.	Bot. mag. 1509.
6 argophyllus. H. K.	Musk-scented.		Van Diem Isl	1804.	5.7.	G. 2.	— 1563.
7 angustifolius. W.	narrow-leaved.		C. B. S.	—	—	G. 2.	Jac. schœn. 3. t. 370.
8 villosus. Th.	villous.			1812.	—	G. 2.	
9 obtusatus. W.	obtuse-leaved.			1793.	—	G. 2.	
10 fruticosus. W.	shrubby.			1759.	3.7.	G. 2.	Jac. frag. 9. t. 5. f. 4.
11 filifolius. V.	thread-leaved.			1812.	—	G. 2.	Vent. malm. t. 82.
12 alpinus. W.	Alpine.		Alps of Eur.	1658.	5.8.	H. 2.	Bot. mag. 199.
13 caucasicus. W.	Caucasian.		Caucasus.	1804.	7.8.	H. 2.	
14 altaicus. W. en.	dwarf.		Siberia.	—	5.8.	H. 2.	
15 tenellus. W.	slender.		C. B. S.	1769.	4.10.	G. 2.	Bot. mag. 83.
16 nemoralis. H. K.	wood.		N. America.	1778.	8.9.	H. 2.	
ledifolius. Ph.							
17 hyssopifolius. W.	Hyssop-leaved.			1683.	9.10.	H. 2.	Dodart. mem. t. 60.
18 punctatus. W.	dotted.		Hungary.	1815.	8.9.	H. 2.	Pl. rar. hung. 2. t. 109.
19 acris. W.	acid.		S. Europe.	1731.	—	H. 2.	Pluk. alm. t. 271. f. 3
20 canus. W.	hoary-leaved.		Hungary.	1816.	—	H. 2.	Pl. rar. hung. 1. t. 30.
21 solidaginoides. W.	Solidago-like.		N. America.	1699.	—	H. 2.	Pluk. alm. t. 79. f. 2.
22 rigidus. Ph.	stiff-leaved.			1759.	8.10.	H. 2.	— t. 14. f. 7.
23 linariifolius. Ph.	Toad-flax-leav'd.			1699.	9.10.	H. 2.	
24 linifolius. W.	Flax-leaved.			1739.	7.8.	H. 2.	
25 pilosus. W.	hairy.			1812.	8.10.	H. 2.	
26 foliolosus. W.	leafy.			1732.	10.	H. 2.	Dil. elt. t. 35. f. 39.
27 tenuifolius. W.	slender-leaved.			1725.	9.10.	H. 2.	Pluk. alm. t. 78. f. 5.
28 dumosus. W.	bushy.			1734.	—	H. 2.	Herm. parad. 95.
29 ericoides. W.	Heath-leaved.			1758.	9.	H. 2.	
30 multiflorus. W.	many-flowered.			1732.	9.10.	H. 2.	Dill. elt. t. 36. f. 40.
31 ciliatus. W.	ciliated.			—	—	H. 2.	
32 canescens. Ph.	canescent.			1812.	—	H. 2.	
33 sparsiflorus. Ph.	scattered-flower'd.			1798.	9.11.	H. 2.	
34 coridifolius. W.	Coris-leaved.			—	8.11.	H. 2.	
35 squarrosus. W.	ragged.			1801.	6.7.	H. 2.	
36 argenteus. H. K.	silver-leaved.			—	7.9.	H. 2.	
37 concolor. W.	self-coloured.			1759.	8.11.	H. 2.	
38 reticulatus. Ph.	netted-leaved.			1812.	8.10.	H. 2.	
39 cornifolius. W.	Cornus-leaved.			1811.	—	H. 2.	
40 humilis. Ph.	low.			1699.	—	H. 2.	Willd. hort. ber. 67.
41 amygdalius. Ph.	Almond-leaved.			1759.	7.9.	H. 2.	
umbellatus. H.							
42 salicifolius. W.	Willow-leaved.			1760.	9.10.	H. 2.	Reb. ic. 307.
43 estivus. W.	summer.			1776.	7.8.	H. 2.	
44 pannonicus. W.	Hungarian.		Hungary.	1815.	—	H. 2.	Jac. vind. 1. t. 8.
45 Amellus. W.	Italian.		Italy.	1596.	8.9.	H. 2.	Jac. aust. 5. t. 425.
46 novæ anglie. W.	New England.		N. America.	1710.	9.10.	H. 2.	Bot. reg. 183.
β rubrus.	red-flowered.			1812.	—	H. 2.	— 183. f. inf.
47 spurius. W.	beautiful blue.			1789.	—	H. 2.	Hoff. phyt. 1. t. B. f. 1.
cyanus. Ph. rubricaulis. Lam.							
48 paludosus. W.	marsh.			1784.	—	H. 2.	
49 carolinianus. W.	tall.		Carolina.	—	8.9.	H. 2.	
50 grandiflorus. W.	great-flowered.		N. America.	1720.	10.11.	H. 2.	Bot. reg. 273.
51 phlogifolius. W.	Phlox-leaved.			1797.	7.10.	H. 2.	
52 patens. W.	spreading-hairy.			1773.	9.11.	H. 2.	
53 undulatus. W.	wave-leaved.			1699.	8.10.	H. 2.	Herm. parad. 96.
54 paniculatus. W.	panicled.			1640.	9.10.	H. 2.	Corn. canad. t. 65.
55 cordifolius. W.	heart-leaved.			1759.	7.8.	H. 2.	
56 corymbosus. W.	corymbed.			1765.	9.	H. 2.	

57 macrophyllus. W.	large-leaved.	Corymbifera. J.	N. America.	1739. 7.9. H. 2.	
58 heterophyllus. W. en. }	various-leaved.			1811. — H. 2.	
59 chinensis. W.	Chinese.		China.	1731. 7.9. H. 2.	Dill. elt. t. 24. f. 38.
60 Tripolium. W.	sea.		Britain. 8.9. H. 2.	Eng. bot. 87.
61 salignus. W.	Sallow-leaved.		Germany.	1815. — H. 2.	
62 puniceus. W.	red-stalked.		N. America.	1710. 7.10. H. 2.	Herm. lugd. t. 651.
63 hispidus. W.	rough-stalked.		China.	1804. 9.10. H. 2.	lc. Kämpf. t. 29.
64 sibiricus. W.	Siberian.		Siberia.	1768. 7.10. H. 2.	Gmel.sib. 2.2.80. f. 1.
65 elegans. W.	elegant.		1790. 8.10. H. 2.	
66 amplexicaulis. W.	stem-clasping.		N. America. 9.11. H. 2.	
67 adulterinus. W. en.	bastard.		8.10. H. 2.	
68 laevigatus. W.	smooth-stemm'd.		1794. 9.11. H. 2.	
69 longifolius. P. S.	long-leaved.		1798. 10. H. 2.	
70 versicolor. W.	various-colour'd.		1790. 8.9. H. 2.	
71 mutabilis. W.	changeable.		1710. 9.10. H. 2.	Herm. lugd. t. 67.
72 laevis. W.	smooth.		1758. — H. 2.	
73 concinnus. W. en.	neat.		1800. — H. 2.	
74 floribundus. W.	abundant-flow'r'd.		— H. 2.	
75 pallens. W. en.	pale-flowered.		— H. 2.	
76 novi-belgii. W.	New York.		1710. — H. 2.	Herm. lugd. t. 69.
77 bellidiflorus. W. en.	Daisy-flowered.		— H. 2.	
78 praecox. W. en.	early-flowering.		1800. 7.8. H. 2.	
79 spectabilis. W.	showy.		N. America.	1777. 8.9. H. 2.	
80 serotinus. W.	late-flowering.		9.11. H. 2.	
81 tardiflorus. W.	spear-leaved.		1775. 7.9. H. 2.	
82 blandus. Ph.	charming.		1800. 10.11. H. 2.	
83 acuminatus. Ph.	acuminate.		1806. 8.10. H. 2.	
84 conyzoides. W.	Conyza-like.		1778. 8.9. H. 2.	
85 Radula. W.	rasp-leaved.		1785. 9.11. H. 2.	
86 strictus. Ph.	upright dwarf.		1806. — H. 2.	
87 Tradescanti. W.	Michaelmas Daisy.		1633. 7.9. H. 2.	Moris. s. 7. t. 21. f. 42
88 recurvatus. W.	recurved.		1800. 8.9. H. 2.	
89 eminens. Ph.	eminent.		9.11. H. 2.	
90 latus. Ph.	loose-stalked.		— H. 2.	
91 simplex. W. en.	single-stalked.		8.10. H. 2.	
92 polyphyllus. W. en.	many-leaved.		— H. 2.	
93 junceus. W.	slender-stalked.		1758. 9.10. H. 2.	
94 lanceolatus. W.	lanceolate.		1811. 8.11. H. 2.	
95 dracunculoides. W.	Tarragon-like.		9.11. H. 2.	
96 fragilis. W.	brittle.		1800. 9. H. 2.	
97 miser. W.	meager-flower'd.		1759. 9.10. H. 2.	
98 divergens. W.	spreading downy.		1758. — H. 2.	
99 diffusus. W.	diffuse.		1777. — H. 2.	
100 pendulus. W.	pendulous.		1756. — H. 2.	
SOLIDAGO. W.	GOLDEN-ROD.	Corymbifera. J.			
1 canadensis. W.	Canadian.		N. America.	1648. 7.9. H. 2.	Schk. handb. 3. f. 248.
2 fragrans. W. en.	fragrant.		— H. 2.	
3 procera. W.	great.		1758. 9.10. H. 2.	
4 serotina. W.	upright smooth.		7.8. H. 2.	
5 gigantea. W.	gigantic.		1758. 8.9. H. 2.	
6 ciliaris. W.	ciliated.		1811. — H. 2.	
7 reflexa. W.	hanging-leaved.		1758. — H. 2.	
8 lateriflora. W.	lateral-flowered.		— H. 2.	
9 aspera. W.	rough-leaved.		1732. 9. H. 2.	Dill. elt. t. 305. f. 399
10 altissima. Ph.	tall.		1686. 8.9. H. 2.	Mart. cent. 14.
11 rugosa. Ph.	wrinkle-leaved.		1732. — H. 2.	Dill. elt. t. 308. f. 396
12 villosa. Ph.	villos.		— H. 2.	
13 scabra. W.	rough.		1811. — H. 2.	
14 nemoralis. W.	woolly-stalked.		1769. 9. H. 2.	
15 patula. W.	spreading.		1805. 9.10. H. 2.	
16 ulnifolia. W.	Elm-leaved.		8.10. H. 2.	
17 arguta. W.	sharp-notched.		1758. 7.8. H. 2.	
18 juncea. W.	Rush-stalked.		1769. 8.9. H. 2.	
19 elliptica. W.	oval-leaved.		1769. — H. 2.	
20 recurvata. W. en.	recurved.		9.11. H. 2.	
21 sempervirens. W.	evergreen.		1699. 9.10. H. 2.	Corn. canad. t. 169.
22 odora. W.	sweet-smelling.		7.8. H. 2.	Pluk. alm. t. 116. f. 6.
23 pauciflora. Ph.	slender-flowered.		1811. 8.10. H. 2.	
24 bicolor. W.	two-coloured.		1759. 8.9. H. 2.	Pluk. alm. t. 114. f. 6.

<i>iolaria</i> . W.	late-flowered.	Corymbiferae. J.	N. America.	1758. 10.12.	H. 2.	
<i>icta</i> . W.	Willow-leaved.			9.	H. 2.	
<i>ceolata</i> . Ph.	Grass-leaved.			10.	H. 2.	
<i>uifolia</i> . Ph.	slender-leaved.			9.10.	H. 2.	
<i>sia</i> . W.	Maryland.			1732.	H. 2.	Dill.elt.t.307.f.395
<i>da</i> . W. en.	livid.			H. 2.	
<i>ta</i> . W. en.	hairy.			H. 2.	
<i>ospermifolia</i> . Ph.	Gromwell-leav'd.			1811.	8.10.	H. 2.
<i>igata</i> . W.	fleshy-leaved.			1699.	10.11.	H. 2.
<i>xicana</i> . W.	Mexican.			1693.	7.10.	H. 2.
<i>uinea</i> . W.	twiggy.			1759.	9.	H. 2.
<i>cta</i> . Ph.	upright.			8.10.	H. 2.
<i>crophylla</i> . Ph.	large-leaved.			H. 2.	
<i>icaulis</i> . W.	crook-stalked.			1725.	9.	H. 2.
<i>ifolia</i> .	broad-leaved.			H. 2.	Herm. parad. 244.
<i>bigua</i> . W.	angular-stalked.			1759.	7.8.	H. 2.
<i>llaris</i> . Ph.	axillary.		N. America.	1811.	8.10.	H. 2.
<i>gaurea</i> . W.	common.		Britain.	7.9.	H. 2.
<i>nbrica</i> . W.	Welch.		Wales.	7.8.	H. 2.
<i>ltiradiata</i> . W.	Labrador.		Labrador.	1776.	H. 2.	Dill.elt.t.306.f.393
<i>nuta</i> . W.	least.		Pyrenees.	1772.	H. 2.	Herm. parad. 245.
<i>nilis</i> . Ph.	dwarf.		N. America.	1811.	H. 2.	
<i>ta</i> . Ph.	tall hairy.			8.10.	H. 2.
<i>ida</i> . W.	hard-leaved.			1710.	9.	H. 2.
<i>ARIA</i> . W.	CINERARIA.	Corymbiferae. J.				Herm. parad. 243.
<i>folia</i> . W.	Kidney-leaved.		C. B. S.	1710.	4.8.	G. h.
<i>vilflora</i> . H. K.	small-flowered.			1790.	G. h.	Comm.hort.2.t.73.
<i>ita</i> . W.	purple-flowered.		Madeira.	1777.	6.7.	G. h.
<i>tea</i> . W. en.	milk-coloured.		1816.	G. h.	Bot. mag. 1786.
<i>ienta</i> . W.	purple-leaved.		Canaries.	1777.	2.5.	G. h.
<i>rida</i> . W. en.	hybrid.		G. h.	Bot. mag. 406.
<i>ulifolia</i> . H. K.	Poplar-leaved.		Canaries.	1780.	6.9.	G. h.
<i>ata</i> . W.	lobed.		C. B. S.	1774.	6.8.	G. h.
<i>lavfolia</i> . W.	Mallow-leaved.		Azores.	1777.	8.	G. 2.
<i>asites</i> . B. M.	Butter-bur-leav'd.		Mexico.	1812.	12.2.	G. h.
<i>color</i> . W.	white-leaved.		Jamaica.	1804.	7.8.	S. h.
<i>irica</i> . W.	Siberian.		Siberia.	1784.	6.8.	H. 2.
<i>antea</i> . H. K.	gigantic.		Cape Horn.	1801.	7.3.	H. 2.
<i>uca</i> . W.	glaucous-leav'd.		Siberia.	1790.	6.7.	H. 2.
<i>ustris</i> . W.	marsh.		England.	H. 2.	Exot. bot. 2. t. 65.
<i>npestris</i> . W.	mountain.		5.6.	H. 2.	Gmel. sib. 2. t. 74.
<i>egrifolia</i> . E. B.				5.6.	H. 2.
<i>igifolia</i> . W.	long-leaved.		Austria.	1792.	6.8.	H. 2.
<i>difolia</i> . W.	heart-leaved.			1739.	7.8.	H. 2.
<i>ina</i> . W.	Alpine.			1683.	6.8.	H. 2.
<i>ritima</i> . W.	Sea Ragwort.		S. Europe.	1638.	7.9.	F. h.
<i>adensis</i> . W.	Canadian.		Canada.	1739.	6.8.	H. 2.
<i>ifolia</i> . W.	Flax-leaved.		C. B. S.	G. h.	Jac.scheen.3.t.308.
<i>mifusa</i> . W.	trailing.			1704.	7.8.	G. 2.
<i>cosa</i> . W.	clammy.			1774.	6.8.	G. 3.
<i>ata</i> . W.	woolly.		Canaries.	1780.	5.9.	G. h.
<i>elloides</i> . W.	blue-flowered.		C. B. S.	1753.	2.9.	G. h.
<i>A</i> . W.	INULA.	Corymbiferae. J.				
<i>lenium</i> . W.	Elecampane.		Britain.	7.8.	H. 2.
<i>ulus-Christi</i> . W.	hoary.		Austria.	1759.	7.9.	H. 2.
<i>tannica</i> . W.	creeping-rooted.		Germany.	H. 2.	Eng. bot. 1546.
<i>enterica</i> . W.	meadow.		England.	8.9.	H. 2.
<i>dulata</i> . W.	wave-leaved.		Egypt.	1739.	7.10.	H. 2.
<i>ica</i> . W.	Indian.		E. Ind.	S. 2.	Fl. dan. t. 413.
<i>licaria</i> . W.	Small Fleawort.		England.	8.9.	H. 2.
<i>arrosa</i> . W.	net-leaved.		Italy.	1768.	7.9.	H. 2.
<i>cosa</i> . W.	clammy.		S. Europe.	1596.	7.8.	G. 2.
<i>erosa</i> . P. S.	tuberous-rooted.			1640.	7.8.	H. 2.
<i>igeron tuberosum</i> . W.						Jac. vind. 2. t. 165.
<i>icina</i> . W.	Willow-leaved.		N. Europe.	1648.	8.9.	H. 2.
<i>andulosa</i> . W.	glandulous.		Georgia.	1804.	7.8.	H. 2.
<i>bonium</i> . W.	Austrian.		Austria.	1801.	7.9.	H. 2.
<i>ta</i> . W.	hairy.			1759.	6.9.	H. 2.
<i>veolens</i> . W.	woolly-leaved.		S. Europe.	1758.	6.8.	H. 2.
<i>illanti</i> . W.	Vaillant's.		France.	1739.	6.8.	H. 2.

17 mariana. W.	American.	Corymbiferae. J.	N. America.	1742. 7.8. H. 2.	Mill. ic. 1. t. 57. f. f.
18 germanica. W.	German.		Germany.	1759. 6.7. H. 2.	Jac. aust. 2. t. 134.
19 ensifolia. W.	sword-leaved.		Austria.	1793. 7.9. H. 2.	2. t. 162.
20 crithmifolia. W.	Samphire-leav'd.		England. 8.9. H. 2.	Eng. bot. 68.
21 provincialis. W.	oval-leaved.		France.	1778. 7.8. H. 2.	
22 montana. W.	mountain.		S. Europe.	1759. — H. 2.	Garid. aix. t. 10.
23 bifrons. W.	Italian.			1713. 6.8. H. 2.	Herm. parad. t. 127.
24 saturejoides. W.	Savory-leaved.		Vera Cruz.	1738. S. 2.	Reliq. Houst. 8. t. 19.
25 foetida. W.	stinking.		Malta.	1688. 6.8. H. 2.	Boc. sic. 26. t. 13.
GRINDELIA. W. en.	GRINDELIA.	Corymbiferae. J.	Dania. H. K. et Ph.		
1 glutinosa. H. K.	glutinous.		Mexico.	1803. 1.12. G. 2.	Bot. reg. 187.
2 inuloides. W. en.	Inula-like.			1815. 6.9. G. 2.	248.
3 squarrosa. Ph.	Snakes-headed.		Missouri.	1811. 7.9. G. 2.	Bot. mag. 1706.
PODOLEPIS. H. K.	PODOLEPIS.	Corymbiferae. J.	Scalia. B. M.		
1 rugata. H. K.	wrinkle-scaled.		N. Holland.	1803. 7.8. G. 2.	Lab. no. bot. 2. t. 200.
2 acuminata. H. K.	sharp-scaled.		N. S. W.	— 5.8. G. 2.	Bot. mag. 956.
ARNICA. W.	ARNICA.	Corymbiferae. J.			
1 montana. W.	mountain.		Europe.	1731. 7.8. H. 2.	Bot. mag. 1749.
2 scorpioides. W.	alternate-leaved.		Austria.	1710. — H. 2.	Jac. aust. 4. t. 349.
3 Doronicum. W.	Alpine.			1816. — H. 2.	1. t. 92.
4 Bellidistrum. W.	Daisy-leaved.			1570. 6.8. H. 2.	Bot. mag. 1196.
DORONICUM. W.	LEOPARD'S-BANE.	Corymbiferae. J.			
1 Pardalianches. W.	great.		Britain. 5. H. 2.	Eng. bot. 680.
2 scorpioides. W.	mountain.		Germany. 4.6. H. 2.	
3 austriacum. W.	Austrian.		Austria.	1816. — H. 2.	Jac. aust. t. 130.
4 altaicum. W.	Siberian.		Siberia.	1783. 6.8. H. 2.	{ Pall. act. pet. 1779. t. 16.
5 orientale. W. en.	oriental.		Caucasus.	1815. — H. 2.	
6 plantagineum. W.	Plantain-leaved.		S. Europe.	1570. 5. H. 2.	
PERDICUM. H. K.	PERDICUM.	Corymbiferae. J.			
Anandria. H. K.	Siberian.		Siberia.	1769. 3. H. 2.	Gmel. sib. 2. t. 68. f. 1.
TETRAGONO- THECA. W.	{ TETRAGONO- THECA.	Corymbiferae. J.			
helianthoides. W.	Sunflower-like.		Virginia.	1726. 8.10. H. 2.	Schk. hand. 3. t. 263.
XIMENESIA. W.	XIMENESIA.	Corymbiferae. J.			
encelioides. W.	Mexican.		Mexico.	1795. 6.11. G. 2.	Cav. ic. 2. t. 178.
HELENIUM. W.	HELENIUM.	Corymbiferae. J.			
1 autumnale. W.	smooth.		N. America.	1729. 8.10. H. 2.	Sek. hand. 3. t. 950.
2 pubescens. W.	downy.			1776. 8.9. H. 2.	
3 quadridentatum. W.	wing-stalked.		Louisiana.	1790. 5.10. F. 2.	Jac. ic. 3. t. 593.
BELLIS. W.	DAISY.	Corymbiferae. J.			
1 perennis. W.	common.		Britain. 3.8. H. 2.	Eng. bot. 424.
β hortensis.	large double.		 H. 2.	Bot. mag. 228.
γ fistulosa.	double quilled.		 H. 2.	
δ prolifera.	Hen and Chicken.		 H. 2.	
2 sylvestris. W.	large Portugal.		Portugal.	1797. 5.7. H. 2.	Cyrl. neap. 2. t. 4.
3 annua. W.	annual.		S. Europe.	1759. 3.7. H. 2.	Bocc. mus. t. 35.
BELLIUM. W.	BELLIUM.	Corymbiferae. J.			
1 bellidioides. W.	small.		Italy.	1796. 6.9. H. 2.	Lam. ill. t. 684.
2 minutum. W.	dwarf.		Levant.	1772. 6.10. H. 2.	{ Schreb. act. ups. 1. t. 5. f. 2.
DAHLIA. Cav.	DAHLIA.	Corymbiferae. J.	Georgina. W.		
1 superflua. H. K.	fertile-rayed.		Mexico.	1789. 7.11. H. 2.	Cav. ic. 1. t. 80.
α purpurea.	purple-flowered.			— H. 2.	Ann. mus. 3. t. 37. f. 1.
β lilacina.	rose-coloured.			— H. 2.	Par. lond. 16.
γ pallida.	pale-flowered.			— H. 2.	
δ alba.	white-flowered.			— H. 2.	
ε ochroleuca.	sulphur-coloured.			— H. 2.	
ζ flava.	yellow-flowered.			— H. 2.	
η fulva.	tawny.			— H. 2.	
θ cuprea.	copper-coloured.			— H. 2.	
ι lateritia.	brick-coloured.			— H. 2.	
κ rubra.	red-flowered.			— H. 2.	Bot. mag. 1885. A.
λ atro-rubra.	dark-red.			— H. 2.	
μ punicea.	{ Pomegranate- coloured.			— H. 2.	Bot. reg. 55.
ν atro-purpurea.	dark-purple.			— H. 2.	
ξ nigra.	very dark.			— H. 2.	
ο variegata.	atripe-flowered.			— H. 2.	
π nana.	double-lilac.			— H. 2.	Bot. rep. 488.
ρ purpureo-plena.	double-purple.			— H. 2.	Bot. mag. 1885. B.

stranea. H. K.	barren-rayed.	Corymbiferae. J.	Mexico.	1802. 9.11. H. 2.	Cav. ic. t. 266.
occinea.	scarlet.	_____	_____	_____ H. 2.	Bot. mag. 762.
ulgens.	bright scarlet.	_____	_____	_____ H. 2.	_____
aurantia.	Orange-coloured.	_____	_____	_____ H. 2.	_____
rocea.	Saffron-coloured.	_____	_____	_____ H. 2.	_____
lutea.	yellow.	_____	_____	_____ H. 2.	_____
TES. W.	TAGETES.	Corymbiferae. J.	_____	_____	_____
ida. W.	sweet-scented.	_____	S. America.	1798. 7.11. G. 2.	Bot. mag. 740.
ula. W.	French Marygold.	_____	Mexico.	1578. 7.10. H. 2.	150.
cia. W.	African Marygold.	_____	_____	1596. 6.9. H. 2.	Lam. ill. t. 684.
nuta. W.	small-flowered.	_____	Chili.	1728. 8.10. H. 2.	Dill. elt. t. 280. f. 362
uifolia. W.	fine-leaved.	_____	Peru.	1797. 7.10. H. 2.	Cav. ic. 2. t. 169.
ROSPER- IUM. W. }	{ HETEROSPER- MUM. }	Corymbiferae. J.	_____	_____	_____
inatum. W.	wing-leaved.	_____	New Spain.	1799. 8.9. H. 2.	Cav. ic. 3. t. 267.
UHRIA. W.	SCHKUHRIA.	Corymbiferae. J.	_____	_____	_____
otanoides. W.	Wormwood-lea ^d .	_____	Mexico.	1798. 7.9. H. 2.	Schk. han. 3. t. 250. b
IS. W.	PECTIS.	Corymbiferae. J.	_____	_____	_____
iaris. W.	ciliated.	_____	Hispaniola.	1793. 7. S. 2.	Plum. ic. 151. f. 2.
ifolia. W.	Flax-leaved.	_____	Jamaica.	1732. 7.8. S. 2.	Slo. jam. 1. t. 149. f. 3.
ERA. W.	LEYERA.	Corymbiferae. J.	_____	_____	_____
aphalodes. W.	woolly.	_____	C. B. S.	1774. 7.9. G. 2.	Jac. ic. 3. t. 588.
arrosa. W.	squarrose.	_____	_____	1815. — G. 2.	Pluk. alm. t. 302. f. 3.
IANIA. W.	RELHANIA.	Corymbiferae. J.	_____	_____	_____
arrosa. W.	cross-leaved.	_____	C. B. S.	1774. 5.6. G. 2.	_____
IA. W.	ZINNIA.	Corymbiferae. J.	_____	_____	_____
acidiflora. W.	yellow-flowered.	_____	Peru.	1753. 7.8. H. 2.	Mill. ic. 1. t. 64.
iltiflora. W.	red-flowered.	_____	N. America.	1770. 6.10. H. 2.	Bot. mag. 149.
ticillata. W.	whorl-leaved.	_____	Mexico.	1759. 7.8. H. 2.	Bot. rep. 189.
gans. W.	purple-flowered.	_____	_____	1796. 6.9. H. 2.	Bot. mag. 527.
uiflora. W.	slender-flower ^d .	_____	_____	1799. 7.8. H. 2.	555.
FSANTHE- IUM. W. }	{ CHRYSANTHE- MUM. }	Corymbiferae. J.	_____	_____	_____
matifidum. W.	cut-leaved.	_____	Madeira.	1777. 5.8. G. 2.	_____
atum. W.	fleshy-leaved.	_____	Austria.	1731. 7.8. H. 2.	_____
terophyllum. }	various-leaved.	_____	Switzerland.	1806. — H. 2.	_____
V. en.	_____	_____	_____	_____	_____
ucanthemum. W.	Ox-eye Daisy.	_____	Britain. 6.7. H. 2.	Eng. bot. 601.
ntanum. W.	mountain.	_____	France.	1759. — H. 2.	Jac. obs. 4. t. 91.
atophylloides.	Buck's-horn.	_____	Piedmont.	1803. — H. 2.	All. ped. 1. t. 37. f. 1.
aminifolium. W.	Grass-leaved.	_____	Montpelier.	1739. 5.7. H. 2.	Jac. obs. 4. t. 92.
msueliense. W.	Montpelier.	_____	_____	6.9. H. 2.	4. t. 93.
hilleæ. W.	Milfoil-leaved.	_____	Italy.	1775. 6.8. H. 2.	Mich. gen. 34. t. 29.
gentium. W.	silver-leaved.	_____	Levant.	1731. 7.8. H. 2.	_____
ticum. W.	northern.	_____	Kamtschatka	1801. 6.8. H. 2.	W. hort. ber. 33.
inatum. W.	three-coloured.	_____	Barbary.	1796. 7.10. H. 2.	Bot. mag. 508.
milium. W. en.	small.	_____	1806. — H. 2.	_____
vestre. W. en.	field.	_____	1804. 6.7. H. 2.	_____
etum. W.	corn.	_____	Britain. 6.8. H. 2.	Eng. bot. 540.
yconis. W.	tongue-leaved.	_____	Italy.	1775. 7.8. H. 2.	Jac. obs. 4. t. 94.
licum. W.	Italian.	_____	_____	1796. 6.7. H. 2.	_____
ronarium. W.	garden.	_____	Sicily.	1629. 7.9. H. 2.	Lam. ill. t. 678. f. 6.
THRUM. W.	FEVERFEW.	Corymbiferae. J.	Chrysanthemi sp. P. S.	_____	_____
niculaceum. W. en.	Fennel-leaved.	_____	Teneriffe.	1815. 1.12. G. 2.	Bot. reg. 272.
thmifolium. W. en.	Sapphire-leaved.	_____	_____	_____ G. 2.	_____
ethifolium. W. en.	Dill-leaved.	_____	_____	_____ G. 2.	_____
tescens. W. en.	shrubby.	_____	Canaries.	1699. — G. 2.	_____
onopifolium. }	Buckshorn-leav ^d .	_____	_____ G. 2.	_____
V. en.	_____	_____	_____	_____	_____
indiflorum. W. en.	great-flowered.	_____	_____	1815. — G. 2.	_____
sciosum. W. en.	large-flowered.	_____	_____	_____ G. 2.	_____
rmicefolium. W.	Sneezewort-lea ^d .	_____	Caucasus.	1803. 7.8. H. 2.	_____
otinum. W.	creeping-rooted.	_____	N. America.	1731. 9.10. H. 2.	Jac. obs. 4. t. 90.
ginosum. W.	marsh.	_____	Hungary.	1816. 7.9. H. 2.	_____
ium. W.	Alpine.	_____	Switzerland.	1759. 7.8. H. 2.	_____
lsamita. W.	various-leaved.	_____	Levant.	1779. — H. 2.	Jac. obs. 4. t. 89.
crophyllum. W.	large-leaved.	_____	Hungary.	1803. — H. 2.	Plur. hung. 1. t. 94.
eum. W. en.	scarlet-flowered.	_____	Caucasus.	1804. 8.9. H. 2.	Bot. mag. 1080.
rysanthemum coccineum. B. M.	_____	_____	_____	_____	_____
ymbosum. W.	mountain.	_____	Germany.	1596. 6.8. H. 2.	Jac. aust. 4. t. 379.

16	pulverulentum. } W. en.	powdered.	Corymbiferae. J.	Iberia.	1806. 6.8. H. 2.	
17	Parthenium. W. β flore pleno.	common. double-flowered.		Britain. 6.9. H. 2.	Eng. bot. 1231.
18	parthenifolium. W.	Parthenium-le ^d .		Caucasus.	1804. 6.7. H. 2.	Vent. cels. t. 43.
19	caucasicum. W.	Caucasian.		—	7.8. H. 2.	
20	tenuifolium. W. en.	slender-leaved.		—	1806. — H. 2.	
21	inodorum. W.	scentless.		Britain. 8.9. H. 2.	Eng. bot. 676.
22	maritimum. W.	sea.		— 6.10. H. 2.	— 979.
23	millefoliatum. W.	Milfoil-leaved.		Siberia.	1731. 5.9. H. 2.	Mill. ic. 1. t. 9.
24	bipinnatum. W.	wing-leaved.		—	1796. 6.7. H. 2.	Gmel. sib. 2. t. 35. f. 1.
25	indicum. H. K.	Indian.		E. Ind.	1810. 6.9. H. 2.	Bot. mag. 1521.
MATRICARIA. W. MATRICARIA. Corymbiferae. J.						
1	suaveolens. W.	sweet.		Europe.	1781. 6.8. H. 2.	
2	Chamomilla. W.	Wild Chamomile.		Britain. 5.7. H. 2.	Eng. bot. 1232.
3	capensis. W.	Cape.		C. B. S.	1699. 7.9. G. 2.	Seb. thes. 1. t. 16. f. 2.
4	pusilla. W. en.	small.		—	— — H. 2.	
BOLTONIA. W. BOLTONIA. Corymbiferae. J.						
1	asteroides. W.	Starwort-flower ^d .		N. America.	1758. 8.10. H. 2.	
2	glastifolia. W.	glaucous-leaved.		—	— 9. H. 2.	
LIDBECKIA. W. LIDBECKIA. Corymbiferae. J.						
1	pectinata. W.	silver-leaved.		C. B. S.	1774. 5.6. G. 2.	Ber. cap. 306. t. 5. f. 3.
CENIA. J. CENIA. Corymbiferae. J. Lidbeckia sp. W.						
1	turbinata. P. S.	turbinated.		C. B. S.	1713. 7.8. H. 2.	Lam. ill. t. 701. f. 1.
COTULA. W. COTULA. Corymbiferae. J.						
1	anthemoides. W.	Anthemis-like.		St. Helena.	1696. 7.8. S. 2.	Dill. elt. t. 23. f. 25
2	coronopifolia. W.	Buck's Horn.		C. B. S.	1683. — G. 2.	Lam. ill. t. 700. f. 1
3	viscosa. W.	clammy.		Vera Cruz.	1739. 8. S. 2.	
4	tanacetifolia. W.	Tansy-leaved.		C. B. S.	1780. 6.8. H. 2.	Pluk. man. t. 480. f. 7.
GRANGEA. J. GRANGEA. Corymbiferae. J. Cotula sp. W.						
1	cuneifolia. Lam.	wedge-leaved.		China.	1816. 7.9. H. 2.	Lam. ill. t. 699. f. 2.
2	minima. W.	least.		—	1768. — H. 2.	Burm. ind. t. 56. f. 3.
3	maderaspatana. Lam.	Madras.		E. Ind.	1780. 7.8. S. 2.	Lam. ill. t. 699. f. 3.
4	latifolia. Desf.	two-coloured.		—	1804. — S. 2.	— t. 699. f. 1.
Cotula bicolor. W.						
ANACYCLUS. W. ANACYCLUS. Corymbiferae. J.						
1	creticus. W.	trailing.		Candia.	1759. 6.8. H. 2.	Ann. mus. 11. t. 22.
2	orientalis. W.	oriental.		Levant.	1731. — H. 2.	Boer. lugd. 1. t. 110.
3	aureus. W.	golden-flowered.		—	1570. — H. 2.	Lam. ill. t. 700. f. 2.
4	valentinus. W.	fine-leaved.		Spain.	1656. 6.7. H. 2.	Schk. han. 3. t. 254. f. 3
ANTHEMIS. W. CHAMOMILE. Corymbiferae. J.						
1	rigescens. W. en.	rigid.		Caucasus.	1805. 7.9. H. 2.	W. hort. ber. 1. t. 62.
2	Cota. W.	Venetian.		Italy.	1714. 7.8. H. 2.	Pluk. alm. t. 17. f. 5.
3	altissima. W.	tall.		S. Europe.	1731. 8. H. 2.	
4	maritima. W.	sea.		England. 7.8. H. 2.	Eng. bot. 2370.
5	clavata. W.	clubbed.		Barbary.	1801. — H. 2.	
6	tomentosa. W.	downy.		Levant.	1795. 7.10. H. 2.	
7	pubescens. W.	pubescent.		S. Europe.	1803. 7.8. H. 2.	
8	mixta. W.	simple-leaved.		France.	1731. — H. 2.	Mich. gen. t. 30. f. 1.
9	saxatilis. W. en.	rock.		Hungary.	1807. — H. 2.	
10	Chamomilla. W. en.	various-leaved.		S. Europe.	— — H. 2.	
11	chia. W.	cut-leaved.		Chio.	1731. 6.10. H. 2.	
12	nobilis. W.	common.		Britain. 7.9. H. 2.	Eng. bot. 980.
13	arvensis. W.	corn.		— 6.8. H. 2.	— 602.
14	austriaca. W.	Austrian.		Austria.	1759. 5.8. H. 2.	Jac. aust. 5. t. 444.
15	Cotula. W.	stinking.		Britain. 6.9. H. 2.	Eng. bot. 1772.
16	fusca. W.	brown-scaled.		Portugal.	1805. 7.8. H. 2.	
17	montana. W.	mountain.		Italy.	1759. 7.10. H. 2.	Ger. prov. t. 8.
18	Pyrethrum. W.	Pellitory of Spain.		S. Europe.	1570. 6.7. H. 2.	Bot. mag. 462.
19	globosa. W.	globe.		— 8.9. G. 2.	Jac. schen. 3. t. 371.
20	valentina. W.	purple-stalked.		S. Europe.	1596. 7.8. H. 2.	Breyn. cent. t. 75.
21	tinctoria. W.	Ox Eye.		Britain. 6.11. H. 2.	Eng. bot. 1472.
22	discoidea. W.	saw-leaved.		Italy.	1800. 7.8. H. 2.	
23	arabica. W.	Arabian.		Barbary.	1759. — H. 2.	Smith. spic. 9. t. 10.
24	artemisiifolia. W.	Indian.		China.	1764. 9.11. H. 2.	
Chrysanthemum indicum. H. K.						
	α aurea.	golden yellow.		— — H. 2.	
	β flava.	straw-coloured.		— — H. 2.	

—	{ quilled straw-coloured. }	Corymbiferae. J.	China. 9.11. H. 2.	Bot. reg. 4.
a.	white.	—	— — H. 2.	—
—	quilled white.	—	— — H. 2.	Bot. reg. 4.
purea.	{ semi-double }	—	— — H. 2.	—
—	purple.	—	— — H. 2.	—
—	quilled purple.	—	— — H. 2.	Bot. mag. 327.
scina.	Lilac-coloured.	—	— — H. 2.	—
rea.	copper-coloured.	—	— — H. 2.	—
va.	brown.	—	— — H. 2.	—
ALIA. Cav.	SANVITALIA.	Corymbiferae. J	Mexico.	1798. 7.8. H. 2.	Cav. ic. 4. t. 351.
mbens. W.	trailing.	—	—	—	—
LEA. W.	MILFOIL.	Corymbiferae. J	Hungary.	1815. 7.8. H. 2.	Pl. rar. hung. 1. t. 2.
lata. W.	tongue-leaved.	—	France.	1640. 6.7. H. 2.	All. ped. 1. t. 9. f. 3.
a-rota. W.	Herbarota.	—	Caucasus.	1815. 7.8. H. 2.	—
liflora. M. B.	great-flowered.	—	Britain. 7.11. H. 2.	Eng. bot. 767.
ica. W.	Sneezewort.	—	—	—	—
s pleno.	double-flowered.	—	Italy.	1784. 7.8. H. 2.	—
ta. W.	slender-branch ^d .	—	S. Europe.	1570-8.10. H. 2.	—
stum. W.	Sweet Maudlin.	—	—	1798. 6.8. H. 2.	—
rans. W. en.	pale yellow.	—	—	1804. 7.9. H. 2.	—
sa. W. en.	spear-leaved.	—	Siberia.	1731. 7.11. H. 2.	Boc. mus. 144. t. 101
t. W.	Alpine.	—	Switzerland.	1686. 8.9. H. 2.	—
a. W.	saw-leaved.	—	Austria.	1656. 6.7. H. 2.	Bot. mag. 1287.
nnæ. W.	silver-leaved.	—	Siberia.	1759. 6.9. H. 2.	Gmel. sib. 2. t. 83. f. 1.
iens. W.	impatient.	—	Hungary.	1801. 8.9. H. 2.	Pl. rar. hung. 1. t. 34.
nata. W.	comb-leaved.	—	—	—	—
leuca. Waldst.	—	—	—	—	—
rosa. W.	rough-headed.	—	—	1775. 7.8. H. 2.	—
a. W.	sickle-leaved.	—	Levant.	1739. 6.9. H. 2.	Lam. ill. t. 682. f. 3.
folia. W.	slender-leaved.	—	—	1733. 6.8. H. 2.	—
lina. W.	{ Lavender- }	—	—	1759. — H. 2.	—
—	cotton-lea ^d . }	—	—	—	—
moides. W.	Chamomile-like.	—	—	—	—
t. W.	black-cupped.	—	Austria.	1596. 7.9. H. 2.	Jac. aust. 1. t. 77.
bata. W.	musk.	—	Italy.	1775. 6.7. H. 2.	— 5. t. ap. 33.
W.	dwarf.	—	—	1759. 6.8. H. 2.	All. ped. 1. t. 9. f. 3.
a. W.	Cretan.	—	Candia.	1739. 7.8. H. 2.	Bocc. mus. t. 34.
tiaca. W.	Egyptian.	—	Levant.	1640. 7.9. G. 2.	Tourn. it. 1. t. 87.
phylla. W.	large-leaved.	—	Italy.	1710. 7.8. H. 2.	Triumf. obs. t. 23.
. W.	golden-flowered.	—	Levant.	1739. 6.9. H. 2.	—
torium. W.	Caspian.	—	Caspian Sh ^{res} .	1803. 7.8. H. 2.	—
acta. W.	compact.	—	—	—	—
ceus. W.	downy.	—	Levant.	1739. 6.9. H. 2.	—
nifolia. W.	Samphire-leaf ^d .	—	Hungary.	1804. 7.8. H. 2.	Pl. rar. hung. 1. t. 66.
etifolia. W.	Tansy-leaved.	—	Switzerland.	1658. — H. 2.	Moris. s. 6. t. 11. f. 14.
is. W.	branching.	—	Italy.	1804. 7.8. H. 2.	All. ped. t. 53. f. 1.
t. W. en.	woolly.	—	—	—	—
a. W.	great.	—	S. Europe.	1683. 6.11. H. 2.	—
folium. W.	Yarrow.	—	Britain. 6.10. H. 2.	Eng. bot. 758.
ra.	red-flowered.	—	—	—	—
nifolia. P. S.	Rose-coloured.	—	N. America.	1803. 6.8. H. 2.	Vent. cels. t. 93.
ntha. W.	small-flowered.	—	Levant.	1805. 6.10. H. 2.	—
stosa. W.	tomentose.	—	S. Europe.	1648. 5.10. H. 2.	Bot. mag. 498.
leuca. W.	cream-coloured.	—	—	1804. 7.9. H. 2.	—
phylla. W.	small-leaved.	—	Spain.	1800. — H. 2.	Barr. ic. 1114.
ica. W.	Ligurian.	—	Italy.	1791. 6.8. H. 2.	All. ped. 1. t. 53. f. 2.
is. W.	showy.	—	Germany.	1640. — H. 2.	Schb. hand. 3. t. 255.
phylla. W. en.	many-leaved.	—	—	1798. 7.9. H. 2.	—
ta. W.	sweet-scented.	—	Spain.	1729. 6.8. H. 2.	Jac. col. 1. t. 21.
a. W.	bristly.	—	Hungary.	1805. — H. 2.	Pl. rar. hung. 1. t. 80
nifolia. W.	Southernwood-l ^d .	—	Levant.	1739. — H. 2.	—
IA. W.	BALBISIA.	Corymbiferae. J.	—	—	—
ata. W.	long-stalked.	—	Mexico.	1804. 7.8. H. 2.	—
US. W.	AMELLUS.	Corymbiferae. J	—	—	—
itis. W.	trailing.	—	C. B. S.	1768. 6.7. G. 2.	Jac. col. sup. t. 10. f. 1
us. Ph.	villous.	—	Missouri.	1811. 8.9. H. 2.	—
losus. Ph.	spiny.	—	—	—	—
IA. W.	STARKEA.	Corymbiferae. J	—	—	—
lata. W.	umbel-flowered.	—	Jamaica.	1768. 6.7. S. 2.	Lam. ill. t. 689. f. 2.

ECLIPTA. W.	ECLIPTA.	Corymbifera. J.				
1 erecta. W.	upright.		America.	1690. 7.9. H.⊙.	Dill.elt. t. 113. f. 137	
2 prostrata. W.	trailing.		E. Ind.	1732. — S.⊙.	— t. 113. f. 138	
CHRYSANTHE- LUM P. S.	{ CHRYSAN- THELLUM. }	Corymbifera. J.				
procumbens. P. S.	procumbent.		W. Ind.	1768. 6.7. S.⊙.	Swa. obs. 314. t. 8. f. 1	
<i>Verbesina nutica. W.</i>	<i>W.</i>					
SIEGESBECKIA. W.	SIEGESBECKIA.	Corymbifera. J.				
orientalis. W.	oriental.		India.	1730. 8.10. H.⊙.	Schk. hand. 3. t. 256.	
2 flosculosa. W.	small-flowered.		Peru.	1784. 6.7. H.⊙.	L'Her. stirp. t. 19.	
VERBESINA. W.	VERBESINA.	Corymbifera. J.				
1 alata. W.	wing-stalked.		S. America.	1699. 5.10. G. ½.	Bot. mag. 1716.	
2 virginica. W.	white-flowered.		N. America.	1812. 7.9. H. ½.	—	
3 gigantea. W.	tree.		W. Ind.	1768. S. ½.	Jac. ic. 1. t. 175.	
4 Siegesbeckia. W.	American.		Virginia.	1731. 10.11. H. ½.	—	
5 Coreopsis. Ph.	Coreopsis-like.		N. America.	1640. 9.11. H. ½.	Jac. vind. 2. t. 110.	
<i>Coreopsis alternifolia. W.</i>	<i>W.</i>					
6 serrata. W.	saw-leaved.		Mexico.	1803. 7.10. G. ½.	Cav. ic. 3. t. 214.	
7 sativa. H. K.	Oil-seed.		E. Ind.	1806. 8.9. S.⊙.	Bot. mag. 1017.	
8 calendulacea. W.	Ceylon.		Ceylon.	1739. 7.9. S.⊙.	Burm. zeyl. t. 22. f. 1.	
9 dichotoma. W.	forked.		E. Ind.	1789. 6.7. S.⊙.	{ Murr. com. goet. 1779. t. 4.	
10 fruticosa. W.	shrubby.		W. Ind.	1759. 6.8. S. ½.	Plum. ic. t. 52.	
SYNEDRELLA. P. S.	SYNEDRELLA.	Corymbifera. J.				
nodiflora. P. S.	sessile-flowered.		W. Ind.	1726. 6.7. S.⊙.	Dill. elt. t. 45. f. 52.	
GALINSOGEA. W.	GALINSOGEA.	Corymbifera. J.				
parviflora. W.	small-flowered.		S. America.	1796. 5.9. H.⊙.	Cav. ic. 3. t. 281.	
2 trilobata. W.	three-lobed.		Peru.	1797. 8.11. H.⊙.	Bot. mag. 1895.	
ACMELLA. P. S.	ACMELLA.	Corymbifera. J.				
1 mauritiana. P. S.	Balm-leaved.		Mauritius.	1768. 7.8. S.⊙.	Rumph. am. 6. t. 65.	
<i>Spilanthes Acmeila. W.</i>	<i>W.</i>					
2 buphthalmoides. P. S.	oval-leaved.		S. America.	1798. 7.9. H.⊙.	Jac. schoen. 2. t. 151.	
ZALUZANIA. P. S.	ZALUZANIA.	Corymbifera. J.				
triloba. P. S.	three-lobed.		Mexico.	1798. 7.9. F. ½.	—	
PASCALIA. W.	PASCALIA.	Corymbifera. J.				
glauca. W.	glaucous-leaved.		Chili.	1799. 6.8. H. ½.	Bot. rep. 549.	
HELIOPSIS. P. S.	HELIOPSIS.	Corymbifera. J.				
laevis. P. S.	Sunflower-leav ^d .		N. America.	1714. 7.10. H. ½.	L'Her. stirp. t. 45.	
<i>Buphthalmum helianthoides. W.</i>	<i>Helianthus laevis. L.</i>					
BUPHTHALMUM	Ox Eye.	Corymbifera. J.				
W.						
1 frutescens. W.	shrubby.		America.	1696. 6.8. G. ½.	Dill. elt. t. 28. f. 44.	
2 arborescens. W.	trec.		Bermudas.	1699. 5.9. G. ½.	— t. 38. f. 42.	
3 sericeum. W.	silky.		Canaries.	1779. 5.7. G. ½.	Bot. mag. 1826.	
4 spinosum. W.	prickly.		Spain.	1570. 6.9. H.⊙.	—	
5 aquaticum. W.	sweet-scented.		S. Europe.	1731. 7.8. H.⊙.	Breyn. cent. t. 77.	
6 maritimum. W.	sea.		Sicily.	1640. 7.9. F. ½.	Bocc. mus. t. 129.	
7 salicifolium. W.	Willow-leaved.		Austria.	1759. 6.10. H. ½.	Jac. aust. 4. j. 370.	
8 grandiflorum. W.	great-flowered.		—	1722. — H. ½.	Moris. s. 6. t. 7. f. 52.	
9 cordifolium. W.	heart-leaved.		Hungary.	1739. 6.8. H. ½.	Pl. rar. hung. 2. t. 113	
FRUSTRANEA.						
HELIANTHUS. W	SUN FLOWER.	Corymbifera. J.				
1 annuus. W.	annual.		S. America.	1596. 6.10. H.⊙.	—	
2 indiens. W.	dwarf annual.		Egypt.	1785. — H.⊙.	Tabern. ic. 764.	
3 tubaeformis. W.	tube-flowered.		Mexico.	1799. 7.8. H.⊙.	Jac. schoen. 3. t. 374.	
4 dentatus. W.	tooth-leaved.		—	1798. 9.11. G. ½.	Cav. ic. 3. t. 220.	
5 multiflorus. W.	many-flowered.		N. America.	1597. 8.10. H. ½.	Bot. mag. 227.	
<i>β plexus.</i>	<i>double-flowered.</i>					
6 tuberosus. W.	{ Jerusalem Artichoke. }		Brazil.	1617. 9.10. H. ½.	Jac. vind. 2. t. 161.	
7 angustifolius. Ph.	narrow-leaved.		N. America.	1769. — H. ½.	Moerb. ic. 1. t. 49.	
8 macrophyllus. Ph.	large-leaved.		—	1800. 8.10. H. ½.	W. hort. ber. t. 70.	
9 mollis. Ph.	soft.		—	1805. 7.10. H. ½.	—	
10 decapetalus. Ph.	ten-petalled.		—	1759. 8.11. H. ½.	Rob. ic. 225.	
11 prostratus. Ph.	rough.		—	1800. 7.9. H. ½.	—	
12 strumosus. Ph.	Carrot-rooted.		—	1710. — H. ½.	Bocc. sic. t. 27. f. 4.	
13 altissimus. Ph.	tall.		—	1731. — H. ½.	Jac. vind. 2. t. 160.	
14 giganteus. Ph.	gigantic.		—	1714. 9.10. H. ½.	Moris. s. 6. t. 7. f. 52.	
15 longifolius. Ph.	long-leaved.		Georgia.	1812. 8.10. H. ½.	—	

16 divaricatus. Ph.	divaricate.	Corymbiferae. J.	N. America.	1759. 8.10. H. 2.	
17 pubescens. Ph.	downy.			1795. 7.10. H. 2.	
18 atropurpurens. Ph.	dark-purple-eyed.			1782. — H. 2.	Dill. elt. t. 94. f. 110.
GALARDIA. W.	GALARDIA.	Corymbiferae. J.	Virginia. Smith.		
bicolor. W.	two-coloured.		Carolina.	1787. 7.10. H. 2.	Bot. mag. 1602.
RUDBECKIA. W.	RUDBECKIA.	Corymbiferae. J.			
1 pinnata. Ph.	fragrant.		N. America.	1808. 8.9. H. 2.	Exot. bot. 1. t. 38.
2 digitata. Ph.	narrow jagged-le ^d .			1759. — H. 2.	Moris. s. 6. t. 6. f. 54.
3 laciniata. Ph.	broad jagged-le ^d .			1640. 7.9. H. 2.	— s. 6. t. 6. f. 53.
4 columnaris. Ph.	high-crowned.			1811. 8.9. H. 2.	Bot. mag. 1601.
5 submentosa. Ph.	downy-lobed.			1802. — H. 2.	
6 triloba. Ph.	three-lobed.			1699. — H. 2.	Pluk. alm. t. 22. f. 2.
7 hirta. Ph.	great hairy.			1714. 6.11. H. 2.	Dill. elt. t. 218. f. 283
8 fulgida. Ph.	small hairy.			1760. 7.8. H. 2.	
9 laevigata. Ph.	smooth.		Carolina.	1812. — F. 2.	
10 amplexifolia. Ph.	stem-clasping.		Louisiana.	1793. — H. 2.	Jac. ic. 3. t. 592.
11 purpurea. Ph.	purple.		N. America.	1699. 7.10. H. 2.	Bot. mag. 2.
COSMEA. W.	COSMEA.	Corymbiferae. J.	Cosmos. Cav. ic.		
1 lutea. B. M.	yellow-flowered.		Mexico.	1811. 10.11. G. 2.	Bot. mag. 1669.
2 sulphurea. W.	Southernwood-le ^d .			1799. 7.8. H. 2.	Jac. ic. 3. t. 595.
3 bipinnata. W.	purple-flowered.			— G. 2.	Bot. mag. 1535.
4 parviflora. W.	white-flowered.			1800. — H. 2.	Jac. schoen. 3. t. 374.
COREOPSIS. W.	COREOPSIS.	Corymbiferae. J.			
1 ferulæfolia. W.	Fennel-leaved.		Mexico.	1799. 10.11. F. 2.	Jac. schoen. 3. t. 373.
2 verticillata. W.	whorl-leaved.		N. America.	1759. 7.10. H. 2.	Bot. mag. 156.
3 tenuifolia. W.	slender-leaved.			1780. 7.8. H. 2.	Pluk. man. t. 344. f. 4.
4 chrysantha. W.	Angelica-leav ^d .		W. Ind.	1752. 7.9. S. 2.	Plum. ic. 53. f. 1.
5 aurea. W.	Hemp-leaved.		N. America.	1785. 8.9. H. 2.	
6 tripteris. Ph.	three-leaved.			1737. 8.10. H. 2.	Moris. s. 6. t. 3. f. 44.
7 senifolia. Ph.	sessile-leaved.			1812. — H. 2.	
8 amplexicaulis. Cav.	stem-clasping.			1806. 7.8. H. 2.	
9 foetida. W.	stinking.		Mexico.	1799. — H. 2.	Cav. ic. 1. t. 77.
10 alba. W.	climbing.		Jamaica.	1699. 6.7. S. 2.	Herm. parad. 124.
11 jacisa. B. reg.	jagged-leaved.		W. Ind. 9.12. S. 2.	Bot. reg. 7.
12 reptans. W.	trailing.			1792. 7.9. S. 2.	Smith spic. t. 22.
13 auriculata. W.	ear-leaved.		N. America.	1699. 8.10. H. 2.	Schk. han. 3. t. 260.
14 latifolia. W.	broad-leaved.			1786. 8.9. H. 2.	
15 arguta. Ph.	sharp-notched.		Carolina. — H. 2.	
16 lanceolata. W.	spear-leaved.			1724. 7.9. H. 2.	Dill. elt. t. 48. f. 56.
17 crassifolia. W.	thick-leaved.			1786. 8.10. H. 2.	
18 angustifolia. W.	narrow-leaved.		N. America.	1778. 6.8. H. 2.	
19 alata. W.	wing-stalked.		Mexico.	1803. 7.8. H. 2.	Cav. ic. 3. t. 260.
20 procera. W.	tall.		N. America.	1765. 9.10. H. 2.	
OSMITES. W.	OSMITES.	Corymbiferae. J.			
camphorina. W.	Campfire-scent ^d .		C. B. S.	1794. 4.7. G. 2.	Schm. mus. 1. t. 90. f. 2.
PALLASIA. W.	PALLASIA.	Corymbiferae. J.	Encelia. P. S.		
halimifolia. W.	downy-leaved.		Peru.	1786. 7. G. 2.	Jac. ic. 3. t. 594.
SCLEROCARPUS. W.	SCLEROCARPUS.	Corymbiferae. J.			
africanus. W.	African.		Guinea.	1812. 7.8. G. 2.	Jac. ic. 1. t. 176.
CULLUMIA. H. K.	CULLUMIA.	Corymbiferae. J.	Gorteria sp. L.		
1 ciliaris. H. K.	ciliated.		C. B. S.	1774. 5.6. G. 2.	Burm. afr. t. 54. f. 1.
2 setosa. H. K.	{ recurved smooth-lea ^d }			1780. 6.8. G. 2.	
3 squarrosa. H. K.	recurv'dawl-lea ^d			1786. — G. 2.	Th. act. hafn. 3. t. 5.
BERCKHEYA. H. K.	BERCKHEYA.	Corymbiferae. J.	Gorteria sp. L.		
1 cynaroides. W.	Artichoke-cupp ^d .		C. B. S.	1789. 6. G. 2.	
2 obovata. W.	smooth shrubby.			1794. 6.8. G. 2.	Hout. n. h. 6. t. 34. f. 3.
3 incana. W.	hoary.			1789. 7.8. G. 2.	Jac. ic. 3. t. 591.
4 cuneata. W.	wedge-leaved.			1812. 6.8. G. 2.	Th. act. hafn. 3. t. 10.
5 palmata. W.	palmated.			1800. — G. 2.	— S. t. 13.
6 grandiflora. W.	large-flowered.			1812. — G. 2.	Bot. mag. 1844.
7 uniflora. W.	single-flowered.			1815. — G. 2.	Th. act. hafn. 3. t. 7.
8 cernua. H. K.	drooping-flower ^d .			1774. 5.7. G. 2.	Meerb. ic. 1. t. 40.
DIDELTA. H. K.	DIDELTA.	Corymbiferae. J.			
1 carnosum. H. K.	alternate-leaved.		C. B. S.	1774. 6.7. G. 2.	L'Her. stirp. t. 28.
2 spinosum. H. K.	opposite-leaved.			— G. 2.	Wendl. obs. t. 4. f. 33.
GORTERIA. H. K.	GORTERIA.	Corymbiferae. J.			
personata. H. K.	procumbent.		C. B. S.	1774. 7.8. G. 2.	Jac. coll. 4. t. 21. f. 1.
GAZANIA. H. K.	GAZANIA.	Corymbiferae. J.	Gorteria sp. W.		
1 rigens. H. K.	great-flowered.		C. B. S.	1755. 5.9. G. 2.	Bot. mag. 90.

2 Pavonia. H. K.	Peacock.	Corymbiferae. J.	C. B. S.	1804. 6.7.	G. 2.	Bot. reg. 85.
3 subulata. H. K.	awl-leaved.			1792. 7.8.	G. 2.	
CRYPTOSTEMMA H. K.	CRYPTOSTEMMA.	Corymbiferae. J.	Arctotidis sp. W.			
1 calendulaceum. H. K.	Marygold-flow ^d .		C. B. S.	1752. 6.8.	H. 0.	Jac. schœn. 2. t. 157.
2 hypochondriacum. H. K.	divided-rayed.			1731. 7.8.	H. 0.	
3 runcinatum. H. K.	Dandelion-leav ^d .			1794. —	H. 0.	
ARCTOTHECA. W. repens. W.	ARCTOTHECA. creeping.	Corymbiferae. J.	Arctotidis sp. Jac.			
SPHENOGYNE. H. K.	SPHENOGYNE.	Corymbiferae. J.	Arctotidis sp. W.			
1 anthemoides. H. K.	white-crowned.		C. B. S.	1774. 7.9.	H. 0.	Bot. mag. 544.
2 crithmifolia. H. K.	Sampshire-leav ^d .			1768. 4.8.	G. 2.	Burm. afr. t. 65. f. 1.
3 scariosa. H. K.	scaly-cupped.			1774. —	G. 2.	
4 abrotanifolia. H. K.	Southernwood-l ^d .			1789. 5.8.	G. 2.	
5 dentata. H. K.	small-leaved.			1787. 6.7.	G. 2.	Burm. afr. t. 64.
6 odorata. H. K.	smooth-seeded.			1774. 4.6.	G. 2.	
ZOEAEA. W.	ZOEAEA.	Cynarocephalae. J.				
Leptaurea. W.	yellow-flowered.		Levant.	1779. 7.8.	H. 0.	Jac. ic. 1. t. 177.
CENTAUREA. W.	CENTAUREA.	Cynarocephalae. J.				
1 Crupina. W.	black-seeded.		Italy.	1596. 6.7.	H. 0.	Col. ecphr. 1. t. 34.
2 Lippii. W.	Lippi's.		Egypt.	1739. —	H. 0.	Isn. a. par. 719. t. 10.
3 moschata. W.	Sweet Sultan.		Persia.	1629. 7.10.	H. 0.	Knor. thes. 2. t. C. 4.
4 glauca. W.	glaucous.		Caucasus.	1805. 6.7.	H. 2.	
5 suaveolens. W.	Yellow Sultan.		Levant.	1683. 7.10.	H. 0.	Moris. s. 7. t. 25. f. 9.
6 alpina. W.	Alpine.		Italy.	1640. 7.8.	H. 2.	Corn. can. 69. t. 70.
7 Centaurium. W.	great.			1596. —	H. 2.	
8 ruthenica. W.	Russian.		Russia.	1806. —	H. 2.	Gmel. sib. 2. t. 41.
9 phrygia. W.	feathery-calyx ^d .		Switzerland.	1633. 6.10.	H. 2.	Fl. dan. 520.
10 rivalaris. P. S.	river-side.		Portugal.	1812. 7.9.	H. 2.	
11 austriaca. W.	Austrian.		Austria.	1815. 6.10.	H. 2.	
12 pectinata. W.	pectinated.		France.	1727. 7.10.	H. 2.	
13 nervosa. W. en.	nerved.		S. Europe.	1815. 6.9.	H. 2.	
14 trichoccephala. W.	downy-calyx ^d .		Siberia.	1805. 7.8.	H. 2.	Gmel. s. 2. t. 45. f. 1. 3.
15 hyssopifolia. W.	Hyssop-leaved.		Spain.	1812. —	F. 2.	Barr. ic. 306.
16 coronopifolia. W.	Buck's-horn.		Levant.	1739. 6.7.	H. 0.	
17 nigra. W.	Black Knapweed.		Britain. 5.8.	H. 2.	Eng. bot. 278.
18 nigrescens. W.	dark.		Hungary.	1805. 6.8.	H. 2.	
19 ochroleuca. W.	Caucasian.		Caucasus.	1801. 7.8.	H. 2.	Bot. mag. 1175.
20 montana. W.	mountain.		Austria.	1596. 6.8.	H. 2.	77.
21 Cyanus. W.	Blue-bottle.		Britain. —	H. 0.	Eng. bot. 277.
22 pullata. W.	various-coloured.		S. Europe.	1759. —	H. 2.	Lob. ic. t. 542. f. 2.
23 ovina. W.	small-flowered.		Caucasus.	1802. 7.11.	H. 2.	
24 paniculata. W.	panicked.		Europe.	1640. 7.8.	H. 2.	Jac. aus. 4. t. 320.
25 intybacea. H. K.	Succory-leaved.		S. Europe.	1773. 7.9.	H. 2.	
26 spinosa. W.	prickly-branched.		Candia.	1640. —	F. 2.	Alp. exot. t. 163.
27 ragusina. W.	white-leaved.			1710. 6.7.	G. 2.	Bot. mag. 494.
28 Cineraria. W.	hoary-leaved.		Italy.	— 7.8.	F. 2.	Moris. s. 7. t. 26. f. 20.
29 cinerea. W.	gray.			— 6.7.	H. 2.	Jac. vind. 1. t. 92.
30 dealbata. W.	mealy.		Caucasus.	1804. 7.8.	H. 2.	
31 argentea. W.	silver-leaved.		Candia.	1739. —	F. 2.	Barr. ic. t. 218.
32 maculosa. P. S.	spotted-calyx ^d .		Siberia.	1816. —	H. 2.	Gmel. s. 2. t. 44. f. 1. 3.
33 sempervirens. W.	evergreen.		Spain.	1683. —	F. 2.	Boec. sic. t. 39. f. 3.
34 coriacea. W.	leathery-leaved.		Hungary.	1804. 6.7.	H. 2.	Pl. rar. hung. 2. t. 126.
35 Scabiosa. W.	{ Greater Knap- weed. }		Britain. 6.8.	H. 2.	Eng. bot. 56.
36 tatarica. W.	Tartarian.		Tartary.	1801. 7.8.	H. 2.	
37 Stœbe. W.	wing-leaved.		Austria?	1759. 6.7.	H. 2.	
38 Fischeri. W. en.	Fischer's.		Siberia.	1816. —	H. 2.	
39 macrocephala. W.	large-headed.		Caucasus.	1805. 6.8.	H. 2.	Bot. mag. 1248.
40 atropurpurea. W.	dark-purple.		Hungary.	1802. —	H. 2.	Pl. rar. hung. 2. t. 116.
41 calocephala. W. en.	smooth-stalked.		Levant.	1816. —	H. 2.	
42 canariensis. W. en.	Canary.		Teneriffe.	1815.	G. 2.	
43 orientalis. W.	oriental.		Siberia.	1759. 7.8.	H. 2.	
44 sibirica. W.	Siberian.			1782. —	H. 2.	Gmel. sib. 2. t. 42. f. 2.
45 diluta. H. K.	pale-flowered.		S. Europe.	1781. —	H. 2.	
46 alata. W.	winged-stalked.		Tartary.	— 8.9.	H. 2.	Vent. cel. 20.
47 Behen. W.	saw-leaved.		Levant.	1797. 7.8.	H. 0.	
48 repens. W.	creeping.			1739. 6.8.	H. 2.	

ea. W.	Brown Knapweed.	Cynarocephale, J. England.	7.9.	H. 2.	Eng. bot. 1678.
umbens. P. S.	decumbent.	France.	1815.	—	H. 2.	
ara. W.	bitter.	Italy.	7.8.	H. 2.	Bocc. mus. 31. t. 17.
a. W.	white-flowered.	Spain.	1597.	6.9.	H. 2.	
endens. W.	shining.	—	—	7.8.	H. 2.	
ana. W.	Portugal.	Portugal.	1640.	—	H. 2.	Brot. phyt. lus. t. 3.
apontica. W.	Swiss.	Switzerland.	—	—	H. 2.	Bot. mag. 1752.
ylonica. W.	Babylonian.	Levant.	1710.	6.9.	H. 2.	Alp. exot. t. 282.
stifolia. W.	Wood-leaved.	Siberia.	1731.	—	H. 2.	Bot. mag. 62.
nifera. W.	cone.	S. Europe.	1683.	—	H. 2.	Ann. mus. 16. t. 14.
ichifolia. W.	Sow-thistle-lea ^d .	Mediterran.	1780.	8.10.	H. 2.	Pluk. phyt. 39. f. 1.
idis. W.	purple-flowered.	Spain.	1686.	6.8.	H. 2.	Pluk. alm. t. 38. f. 1.
enta. W. en.	obovate-leaved.	1816.	—	H. 2.	
ana. W.	Roman.	Rome.	1739.	7.9.	H. 2.	Barr. rar. t. 504.
ox. W.	hedgehog.	Barbary.	1790.	—	H. 2.	Def. atl. 2. t. 242.
stitialis. W.	{ St. Barnaby's } Thistle.	England.	7.8.	H. 2.	Eng. bot. 243.
phurea. W. en.	sulphur-colour ^d	1815.	—	H. 2.	
lensis. W.	cluster-headed.	Malta.	1710.	—	H. 2.	Bocc. sic. t. 35.
lami. W.	Adam's.	Siberia.	1804.	—	H. 2.	
ula. W.	Sicilian.	Sicily.	1710.	—	H. 2.	Bocc. sic. t. 2. f. 1.
macrocephala. W.	globe-headed.	S. Europe.	1683.	—	H. 2.	Cyril. neap. 1. t. 9.
ardii. W.	Jersey.	Jersey.	—	H. 2.	Eng. bot. 2256.
lyacantha. W.	many-spined.	Portugal.	1804.	—	H. 2.	
aminea. W.	straw-coloured.	Egypt.	1801.	—	H. 2.	W. hort. ber. 26.
pifolia. W.	Turnip-leaved.	Candia.	1691.	7.9.	H. 2.	Herm. parad. t. 189.
era. W.	rough.	S. Europe.	1772.	6.10.	H. 2.	Bocc. mus. 25. t. 26.
nedicta. W.	Blessed Thistle.	Spain.	1548.	—	H. 2.	Zorn. ic. 122.
ophora. W.	woolly-headed.	Portugal.	1714.	—	H. 2.	
yptiaca. W.	Egyptian.	Egypt.	1790.	6.9.	F. 2.	
leitraps. W.	Star-thistle.	England.	7.8.	H. 2.	Eng. bot. 125.
citrapoides. W.	Phœnician.	Levant.	1683.	6.7.	H. 2.	
lexa. W.	crook-spined.	Iberia.	1801.	7.8.	H. 2.	
tauroides. W.	lyre-leaved.	S. Europe.	1739.	5.7.	H. 2.	Col. cophr. 1. t. 25.
lina. W.	hill.	—	1596.	6.7.	H. 2.	
pestris. W.	rock.	Italy.	1804.	7.8.	H. 2.	Col. cophr. 1. t. et f. 2.
bescens. W.	dowry.	—	—	H. 2.	
rutum. W.	dwarf.	Levant.	1780.	8.9.	H. 2.	Jac. ic. 1. t. 178.
mantiha. W.	Ragwort-leaved.	S. Europe.	1596.	7.8.	H. 2.	Jac. vind. 1. t. 64.
rea. W.	great golden.	—	1758.	7.9.	H. 2.	Bot. mag. 421.
iricata. W.	muricated.	Spain.	1621.	7.8.	H. 2.	
regrina. W.	soft-leaved.	S. Europe.	1749.	—	H. 2.	
liata. W.	rayed.	Siberia.	1804.	—	H. 2.	Gmel. lab. 2. t. 47. f. 1.
ocodylium. W.	blush-flowered.	Levant.	1777.	—	H. 2.	Barr. rar. t. 503.
ICTITES. P. S.	GALACTITES.	Cynarocephale, J. Centauree sp. W.	—	—	—	
nentosa. P. S.	woolly.	S. Europe.	1738.	7.8.	H. 2.	Ann. mus. 16. t. 16.

NECESSARIA.

ERIA. P. S.	MILLERIA.	Corymbifera. J.				
inqueflora. W.	five-flowered.	Vera Cruz.	1781.	7.10.	S. 2.	Cav. ic. 1. t. 82.
lora. W.	two-flowered.	Campeachy.	1780.	—	S. 2.	Mart. dec. 47. f. 1.
ERIA. J.	FLAVERIA.	Corymbifera. J. Milleria sp. W.				
ntrayerba. W. en.	Peruvian.	Peru.	1794.	7.9.	S. 2.	Cav. ic. 1. t. 4.
IMORA. W.	BALTIMORA.	Corymbifera. J.				
ta. W.	upright.	Vera Cruz.	1699.	6.7.	H. 2.	Schk. ha. 3. t. 261. C.
HIUM. W.	SILPHIUM.	Corymbifera. J.				
iniatum. W.	jagged-leaved.	N. America.	1781.	7.9.	H. 2.	Lia. al. fas. 1. t. 3.
npositum. W.	scollop-leaved.	—	1789.	—	H. 2.	
rebinthina- eum. W.	broad-leaved.	—	1765.	8.9.	H. 2.	Jac. vind. 1. t. 43.
foliatum. W.	perfoliate.	—	1766.	7.10.	H. 2.	
njunctum. W. en.	conjoined.	—	—	H. 2.	
nnatum. W.	round-stalked.	—	1766.	—	H. 2.	
teriscus. W.	hairy-stalked.	—	1739.	7.9.	H. 2.	Dill. elt. t. 37. f. 42.
foliatum. W.	three-leaved.	—	1755.	7.10.	H. 2.	Maria. a. 6. t. 2. f. 64.
natum. W.	various-leaved.	—	1806.	—	H. 2.	
opurpureum. W.	purple-stalked.	—	1812.	—	H. 2.	
NA. Cav.	ALCINA.	Corymbifera. J.				
foliata. P. S.	perfoliate.	Mexico.	1796.	7.8.	G. 2.	Cav. ic. 1. t. 15.

2 Pavonia. H. K.	Peacock.	Corymbifera. J.	C. B. S.	1804. 6.7. G. 2.	Bot. reg. 85.
3 subulata. H. K.	awl-leaved.			1792. 7.8. G. 2.	
CRYPTOSTEMMA H. K.	CRYPTOSTEMMA.	Corymbifera. J.	Arctotidis sp. W.		
1 calendulaceum. H. K.	Marygold-flow ^d .		C. B. S.	1752. 6.8. H. 0.	Jac. schen. 2. t. 157.
2 hypochondria- cum. H. K.	divided-rayed.			1731. 7.8. H. 0.	
3 runcinatum H. K.	Dandelion-leav ^d .			1794. — H. 0.	
ARCTOTHECA. W.	ARCTOTHECA.	Corymbifera. J.	Arctotidis sp. Jac.		
repens. W.	creeping.		C. B. S.	1793. 7.8. G. 2.	Jac. schen. 3. t. 306.
SPHENOGYNE. H. K.	SPHENOGYNE.	Corymbifera. J.	Arctotidis sp. W.		
1 anthemoides. H. K.	white-crowned.		C. B. S.	1774. 7.9. H. 0.	Bot. mag. 544.
2 crithmifolia. H. K.	Samphire-leav ^d .			1768. 4.8. G. 2.	Burm. afr. t. 65. f. 1.
3 scariosa. H. K.	scaly-cupped.			1774. — G. 2.	
4 abrotanifolia. H. K.	Southernwood-1 ^d .			1789. 5.8. G. 2.	
5 dentata. H. K.	small-leaved.			1787. 6.7. G. 2.	Burm. afr. t. 64.
6 odorata. H. K.	smooth-seeded.			1774. 4.6. G. 2.	
ZOEGERA. W.	ZOEGERA.	Cynarocephala. J.			
Leptaurea. W.	yellow-flowered.		Levant.	1779. 7.8. H. 0.	Jac. ic. 1. t. 177.
CENTAUREA. W.	CENTAUREA.	Cynarocephala. J.			
1 Crupina. W.	black-seeded.		Italy.	1596. 6.7. H. 0.	Col. ecphr. 1. t. 34.
2 Lippii. W.	Lippi's.		Egypt.	1739. — H. 0.	Isa. a. par. 1719. t. 10
3 moschata. W.	Sweet Sultan.		Persia.	1629. 7.10. H. 0.	Knor. thes. 2. t. C. 4.
4 glauca. W.	glaucous.		Caucasus.	1805. 6.7. H. 2.	
5 suaveolens. W.	Yellow Sultan.		Levant.	1683. 7.10. H. 0.	Moris. s. 7. t. 25. f. 9.
6 alpina. W.	Alpine.		Italy.	1640. 7.8. H. 2.	Corn. can. 69. t. 70.
7 Centaurium. W.	great.			1596. — H. 2.	
8 ruthenica. W.	Russian.		Russia.	1806. — H. 2.	Gmel. sib. 2. t. 41.
9 phrygia. W.	feathery-calyx ^d .		Switzerland.	1633. 6.10. H. 2.	Fl. dan. 590.
10 rivularis. P. S.	river-side.		Portugal.	1812. 7.9. H. 2.	
11 austriaca. W.	Austrian.		Austria.	1815. 6.10. H. 2.	
12 pectinata. W.	pectinated.		France.	1727. 7.10. H. 2.	
13 nervosa. W. en.	neryed.		S. Europe.	1815. 6.9. H. 2.	
14 trichosephala. W.	downy-calyxed.		Siberia.	1805. 7.8. H. 2.	Gmel. s. 2. t. 45. f. 1. 3.
15 hyssopifolia. W.	Hyssop-leaved.		Spain.	1812. — F. 2.	Barr. ic. 306.
16 coronopifolia. W.	Buck's-horn.		Levant.	1789. 6.7. H. 0.	
17 nigra. W.	Black Knapweed.		Britain. 5.8. H. 2.	Eng. bot. 278.
18 nigrescens. W.	dark.		Hungary.	1805. 6.8. H. 2.	
19 ochroleuca. W.	Caucasian.		Caucasus.	1801. 7.8. H. 2.	Bot. mag. 1175.
20 montana. W.	mountain.		Austria.	1596. 6.8. H. 2.	77.
21 Cyanus. W.	Blue-bottle.		Britain. — H. 0.	Eng. bot. 277.
22 pullata. W.	various-coloured.		S. Europe.	1759. — H. 2.	Lob. ic. t. 542. f. 3.
23 ovina. W.	small-flowered.		Caucasus.	1802. 7.11. H. 2.	
24 paniculata. W.	panicked.		Europe.	1640. 7.8. H. 2.	Jac. aus. 4. t. 320.
25 intybacea. H. K.	Succory-leaved.		S. Europe.	1778. 7.9. H. 2.	
26 spinosa. W.	prickly-branched.		Candia.	1640. — F. 2.	Alp. exot. t. 162.
27 ragusina. W.	white-leaved.			1710. 6.7. G. 2.	Bot. mag. 494.
28 Cineraria. W.	hoary-leaved.		Italy.	— 7.8. F. 2.	Moris. s. 7. t. 26. f. 30.
29 cinerea. W.	gray.			— 6.7. H. 2.	Jac. vind. 1. t. 92.
30 dealbata. W.	mealy.		Caucasus.	1804. 7.8. H. 2.	
31 argentea. W.	silver-leaved.		Candia.	1739. — F. 2.	Barr. ic. t. 218.
32 maculosa. P. S.	spotted-calyxed.		Siberia.	1816. — H. 2.	Gmel. s. 2. t. 44. f. 1. 3.
33 sempervirens. W.	evergreen.		Spain.	1683. — F. 2.	Bocc. sic. t. 39. f. 3.
34 coriacea. W.	leathery-leaved.		Hungary.	1804. 6.7. H. 2.	Pl. rar. hung. 2. t. 195
35 Scabiosa. W.	{ Greater Knap- weed.		Britain. 6.8. H. 2.	Eng. bot. 56.
36 tatarica. W.	Tartarian.		Tartary.	1801. 7.8. H. 2.	
37 Stœbe. W.	wing-leaved.		Austria?	1759. 6.7. H. 2.	
38 Fischeri. W. en.	Fischer's.		Siberia.	1816. — H. 2.	
39 macrocephala. W.	large-headed.		Caucasus.	1805. 6.8. H. 2.	Bot. mag. 1248.
40 atropurpurea. W.	dark-purple.		Hungary.	1802. — H. 2.	Pl. rar. hung. 2. t. 116
41 calocephala. W. en.	smooth-stalked.		Levant.	1816. — H. 2.	
42 canariensis. W. en.	Canary.		Teneriffe.	1815. G. 2.	
43 orientalis. W.	oriental.		Siberia.	1759. 7.8. H. 2.	
44 sibirica. W.	Siberian.			1782. — H. 2.	Gmel. sib. 2. t. 42. f. 3.
45 diluta. H. K.	pale-flowered.		S. Europe.	1781. — H. 2.	
46 alata. W.	winged-stalked.		Tartary.	— 8.9. H. 2.	Vent. cels. 80.
47 Behen. W.	saw-leaved.		Levant.	1797. 7.8. H. 0.	
48 repens. W.	creeping.			1739. 6.8. H. 2.	

cea. W.	Brown Knapweed.	Cynarocephala. J.	England.	7.9.	H. 2.	Eng. bot. 1678.
umbens. P. S.	decumbent.		France.	1815.	—	H. 2.	
ara. W.	bitter.		Italy.	7.8.	H. 2.	Boec. mus. 31. t. 17.
na. W.	white-flowered.		Spain.	1597.	6.9.	H. 2.	
lensens. W.	shining.			—	7.8.	H. 2.	
ana. W.	Portugal.		Portugal.	1640.	—	H. 2.	Brot. phyt. lua. t. 3.
apontica. W.	Swiss.		Switzerland.	—	—	H. 2.	Bot. mag. 1752.
bylonica. W.	Babylonian.		Levant.	1710.	6.9.	H. 2.	Alp. exot. t. 282.
stifolia. W.	Wood-leaved.		Siberia.	1731.	—	H. 2.	Bot. mag. 62.
nifera. W.	cone.		S. Europe.	1683.	—	H. 2.	Ann. mus. 16. t. 14.
ichifolia. W.	Sow-thistle-lea ^d .		Mediterran.	1780.	8.10.	H. 2.	Pluk. phyt. 39. f. 1.
idia. W.	purple-flowered.		Spain.	1686.	6.8.	H. 2.	Pluk. alm. t. 38. f. 1.
ienta. W. en.	obovate-leaved.		1816.	—	H. 2.	
nana. W.	Roman.		Rome.	1739.	7.9.	H. 2.	Barr. rar. t. 504.
ox. W.	herd hog.		Barbary.	1790.	—	K. 2.	Def. atl. 2. t. 242.
stitialis. W.	{ St. Barnaby's Thistle. }		England.	7.8.	H. 2.	Eng. bot. 243.
lphurea. W. en.	sulphur-colour'd.		1815.	—	H. 2.	
litensis. W.	cluster-headed.		Malta.	1710.	—	H. 2.	Boec. sic. t. 35.
lamai. W.	Adam's.		Siberia.	1804.	—	H. 2.	
ula. W.	Sicilian.		Sicily.	1710.	—	H. 2.	Boec. sic. t. 8. f. 1.
harocephala. W.	globe-headed.		S. Europe.	1683.	—	H. 2.	Cyrl. neap. 1. t. 9.
ardi. W.	Jersey.		Jersey.	—	H. 2.	Eng. bot. 2256.
lyacantha. W.	many-spined.		Portugal.	1804.	—	H. 2.	
amina. W.	straw-coloured.		Egypt.	1801.	—	H. 2.	W. hort. ber. 26.
pifolia. W.	Turnip-leaved.		Candia.	1691.	7.9.	H. 2.	Herm. parad. t. 189.
pera. W.	rough.		S. Europe.	1772.	6.10.	H. 2.	Boec. mus. 35. t. 26.
nedicta. W.	Blessed Thistle.		Spain.	1548.	—	H. 2.	Zorn. ic. 122.
ophora. W.	woolly-headed.		Portugal.	1714.	—	H. 2.	
gyptiaca. W.	Egyptian.		Egypt.	1790.	6.9.	F. 2.	
lcitrapa. W.	Star-thistle.		England.	7.8.	H. 2.	Eng. bot. 125.
lcitrapoides. W.	Phoenician.		Levant.	1683.	6.7.	H. 2.	
lexa. W.	crook-spined.		Iberia.	1801.	7.8.	H. 2.	
ntauroides. W.	lyre-leaved.		S. Europe.	1739.	5.7.	H. 2.	Col. cophr. 1. t. 35.
llina. W.	hill.			1596.	6.7.	H. 2.	
pestris. W.	rock.		Italy.	1804.	7.8.	H. 2.	Colocophr. 1. t. et f. 2.
bescens. W.	downy.		—	—	H. 2.	
rutum. W.	dwarf.		Levant.	1780.	8.9.	H. 2.	Jac. ic. 1. t. 178.
manjica. W.	Ragwort-leaved.		S. Europe.	1596.	7.8.	H. 2.	Jac. vind. 1. t. 64.
rea. W.	great golden.			1758.	7.9.	H. 2.	Bot. mag. 441.
aricata. W.	auriculated.		Spain.	1621.	7.8.	H. 2.	
regrina. W.	soft-leaved.		S. Europe.	1749.	—	H. 2.	
diata. W.	rayed.		Siberia.	1804.	—	H. 2.	Gmel. lib. 2. t. 47. f. 1.
ocodylium. W.	blush-flowered.		Levant.	1777.	—	H. 2.	Barr. rar. t. 503.
ACTITES. P. S.	GALACTITES.	Cynarocephala. J.	Centauree sp. W.				
mentosa. P. S.	woolly.		S. Europe.	1738.	7.8.	H. 2.	Ann. mus. 16. t. 16.

NECESSARIA.

ERIA. P. S.	MILLERIA.	Corymbifera. J.					
inquiflora. W.	five-flowered.		Vera Cruz.	1781.	7.10.	S. 2.	Cav. ic. 1. t. 82.
lora. W.	two-flowered.		Campeachy.	1730.	—	S. 2.	Mart. dec. 47. f. 1.
ERIA. J.	FLAVERIA.	Corymbifera. J.	Milleria sp. W.				
ntroyerba. W. en.	Peruvian.		Peru.	1794.	7.9.	S. 2.	Cav. ic. 1. t. 4.
IMORA. W.	BALTIMORA.	Corymbifera. J.					
ta. W.	upright.		Vera Cruz.	1699.	6.7.	H. 2.	Schk. ha. 3. t. 261. C.
HIUM. W.	SILPHIUM.	Corymbifera. J.					
iniatum. W.	jagged-leaved.		N. America.	1781.	7.9.	H. 2.	Lin. fl. fas. 1. t. 3.
apositum. W.	scalloped-leaved.			1789.	—	H. 2.	
rebinthina- eum. W. }	broad-leaved.			1765.	8.9.	H. 2.	Jac. vind. 1. t. 43.
rofoliatum. W.	perfoliate.			1766.	7.10.	H. 2.	
ojunctum. W. en.	conjoined.			—	H. 2.	
anatum. W.	round-stalked.			1766.	—	H. 2.	
teriscus. W.	hairy-stalked.			1738.	7.9.	H. 2.	Dill. elt. t. 37. f. 42.
foliatum. W.	three-leaved.			1758.	7.10.	H. 2.	Maria. 6. t. 2. f. 64.
natum. W.	various-leaved.			1806.	—	H. 2.	
opurpureum. W.	purple-stalked.			1812.	—	H. 2.	
NA. Cav.	ALCINA.	Corymbifera. J.					
foliata. P. S.	perfoliate.		Mexico.	1796.	7.9.	G. 2.	Cav. ic. 1. t. 16.

CLASS XX.

GYNANDRIA MONANDRIA.

ORCHIS. B. P.	ORCHIS.	Orchideæ. B. P.					
1 Morio. W.	meadow.		Britain.	5.6.	H. 2.	Eng. bot. 2059.
2 longicornu. P. S.	flat-spurred.		Barbary.	1815.	4.5.	G. 2.	Bot. reg. 902.
3 mascula. W.	early purple.		Britain.	—	H. 2.	Eng. bot. 631.
4 ustulata. W.	dwarf.		England.	5.6.	H. 2.	— 18.
5 fusca. W.	brown.		—	—	H. 2.	— 16.
6 militaris. W.	military.		—	—	H. 2.	— 1873.
7 asuminata. W.	pointed-flower'd.		Barbary.	1815.	4.5.	G. 2.	Bot. mag. 1932.
8 globosa. W.	round-spiked.		Austria.	1792.	6.7.	H. 2.	Jac. anst. 8. t. 265.
9 pyramidalis. W.	pyramidal.		Britain.	—	H. 2.	Eng. bot. 110.
10 hircina. W.	Lizard.		England.	—	H. 2.	— 24.
11 latifolia. W.	marsh.		Britain.	5.6.	H. 2.	— 2308.
12 maculata. W.	spotted palmate.		—	6.7.	H. 2.	— 632.
13 spectabilis. W.	showy.		N. America.	1801.	—	H. 2.	—
14 papilionacea. W.	papilionaceous.		S. Europe.	1788.	—	H. 2.	—
GYMNADENIA. H. K.	GYMNADENIA.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.
conopsea. H. K.	fragrant.		Britain.	6.7.	H. 2.	Eng. bot. 10.
ACERAS. H. K.	ACERAS.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.
anthrophophora.	Greenman.		England.	6.	H. 2.	Eng. bot. 29.
HERMINIUM. H. K.	HERMINIUM.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.
Monorchis. H. K.	musk.		England.	6.7.	H. 2.	Eng. bot. 71.
HABENARIA. B. P.	HABENARIA.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.
1 nigra. H. K.	dark-flowered.		Austria.	1759.	6.7.	H. 2.	Flor. dan. t. 996.
2 viridis. H. K.	Frog.		Britain.	—	H. 2.	Eng. bot. 94.
3 bracteata. H. K.	long-bracted.		N. America.	1805.	5.6.	H. 2.	Par. lond. 110.
4 albida. H. K.	small white.		Britain.	6.7.	H. 2.	Eng. bot. 506.
5 hyperborea. H. K.	northern.		Iceland.	1805.	—	H. 2.	—
6 bifolia. H. K.	Butterfly.		Britain.	5.6.	H. 2.	Eng. bot. 22.
7 herbiola. H. K.	American.		N. America.	1789.	6.7.	H. 2.	—
8 fimbriata. H. K.	purple-fringed.		Canada.	—	—	H. 2.	—
9 cristata. H. K.	yellow-crested.		N. America.	1806.	9.	H. 2.	—
10 ciliaris. H. K.	yellow-fringed.		—	1796.	6.7.	H. 2.	Bot. mag. 1662.
BARTHOLINA. H. K.	BARTHOLINA.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.
pectinata. H. K.	pectinated.		C. B. S.	1787.	10.	G. 2.	{ Journ. Sc. & Arts, v. 4. t. 8. f. 2.
SERAPIAS. H. K.	SERAPIAS.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.
1 Lingua. W.	tongue-lipped.		S. Europe.	1786.	5.6.	G. 2.	Mor. s. 12. t. 14. f. 31.
2 cordigera. W.	heart-lipped.		—	1806.	7.8.	G. 2.	Bot. rep. 475.
OPHRYS. B. P.	OPHRYS.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.
1 aspera. W.	Bee.		England.	6.7.	H. 2.	Eng. bot. 383.
2 tenthredinifera. W.	Saw-fly.		Barbary.	1815.	4.5.	G. 2.	Bot. reg. 205.
3 aranifera. W.	Spider.		England.	—	H. 2.	Eng. bot. 65.
4 muscifera. H. K.	Fly.		—	5.6.	H. 2.	— 64.
SATYRIUM. H. K.	SATYRIUM.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.
1 cucullatum. W.	cucullate.		Diplecchtrum. P. S.				
2 carneum. H. K.	great-flowered.		C. B. S.	1787.	6.9.	G. 2.	Bot. rep. 315.
DISA. Sw.	DISA.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.
1 cornuta. W.	horned.		C. B. S.	1805.	6.7.	G. 2.	—
2 spathulata. W.	spoon-lipped.		—	—	—	G. 2.	{ Journ. Sc. & Arts, v. 4. t. 8. f. 2.
3 prasinata. B. reg.	green-flowered.		—	—	—	G. 2.	Bot. reg. 209.
PTERYGODIUM. Sw.	PTERYGODIUM.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.
1 volucris. W.	arrow-lipped.		C. B. S.	1797.	6.7.	G. 2.	—
DISPERIS. Sw.	DISPERIS.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.
secunda. W.	side-flowering.		C. B. S.	1797.	6.7.	G. 2.	—
GOODYERA. H. K.	GOODYERA.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.	Orchideæ. B. P.
1 repens. H. K.	creeping.		Neottia sp. W.				
2 pubescens. H. K.	downy.		Scotland.	7.8.	H. 2.	Eng. bot. 229.
3 discolor. B. reg.	purple-leaved.		N. America.	1802.	7.	H. 2.	—
NEOTTIA. B. P.	NEOTTIA.	Orchideæ. B. P.	S. America.	1815.	11.12.	S. 2.	Bot. reg. 271.
1 speciosa. W.	showy.		W. Ind.	1790.	4.6.	S. 2.	Bot. mag. 1374.
2 orchiodes. W.	frosted-flowered.		Jamaica.	1806.	5.	S. 2.	— 1036.
3 picta. H. K.	Lemon-scented.		Trinidad.	1805.	4.6.	S. 2.	— 1562.
4 elata. W.	tall.		W. Ind.	1790.	—	S. 2.	Red. lil. 164.

<i>sifolia</i> . W.	thick-leaved.	Corymbiferae. J.	C. B. S.	1710. 9.10. G. h.	Mill. ic. 2. t. 245. f. 2.
<i>ticulata</i> . W.	tooth-leaved.			1774. 4.7. G. h.	
<i>erophylla</i> . W.	various-leaved.			1812. — G. h.	
<i>gua</i> . W.	tongue-leaved.			1787. 5.9. G. h.	Jac. schoen. 2. t. 238.
<i>aulia</i> . W.	Yam-rooted.			1791. 4.5. G. h.	— 2. t. 241.
<i>boea</i> . W.	bulbous.			1774. 5.6. G. h.	Breyn. cent. t. 66.
<i>foliata</i> . Jac.	perfoliate.			1789. 5.7. G. h.	Bot. mag. 1312.
<i>ridora</i> . W.	small-flowered.			1704. 7.8. G. h.	Volk. norib. t. 226.
<i>oides</i> . W.	Heath-leaved.			1815. — G. h.	
<i>nissima</i> . W.	fine-leaved.			1759. 4.7. G. h.	Jac. schoen. 2. t. 239.
<i>prescena</i> . W.	tree.			1723. 7.8. G. h.	Dill. elt. t. 103. f. 123.
<i>lioides</i> . W.	tuberous.			1774. 5.9. G. h.	
<i>A</i> . W.	HIPPIA.	Corymbiferae. J.			
<i>acens</i> . W.	shrubby.		C. B. S.	1710. 2.8. G. h.	Bot. mag. 1855.
<i>grifolia</i> . W.	annual.		E. Ind.	1777. 7.8. S. O.	Hout. nat. h. t. 67. f. 2
IOSTYLES. J.	GYMNOSTYLES.	Corymbiferae. J.			
<i>ridifolia</i> . J.	Chamomile-lea ^a .		S. America.	1812. 4.12. G. O.	J. ann. mus. t. 61. f. 1.
<i>IA</i> . W.	PSIADIA.	Corymbiferae. J.			
<i>tinosa</i> . W.	glutinous.		Mauritius.	1796. 6.8. S. h.	Jac. schoen. 2. t. 152.
CEPHALUS. W.	ERIOCEPHALUS.	Corymbiferae. J.			
<i>canus</i> . W.	cluster-leaved.		C. B. S.	1732. 1.3. G. h.	Bot. mag. 832.
<i>mosus</i> . W.	silver-leaved.			1739. 3.4. G. h.	
<i>IO</i> . W.	COTTON-ROSE.	Corymbiferae. J.	<i>Evas. Geri.</i>		
<i>ma</i> . W.	pigmy.		S. Europe.	1629. 7.8. H. O.	Cav. ic. 1. t. 36.
<i>OPUS</i> . W.	MICROPUS.	Corymbiferae. J.			
<i>inus</i> . W.	trailing.		S. Europe.	1710. 6.9. H. O.	Schk. hand. 3. t. 267.
<i>ctus</i> . W.	upright.			1683. 6.9. H. O.	Loef. hisp. t. 1. f. 3.
HENIUM. W.	PARTHENIUM.	Corymbiferae. J.			
<i>sterophorus</i> . W.	cut-leaved.		Jamaica.	1728. 7.10. H. O.	Cav. ic. 4. t. 378.
<i>grifolium</i> . W.	entire-leaved.		Virginia.	1661. 6.10. H. h.	W. hort. ber. 4.
<i>W.</i>	IVA.	Corymbiferae. J.			
<i>na</i> . W.	annual.		S. America.	1768. 7.8. S. O.	Schmidel. ic. t. 16.
<i>tescens</i> . W.	shrubby.		N. America.	1711. 8. H. h.	Pluk. alm. t. 27. f. 1.

SEGREGATA.

HANTOPUS. J.	{ ELEPHANT'S } FOOT.	Corymbiferae. J.			
<i>ber</i> . W.	rough-leaved.		E. Ind.	1695. 6.9. S. h.	Rheed. mal. 10. t. 7.
<i>olinianus</i> . W.	Carolina.		America.	1732. 7.9. G. h.	Dill. elt. t. 106. f. 128
<i>ventosus</i> . W.	woolly.		W. Ind.	1733. 7.8. G. h.	
<i>RA</i> . W.	CEDERA.	Corymbiferae. J.			
<i>lifera</i> . W.	proliferous.		C. B. S.	1789. 5.6. G. h.	Bot. mag. 1637.
<i>IE</i> . W.	STREBE.	Corymbiferae. J.	<i>Scirpium. P. S.</i>		
<i>liopica</i> . W.	Juniper-leaved.		C. B. S.	1759. 8. G. h.	
<i>erea</i> . W.	Heath-leaved.			1774. 7.9. G. h.	Pluk. man. t. 297. f. 1
INBURGIA. W.	NAUENBURGIA.	Corymbiferae	<i>Brotera. P. S.</i>		
<i>nervata</i> . W.	three-nerved.		S. America.	1799. 7.8. H. O.	{ Schrad. bot. j. 1800. 2. t. 5.
<i>INIA</i> . H. K.	CASSINIA.				
<i>ea</i> . H. K.	yellow.		N. Holland.	1803. 7.8. G. h.	
IRANTHUS. W.	SPHERANTHUS.	Cynarocephalae. J.			
<i>icus</i> . W.	Indian.		E. Ind.	1699. 8.12. S. h.	Burm. zeyl. t. 94. f. 3.
<i>canus</i> . W.	African.		C. B. S.	1759. 7.8. G. O.	Pluk. man. t. 108. f. 7
NOPS. W.	GLOBE-THISTLE	Cynarocephalae? J.			
<i>erocephalus</i> . W.	great.		Austria.	1596. 7.8. H. h.	
<i>nosus</i> . W.	thorny-headed.		Egypt.	1597. — H. h.	Moris. s. 7. t. 35. f. 4.
<i>ro</i> . W.	small.		Europe.	1670. 7.9. H. h.	Bot. mag. 932.
<i>gostus</i> . W.	annual.		Spain.	1729. — H. O.	Herm. parad. t. 224.
<i>uginosus</i> . W.	woolly.		Levant.	1736. 6.7. H. h.	
NDRA. W.	ROLANDRA.	Cynarocephalae. J.			
<i>pentea</i> . W.	silver-leaved.		W. Ind.	1714. 7. S. h.	Sloan. jam. 1. t. 7. f. 3.
ERA. W.	BROTERA.	Cynarocephalae? J.	<i>Cardopatum. P. S.</i>		
<i>yumbosa</i> . W.	umbelled.		S. Europe.	1640. 6.7. H. h.	Moris. s. 7. t. 33. f. 17.
DELIA. W.	GUNDELIA.	Cynarocephalae? J.			
<i>rnefortii</i> . W.	Turnefort's.		Levant.	1739. 6.8. H. h.	Mill. ic. t. 237.

CLASS XX.

GYNANDRIA MONANDRIA.

ORCHIS. B. P.	ORCHIS.	Orchideæ. B. P.					
1 Morio. W.	meadow.		Britain.	5.6.	H. 2.	Eng. bot. 2059.
2 longicornu. P. S.	flat-spurred.		Barbary.	1815.	4.5.	G. 2.	Bot. reg. 902.
3 mascula. W.	early purple.		Britain.	—	H. 2.	Eng. bot. 631.
4 ustulata. W.	dwarf.		England.	5.6.	H. 2.	— 18.
5 fusca. W.	brown.		—	—	H. 2.	— 16.
6 militaris. W.	military.		—	—	H. 2.	— 1873.
7 acuminata. W.	pointed-flower'd.		Barbary.	1815.	4.5.	G. 2.	Bot. mag. 1932.
8 globosa. W.	round-spiked.		Austria.	1792.	6.7.	H. 2.	Jac. aust. 2. t. 265.
9 pyramidalis. W.	pyramidal.		Britain.	—	H. 2.	Eng. bot. 110.
10 hircina. W.	Lizard.		England.	—	H. 2.	— 34.
11 latifolia. W.	marsh.		Britain.	5.6.	H. 2.	— 2308.
12 maculata. W.	spotted palmate.		—	6.7.	H. 2.	— 622.
13 spectabilis. W.	showy.		N. America.	1801.	—	H. 2.	—
14 papilionacea. W.	papilionaceous.		S. Europe.	1788.	—	H. 2.	—
GYMNADENIA. H. K.	GYMNADENIA.	Orchideæ. B. P.	Orchididæ sp. IV.				
conopsea. H. K.	fragrant.		Britain.	6.7.	H. 2.	Eng. bot. 10.
ACERAS. H. K.	ACERAS.	Orchideæ. B. P.	Ophrydis sp. IV.				
anthrophora.	Greenman.		England.	6.	H. 2.	Eng. bot. 29.
HERMINIUM. H. K.	HERMINIUM.	Orchideæ. B. P.	Ophrydis sp. IV.				
Monorchis. H. K.	musk.		England.	6.7.	H. 2.	Eng. bot. 71.
HABENARIA. B. P.	HABENARIA.	Orchideæ. B. P.	Orchididæ sp. IV.				
1 nigra. H. K.	dark-flowered.		Austria.	1759.	6.7.	H. 2.	Flor. dan. t. 298.
2 viridis. H. K.	Frog.		Britain.	—	H. 2.	Eng. bot. 94.
3 bracteata. H. K.	long-bracted.		N. America.	1805.	5.6.	H. 2.	Par. lond. 110.
4 albida. H. K.	small white.		Britain.	6.7.	H. 2.	Eng. bot. 506.
5 hyperborea. H. K.	northern.		Iceland.	1805.	—	H. 2.	—
6 bifolia. H. K.	Butterfly.		Britain.	5.6.	H. 2.	Eng. bot. 22.
7 herbiola. H. K.	American.		N. America.	1789.	6.7.	H. 2.	—
8 fimbriata. H. K.	purple-fringed.		Canada.	—	—	H. 2.	—
9 cristata. H. K.	yellow-crested.		N. America.	1806.	9.	H. 2.	—
10 ciliaris. H. K.	yellow-fringed.		—	1796.	6.7.	H. 2.	Bot. mag. 1662.
BARTHOLINA. H. K.	BARTHOLINA.	Orchideæ. B. P.	Orchididæ sp. IV.				
pectinata. H. K.	pectinated.		C. B. S.	1787.	10.	G. 2.	{ Journ. Sc. & Arts, v. 4. t. 8. f. 2.
SERAPIAS. H. K.	SERAPIAS.	Orchideæ. B. P.	Helleborinis sp. P. S.				
1 Lingua. W.	tongue-lipped.		S. Europe.	1786.	5.6.	G. 2.	Mor.s. 12. t. 14. f. 91.
2 cordigera. W.	heart-lipped.		—	1806.	7.8.	G. 2.	Bot. rep. 475.
OPHRYS. B. P.	OPHRYS.	Orchideæ. B. P.					
1 apifera. W.	Bee.		England.	6.7.	H. 2.	Eng. bot. 323.
2 tenthredinifera. W.	Saw-fly.		Barbary.	1815.	4.5.	G. 2.	Bot. reg. 205.
3 aranifera. W.	Spider.		England.	—	H. 2.	Eng. bot. 65.
4 muscifera. H. K.	Fly.		—	5.6.	H. 2.	— 64.
SATYRIUM. H. K.	SATYRIUM.	Orchideæ. B. P.	Diplecthrum. P. S.				
1 cucullatum. W.	cucullate.		C. B. S.	1787.	6.9.	G. 2.	Bot. rep. 315.
2 carneum. H. K.	great-flowered.		—	—	—	G. 2.	Bot. mag. 1612.
DISA. Sw.	DISA.	Orchideæ. B. P.					
1 cornuta. W.	horned.		C. B. S.	1805.	6.7.	G. 2.	—
2 spathulata. W.	spoon-lipped.		—	—	—	G. 2.	{ Journ. Sc. & Arts, v. 4. t. 8. f. 2.
3 prasinata. B. reg.	green-flowered.		—	—	—	G. 2.	Bot. reg. 209.
PTERYGODIUM. Sw.	PTERYGODIUM.	Orchideæ. B. P.					
1 volucris. W.	arrow-lipped.		C. B. S.	1797.	6.7.	G. 2.	—
DISPERIS. Sw.	DISPERIS.	Orchideæ. B. P.					
secunda. W.	side-flowering.		C. B. S.	1797.	6.7.	G. 2.	—
GOODYERA. H. K.	GOODYERA.	Orchideæ. B. P.	Neottia sp. IV.				
1 repens. H. K.	creeping.		Scotland.	7.8.	H. 2.	Eng. bot. 229.
2 pubescens. H. K.	downy.		N. America.	1802.	7.	H. 2.	—
3 discolor. B. reg.	purple-leaved.		S. America.	1815.	11.12.	S. 2.	Bot. reg. 271.
NEOTTIA. B. P.	NEOTTIA.	Orchideæ. B. P.					
1 speciosa. W.	showy.		W. Ind.	1790.	4.6.	S. 2.	Bot. mag. 1374.
2 orchoides. W.	frosted-flowered.		Jamaica.	1806.	5.	S. 2.	— 1036.
3 picta. H. K.	Lemon-scented.		Trinidad.	1805.	4.6.	S. 2.	— 1562.
4 elata. W.	tall.		W. Ind.	1790.	—	S. 2.	Red. bl. 164.

GYNANDRIA MONANDRIA.

201

na. W.	nodding-flower'd.	Orchideæ. B. P.	N. America.	1796.	7.	H. ½.	Bot. mag. 1568.
alis. W.	Ladies'-traces.	_____	Britain.	8.9.	H. ½.	Eng. bot. 541.
HIEVA. H. K.	PONTHIEVA.	Orchideæ. B. P.	<i>Neottia sp. B. M.</i>	_____	_____	_____	_____
idulosa. H. K.	glandular.	_____	W. Ind.	1800.	1.2.	S. ½.	Bot. mag. 842.
JS. B. P.	DIURUS.	Orchideæ. B. P.	_____	_____	_____	_____	_____
ca. B. P.	golden-flowered.	_____	N. S. W.	1810.	G. ½.	Exot. bot. 1. t. 9.
YMITRA. B. P.	THELYMITRA.	Orchideæ. B. P.	_____	_____	_____	_____	_____
ides. B. P.	spotted blue.	_____	N. S. W.	1810.	G. ½.	Exot. bot. 1. t. 29.
RA. H. K.	LISTERA.	Orchideæ. B. P.	<i>Ophrydis sp. E. B.</i>	_____	_____	_____	_____
la. H. K.	Twayblade.	_____	Britain.	5.6.	H. ½.	Eng. bot. 1548.
lata. H. K.	heart-leaved.	_____	_____	6.7.	H. ½.	_____ 858.
CTIS. Sw.	EPIFACTIS.	Orchideæ. B. P.	<i>Scrapias. E. B.</i>	_____	_____	_____	_____
us-avis. W.	bird's nest.	_____	Britain.	5.	H. ½.	Eng. bot. 48.
olia. W.	broad-leaved.	_____	_____	7.8.	H. ½.	_____ 269.
istria. W.	marsh.	_____	_____	_____	H. ½.	_____ 270.
ens. W.	white.	_____	_____	6.	H. ½.	_____ 271.
folia. W.	narrow-leaved.	_____	_____	_____	H. ½.	_____ 494.
ra. W.	purple.	_____	_____	6.7.	H. ½.	_____ 437.
NIA. H. K.	POGONIA.	Orchideæ. B. P.	<i>Arethusa sp. Ph.</i>	_____	_____	_____	_____
ioglossoides. } reg.	Adder's-tongue.	_____	N. America.	1816.	6.7.	G. ½.	Bot. reg. 148.
ricata. H. K.	Lily-leaved.	_____	_____	1787.	—	H. ½.	Lam. ill. t. 729. f. 3.
DENIA. B. P.	CALADENIA.	Orchideæ. B. P.	_____	_____	_____	_____	_____
. B. P.	white.	_____	N. S. W.	1810.	7.8.	G. ½.	_____
ODIA. B. P.	GLOSSODIA.	Orchideæ. B. P.	_____	_____	_____	_____	_____
or. B. P.	larger.	_____	N. S. W.	1810.	G. ½.	_____
STYLIS. B. P.	PREROSTYLIS.	Orchideæ. B. P.	_____	_____	_____	_____	_____
isa. B. P.	blunt-lipped.	_____	N. S. W.	1810.	7.8.	G. ½.	_____
IA. H. K.	CALEYA.	Orchideæ. B. P.	<i>Caleana. B. P.</i>	_____	_____	_____	_____
or. H. K.	smooth-lipped.	_____	N. S. W.	1810.	G. ½.	_____
OGON. H. K.	CALOPOGON.	Orchideæ. B. P.	<i>Cymbidii sp. W.</i>	_____	_____	_____	_____
hellus. H. K.	tuberous-rooted.	_____	N. America.	1771.	7.8.	F. ½.	Bot. mag. 116.
<i>odorum tuberosum. B. M.</i>	_____	_____	_____	_____	_____	_____	_____
HUSA. H. K.	ARETHUSA.	Orchideæ. B. P.	_____	_____	_____	_____	_____
osa. H. K.	bulbous.	_____	N. America.	5.6.	G. ½.	Pluk. man. t. 348. f. 7.
A. H. K.	BLETIA.	Orchideæ. B. P.	<i>Limodori et Cymbidii sp. W.</i>	_____	_____	_____	_____
kervillia. H. K.	Tankerville's.	_____	China.	1778.	3.4.	S. ½.	Bot. mag. 1924.
cunda. H. K.	tall.	_____	W. Ind.	1733.	1.5.	S. ½.	_____ 930.
da. H. K.	purple.	_____	_____	1786.	7.8.	S. ½.	Redouté lil. 83.
cinthina. H. K.	hyacinthine.	_____	China.	1802.	3.6.	S. ½.	Bot. mag. 1492.
tata. H. K.	headed.	_____	W. Ind.	1795.	6.7.	S. ½.	_____
ORUM. H. K.	GEODORUM.	Orchideæ. B. P.	<i>Limodori sp. Roxb.</i>	_____	_____	_____	_____
pureum. H. K.	purple.	_____	E. Ind.	1800.	6.8.	S. ½.	Roxb. cor. 1. t. 40.
num. H. K.	Lemon-colour'd.	_____	_____	_____	10.12.	S. ½.	Bot. rep. 626.
tatum. H. K.	shovel-lipped.	_____	_____	_____	5.8.	S. ½.	Roxb. cor. 1. t. 39.
SO. P. L.	CALYPSO.	Orchideæ. B. P.	_____	_____	_____	_____	_____
ricana. H. K.	American.	_____	N. America.	1805.	5.6.	H. ½.	Par. lond. 89.
XIS. H. K.	MALAXIS.	Orchideæ. B. P.	_____	_____	_____	_____	_____
idosa. W.	marsh.	_____	England.	7.	H. ½.	Eng. bot. 72.
selli. W.	Loesel's.	_____	_____	7.	H. ½.	_____ 47.
olia. W.	Lily-leaved.	_____	N. America.	1758.	6.7.	H. ½.	Bot. rep. 65.
LLORRHIL- } A. H. K.	CORALLORRHIZA.	Orchideæ. B. P.	<i>Ophrydis sp. E. B.</i>	_____	_____	_____	_____
ita. H. K.	spurless.	_____	Scotland.	6.7.	H. ½.	Eng. bot. 1547.
ILUS. H. K.	ISOCHILUS.	Orchideæ. B. P.	<i>Cymbidii sp. W.</i>	_____	_____	_____	_____
aris. H. K.	linear.	_____	W. Ind.	1791.	5.7.	S. ½.	Jac. amer. t. 131. f. 1.
ifer. H. K.	proliferous.	_____	_____	1793.	S. ½.	_____
'HIDIUM. H. K.	ORNITHIDIUM.	Orchideæ. B. P.	<i>Cymbidii sp. W.</i>	_____	_____	_____	_____
ineum. H. K.	scarlet-flowered.	_____	W. Ind.	1790.	1.12.	S. ½.	Bot. mag. 1437.
S. H. K.	STELIS.	Orchideæ. B. P.	_____	_____	_____	_____	_____
ioglossoides. W.	{ Adder's- tongue-lea ^d }	_____	W. Ind.	1791.	5.6.	S. ½.	Jac. amer. t. 133. f. 2.
rantha. W.	small-flowered.	_____	Jamaica.	1805.	11.12.	S. ½.	Exot. bot. 2. t. 75.
OTHAL- } S. H. K.	PLEUROTHALLIS.	Orchideæ. B. P.	<i>Epidendri sp. Jac.</i>	_____	_____	_____	_____
ifolia. H. K.	{ Butcher's- broom-leav ^d }	_____	W. Ind.	1791.	5.6.	S. ½.	Jac. amer. t. 133. f. 3.
MERIA. H. K.	OCTOMERIA.	Orchideæ. B. P.	<i>Dendrobii sp. W.</i>	_____	_____	_____	_____
ninifolia. H. K.	Grass-leaved.	_____	W. Ind.	1793.	6.7.	S. ½.	Plum. ic. 176. f. 1.

GYNANDRIA DIANDRIA.

AERIDES. Sw.	AIR-PLANT.	Orchideæ. B. P.	<i>Epidendri sp. L.</i>			
1 paniculatum. B. reg.	panicled.		China. 5.8.	S. 2.	Bot. reg. 220.
2 odoratum. H. K.	fragrant.			1800.	S. 2.	
3 arachnites. Sw.	common.		Japan.	1793.	S. 2.	
CRYPTARRHENA } B. reg.	CRYPTARRHENA.	Orchideæ. B. P.				
lunata. B. reg.	crescent-lipped.		W. Ind.	1815. 5.8.	S. 2.	Bot. reg. 158.
DENDROBIUM. H. K.	DENDROBIUM.	Orchideæ. B. P.				
1 speciosum. B. P.	showy.		N. S. W.	1801. 6.8.	G. 2.	Exot. bot. 1. t. 16.
2 linguiforme. B. P.	tongue-leaved.			1810.	G. 2.	1. t. 11.
3 Barringtonia. W.	large-flowered.		W. Ind.	1790. 6.8.	S. 2.	Smith ic. pict. 25.
GOMESA. B. M.	GOMESA.	Orchideæ. B. P.				
recurva. B. M.	recurved.		Brazil.	1814. 5.6.	S. 2.	Bot. mag. 1748.
CYMBIDIUM. H. K.	CYMBIDIUM.	Orchideæ. B. P.	<i>Epidendri sp. L.</i>			
1 aloifolium. W.	Aloe-leaved.		E. Ind.	1789. 5.6.	S. 2.	Bot. mag. 387.
2 ensifolium. W.	sword-leaved.		China.	1780. 6.10.	S. 2.	1751.
3 sinense. W.	Chinese.			1793. 9.10.	S. 2.	888.
4 præmorsum. W.	snip-leaved.		E. Ind.	1800. 6.	S. 2.	Roxb. cor. 1. t. 48.
5 tripterum. W.	triangular-fruit ^d .		Jamaica.	1790. 6.7.	S. 2.	Smith ic. pict. 14.
BRASSIA. H. K.	BRASSIA.	Orchideæ. B. P.				
maculata. H. K.	spotted-flower'd.		Jamaica.	1806. 6.7.	S. 2.	Bot. mag. 1691.
ONCIDIUM. Sw.	ONCIDIUM.	Orchideæ. B. P.	<i>Epidendri sp. L.</i>			
1 altissimum. W.	sharp-petaled.		W. Ind.	1793. 8.9.	S. 2.	Jac. amer. t. 141.
2 carthagenense. W.	Spread-eagle.			1791. 5.6.	S. 2.	Bot. mag. 777.
3 bifolium. H. K.	two-leaved.		S. America.	1811. 7.	S. 2.	1491.
4 triquetrum. H. K.	triangular-leaf ^d .		Jamaica.	1793. 7.8.	S. 2.	
CYRTOPODIUM. } H. K.	CYRTOPODIUM.	Orchideæ. B. P.				
1 Andersonii. H. K.	Anderson's.		W. Ind.	1804. 5.8.	S. 2.	Bot. mag. 1800.
2 Woodfordii. B. M.	Woodford's.		S. America.	1814. 10.	S. 2.	1814.
BRASSAVOLA. H. K.	BRASSAVOLA.	Orchideæ. B. P.	<i>Cymbidii sp. W.</i>			
cucullata. H. K.	single-flowered.		W. Ind.	1793. 6.9.	S. 2.	Bot. mag. 543.
BROUGHTONIA. } H. K.	BROUGHTONIA.	Orchideæ. B. P.	<i>Dendrobii sp. W.</i>			
sanguinea. H. K.	blood-coloured.		Jamaica.	1793. 6.7.	S. 2.	Slojam. 1. t. 121. f. 9.
EPIDENDRUM. H. K.	EPIDENDRUM.	Orchideæ. B. P.				
1 cochleatum. W.	dark-purple.		W. Ind.	1786. 12.2.	S. 2.	Bot. mag. 572.
2 fragrans. W.	sweet-scented.		Jamaica.	1778. 10.	S. 2.	1669.
3 secundum. W.	side-flowering.		W. Ind.	1793. 6.7.	S. 2.	Jac. amer. t. 137.
4 fuscatum. W.	brown.			1790. —	S. 2.	Bot. reg. 67.
5 elongatum. W.	long-stalked.			1798. 5.8.	S. 2.	Bot. mag. 611.
6 umbellatum. W.	umbelled.		Jamaica.	1793. 6.7.	S. 2.	Bot. reg. 80.
7 nutans. W.	nodding.			—	S. 2.	17.
8 conopseum. H. K.	Florida.		Florida.	1775. 8.	S. 2.	
9 ciliare. W.	fringed.		W. Ind.	1790. 8.8.	S. 2.	Bot. mag. 463.
VANILLA. Sw.	VANILLA.	Orchideæ. B. P.	<i>Epidendri sp. L.</i>			
1 aromatica. H. K.	aromatic.		S. America.	1739. 6.8.	S. 2.	Plum. ic. 183. t. 188.
2 planifolia. H. K.	fragrant.		W. Ind.	1800. 4.6.	S. 2.	Bot. rep. 539.

DIANDRIA.

CYPRIPEDIUM. W.	LADIES-SLIPPER.	Orchideæ. B. P.				
1 Calceolus. W.	common.		England. 5.7.	H. 2.	Eng. bot. 1.
2 parviflorum. W.	small-flowered.		N. America.	1759. 5.6.	H. 2.	Bot. mag. 911.
3 pubescens. W.	yellow-downy.			1790. —	H. 2.	W. hort. ber. 12.
4 spectabile. W.	white petalled.			1781. 6.7.	H. 2.	Bot. mag. 916.
5 humile. W.	two-leaved.			1786. 5.6.	H. 2.	192.
6 arietinum. H. K.	Ram's-head.			1808. 5.	H. 2.	1569.
STYLIDIUM. B. P.	STYLIDIUM.	Stylideæ. B. P.	<i>Ventenatia. Es. B. Candollea. Lab.</i>			
1 graminifolium. B. P.	Grass-leaved.		N. S. W.	1803. 4.8.	G. 2.	Bot. reg. 90.
2 fruticosum. B. P.	shrubby.		N. Holland.	— 5.10.	G. 2.	Par. lond. 77.
3 scandens. B. P.	climbing.			— 7.8.	G. 2.	
GUNNERA. W.	GUNNERA.	Urticæ? J.				
perpensa. W.	{ Marsh-mary- gold-leaved. }		C. B. S.	1688.	G. 2.	Pluk. alm. t. 16. f. 8.

HEXANDRIA.

ARISTOLOCHIA. W.	BIRTHWORT.	Aristolochin. J.				
1 trilobata. W.	three-lobed.		S. America.	1775. 6.7.	S. 2.	
2 maxima. W.	greatest.		New Spain.	1759. 7.	S. 2.	Jac. amer. t. 146.

MONCECIA MONANDRIA.

203

cho. W.	broad-leaved.	Aristolochiæ. J.	N. America.	1763. 6.7.	H. h.	Bot. mag. 534.
neutosa. B. M.	downy-leaved.	_____	_____	1799. _____	H. h.	_____ 1369.
pratissima. W.	sweet-scented.	_____	Jamaica.	1737. 7.	S. h.	Slo.jam.1.t.104.f.1.
bata. W.	bearded.	_____	Caracas.	1796.	S. h.	Jac. ic. 3. t. 608.
lia. W.	Indian.	_____	E. Ind.	1780. 6.7.	S. h.	Rheed. mal. 8. t. 25.
tica. W.	Spanish.	_____	Spain.	1596. 5.6.	H. h.	Moris.s.12. t.17.f.2
uca. W.	glaucous-leaved.	_____	Barbary.	1785. 7.	G. h.	Bot. mag. 1115.
opervirens. W.	evergreen.	_____	Candia.	1727. 5.6.	G. h.	_____ 1116.
ga. W.	long-rooted.	_____	S. Europe.	1548. 6.10.	H. h.	Mill. ic. t. 51. f. 2.
pentaria. W.	Snake-root.	_____	N. America.	1632. 6.7.	H. h.	Jac.schoen.3. t.385.
cteata. W.	bracteated.	_____	E. Ind.	1793. 7.	S. h.	_____
tolochia. W.	small.	_____	S. Europe.	1597. 6.7.	H. h.	_____
unda. W.	round-rooted.	_____	_____	1596. 3.10.	G. h.	_____
lida. W.	pale-flowered.	_____	Italy.	1640. 5.8.	H. h.	Moris.s.12. t.18. f.2.
ta. W.	hairy.	_____	Chio.	1759. 5.6.	G. h.	Tourn. it. 1. t. 147.
matitis. W.	common.	_____	England. 5.8.	H. h.	Eng. bot. 398.
orescens. W.	tree.	_____	America.	1737. 6.7.	G. h.	_____

CLASS XXI.

MONCECIA MONANDRIA.

ICHELLIA. W.	POND WEED.	Naiades. J.	_____	_____	_____	_____
astris. W.	horned.	_____	Britain. 7.	H. O.	Eng. bot. 1844.
LA. W.	CHARA.	Naiades. J.	_____	_____	_____	_____
gari. W.	common.	_____	Britain. 7.8.	H. O.	Eng. bot. 336.
cilis. H. K.	slender.	_____	England. _____	H. O.	_____ 2140.
pida. W.	prickly.	_____	Britain. 6.9.	H. O.	_____ 463.
lentosa. W.	tomentose.	_____ 6.7.	H. O.	Moris. s.15. t.4. f.2.
ilis. W.	smooth.	_____	England. 7.8.	H. O.	Eng. bot. 1070.
slucens. H. K.	great transparent	_____	_____ _____	H. O.	_____ 1855.
ifica. H. K.	proliferous.	_____	_____ _____	H. O.	_____ 1703.
TOCARPUS. W.	CERATOCARPUS.	Chenopodæ. B. P.	_____	_____	_____	_____
narius. W.	sand.	_____	Tartary.	1757. 6.7.	H. O.	Bux.in act.pet.1.t.9
CARPUS. W.	BREAD FRUIT.	Urticæ. J.	_____	_____	_____	_____
sa. W.	true.	_____	S. Sea Isl.	1793.	S. h.	Rumph.amb.1. t.38
grifolia. W.	Jaca Tree.	_____	E. Ind.	1778. 6.	S. h.	{ Rheed. mal. 3. t. 26-28.
ARINA. W.	CASUARINA.	Coniferæ. J.	_____	_____	_____	_____
isetifolia. W.	Horse-tail.	_____	S. Sea Isl.	1766.10.11.	G. h.	Rumph.amb.3. t.57
cta. W.	upright.	_____	N. S. W.	1775. 11.2.	G. h.	Bot. rep. 346.
yla. W.	two-styled.	_____	N. Holland.	1812.	G. h.	{ Vent.desc. pl. nov. t. 62.
losa. W.	Cork-barked.	_____	N. S. W.	1772.	G. h.	_____
drivalvis. P. S.	four-valved.	_____	_____	1812.	G. h.	{ Lab. nov. holl. 2. t. 218.

DIANDRIA.

TRIA. W.	ANGURIA.	Cucurbitacæ. J.	_____	_____	_____	_____
obata. W.	three-lobed.	_____	Carthagera.	1793. 6.7.	S. h.	Jac. amer. t. 156.
LA. W.	DUCK WEED.	Naiades. J.	_____	_____	_____	_____
ulca. W.	Ivy-leaved.	_____	Britain. 5.6.	H. O.	Eng. bot. 926.
lor. W.	lesser.	_____	_____ 6.7.	H. O.	_____ 1095.
ba. W.	gibbous.	_____	_____ _____	H. O.	_____ 1233.
rhiza. W.	greater.	_____	_____ 5.9.	H. O.	_____ 2458.

TRIANDRIA.

A. W.	Cat's-TAIL.	Aroidæ. B. P.	_____	_____	_____	_____
folia. W.	great.	_____	Britain. 7.	H. h.	Eng. bot. 1455.
lor. W.	dwarf.	_____	England. 7.	H. h.	_____ 1457.
ustifolia. W.	lesser.	_____	Britain. 6.7.	H. h.	_____ 1456.
ANIMUM. W.	BUR REED.	Aroidæ. B. P.	_____	_____	_____	_____
osum. W.	branched.	_____	Britain. 7.3.	H. h.	Eng. bot. 744.
plex. W.	unbranched.	_____	_____ _____	H. h.	_____ 746.
ans. W.	floating.	_____	England. 7.	H. h.	_____ 272.

ZEA. W.	INDIAN CORN.	Gramineæ. J.					
Mays. W.	common.	—	America.	1562.	6.7.	H.⊙.	Lam. ill. t. 749.
TRIPSACUM. W.	TRIPSACUM.	Gramineæ. J.					
1 dactyloides. W.	rough-seeded.	—	Virginia.	1640.	6.	H.⊙.	Lam. ill. t. 750.
2 monostachyon. W.	single-spiked.	—	N. America.	1815.	—	H.⊙.	W. hort. ber. t. 1.
3 hermaphroditum. W.	hermaphrodite.	—	Jamaica.	1776.	8.9.	S.⊙.	
COIX. W.	JOB'S TEARS.	Gramineæ. J.					
1 Lachryma. W.	common.	—	E. Ind.	1596.	6.7.	S.⊙.	Rumpham. t. 75. f. 1
2 agrestis. W.	round-fruited.	—	—	1812.	—	S.⊙.	6. t. 9. f. 1.
OLYRA. W.	OLYRA.	Gramineæ. J.					
paniculata. W.	broad-leaved.	—	W. Ind.	1788.	7.	S.⊙.	Sloa. jam. 1. t. 64. f. 2
CAREX. W.	CAREX.	Cyperaceæ. B. P.					
1 dioica. W.	diœcious.	—	Britain.	5.6.	H.⊙.	Eng. bot. 543.
2 Davalliana. W.	Davall's.	—	—	—	H.⊙.	— 2123.
3 Fraseriana. H. K.	Fraser's.	—	N. America.	1809.	4.6.	H.⊙.	Bot. mag. 1891.
4 pauciflora. W.	few-flowered.	—	Britain.	6.	H.⊙.	Eng. bot. 2041.
5 pulicaris. W.	Flea.	—	—	6.7.	H.⊙.	— 1051.
6 cyperoides. W.	Bohemian.	—	Bohemia.	1801.	—	H.⊙.	Schk. caric. t. A. f. 5.
7 foetida. W.	stinking.	—	Switzerland.	1791.	7.8.	H.⊙.	{ t. Hb. f. 96.
8 incurva. W.	curved.	—	Scotland.	—	H.⊙.	Eng. bot. 927.
9 atrata. W.	black.	—	Britain.	6.7.	H.⊙.	— 2044.
10 arenaria. W.	sand.	—	—	—	H.⊙.	— 928.
11 intermedia. W.	soft brown.	—	—	5.7.	H.⊙.	— 2042.
12 Schreberi. W.	Schreber's.	—	Germany.	1800.	6.7.	H.⊙.	Host. gram. 1. t. 46.
13 ovalis. W.	oval-spiked.	—	Britain.	—	H.⊙.	Eng. bot. 306.
14 lagopodioides. W.	Hare's Foot.	—	N. America.	1805.	—	H.⊙.	Sch. car. t. Yyy. f. 177
15 scoparia. W.	Broom.	—	—	1812.	—	H.⊙.	t. Xxx. f. 176
16 vulpina. W.	great-spiked.	—	Britain.	5.8.	H.⊙.	Eng. bot. 307.
17 appressa. B. P.	close-spiked.	—	N. S. W.	1802.	—	G.⊙.	—
18 divisa. W.	bracteated.	—	Britain.	5.7.	H.⊙.	Eng. bot. 1096.
19 brizoides. W.	Briza-like.	—	Germany.	1815.	—	H.⊙.	Host. gram. 36. t. 47
20 muricata. W.	greater prickly.	—	Britain.	5.6.	H.⊙.	Eng. bot. 1097.
21 divulsa. W.	gray.	—	—	6.	H.⊙.	— 629.
22 stellulata. W.	little prickly.	—	—	5.6.	H.⊙.	— 806.
23 rosea. W.	Rose.	—	N. America.	1812.	—	H.⊙.	Sch. car. t. Zzz. f. 179
24 axillaris. W.	axillary.	—	England.	—	H.⊙.	Eng. bot. 998.
25 remota. W.	remote.	—	Britain.	—	H.⊙.	— 832.
26 elongata. W.	elongated.	—	England.	5.6.	H.⊙.	— 1920.
27 curta. W.	white.	—	Britain.	6.	H.⊙.	— 1386.
28 straminea. W.	slender-stalked.	—	N. America.	1803.	6.7.	H.⊙.	{ Schk. car. t. Xx f. 174.
29 teretiuscula. W.	lesser-panicled.	—	Britain.	5.6.	H.⊙.	Eng. bot. 1065.
30 paniculata. W.	great-panicled.	—	England.	6.7.	H.⊙.	— 1064.
31 clandestina. W.	dwarf silvery.	—	—	4.5.	H.⊙.	— 2124.
32 digitata. W.	fingere.	—	—	5.6.	H.⊙.	— 616.
33 plantaginea. W.	broad-leaved.	—	N. America.	1805.	—	H.⊙.	Schk. car. t. U. f. 70.
34 pilulifera. W.	round-headed.	—	Britain.	4.6.	H.⊙.	Eng. bot. 885.
35 præcox. W.	vernal.	—	—	4.	H.⊙.	— 1099.
36 tomentosa. W.	downy-fruited.	—	England.	6.	H.⊙.	— 2046.
37 extensa. W.	long-bracted.	—	Britain.	—	H.⊙.	— 833.
38 flava. W.	yellow.	—	—	5.6.	H.⊙.	— 1294.
39 (Ederi. E. B.	(Ederian.	—	England.	6.7.	H.⊙.	— 1773.
40 fulva. W.	tawny.	—	Britain.	—	H.⊙.	— 1295.
41 distans. W.	loose.	—	—	6.	H.⊙.	— 1234.
42 binervis. W.	green-ribbed.	—	—	—	H.⊙.	— 1235.
43 rigida. W.	rigid.	—	—	6.7.	H.⊙.	— 2047.
44 pulla. W.	russet.	—	Scotland.	7.	H.⊙.	— 2045.
45 alpestris. W.	Alpine.	—	Europe.	1804.	5.6.	H.⊙.	Schk. car. t. G. f. 35.
46 nitida. W.	glossy.	—	Austria.	1805.	—	H.⊙.	Host. gram. 1. t. 71.
47 Mielichhoferi. W.	loose-spiked.	—	Scotland.	7.8.	H.⊙.	Eng. bot. 2293.
48 depauperata. W.	starved wood.	—	England.	6.7.	H.⊙.	— 1098.
49 granularis. W.	grain-seeded.	—	N. America.	1807.	—	H.⊙.	Sch. car. t. Vvv. f. 169
50 anceps. W.	two-edged.	—	—	1808.	7.8.	H.⊙.	t. Ff. f. 129.
51 panicea. W.	Pink-leaved.	—	Britain.	5.7.	H.⊙.	Eng. bot. 1505.
52 cæspitosa. W.	tufted bog.	—	—	5.6.	H.⊙.	— 1507.
53 stricta. W.	straight-leaved.	—	—	4.5.	H.⊙.	— 914.
54 pendula. W.	great pendulous.	—	—	5.6.	H.⊙.	— 2315.
55 strigosa. W.	loose pendulous.	—	England.	4.5.	H.⊙.	— 994.

MONŒCIA TETRANDRIA.

205

aris. W.	capillary.	Cyperaceæ. B. P.	Britain.	7.8.	H. ½.	Eng. bot. 2069.
scens. W.	pale.			4.6.	H. ½.	2185.
ata. W.	scorched Alpine.		Scotland.	6.7.	H. ½.	2404.
a. W.	green and gold.		Britain.	6.	H. ½.	2043.
ora. E. B.	loose-flowered.		Scotland.	—	H. ½.	2516.
ata. W.	smooth-stalked.		Britain.	5.6.	H. ½.	1387.
do-Cyperus. W.	Bastard Cyperus.		Britain.	6.7.	H. ½.	242.
osa. W.	bending.		N. America.	1807.	—	H. ½.	{ Schk. car. t. Ddd. et Ansa. f. 124.
tica. E. B.	wood.		Britain.	5.6.	H. ½.	Eng. bot. 995.
ra. W.	glaucous Heath.		England.	—	H. ½.	1506.
ns. W.	nodding.		Austria.	1815.	6.7.	H. ½.	Host. gram. l. t. 83.
a. W.	salt marsh.		Norway.	6.	H. ½.	—
rmis. W.	slender-leaved.		Britain.	6.7.	H. ½.	Eng. bot. 904.
ta. W.	haired.		N. America.	1807.	—	H. ½.	Sch. car. t. Eec. f. 125
l. W.	slender-spiked.		Britain.	5.6.	H. ½.	Eng. bot. 580.
losa. W.	lesser common.		—	—	H. ½.	807.
ia. W.	great common.		—	4.6.	H. ½.	579.
leocarpa. W.	short-fruited.		—	6.7.	H. ½.	{ Mich. gen. 62. t. 32. f. 12.
aria. W.	short-spiked.		—	5.6.	H. ½.	Eng. bot. 779.
ullacea. W.	slender-beaked.		—	—	H. ½.	780.
ita. W.	blistered.		N. America.	1811.	6.	H. ½.	{ Schk. car. t. Unu. f. 166.
leiformis. W.	Barley-form.		France.	1805.	6.7.	H. ½.	— t. Ddd. f. 121.
l. W.	hairy.		Britain.	5.6.	H. ½.	Eng. bot. 685.
IONIA. W.	COMPTONIA.	Amentaceæ. J.	N. America.	1714.	3.5.	H. ½.	Plu. alm. t. 100. f. 6.7
snifolia. W.	Fern-leaved.						
S. W.	AXYRIS.	Chenopodeæ. B. P.	Siberia.	1758.	6.7.	H. ½.	Gmel. sib. t. 2. f. 2.
rantoides. W.	simple-spiked.		—	1780.	6.8.	H. ½.	— t. 4. f. 1.
ida. W.	bastard.		—	1798.	7.8.	H. ½.	— t. 4. f. 2.
trata. W.	trailing.						
A. W.	TRAGIA.	Euphorbiaceæ. J.	W. Ind.	1739.	6.7.	S. ½.	Trew. pl. rar. 2. t. 15.
bilis. W.	twining.		E. Ind.	1759.	—	S. ½.	Jac. ic. 1. t. 190.
lucrata. W.	involved.		Virginia.	1699.	8.	H. ½.	Pluk. alm. t. 107. f. 5.
s. W.	stinging.		E. Ind.	1793.	6.7.	S. ½.	Rheed. mal. 2. t. 34.
mælea. W.	lance-leaved.		—	1699.	—	S. ½.	Burm. ind. t. 63. f. 1.
abina. W.	Hemp-leaved.						
ANDIA. W.	JACK IN A BOX.	Laurinæ? J.	W. Ind.	1693.	S. ½.	Rumph. amb. 2. t. 85
ra. W.	peltate-leaved.						
TETRANDRIA.							
BA. W.	AUCUBA.	Rhamnii J. Eubasis. Sal.	Japan.	1783.	5.7.	H. ½.	Bot. mag. 1197.
nica. W.	blotch-leaved.						
SURUM. W.	EMPLEURUM.	Diosmaceæ.	C. B. S.	1774.	6.7.	G. ½.	Exot. bot. 2. t. 63.
ulatun. W.	Cape.		C. B. S.	1789.	7.8.	G. ½.	Lam. ill. t. 758.
CULA. W.	SERPICULA.	Onagrarinæ. J.	Britain.	6.8.	H. ½.	Eng. bot. 468.
ns. W.	creeping.						
RELLA. W.	SHORE WEED.	Plantaginæ. B. P.	Britain.	3.4.	H. ½.	Eng. bot. 1508.
stris. W.	Plantain-leaved.		—	—	H. ½.	Willd. arb. 44.
S. W.	ALDER.	Amentaceæ. J. Betulæ sp. E. B.	S. Europe.	1730.	7.	H. ½.	—
inosa. W.	common.		Europe.	1780.	6.	H. ½.	—
cinia. W.	cut-leaved.		N. America.	1782.	5.6.	H. ½.	—
ngata. W.	oblong-leaved.		—	1769.	3.	H. ½.	Abb. ins. 2. t. 92.
liptica.	elliptic-leaved.		E. Ind.	1796.	S. ½.	Jac. schœn. 2. t. 194.
na. W.	hoary-leaved.		Minorca.	1780.	7.	H. ½.	—
gulata.	Elm-leaved.		England.	4.	H. ½.	Eng. bot. 1341.
ulata. W.	curl-leaved.						
ulata. W.	notch-leaved.						
. W.	CICCA.	Euphorbiaceæ. J.					
icha. W.	long-leaved.						
S. W.	BOX TREE.	Euphorbiaceæ. J.					
arica. W.	Minorca.						
pervirens. W.	common.						
egustifolia.	narrow-leaved.						
ffruticosa.	dwarf.						
YSANDRA. Mi.	PACHYSANDRA.	Euphorbiaceæ. J.	N. America.	1800.	3.4.	H. ½.	Bot. reg. 33.
umbens. W.	trailing.						
S. W.	DIOTIS.	Chenopodeæ. B. P. Ceratosperrum. P. S.	Siberia.	1780.	8.	H. ½.	Jac. ic. 1. t. 189.
toides. W.	shrubby.						

URTICA. W.	NETTLE.	Urticæ. J.					
1 pilulifera. W.	Roman.	_____	England.	6.8. H.⊙.	Eng. bot. 146.	
2 balearica. W.	Balearic.	_____	Balearic Isl.	1731.	6.7. H.⊙.	Blackw. t. 321. f. 1.	
3 Dodartii. W.	Dodart's.	_____	S. Europe.	1683.	7.8. H.⊙.		
4 grandifolia. W.	great-leaved.	_____	Jamaica.	1793.	S. h.	Sloa. jam. 1. t. 83. f. 3.	
5 reticulata. W.	net-leaved.	_____	Jamaica.	1793.	6.8. S. h.		
6 rufa. W.	rusty.	_____	_____	_____	6.9. S. h.		
7 urens. W.	small.	_____	Britain.	6.10. H.⊙.	Eng. bot. 1236.	
8 dioica. W.	common.	_____	_____	7.9. H. h.	_____ 1750.	
9 cannabina. W.	Hemp-leaved.	_____	Siberia.	1749.	H. h.	Am. ruth. 249. t. 23.	
10 rugosa. W.	rough-stalked.	_____	Jamaica.	1793.	5.7. S. h.		
11 nudicaulis. W.	naked-stalked.	_____	_____	_____	S. h.		
12 gracilis. W.	slender-stalked.	_____	Huds.'s Bay.	1782.	6.8. H. h.		
13 Parietaria. W.	Pellitory-leaved.	_____	Jamaica.	1793.	7.9. S. h.	Sloa. jam. 1. t. 93. f. 1.	
14 ciliata. W.	ciliated.	_____	_____	1815.	S. h.		
15 microphylla. W.	small-leaved.	_____	W. Ind.	1793.	4.5. S. h.	Sloa. jam. 1. t. 93. f. 3.	
16 scabrella. Rox.	rough.	_____	E. Ind.	1815. S. h.		
17 aestuans. W.	Surinam.	_____	Surinam.	1803.	6.7. S. h.	Jac. schœrn. 3. t. 389.	
18 canadensis. W.	Canada.	_____	Canada.	1656.	8.10. H. h.	Plu. alm. t. 239. f. 3.	
19 nivea. W.	white-leaved.	_____	China.	1739.	8.9. F. h.	Jac. vind. 2. t. 166.	
20 baccifera. W.	berry-bearing.	_____	S. America.	1793.	7.8. S. h.	Bot. rep. 454.	
BŒHMERIA. W.	BŒHMERIA.	Urticæ. J.					
1 cylindrica. W.	cylindrical.	_____	Virginia.	1759.	6.8. H. h.	Sloa. jam. 1. t. 82. f. 2.	
2 rubescens. W.	tree.	_____	Canaries.	1779.	2.5. G. h.	Jac. frag. t. 5. f. 1.	
MORUS. W.	MULBERRY.	Urticæ. J.					
1 alba. W.	white.	_____	China.	1596.	6. H. h.	Schk. hand. 3. t. 290.	
2 tatarica. W.	Tartarian.	_____	Tartary.	1784.	— H. h.	Pall. ros. 2. t. 52.	
3 nigra. W.	common.	_____	Italy.	1548.	— H. h.		
4 rubra. W.	red.	_____	N. America.	1629.	6.7. H. h.		
5 tinctoria. W.	Fustick-wood.	_____	W. Ind.	1739. S. h.	Plum. ic. t. 204.	
PENTANDRIA.							
SCHISANDRA. W.	SCHISANDRA.	Menispermæ? D.					
coccinea. W.	scarlet-flowered.	_____	N. America.	1806.	6.7. G. h.	Bot. mag. 1412.	
NEPHELIUM. W.	NEPHELIUM.	Corymbifera? J.					
lappaceum. W.	Bur-seeded.	_____	E. Ind.	1809. S. h.	Lam. ill. t. 764.	
XANTHIUM. W.	XANTHIUM.	Corymbifera? J.					
1 Strumarium. W.	Small Burdock.	_____	England.	7.9. H.⊙.	Eng. bot. 2544.	
2 orientale. W.	oriental.	_____	China.	1685.	— H.⊙.	Sch. hand. 3. t. 297.	
3 spinosum. W.	spiny.	_____	S. Europe.	1713.	— H.⊙.	Herm. parad. 246.	
AMBROSIA. W.	AMBROSIA.	Corymbifera? J.					
1 integrifolia. Ph.	entire-leaved.	_____	N. America.	1816.	7.9. H.⊙.		
2 trifida. Ph.	triſid-leaved.	_____	_____	1699.	— H.⊙.	Moris. s. 6. t. 1. f. 4.	
3 elatior. Ph.	tall.	_____	_____	1696.	7.8. H.⊙.	Herm. lugdb. t. 35.	
4 artemisiifolia. Ph.	Mugwort-leav'd.	_____	_____	1759.	— H.⊙.		
5 paniculata. Ph.	panicked.	_____	_____	1811.	7.9. H.⊙.	Pluk. alm. t. 10. f. 5.	
6 maritima. W.	sea.	_____	Italy.	1570.	7.8. H.⊙.	Schk. hand. 3. t. 292.	
FRANSERIA. Cav.	FRANSERIA.	Corymbifera? J.					
1 artemisioides. W.	Mugwort-leav'd.	_____	Peru.	1759.	7.9. G. h.	W. hort. ber. 2.	
2 ambrosioides. W.	Ambrosia-leav'd.	_____	Mexico.	1796.	— G. h.	Cav. ic. 2. t. 200.	
LUFFA. Cav.	LUFFA.	Cucurbitacæ. J.					
foetida. P. S.	stinking.	_____	India.	1812.	6.10. F.⊙.	Bot. mag. 1638.	
AMARANTHUS. W.	AMARANTH.	Amaranthacæ. B. P.					
1 tenuifolius. W.	fine-leaved.	_____	E. Ind.	1801.	7.9. H.⊙.		
2 angustifolius. W.	narrow-leaved.	_____	Levant.	1723.	— H.⊙.		
3 albus. W.	white.	_____	N. America.	1778.	— H.⊙.	W. amar. 9. t. 1. f. 6.	
4 græcizans. W.	Pellitory-leaved.	_____	_____	1759.	7.9. H.⊙.	— 8. t. 4. f. 7.	
5 melancholicus. W.	melancholy.	_____	E. Ind.	1731.	6.9. H.⊙.	— 16. t. 9. f. 18.	
6 tricolor. W.	three-coloured.	_____	_____	1548.	— S.⊙.	Kner. the. 2. t. A. 3. 5.	
7 bicolor. W.	two-coloured.	_____	_____	1802.	7.9. H.⊙.		
8 polygamus. W.	hermaphrodite.	_____	_____	1780.	— H.⊙.	Rumph. amb. 5. t. 89.	
9 gangeticus. W.	oval-spiked.	_____	_____	1778.	— H.⊙.	W. amar. 16. t. 6. f. 11.	
10 mangostanus. W.	rhomb-leaved.	_____	_____	1801.	— H.⊙.	— 13. t. 12.	
11 polystachyus. W.	many-spiked.	_____	_____	1816.	— H.⊙.		
12 tristis. W.	round-headed.	_____	China.	1759.	6.8. H.⊙.	W. amar. 21. t. 5. f. 10.	
13 lividus. W.	livid.	_____	N. America.	—	7.9. H.⊙.	— 20. t. 1. f. 1.	
14 oleraceus. W.	eatable.	_____	E. Ind.	1764.	7.8. H.⊙.	— 17. t. 5. f. 9.	
15 Blitum. W.	wild.	_____	England.	6.8. H.⊙.	Eng. bot. 2212.	
16 prostratus. W.	trailing.	_____	France.	1739.	7.9. H.⊙.		
17 spicatus. P. S.	spiked.	_____	Europe.	— H.⊙.		

MONCEIA HEXANDRIA.

207

18 viridia. W.	green.	Amaranthaceæ. B. P. Brazil.	1768. 8.9. H.⊙	W. amar. 18. t. 8. f. 16
19 scandens. W.	climbing.	_____ America.	1796. 7.8. H.⊙	_____
20 deflexus. W.	bending.	_____	1805. _____ H.⊙	W. am. 10. t. 10. f. 20.
21 polygonoides. W.	spotted-leaved.	_____ Jamaica.	1778. _____ H.⊙	_____ 11. t. 6. f. 12.
22 hybridus. W.	clustered.	_____ N. America.	1656. 6.9. H.⊙	_____ 26. t. 9. f. 17.
23 hecticus. W.	oval-leaved.	_____	1796. 8. H.⊙	_____ 25. t. 7. f. 13.
24 strictus. W.	upright.	_____	1793. 7.9. H.⊙	_____ 27. t. 3. f. 5.
25 paniculatus. W.	panicled.	_____ N. America.	1798. _____ H.⊙	_____ 32. t. 2. f. 4.
26 sanguineus. W.	spreading.	_____ Bahama Isl.	1775. _____ H.⊙	_____ 31. t. 2. f. 3.
27 retroflexus. W.	hairy.	_____ Pennsylvania.	1759. _____ H.⊙	_____ 33. t. 11. f. 21.
28 lætus. W.	blunt-leaved.	_____	1799. _____ H.⊙	_____ 28. t. 8. f. 15.
29 flavus. W.	pale.	_____ India.	1759. _____ H.⊙	_____ 35. t. 3. f. 6.
30 chlorostachys. W.	nodding.	_____	1796. _____ H.⊙	_____ 34. t. 10. f. 19.
31 hypochondriacus. W.	Prince's Feather.	_____ Virginia.	1684. _____ H.⊙	_____
32 cruentus. W.	various-leaved.	_____ China.	1728. 6.8. H.⊙	_____
33 candatus. W.	Love lies bleed ^d .	_____ E. Ind.	1596. 8.9. H.⊙	_____
β maximus.	tree.	_____	_____	_____
34 spinosus. W.	prickly.	_____ India.	1683. 7.9. H.⊙	W. amar. 38. t. 4. f. 8.

HEXANDRIA.

ZIZANIA. W.	ZIZANIA.	Gramineæ. J.	_____	_____	_____
aquatica. H. K.	Canada Rice.	_____ N. America.	1790. 7.9. H.⊙	Linn. trans. 7. t. 12.	_____
PHARUS. W.	PHARUS.	Gramineæ. J.	_____	_____	_____
latifolius. W.	broad-leaved.	_____ Jamaica.	1793. 7.8. S. 2.	Br. jam. t. 38. f. 2.	_____
GUETTARDA. W.	GUETTARDA.	Rubiaceæ. J.	_____	_____	_____
1 speciosa. W.	great-flowered.	_____ E. Ind.	1771. S. 2.	_____	_____
2 rugosa. W.	rough-leaved.	_____ W. Ind.	1793. S. 2.	_____	_____
COCOS. W.	{ COCOA-NUT- TREE. }	Palmeæ. B. P.	_____	_____	_____
1 nucifera. W.	common.	_____ E. Ind.	1690. S. 2.	Roxb. cor. 1. t. 73.	_____
2 aculeata. W.	prickly.	_____ W. Ind.	1796. S. 2.	Jac. amer. 278. t. 169	_____
3 fusiformis. W.	{ Great Ma- caw-tree. }	_____ Jamaica.	1731. S. 2.	_____	_____
BACTRIS. W.	BACTRIS.	Palmeæ. B. P.	_____	_____	_____
1 minor. W.	lesser.	_____ S. America.	1691. S. 2.	Jac. amer. t. 171. f. 1.	_____
2 major. W.	greater.	_____ Carthagena.	1800. S. 2.	_____ t. 171. f. 2.	_____
ELATE. W.	ELATE.	Palmeæ. B. P.	_____	_____	_____
sylvestris. W.	prickly-leaved.	_____ E. Ind.	1763. 4.6. S. 2.	Reed. mal. 3. t. 22-25	_____
SAGUS. G.	SAGO-PALM.	Palmeæ. B. P.	_____	_____	_____
Rumphii. W.	Rumphius's.	_____ E. Ind.	1800. S. 2.	Rum. amb. 1. t. 17. 10	_____

POLYANDRIA.

CERATOPHYLLUM. W. }	HORNWORT.	Naiades. J.	_____	_____	_____
1 demersum. W.	common.	_____ Britain. 7.9. H. 2.	Eng. bot. 947.	_____
2 submersum. W.	unarmed.	_____ _____ H. 2.	_____ 679.	_____
MYRIOPHYLLUM W. }	{ WATER- MILFOIL. }	Naiades. J.	_____	_____	_____
1 spicatum. W.	spiked.	_____ Britain. 6.8. H. 2.	Eng. bot. 83.	_____
2 verticillatum. W.	verticillate.	_____ England. 7. H. 2.	_____ 218.	_____
SAGITTARIA. W.	ARROW-HEAD.	Alismaceæ. B. P.	_____	_____	_____
1 sagittifolia. W.	common.	_____ England. 6.8. H. 2.	Eng. bot. 84.	_____
2 sinensis. B. M.	Chinese.	_____ China.	1812. 9.11. G. 2.	Bot. mag. 1631.	_____
3 obtusifolia. W.	blunt-leaved.	_____	1804. 7.8. S. 2.	Rheed. mal. 11. t. 45.	_____
4 lancifolia. W.	lance-leaved.	_____ W. Ind.	1787. 6.7. G. 2.	Bot. mag. 1792.	_____
5 rigida. B. M.	brittle-leaved.	_____ N. America.	1806. _____ H. 2.	_____ 1632.	_____
6 graminea. Ph.	Grass-leaved.	_____ Carolina.	1812. 7.8. G. 2.	_____	_____
BEGONIA. W.	BEGONIA.	Hydrocharidæ. P. L.	_____	_____	_____
1 nitida. W.	shining-leaved.	_____ Jamaica.	1777. 5.12. S. 2.	Par. lond. 72.	_____
2 dichotoma. W.	forked.	_____ Caracas.	1800. 7.8. S. 2.	Jac. ic. 3. t. 619.	_____
3 Evansiana. B. R.	two-coloured.	_____ China.	1804. 5.9. S. 2.	Bot. mag. 1473.	_____
4 discolor. H. K.	_____	_____	_____	_____	_____
4 macrophylla. W.	large-leaved.	_____ Jamaica.	1793. _____ S. 2.	Plum. ic. 34. t. 45. f. 1.	_____
5 tuberosa. W.	tuberous.	_____ Amboyna.	1810. 7.9. S. 2.	{ Rumph. amb. 5: 4. 169. f. 2.	_____
6 acuminata. W.	pointed-leaved.	_____ Jamaica.	1790. 5.12. S. 2.	{ Linn. trans. 1. t. 14. f. 5. 6.	_____
7 humilis. W.	small.	_____ W. Ind.	1788. 10. S. 2.	_____ 1. t. 15.	_____
8 hirsuta. W.	shaggy-leaved.	_____	1789. 5.6. S. 2.	Aub. gui. 2. t. 342.	_____

ACIDOTON. W.	ACIDOTON.	Jamaica.	1793.	S. h.	Slo-jam. 1. t. 89. f. 1.
urens. W.	stinging.					
THELYGONUM. W.	THELYGONUM.	Urticæ. J.	S. Europe.	1710. 7.	H. ○	Schk. hand. 3. t. 299.
Cynocrambe. W.	Dog's-cabbage.					
POTERIUM. W.	BURNET.	Rosacæ. J.	England. 7.	H. 2.	Eng. bot. 860.
1 Sanguisorba. W.	common.		Hungary.	1803. 7. 8.	H. 2.	Pl. rar. hung. 2. t. 191.
2 polygamum. W.	Hungarian.		France.	1683. 6. 7.	H. 2.	Barr. ic. t. 632.
3 hybridum. W.	sweet.		Canaries.	1779. 1. 4.	G. h.	
4 caudatum. W.	smooth shrubby.		Levant.	1595. 4. 8.	G. h.	Moris. s. 8. t. 18. f. 2.
5 spinosum. W.	prickly shrubby.					
JUGLANS. W.	WALNUT.	Terebintaceæ J.	Persia.	1562. 4. 5.	H. h.	Lam. ill. 781.
1 regia. W.	common.		N. America.	1629. —	H. h.	Jac. ic. 1. t. 191.
2 nigra. W.	black.			1656. —	H. h.	— 1. t. 192.
3 cinerea. W.	shell-bark.		 —	H. h.	Mich. arb. 1. t. 3.
4 olivæformis. H. K.	Olive-fruited.			1768. —	H. h.	
5 angustifolia. H. K.	narrow-leaved.			1804. —	H. h.	Mich. arb. 1. t. 3.
6 sulcata. W.	channelled.			1629. —	H. h.	— 1. t. 6.
7 alba. W.	white.			1730. —	H. h.	— 1. t. 7.
8 compressa. W.	flat-fruited.			1800. 5.	H. h.	
9 amara. Ph.	bitter.			1812. —	H. h.	Mich. arb. 1. t. 9. f. 2. 4.
10 obcordata.	obcordate.			1799. —	H. h.	— 1. t. 9. f. 1. 2.
11 glabra. W.	smooth.					
QUERCUS. W.	OAK.	Amentaceæ. J.	N. America.	1723. 5. 6.	H. h.	Mich. arb. 1. t. 12.
1 Phellos. Ph.	Willow-leaved.			1811. —	H. h.	Mich. querc. t. 13. f. 1.
2 maritima. Ph.	sea.			1724. —	H. h.	Mich. arb. 2. t. 15.
3 sericea. Ph.	running.			1739. 5.	H. h.	— 2. t. 11.
4 virens. Ph.	live.			1789. 5. 6.	H. h.	— 2. t. 14.
5 cinerea. Ph.	ash-coloured.			1786. —	H. h.	— 2. t. 13.
6 imbricaria. Ph.	tile-cupped.			5. —	H. h.	Mich. querc. t. 17.
7 laurifolia. Ph.	Laurel-leaved.			—	H. h.	— t. 18.
8 obtusa.	blunt-leaved.		France.	1730. 6.	H. h.	
9 granuntia. W.	Holly-leaved.		S. France.	1581. 5. 6.	H. h.	
9 Ilex. W.	evergreen.					
α integrifolia.	common.					
β serrata.	notched-leaved.					
γ oblonga.	long-leaved.					
10 Suber. W.	Cork-tree.			1699. 6.	H. h.	— 2. t. 80.
11 coccifera. W.	Kermes.			1683. 5.	H. h.	
12 Prinus. Ph.	Chesnut-leaved.		N. America.	1730. 5. 6.	H. h.	Mich. arb. 2. t. 7.
13 bicolor. Ph.	white swamp.			1811. 5.	H. h.	— 2. t. 6.
14 montana. Ph.	Rock Chesnut.			1800. —	H. h.	— 2. t. 8.
15 heterophylla. Ph.	various-leaved.		 —	H. h.	— 2. t. 16.
16 aquatica. Ph.	water.			1723. —	H. h.	— 2. t. 17.
17 nana. Ph.	dwarf.			1738. —	H. h.	Abb. ins. 2. t. 59.
18 triloba. Ph.	three-lobed.			1800. —	H. h.	Mich. querc. t. 26.
19 nigra. Ph.	black.			1739. 5.	H. h.	Mich. arb. 2. t. 12.
20 tinctoria. Ph.	dyer's.			1800. —	H. h.	Mich. querc. t. 24.
21 discolor. Ph.	two-coloured.			1763. —	H. h.	— t. 25.
22 coccinea. Ph.	scarlet.			1691. —	H. h.	Mich. arb. 2. t. 23.
23 ambigua. Ph.	gray.			1800. —	H. h.	— 2. t. 24.
24 rubra. Ph.	champion.			1739. —	H. h.	— 2. t. 26.
25 falcata. Ph.	downy-leaved.			1763. —	H. h.	— 2. t. 21.
26 palustris. Ph.	marsh.			1800. —	H. h.	— 2. t. 25.
27 Banisteri. Ph.	Banister's.			—	H. h.	— 2. t. 19.
28 Ægilops. W.	Velanida.		Levant.	1731.	H. h.	Mill. dict. n. 7. t. 216.
29 Esculus. W.	Italian.		S. Europe.	1739. 5.	H. h.	
30 Robur. W.	sessile-fruited.		Britain. 4. 5.	H. h.	Eng. bot. 1845.
31 pedunculata. W.	common.		 —	H. h.	— 1849.
32 pubescens. W.	durmast.		 —	H. h.	See du chen. p. 3. t. 5.
33 obtusiloba. Ph.	starred.		N. America.	1800. 5.	H. h.	Mich. arb. 2. t. 4.
34 olivæformis. Ph.	mossy-cup.			1811. —	H. h.	— 2. t. 2.
35 lyrata. Ph.	lyre-leaved.			1786. —	H. h.	— 2. t. 5.
36 alba. Ph.	white.			1724. —	H. h.	— 2. t. 1.
37 macrocarpa. Ph.	over-cup white.			1800. —	H. h.	— 2. t. 3.
38 Cerris. W.	Turkey.		S. Europe.	1735. —	H. h.	Du Roi. 2. t. 5. f. 1.
β bullata.	rough-leaved.					
γ sinuata.	narrow-leaved.					
δ exoniensis.	Lucombe.					
ε sempervirens.	Fulham.					

PAGUS. W.	BEECH.	Amentaceæ. J.				
1 <i>sylvatica. W.</i>	common.		Britain: 4.5.	H. h.	Eng. bot. 1846.
<i>β purpurea.</i>	<i>purple-leaved.</i>					
<i>γ asplenifolia.</i>	<i>Fern-leaved.</i>					
2 <i>ferruginea. W.</i>	American.		N. America.	1766. 5.6.	H. h.	Mich. arb. 2. t. 9.
CASTANEA. W.	CHESNUT.	Amentaceæ. J.				
1 <i>vesca. W.</i>	common.		England. 5.6.	H. h.	Eng. bot. 886.
2 <i>pumila. W.</i>	dwarf.		N. America.	1699. 7.	H. h.	Mich. arb. 2. t. 7.
BETULA. W.	BIRCH.	Amentaceæ. J.				
1 <i>alba. W.</i>	common.		Britain. 4.6.	H. h.	Eng. bot. 2198.
<i>β pendula.</i>	<i>weeping.</i>					
2 <i>populifolia. W.</i>	Poplar-leaved.		N. America.	1750. 7.	H. h.	Mich. arb. 2. t. 2.
3 <i>excelsa. W.</i>	tall.			1767. 5.	H. h.	Willd. arb. t. 2. f. 2.
4 <i>daurica. W.</i>	Daurian.		Siberia.	1786. 7.	H. h.	Pall. ross. t. 39.
5 <i>nigra. W.</i>	black.		N. America.	1736. 7.8.	H. h.	Willd. arb. t. 2. f. 6.
6 <i>papyracea. W.</i>	paper.			1750. 6.	H. h.	t. 2. f.
7 <i>lepta. W.</i>	soft.			1759. 7.	H. h.	{ Mich. arb. 2. p. 145.
8 <i>nana. W.</i>	smooth dwarf.		Scotland. 5.	H. h.	Eng. bot. 2326.
9 <i>pumila. W.</i>	hairy dwarf.		N. America.	1762. 4.5.	H. h.	Jac. vind. 2. t. 122.
CARPINUS. W.	HORNBEAM.	Amentaceæ. J.				
1 <i>Betulus. W.</i>	common.		Britain. 3.5.	H. h.	Eng. bot. 2032.
<i>β incisa.</i>	<i>cut-leaved.</i>					
2 <i>americana. W.</i>	American.		N. America.	1812.	H. h.	Mich. arb. 3. t. 8.
3 <i>orientalis. W.</i>	eastern.		Levant.	1739.	H. h.	Scop. carn. 2. t. 60.
OSTRYA. W.	HOP-HORNBEAM.	Amentaceæ. J.				
1 <i>vulgaris. W.</i>	common.		Italy.	1724. 5.	H. h.	{ Mich. gen. t. 104.
2 <i>virginica. W.</i>	American.		N. America.	1692. 5.6.	H. h.	Abb. ins. 2. t. 75.
CORYLUS. W.	NUT-TREE.	Amentaceæ. J.				
1 <i>Avellana. W.</i>	Common Hazel.		Britain. 2.4.	H. h.	Eng. bot. 723.
<i>β alba.</i>	<i>White Filbert.</i>					
<i>γ rubra.</i>	<i>Red Filbert.</i>					
<i>δ grandis.</i>	<i>Cob.</i>					
<i>ε glomerata.</i>	<i>clustered.</i>					
2 <i>tabulosa. W.</i>	Lambert's.		S. Europe.	1759. 3.4.	H. h.	Lam. ill. t. 780.
3 <i>americana. W.</i>	Dwarf Cuckold.		N. America.	1798. —	H. h.	{ Wang. amer. t. 29.
4 <i>rostrata. W.</i>	Common Cuckold.			1745. —	H. h.	f. 63.
5 <i>Columna. W.</i>	Constantinople.		Constantin ^{le} .	1665. —	H. h.	Willd. arb. t. 1. f. 2.
PLATANUS. W.	PLANE-TREE.	Amentaceæ. J.				
1 <i>orientalis. W.</i>	oriental.		Levant.	1548. 4.5.	H. h.	Lam. ill. t. 783.
2 <i>cuneata. W.</i>	wave-leaved.			1739. —	H. h.	
3 <i>acerifolia. W.</i>	Maple-leaved.			1724. —	H. h.	
4 <i>occidentalis. W.</i>	American.		N. America.	1640. —	H. h.	Cat. car. 1. t. 56.
LIQUIDAMBAR. W.	LIQUIDAMBAR.	Amentaceæ. J.				
1 <i>Styraciflua. W.</i>	Sweet-gum.		N. America.	1683. 3.4.	H. h.	{ Mich. arb. 3. p. 194.
2 <i>imberbe. W.</i>	oriental.		Levant.	1759.	H. h.	t. 4.
SALISBURIA. L. T.	SALISBURIA.		<i>Ginkgo. P. S.</i>			
<i>adiantifolia. L. T.</i>	Maiden-hair-l ^d .		Japan.	1754. 4.5.	H. h.	Kemp. amœn. t. 313
ARUM. W.	ARUM	Aroideæ. B. P.				
1 <i>crinitum. W.</i>	hairy-sheathed.		Minorca.	1777. 3.4.	F. 2.	
2 <i>Dracunculus. W.</i>	Common Dragon.		S. Europe.	1548. 6.7.	H. 2.	Moris. s. 13. t. 5. f. 46.
3 <i>Dracontium. W.</i>	Green Dragon.		N. America.	1769. 6.	H. 2.	
4 <i>venosum. W.</i>	purple-flowered.		1774. 8.	S. 2.	
5 <i>triphyllum. W.</i>	three-leaved.		N. America.	1664. 5.6.	H. 2.	Bot. mag. 950.
6 <i>astrorubens. W.</i>	purple-stalked.			1758. 6.7.	H. 2.	Pluk. alm. t. 77. f. 6.
7 <i>ternatum. W.</i>	Japan.		Japan.	1774. 5.7.	F. 2.	
8 <i>Colocasia. W.</i>	Egyptian.		Levant.	1551.	S. 2.	
9 <i>macrorhizon. W.</i>	long-rooted.		E. Ind.	1808.	S. 2.	Herm. parad. 73.
10 <i>divaricatum. W.</i>	divaricated.			1759. 6.7.	S. 2.	Rheed. mal. 11. t. 20.
11 <i>trilobatum. W.</i>	three-lobed.		Ceylon.	1714. 5.6.	S. 2.	Bot. mag. 339.
12 <i>maculatum. W.</i>	common.		Britain. 5.7.	H. 2.	Eng. bot. 2296.
13 <i>orixense. B. P.</i>	Orixian.		E. Ind.	1802. 8.10.	S. 2.	Bot. rep. 356.
14 <i>italicum. W.</i>	Italian.		Italy.	1683. 5.6.	H. 2.	
15 <i>minutum. W.</i>	small.		E. Ind.	1812. 5.7.	S. 2.	Rheed. mal. 11. t. 17.
16 <i>virginicum. W.</i>	Virginian.		N. America.	1759. 6.7.	H. 2.	
17 <i>Arisarum. W.</i>	Friar's Cowl.		S. Europe.	1596. 4.6.	F. 2.	Jac. schœn. 2. t. 192.
18 <i>tenusifolium. W.</i>	Grass-leaved.			1570. —	H. 2.	Moris. s. 13. t. 6. f. 21.

MONŒCIA MONADELPHIA.

19 hederaceum. W.	Ivy-leaved.	Aroidæ. B. P.	W. Ind.	1793.	5.6.	S. h.	Jac. amer. t. 152.
20 lingulatum. W.	tongue-leaved.					S. h.	Plum. ic. 26. t. 37.
CALADIUM. W.	CALADIUM.	Aroidæ. B. P.					
1 helleborifolium. W.	Hellebore-leav'd.		Caracas.	1796.	6.7.	S. h.	Jac. ic. 3. t. 613.
2 bicolor. W.	two-coloured.		Madeira.	1773.	—	S. h.	Bot. mag. 820.
3 nymphaefolium. W.	Water-Lily-lea ^d .		E. Ind.	1800.	S. h.	Rheed. mal. t. 22.
4 esculentum. W.	esculent.		America.	1739.	S. h.	Slo. jam. 1. t. 106. f. 1.
5 sagittifolium. W.	arrow-leaved.		W. Ind.	1710.	S. h.	Jac. vind. 2. t. 157.
6 pinnatifidum. W.	pinnatifid.		Caracas.	1817.	S. h.	Jac. schoen. 2. t. 187.
7 segnum. W.	Dumb-Cane.		America.	1759.	5.	S. h.	Mill. ic. 2. t. 298.
8 grandifolium. W.	great-leaved.		Caracas.	1803.	5.7.	S. h.	Jac. schoen. 2. t. 189.
9 arborescens. W.	tree.		W. Ind.	1759.	6.7.	S. h.	Plum. amer. 44. t. 69.
10 tripartitum. W.	ternate-leaved.		Caracas.	1816.	S. h.	Jac. schoen. 2. t. 190.
11 auritum. W.	ear-leaved.		America.	1739.	S. h.	— 2. t. 191.
PARIANA. W.	PARIANA.						
campestris. W.	Cayenne.		Cayenne.	1808.	S. h.	Aub. guî. 2. t. 237.
CARYOTA. W.	CARYOTA.	Palme. B. P.					
urens. W.	torn-leaved.		E. Ind.	1788.	S. h.	Rheed. mal. 1. t. 11.

MONADELPHIA.

ARECA. W.	CABBAGE-TREE.	Palme. B. P.					
1 Catechu. W.	medicinal.		E. Ind.	1690.	S. h.	Rox. cor. 1. t. 75.
2 humilis. W.	dwarf.			1814.	S. h.	Rumph. amb. 1. t. 7.
3 oleracea. W.	esculent.		W. Ind.	1656.	S. h.	Jac. amer. t. 170.
PINUS. W.	PINE or FIR.	Conifera. J.					
1 sylvestris. W.	Scotch.		Scotland.	5.	H. h.	Laub. pin. 1. t. 1.
2 Pumilio. W.	Mugh.		Carniola.	1779.	4.5.	H. h.	— 5. t. 2.
3 Laricio. P. S.	Corsican.		Corsica.	1814.	H. h.	—
4 pungens. Ph.	pungent.		N. America.	1804.	H. h.	Mich. arb. 1. p. 61. t. 5.
5 Banksiana. Ph.	Hudson's Bay.		Hudson's Bay.	1785.	5.6.	H. h.	Lamb. pin. 7. t. 3.
6 Pinaster. W.	cluster.		S. Europe.	1596.	4.5.	H. h.	— 9. t. 4. 5.
7 Pinca. W.	stone.			1548.	5.	H. h.	— 11. t. 6. 7. 8.
8 maritima. W.	maritime.			1759.	5.6.	H. h.	— 13. t. 9. 10.
9 halepensis. W.	Aleppo.		Levant.	1683.	5.	H. h.	— 15. t. 11.
10 inops. Ph.	Jersey.		N. America.	1739.	—	H. h.	— 18. t. 13.
11 resinosa. Ph.	pitch.			1756.	—	H. h.	— 20. t. 14.
12 variabilis. Ph.	two and three-l ^d .			1739.	5.6.	H. h.	— 22. t. 15.
13 Tæda. Ph.	frankincense.			1713.	—	H. h.	— 23. t. 16. 17.
14 serotina. Ph.	Fox-tail.			—	—	H. h.	Mich. arb. 1. p. 86. t. 7.
15 rigida. Ph.	three-leaved.			1759.	—	H. h.	Lamb. pin. 25. t. 18. 19.
16 palustris. Ph.	swamp.			1730.	H. h.	— 27. t. 20.
17 canariensis.	Canary.		Canaries.	1815.	G. h.	—
18 longifolia. W.	long-leaved.		E. Ind.	1801.	—	G. h.	— 29. t. 21.
19 Strobus. W.	Weymouth.		N. America.	1705.	4.	H. h.	— 31. t. 22.
20 Cembra. W.	Siberian.		Siberia.	1746.	5.	H. h.	— 34. t. 23. 24.
21 Abies. W.	Norway Spruce.		N. Europe.	1548.	4.	H. h.	— 37. t. 25.
22 alba. Ph.	White Spruce.		N. America.	1700.	5.6.	H. h.	— 39. t. 26.
23 rubra. Ph.	Red Spruce.			1755.	5.	H. h.	— 43. t. 23.
24 nigra. Ph.	Black Spruce.			1700.	5.	H. h.	— 41. t. 27.
25 canadensis. Ph.	Hemlock Spruce.			1736.	—	H. h.	— 50. t. 32.
26 Picea. W.	Silver Fir.		Germany.	1603.	—	H. h.	— 46. t. 30.
27 Balsamea. W.	Balm of Gilead.		N. America.	1696.	—	H. h.	— 48. t. 31.
28 Fraseri. Ph.	Double Balsam.		Pennsylvania.	1811.	—	H. h.	—
29 lanceolata. H. K.	hance-leaved.		China.	1804.	G. h.	Lamb. pin. 52. t. 34.
30 Larix. W.	Common Larch.		Germany.	1629.	3.4.	H. h.	— 53. t. 25.
31 pendula. W.	Black Larch.		N. America.	1739.	5.	H. h.	— 56. t. 36.
32 microcarpa. W.	Red Larch.			1760.	—	H. h.	— 58. t. 37.
33 Cedrus. W.	Cedar of Lebanon.		Levant.	1683.	5.	H. h.	— 59. t. 37.
34 Dammar. W.	Dammar.		Ambouyna.	1804.	S. h.	— 61. t. 38.
THUJA. W.	ARSOA-VITÆ.	Conifera. J.					
1 occidentalis. W.	American.		N. America.	1596.	5.	H. h.	Mich. arb. 3. p. 29. t. 3.
2 orientalis. W.	Chinese.		China.	1752.	—	H. h.	Lam. ill. t. 787. f. 3.
3 articulata. W.	jointed.		Barbary.	1815.	2.5.	F. h.	Vahl. symb. 2. t. 48.
4 cupressoides. W.	African.		C. B. S.	1799.	G. h.	—
CUPRESSUS. W.	CYPRESS.	Conifera. J.					
1 sempervirens. W.	common.		Candia.	1546.	5.	H. h.	Pall. rea. 2. t. 52.
α stricta.	upright.						
β horizontalis.	spreading.						
2 lusitanica. W.	Cedar of Goa.		Goa.	1683.	4.5.	F. h.	Lamb. pin. 35. t. 42.

ha. W.	deciduous.	Coniferae. J.	N. America.	1640.	5.	H. h.	Mich. arb. 3. p. 4. t. 1.
ans.	long-leaved.						
des. W.	White Cedar.			1786.	4.5.	H. h.	3. p. 20. t. 2.
eroides. W.	African.		C. B. S.	1756.		G. h.	
alis. P. S.	slender-branch'd.		N. Holland.		G. h.	
ARPUS. L'Her.	PONOCARPUS.	Coniferae. J.	Tai sp. 18.				
ophyllus. W.	long-leaved.		China.	1804.	7.8.	G. h.	Kämpf. ic. t. 24.
illatus. W.	whorl-leaved.		Japan.		G. h.	
atus. P. S.	African.		C. B. S.	1774.	7.	G. h.	
NETIA. W.	PLUKENETIA.	Euphorbiaceae. J.					
ilis. W.	twining.		W. Ind.	1739.	7.8.	S. h.	Plum. ic. 220. t. 226.
HAMPIA. W.	DALECHAMPIA.	Euphorbiaceae. J.					
ens. W.	climbing.		W. Ind.	1739.	6.7.	S. h.	Jac. amer. 252. t. 160
PHA. W.	ACALYPHA.	Euphorbiaceae. J.					
ica. W.	Virginian.		N. America.	1759.	7.8.	H. ⊙	Schk. hand. 3. t. 311.
niana. W.	Carolina.			1811.		H. ⊙	Lam. ill. t. 780. f. 2.
a. W.	ciliated.		E. Ind.	1799.		S. ⊙	Vahl. symb. 1. t. 20.
flora. W. en.	few-flowered.		China.	1816.		H. ⊙	
ystachya. W. en.	saw-leaved.					H. ⊙	
i. W.	Indian.		E. Ind.	1759.	7.9.	S. ⊙	Rheed. mal. 10. t. 81.
curoidea. W.	Fox-tail.		Venezuela.	1804.		H. ⊙	Jac. ic. 3. t. 620.
N. W.	CROTON.	Euphorbiaceae. J.					
ratum. W.	variegated.		E. Ind.	1804.	S. h.	Rheed. mal. 6. t. 61.
e. Jac.	Willow-leaved.		W. Ind.	1733.	7.	S. h.	Jac. amer. t. 162. f. 4.
imum. W.	sea-side.		Carolina.	1786.	G. h.	
tre. W.	marsh.		Vera Cruz.	1731.	7.8.	S. ⊙	Mart. dec. 4. t. 88.
llum. W.	Laurel-leaved.		Jamaica.	1778.	S. h.	Slo. jam. 2. t. 74. f. 2.
rium. W.	official.		S. Europe.	1570.	7.	H. ⊙	{ Nis. vct. par. 1712. t. 17.
teum. W.	silver-leaved.		S. America.	1733.	7.8.	S. ⊙	
um. W.	purging.		E. Ind.	1796.	8.9.	S. h.	Rheed. mal. 2. t. 33.
rig. W.	Sea-side Balsam.		Jamaica.	1748.	S. h.	
is. Sw.	glittering.			1815.	S. h.	Pluk. alm. t. 220. f. 5.
ens. W.	pungent.		Caracas.	1791.	S. h.	Jac. ic. 3. t. 622.
illatum. W.	pencilled.		Cuba.	1799.	7.8.	S. h.	Vent. choix. 12.
sticum. W.	aromatic.		Ceylon.	1793.	S. h.	Rumph. am. 3. t. 126
le. W.	humble.		Jamaica.	1799.	S. h.	
ccanum. W.	Molucca.		Ceylon.	1803.	S. h.	
ites ambinus. P. S.							
ites. W.	woolly.		W. Ind.	1782.	7.8.	S. h.	
um. W.	various-leaved.		Vera Cruz.	1730.		S. ⊙	Mart. dec. 5. t. 46.
PHA. W.	PHYSIC-NUT.	Euphorbiaceae. J.					
pifolia. W.	Cotton-leaved.		W. Ind.	1690.	5.8.	S. h.	Sloan. jam. 1. t. 84.
rrima. W.	spicy.		Cuba.	1809.		S. h.	Bot. mag. 1464.
iræfolia. W.	fiddle-leaved.			1800.		S. h.	604.
s. W.	angular-leaved.		S. America.	1731.	S. h.	Jac. vind. 3. t. 63.
fida. W.	multifid.			1696.	6.8.	S. h.	Par. lond. 91.
bot. W.	Cassava.			1739.	7.8.	S. h.	Sloan. jam. 1. t. 85.
. W.	stinging.		Brazil.	1690.	5.7.	S. h.	Jac. vind. 1. t. 21.
cea. W.	annual.		Vera Cruz.	1759.	7.8.	S. ⊙	Reliq. hous. 6. t. 15.
S. W.	PALMA-CHRISTI.	Euphorbiaceae. J.					
unis. W.	Castor-oil plant.		E. Ind.	1548.	7.8.	S. ♂	Lam. ill. t. 792.
s. W.	green.			1802.	8.	S. ⊙	W. hort. ber. 49.
nus. W.	African.		Africa.	7.8.	G. h.	
s. W.	livid-leaved.		C. B. S.	1795.	7.	G. h.	Jao. ic. 1. t. 196.
is. W.	smooth-capsuled.		India.	1758.	7.8.	S. ♂	1. t. 195.
us. B. R.	rough-capsuled.		Malta.	1807.	7.9.	S. ♂	Bot. rep. 430.
ius. W.	scollop-leaved.		E. Ind.	1810.		S. ♂	Rumph. am. 3. t. 121
LEA. W.	OMPHALEA.	Euphorbiaceae. J.					
ira. W.	long-leaved.		Jamaica.	1763.	6.7.	S. h.	
LANE. W.	MANCHINEEL.	Euphorbiaceae. J.					
inella. W.	common.		W. Ind.	1690.	S. h.	Cat. car. 2. t. 95.
i. W.	SAPIUM.	Euphorbiaceae. J.	Hippomanis sp. L.				
arium. W.	two-glanded.		W. Ind.	1692.	S. h.	Jac. amer. t. 158.
ANTHUS. W.	PHYLLANTHUS.	Euphorbiaceae. J.	Phyllanthus. L. et Xylophylla sp. L.				
tus. W.	annual.		N. America.	1803.	7.8.	H. ⊙	
aspatensis. W.	Madras.		E. Ind.	1783.	7.	S. h.	
ifolius.	great-leaved.		America.	1771.	S. h.	
is. W.	venomous.		E. Ind.	1802.	S. h.	
atus. B. M.	shining-leaved.		China.	7.	S. h.	Bot. mag. 1868.

6 Conami. W.	Brazilian.	Euphorbiaceæ. J.	W. Ind.	1791. 7.	S. h.	Aub. gui. 2. t. 254.
7 racemosus. W.	racemed.	_____	E. Ind.	1798. 7.8.	S. h.	_____
8 Niruri. W.	Indian annual.	_____	_____	1699. 6.9.	S. O.	Rheed. mal. 10. t. 13.
9 polyphyllus. W.	many-leaved.	_____	_____	1805. 7.9.	S. h.	_____
10 Emblica. W.	shrubby.	_____	_____	1768.	S. h.	Rheed. mal. 1. t. 38.
11 latifolius. W. en.	Sea-side Laurel.	_____	Jamaica.	1783. 8.10.	S. h.	Bot. mag. 1021.
12 angustifolius. W. en.	narrow-leaved.	_____	_____	1789. 7.8.	S. h.	_____
14 falcatus. W. en.	sickle-leaved.	_____	Bahama Isl.	1699. 7.8.	S. h.	Bot. rep. 331.
STILLINGIA. W.	STILLINGIA.	Euphorbiaceæ. J.	_____	_____	_____	_____
1 sylvatica. W.	wood.	_____	Carolina.	1787. 7.8.	G. 2.	_____
2 ligustrina. W.	Privet-leaved.	_____	N. America.	1812.	H. h.	_____
3 sebifera. W.	Tallow-tree.	_____	China.	1703. 9.	S. h.	Plu. anal. t. 390. f. 2.
ALEURITES. W.	ALEURITES.	Euphorbiaceæ. J.	_____	_____	_____	_____
triloba. W.	three-lobed.	_____	Society Isl.	1793.	S. h.	_____
HURA. W.	SANDBOX-TREE.	Euphorbiaceæ. J.	_____	_____	_____	_____
1 strepens. W. en.	unequal-toothed.	_____	S. America.	S. h.	_____
2 crepitans. W. en.	equal-toothed.	_____	_____	1733.	S. h.	Lam. ill. t. 793.
STERCULIA. W.	STERCULIA.	Sterculiaceæ. Vent.	_____	_____	_____	_____
1 Balanghas. W.	coronet-flowered.	_____	E. Ind.	1787. 6.9.	S. h.	Bot. reg. 185.
2 crinita. W.	hairy-capsuled.	_____	W. Ind.	1793.	S. h.	Aub. gui. 2. t. 278.
3 urens. W.	stinging.	_____	E. Ind.	_____	S. h.	Rox. cor. 1. t. 24.
4 platanifolia. W.	Plane-tree-leav ^d .	_____	China.	1757. 7.	G. h.	Cav. diags. 5. t. 145.
5 foetida. W.	fetid.	_____	E. Ind.	1690.	S. h.	Rheed. mal. 4. t. 36.
HERITIERA. W.	{ LOOKING-GLASS PLANT. }	_____	_____	_____	_____	_____
littoralis. W.	Laurel-leaved.	_____	E. Ind.	1780.	S. h.	Rheed. mal. 6. t. 21.
TRICHOSANTHES. W. }	SNAIL-GOURD.	Cucurbitaceæ. J.	_____	_____	_____	_____
1 Anguria. W.	common.	_____	China.	1755. 5.6.	F. O.	Bot. mag. 722.
2 cucumerina. W.	Cucumber-like.	_____	E. Ind.	1804. 6.7.	F. O.	Rheed. mal. 8. t. 16.
3 tuberosa. W.	tuberous.	_____	W. Ind.	1810. —	S. 2.	Plum. ic. t. 24.
MOMORDICA. W.	MOMORDICA.	Cucurbitaceæ. J.	_____	_____	_____	_____
1 Balsamina. W.	Balsam Apple.	_____	India.	1568. 6.7.	F. O.	_____
2 Charantia. W.	hairy.	_____	E. Ind.	1710. —	F. O.	Rheed. mal. 2. t. 2.
3 operculata. W.	rough-fruited.	_____	W. Ind.	1731. 6.9.	F. O.	Comm. rap. t. 22.
4 Luffa. W.	Egyptian.	_____	E. Ind.	1739. 7.8.	F. O.	Rumph. am. 5. t. 147.
5 Elaterium. W.	{ Squirting Cucumber. }	_____	S. Europe.	1548. 6.7.	H. 2.	Bot. mag. 1914.
CUCURBITA. W.	GOURD.	Cucurbitaceæ. J.	_____	_____	_____	_____
1 lagenaria. W.	bottle.	_____	India.	1597. 7.9.	H. O.	Rumph. am. 5. t. 144.
2 aurantia. W.	Orange-fruited.	_____	1808. 6.8.	F. O.	_____
3 Pepo. W.	Pumpkin.	_____	Levant.	1570. —	H. O.	_____
4 verrucosa. W.	warted.	_____	1658. 6.7.	H. O.	_____
5 Melopepo. W.	squash.	_____	1597. 5.9.	H. O.	Moris. t. 1. t. 8.
6 Citrullus. W.	Water Melon.	_____	S. Europe.	—	F. O.	Rumph. am. 5. t. 144.
CUCUMIS. W.	CUCUMBER.	Cucurbitaceæ. J.	_____	_____	_____	_____
1 Colocynthis. W.	bitter.	_____	C. B. S.	1551. 5.8.	F. O.	_____
2 prophetarum. W.	globe.	_____	Levant.	1777. 6.9.	F. O.	Jac. vind. 1. t. 9.
3 Anguria. W.	round prickly.	_____	Jamaica.	1692. 7.8.	F. O.	Mill. ic. 1. t. 33.
4 acutangulus. W.	acute-angled.	_____	India.	—	6.9.	H. O.
5 Melo. W.	Melon.	_____	1570. 5.9.	F. O.	Jac. vind. 3. t. 73. 74.
6 Dudaim. W.	Apple-shaped.	_____	Levant.	1708. 7.8.	F. O.	Bot. rep. 548.
7 Chate. W.	hairy.	_____	_____	1759. 6.	F. O.	Alp. ægypt. t. 117.
8 pubescens. W.	pubescent.	_____	1815. 6.9.	F. O.	_____
9 sativus. W.	common.	_____	E. Ind.	1573. 7.9.	H. O.	_____
10 flexuosus. W.	Snake.	_____	_____	1597. 5.9.	F. O.	Ger. herb. 763. f. 3.
11 maderaspatanus. W.	Madras.	_____	_____	1805. 7.8.	F. O.	Pluk. alm. 4. 176. f. 2.
BRYONIA. W.	BRYONY.	Cucurbitaceæ. J.	_____	_____	_____	_____
1 scabra. W.	globe-fruited.	_____	C. B. S.	1774. 8.10.	G. 2.	_____
2 verrucosa. W.	rough.	_____	Canaries.	1778.	G. 2.	_____
3 grandis. W.	great-flowered.	_____	E. Ind.	1783. 5.8.	S. 2.	{ Rumph. amb. 5. t. 196. f. 1.
4 epigea. W.	umbel-flowered.	_____	_____	1815.	S. 2.	_____
5 scabrella. W.	bristly.	_____	_____	1781. 5.7.	S. O.	_____
6 latebrosa. W.	hairy.	_____	Canaries.	1778. 8.	G. 2.	_____
7 dioica. W.	red-berried.	_____	Britain.	5.9.	H. 2.
8 alba. W.	white.	_____	Europe.	1807. 6.7.	H. 2.	Eng. bot. 439.
9 cretica. W.	Cretan.	_____	Candia.	1758. 7.9.	G. 2.	Lam. ill. t. 796.
10 quinqueloba. Th.	five-lobed.	_____	C. B. S.	6.10.	G. 2.
11 ficifolia. W.	Fig-leaved.	_____	Buenos Ayres.	1786.	G. 2.	Des. am. mus. 12. t. 17.

DICÆIA MONANDRIA.

213

12 palmata. W.	palmated.	Cucurbitaceæ. J.	Ceylon.	1778. 7.8.	S. 2.	
13 laciniosa. W.	laciniated.		E. Ind.	1710.	S. 2.	Herm. ludg. t. 97.
14 africana. W.	African.		C. B. S.	1759. 7.8.	G. 2.	Herm. parad. t. 708.
15 dissecta. W.	smooth-leaved.			1710.	G. 2.	
SICYOS. W.	{ SINGLE-SEED- ED CUCUMBER }	Cucurbitaceæ. J.				
angulata. W.	angular-leaved.		N. America.	1710. 7.9.	H. 2.	Lam. ill. t. 798.

GYNANDRIA.

ANDRACHNE. W.	BASTARD ORPINE.	Euphorbiaceæ. J.				
telephioides. W.	annual.		Italy.	1732. 7.8.	H. 2.	Lam. ill. t. 797.

CLASS XXII.

DICÆIA MONANDRIA.

PANDANUS. W.	SCREW-PINE.	Pandanæ. B. P.				
1 odoratissimus. W.	green-spined.		E. Ind.	1771.	S. 2.	Roxb. cor. 1. t. 94-6.
2 utilis. W. en.	red-spined.			S. 2.	Jac. frag. t. 13. 14. f. 1
3 spiralis. B. P.	spiral.		N. S. W.	1805.	S. 2.	
4 humilis. W.	dwarf.		Mauritius.	S. 2.	Jac. frag. t. 14. f. 2.

DIANDRIA.

CECROPIA. W.	SNAKE-WOOD.	Urticæ. J.	Jamaica.	1778,	S. 2.	Lam. ill. t. 800.
peltata. W.	peltated.					
SALIX. W.	WILLOW.	Amentaceæ. J.				
1 triandra. W.	long-leaved.		Britain.	5.8. H. 2.	Eng. bot. 1435.
2 lanceolata. E. B.	sharp-leaved.		England.	4.5. H. 2.	1436.
3 amygdalina. W.	Almond-leaved.		Britain.	H. 2.	1936.
4 decipiens. E. B.	varnished.		England.	5. H. 2.	1937.
5 Russelliana. W.	Bedford.			4.5. H. 2.	1808.
6 tetrasperma. W.	four-seeded.		E. Ind.	1796.	S. 2.	Rox. cor. 1. t. 97.
7 nigra. Ph.	black.		N. America.	1811. 5.	H. 2.	Ann. bot. 2. t. 5. f. 5.
8 lucida. Ph.	shining.				H. 2.	2. t. 5. f. 7.
9 pentandra. W.	Bay-leaved.		Britain.	3.6. H. 2.	Eng. bot. 1805.
10 nigricans. W.	dark broad-leav'd.		England.	4. H. 2.	1213.
11 phyllifolia. W.	Tea-leaved.		Scotland.	5. H. 2.	1958.
12 laurina. W.	two-coloured.		England.	4.5. H. 2.	1806.
13 tenuifolia. W.	thin-leaved.		Britain.	5.6. H. 2.	2186.
14 hastata. W.	halbert-leaved.		Lapland.	1780. 5.	H. 2.	L. fl. lap. 354. t. 8. f. g.
15 petiolaris. Ph.	dark long-leav'd.		N. America.	4. H. 2.	Eng. bot. 1147.
16 myricoides. Ph.	Gale-like.			1811. 4.	H. 2.	Ann. bot. 2. t. 5. f. 2.
17 prinoides. Ph.	Prinos-like.				3.4. H. 2.	
18 discolor. Ph.	brown-branch'd.				4. H. 2.	Ann. bot. 2. t. 5. f. 1.
19 angustata. Ph.	narrow-leaved.		Pensylvania.		3.4. H. 2.	
20 cordata. Ph.	heart-leaved.		N. America.		4.5. H. 2.	Ann. bot. 2. t. 5. f. 8.
21 rigida. Ph.	rigid.				H. 2.	2. t. 5. f. 4.
22 vitellina. W.	yellow.		England.	3.5. H. 2.	Eng. bot. 1389.
23 fragilis. W.	crack.		Britain.	4.5. H. 2.	1807.
24 babylonica. W.	weeping.		Levant.	1692. 5.	H. 2.	Rauw. it. 183. t. 25.
25 pupurea. W.	bitter purple.		England.	3. H. 2.	Eng. bot. 1388.
26 Helix. W.	Rose.		Britain.	3.4. H. 2.	1343.
27 Lambertiana. W.	Boyton.		England.	H. 2.	1359.
28 Forbyana. W.	Basket Osier.			4. H. 2.	1344.
29 rubra. W.	Green Osier.			4.5. H. 2.	1145.
30 Croweana. W.	Crowe's.			H. 2.	1146.
31 malifolia. W.	Apple-leaved.			4. H. 2.	1617.
32 prunifolia. W.	Plum-leaved.		Scotland.	4.5. H. 2.	1361.
33 vacciniifolia. E. B.	Bilberry-leaved.			H. 2.	2341.
34 venulosa. E. B.	veiny-leaved.			H. 2.	1362.
35 mysinites. W.	Whortle-leaved.			4.5. H. 2.	1360.
36 carinata. W.	folded-leaved.			4.5. H. 2.	1363.
37 arbuscula. W.	little-tree.			4. H. 2.	1366.
38 Houstoniana. Ph.	Houston's.		Virginia.	4.5. H. 2.	
39 falcata. Ph.	sickle-leaved.		N. America.	1811.	H. 2.	
40 pedicellaris. Ph.	pedicellated.				4. H. 2.	

DIECIA TRIANDRIA.

41 planifolia. Ph.	flat-leaved.	Amentaceæ. J.	Labrador.	1811.	H. h.	
42 rupestris. E. B.	silky-rock.		Scotland.	4.	H. h.	Eng. bot. 2342.
43 Andersoniana. E. B.	Anderson's.		4.5.	H. h.	2343.
44 Forsteriana. E. B.	Forster's.		H. h.	2344.
45 Stuartiana. E. B.	Stuart's.		7.8.	H. h.	2586.
46 fuscata. Ph.	brown-stemmed.		N. America.	1811.	4.	H. h.	
47 herbacea. W.	least.		Britain.	6.	H. h.	Eng. bot. 1907.
48 Uva-ursi. Ph.	Bearberry-like.		Labrador.	4.5.	H. h.	
49 retusa. W.	blunt-leaved.		Italy.	1763.	5.	H. h.	
50 reticulata. W.	wrinkled.		Britain.	6.7.	H. h.	Eng. bot. 1908.
51 myrtilloides. W.	Myrtle-leaved.		Sweden.	1772.	5.	H. h.	Vil.dan.3.t.50.f.11.
52 recurvata. Ph.	recurved-flow ^d .		N. America.	1811.	4.	H. h.	
53 cordifolia. Ph.	cordate-leaved.		H. h.	
54 glauca. W.	glaucous.		Scotland.	5.	H. h.	Eng. bot. 1810.
55 arenaria. W.	downy mountain.		5.6.	H. h.	1809.
56 cinerea. W.	gray.		Britain.	5.	H. h.	1897.
57 tristis. Ph.	linear-leaved.		N. America.	1765.	4.	H. h.	
58 Muhlenbergiana Ph.	Muhlenberg's.		1811.	H. h.	Ann. bot. 2. t. 5. f. 9.
59 argentea. W.	silky sand.		Britain.	5.	H. h.	Eng. bot. 1364.
60 parvifolia. E. B.	small-leaved.		England.	4.5.	H. h.	1961.
61 ascendens. E. B.	ascending.		H. h.	1962.
62 repens. W.	creeping.		Britain.	5.	H. h.	182.
63 fusca. W.	brown.		H. h.	1960.
64 prostrata. W.	prostrate.		H. h.	1959.
65 hirta. W.	hairy-branched.		England.	4.5.	H. h.	1404.
66 Dicksoniana. W.	Dickson's.		Scotland.	4.	H. h.	1390.
67 incubacea. W.	trailing.		Europe.	1775.	5.	H. h.	
68 rosmarinifolia. W.	Rosemary-leaf ^d .		Britain.	4.5.	H. h.	Eng. bot. 1865.
69 aurita. W. en.	eared.		Europe.	H. h.	Hoff. sal. 1. t. 22. f. 1.
70 uliginosa. W. en.	marsh.		Britain.	4.6.	H. h.	Eng. bot. 1487.
aurita. E. B.							
71 aquatica. W.	water.		4.	H. h.	1437.
72 oleifolia. W.	Olive-leaved.		3.	H. h.	1402.
73 cotinifolia. W.	Quince-leaved.		4.	H. h.	1408.
74 sphacelata. W.	withered-pointe ^d		Scotland.	4.5.	H. h.	2333.
75 caprea. W.	great round-le ^d .		Britain.	H. h.	1488.
76 acuminata. W.	acuminate.		4.	H. h.	1434.
77 conifera. Ph.	Cone-bearing.		N. America.	1800.	5.	H. h.	Wan. ame. t. 31. f. 72.
78 viminalis. W.	Common Osier.		Britain.	4.5.	H. h.	Eng. bot. 1898.
79 Smithiana. W. en.	Smith's.		England.	H. h.	1509.
mollissima. E. B.							
80 stipularis. W.	auricled.		3.4.	H. h.	1214.
81 candida. Ph.	hoary.		N. America.	1811.	4.5.	H. h.	
82 alba. W.	common white.		Britain.	H. h.	2430.
83 cærulea. E. B.	blue.		England.	H. h.	2431.
BORYA. W.	BORYA.	Euphorbiaceæ. J.	Adelia sp. Mich.				
1 porulosa. W.	Florida.		Florida.	1806.	H. h.	
2 ligustrina. W.	Privet-leaved.		N. America.	1812.	H. h.	
3 acuminata. W.	pointed.		H. h.	Mish. amer. 2. t. 29.

TRIANDRIA.

EMPETRUM. W.	CROW BERRY.	Ericæ? J.					
1 album. W.	white-berried.		Portugal.	1774.	4.6.	G. h.	
2 nigrum. W.	black-berried.		Britain.	4.5.	H. h.	Eng. bot. 526.
STILAGO. W.	STILAGO.						
1 Bunius. W.	Laurel-leaved.		E. Ind.	1757.	8.	S. h.	Rheed. mal. 4. t. 56.
2 diandra. W.	diandrous.		1800.	S. h.	Rox. cor. 2. t. 166.
OSYRIS. W.	POET'S CASSIA.	Santalaceæ? B. P.					
alba. W.	white.		S. Europe.	1739.	G. h.	Lam. ill. t. 802.
WILLDENOVIA. Th.	WILLDENOVIA.	Restiaceæ. B. P.					
teres. W.	round-stalked.		C. B. S.	1790.	6.7.	G. h.	{ Th. in act. holm. 1790. t. 2. f. 2.
RESTIO. W.	ROPE GRASS.	Restiaceæ. B. P.					
tectorum. W.	thatch.		C. B. S.	1793.	5.6.	G. h.	Rot. gram. 10. t. 3. f. 3
ELEGIA. W.	ELEGIA.	Restiaceæ. B. P.					
1 juncea. W.	Rush-like.		C. B. S.	1789.	7.8.	G. h.	Rott. gram. 8. t. 3. f. 4
2 racemosa. W.	racemed.		1804.	5.6.	G. h.	Lam. ill. t. 884. f. 4.

PHENIX. W.	DATE PALM.	Palmæ. B. P.			
1 dactylifera. W.	common.		Levant.	1597.	G. h. { Kämpf. amcn. 686. t. 1. 2.
2 reclinata. W.	reclining.		C. B. S.	1792.	G. h. Jac. frag. 27. t. 24.
3 farinifera. W.	small.		E. Ind.	1800.	S. h. Rox. cor. 1. t. 74.
TETRANDRIA.					
ANTHOSPERMUM. W.	AMBER TREE.	Rubiaceæ. J.			
æthiopicum. W.	Ethiopian.		C. B. S.	1692. 6.7.	G. h. Pluk.alm.t.183.f.1.
TROPHIS. W.	RAMOON TREE.				
1 americana. W.	American.		W. Ind.	1789. 4.5.	S. h. Brown.jam.t.37.f.1
2 aspera. W.	rough-leaved.		E. Ind.	1802.	S. h.
MONTINIA. W.	MONTINIA.	Onagrarice. J.			
caryophyllacea. H. K.	{ Sea-Purslane } leaved.		C. B. S.	1774. 7.	G. h. { Smith spic. 14. t. 15.
VISCUM. W.	MISSILTOE.	Caprifoliæ. J.			
album. W.	common.		England. 5.	H. h. Eng. bot. 1470.
SCHÆFFERIA. W.	SCHÆFFERIA.		W. Ind.	1793.	S. h. Lam. ill. t. 809.
completa. W.	white-flowered.				
BRUCEA. W.	BRUCEA.	Terebintaceæ. J.			
ferruginea. W.	Ash-leaved.		Abyssinia.	1775. 4.5.	S. h. Lam. ill. t. 810.
BROUSSONETIA. W.	BROUSSONETIA.	Urticæ. J.			
papyrifera. W.	Paper Mulberry.		Japan.	1751. 2.9.	H. h. Bot. rep. 488.
HIPPOPHAE. W.	SEABUCKTHORN.	Elaeagni. J.			
1 rhamnoides. W.	common.		England. 4.5.	H. h. Eng. bot. 425.
2 canadensis. W.	Canadian.		N. America.	1759. —	H. h.
MYRICA. W.	{ CANDELEBERRY MYRTLE. }	Amentaceæ. J.			
1 Gale. W.	Sweet Gale.		Britain. 5.	H. h. Eng. bot. 562.
2 cerifera. W.	common.		N. America.	1699. 5.6.	H. h. Cat. car. 1. t. 69.
3 carolinensis. Ph.	broad-leaved.		—	1730. 5.	H. h. — 1. t. 13.
4 pensylvanica. Ph.	Pennsylvanian.		— —	H. h. Duh. arb. c. n. 2. t. 55.
5 Faya. W.	Azorian.		Azores.	1777. 6.7.	H. h. 2 t. 56
6 æthiopica. W.	African.		C. B. S.	1795. —	G. h. Pluk. alm. t. 48. f. 8.
7 serrata. W.	saw-leaved.		—	1793. 8.	G. h. Burm. afr. t. 98. f.
8 laciniata. W. en.	smooth Oak-le ^d .		—	1752. 6.7.	G. h. Jac. frag. 2. t. 1. f. 4.
9 quercifolia. W. en.	hairy Oak-leav ^d .		—	—	G. h.
10 cordifolia. W.	heart-leaved.		—	1759. 5.7.	G. h. Pluk.alm. t. 319. f. 7.
AULAX. L. T.	AULAX.	Proteaceæ. B. P.			
1 pinifolia. L. T.	Pine-leaved.		C. B. S.	1780. 7.9.	G. h. Bot. rep. 76.
2 umbellata. L. T.	umbelled.		—	1774. 6.8.	G. h. — 248.
LEUCADENDRON. L. T.	LEUCADENDRON.	Proteaceæ. B. P.			
1 argenteum. L. T.	Silver Tree.		Protea. Eurypermum, &c. Kn. P.		
2 plumosum. L. T.	feather-flowered.		C. B. S.	1693. 8.	G. h. Lam. ill. t. 53. f. 1.
3 imbricatum. L. T.	imbricated.		—	1774. 6.8.	G. h.
4 buxifolium. L. T.	Box-leaved.		—	1790.	G. h.
5 Levisanus. L. T.	short-leaved.		—	1812.	G. h.
6 linifolium. L. T.	Flax-leaved.		—	1774. 4.6.	G. h. Burm. afr. t. 100. f. 2.
7 stellatum.	starred.		—	G. h. Jac. schœn. 1. t. 26.
Protea squarrosa. Kn. P.	Protea stellaris. B. M.		— 5.6.	G. h. Bot. mag. 381.
8 tortum. L. T.	twisted-leaved.		—	1790. 3.5.	G. h.
9 cinereum. L. T.	gray.		—	1774. 7.8.	G. h.
10 corymbosum. L. T.	corymbed.		—	1790. 4.7.	G. h. Bot. rep. 495.
11 decorum. L. T.	decorous.		—	G. h.
12 concolor. L. T.	one-coloured.		—	1774. 3.6.	G. h. Bot. rep. 307.
13 grandiflorum. L. T.	great-flowered.		—	1789. 4.6.	G. h. Par. lond. 105.
14 decurrens. L. T.	decurrent.		—	1812.	G. h.
15 strictum. L. T.	upright.		—	1795. 4.6.	G. h. Par. lond. 75.
16 virgatum. L. T.	slender.		—	G. h.
17 adscendens. L. T.	pale.		—	1774. 6.8.	G. h. Pluk. man. t. 229. f. 6
18 concinnum. L. T.	neat.		—	1800.	G. h.
19 salignum. L. T.	Willow-leaved.		—	1774. 4.6.	G. h. Boer. lugd. 2. t. 204.
20 uliginosum. L. T.	swamp.		—	1795. —	G. h. Breyn. cent. 21. t. 9.
21 floridum. L. T.	florid.		—	—	G. h. Bot. rep. 572.
22 æmulum. L. T.	incurved.		—	1789. 6.9.	G. h. — 429.
23 abietinum. L. T.	Pine-leaved.		—	—	G. h. — 461.
24 scabrum. L. T.	rough.		—	1812.	G. h.

2 virginicum. W.	Virginian.	Menispermæ. D.	N. America.	1732. 6.7.	H. h.	Dill. elt. t. 178. f. 219
3 smilacinum. D.	Smilax-leaved.	_____	Carolina.	1776.	G. h.	Jac. ic. 3. t. 629.
<i>Cissampelos smilacina. W.</i>						
COCULUS. D.	COCULUS.	Menispermæ. D.	<i>Menispermæ sp. W.</i>			
1 Plukenetii. D.	officinal.	_____	E. Ind.	1790.	S. h.	Pluk. man. t. 345. f. 2.
2 orbiculatus. D.	round-leaved.	_____	_____	_____	S. h.	Rheed. mal. 1. t. 62.
3 villosus. D.	villosus.	_____	_____	1800.	S. h.	Pluk. amal. t. 384. f. 3.
β hirsutus.	hairy.	_____	_____	_____	S. h.	_____ t. 384. f. 7.

ICOSANDRIA.

FLACOURTIA. W.	FLACOURTIA.	Tiliacæ. J.				
1 Ramontchii. W.	shining-leaved.	_____	Madagascar.	1775. 6.7.	S. h.	L'Her. stirp. 59. t. 30.
2 flavescens. W.	yellow-flowered.	_____	Guinea.	1780.	S. h.	_____
3 cataphracta. W.	many-spined.	_____	E. Ind.	1804.	S. h.	_____
4 sapida. W.	esulent.	_____	_____	1800.	S. h.	Roxb. cor. 1. t. 69.
GELONIUM. Rox.	GELONIUM.	_____	_____			
bifarium. W.	oval-leaved.	_____	E. Ind.	1793. 6.8.	S. h.	_____
ROTTLERA. Rox.	ROTTLERA.	_____	_____			
tinctoria. W.	dyer's.	_____	E. Ind.	1810.	S. h.	Roxb. cor. 2. t. 168.

POLYANDRIA.

TREWIA. W.	TREWIA.	_____	_____	_____	_____	_____
nudiflora. W.	naked-flowered.	_____	E. Ind.	1796.	S. h.	Rheed. mal. 1. t. 42.
EMBRYOPTERIS. W.	EMBRYOPTERIS.	Ebenacæ. B. P.	<i>Diospyri sp.</i>	P. S.	_____	_____
glutinifera. W.	Indian.	_____	E. Ind.	1796.	S. h.	Roxb. cor. 1. t. 70.
CLIFFORTIA. W.	CLIFFORTIA.	Rosacæ. J.	_____	_____	_____	_____
1 cuneata. W.	wedge-leaved.	_____	C. B. S.	1787. 4.	G. h.	_____
2 ilicifolia. W.	flex-leaved.	_____	_____	1714. 5.9.	G. h.	Dill. elt. t. 31. f. 35.
3 tridentata. W.	three-toothed.	_____	_____	_____	G. h.	_____
4 ruscifolia. W.	Ruscus-leaved.	_____	_____	1792. 6.7.	G. h.	L. hort. cliff. t. 31.
5 cinerea. W.	cinereous.	_____	_____	1800.	G. h.	_____
6 pulchella. W.	beautiful.	_____	_____	1795. 4.5.	G. h.	_____
7 crenata. W.	notched-leaved.	_____	_____	1791. 7.8.	G. h.	_____
8 ericæfolia. W.	Heath-leaved.	_____	_____	1799. 7.9.	G. h.	_____
9 obcordata. W.	heart-leaved.	_____	_____	1790. 6.8.	G. h.	_____
10 trifoliata. W.	three-leaved.	_____	_____	1752. 4.7.	G. h.	Pluk. alm. t. 319. f. 4.
11 sarmentosa. W.	twigg.	_____	_____	1793. 6.8.	G. h.	_____
CYCAS. W.	CYCAS.	Cycadæ. B. P.	_____			
1 circinalis. W.	broad-leaved.	_____	E. Ind.	1700.	S. h.	Rheed. mal. 3. t. 13. 21.
2 revoluta. W.	narrow-leaved.	_____	China.	1737. 7.8.	S. h.	Linn. trans. 6. t. 29.
ZAMIA. W.	ZAMIA.	Cycadæ. B. P.	_____			
1 pungens. W.	needle.	_____	C. B. S.	1775.	G. h.	Till. pis. 129. t. 45.
2 cycadifolia. W.	Cycas-leaved.	_____	_____	_____	G. h.	Jac. frag. 1. t. 25. 26.
3 angustifolia. Jac.	narrow-leaved.	_____	Bahama Isl. 7.8.	S. h.	Jac. ic. 3. t. 636.
4 media. Jac.	intermediate.	_____	W. Ind.	S. h.	Bot. mag. 1839.
5 debilis. W.	long-leaved.	_____	_____	1777.	S. h.	Comm. hort. 1. t. 58.
6 integrifolia. W.	dwarf.	_____	_____	1768.	S. h.	Bot. mag. 1851.
7 pygmaea. B. M.	least.	_____	_____ 8.	S. h.	_____ 1741.
8 furfuracea. W.	broad-leaved.	_____	_____	1691. 7.8.	S. h.	Trew ehret. t. 26.
9 spiralis. B. P.	spiral.	_____	N. S. W.	1798.	G. h.	_____
10 horrida. W.	gray.	_____	C. B. S.	1800.	G. h.	Jac. frag. 27. t. 27. 28.
11 Cycadis. W.	Cycas-like.	_____	_____	1775.	G. h.	Th. act. ups. 2. t. 5.

MONADELPHIA.

ARAUCARIA. J.	ARAUCARIA.	Coniferæ. J.	<i>Dombeya. Lam.</i>			
1 imbricata. W.	imbricated.	_____	Chili.	1796.	G. h.	Lam. ill. t. 328.
2 excelsa. H. K.	Norfolk Island.	_____	Norfolk Isl.	1793.	G. h.	Lamb. pin. t. 39. 40.
JUNIPERUS. W.	JUNIPER.	Coniferæ. J.	_____			
1 thurifera. W.	Spanish.	_____	S. Europe.	1752. 5.6.	H. h.	_____
2 bermudiana. W.	Bermudas Cedar.	_____	Bermudas.	1683.	F. h.	Herm. logd. t. 347.
3 chinensis. W.	Chinese.	_____	China.	1804.	F. h.	_____
4 excelsa. W.	tall.	_____	Siberia.	1806.	H. h.	_____
5 Sabina. W.	Common Savin.	_____	S. Europe.	1548. 5.6.	H. h.	_____
6 tamariscifolia.	Tamarisk-leav'd.	_____	_____	1562.	H. h.	_____
7 prostrata. P. S.	prostrate.	_____	N. America.	H. h.	_____
8 daurica. H. K.	Daurian.	_____	Dauria.	1791. 6.8.	H. h.	Bot. rep. 534.
9 virginiana. W.	Red Cedar.	_____	N. America.	1664. 5.6.	H. h.	Mich. arb. 3. t. 5.
10 communis. W.	common.	_____	Britain.	H. h.	Eng. bot. 1100.
11 suecica.	Swedish.	_____	N. Europe.	H. h.	_____

POLYGAMIA MONŒCIA.

219

12 nana. W.	mountain.	Coniferæ. J.	Siberia. 5.6. H. h.	{ Pall. ross. 2. t. 54. f. A. B.
13 Oxycedrus. W.	brown-berried.	_____	Spain.	1739. — H. h.	Duham. arb. 2. t. 128
14 phœnicea. W.	Phœnician.	_____	S. Europe.	1683. — H. h.	Pall. ross. 2. t. 57.
15 lycia. W.	Lycian.	_____	_____	1693. — H. h.	2. t. 56.
16 barbadensis. W.	Barbadoes Cedar.	_____	Florida.	1811. G. h.	Pluk. alm. t. 197. f. 4
TAXUS. W.	YEW-TREE.	Coniferæ. J.	_____	_____	_____
1 baccata. W.	common.	_____	Britain. 2.4. H. h.	Eng. bot. 746.
2 nucifera. W.	Acorn-bearing.	_____	China.	1764. G. h.	Kämpf. amœn. t. 815
EPHEDRA. W.	EPHEDRA.	Coniferæ. J.	_____	_____	_____
1 distachya. W.	great.	_____	France.	1570. 6.7. H. h.	Schk. han. 3. t. 339.
2 monostachya. W.	small.	_____	Siberia.	1772. 9.11. H. h.	Pall. ross. 2. t. 83.
CISSAMPELOS. D.	CISSAMPELOS.	Menispermæ. D.	_____	_____	_____
1 Pareira. D.	velvet-leaf.	_____	S. America.	1733. 7.8. S. h.	Lam. ill. t. 830.
2 Caspeba. D.	nervous-leaved.	_____	_____	_____	Plum. ic. 67. f. 2.
3 capensis. D.	Cape.	_____	C. B. S.	1775. G. h.	_____
EXCÆCARIA. W.	EXCÆCARIA.	Euphorbiacæ. J.	_____	_____	_____
serrata. H. K.	saw-leaved.	_____	Chili.	1796. 11.2. G. h.	_____
ADELIA. W.	ADELIA.	Euphorbiacæ. J.	_____	_____	_____
1 Bernardia. W.	villous-leaved.	_____	Jamaica.	1768. 7.8. S. h.	_____
2 Ricinella. W.	smooth-leaved.	_____	_____	6.8. S. h.	_____
3 Acidoton. W.	Box-leaved.	_____	Jamaica.	1768. 6.7. S. h.	_____
LOUREIRA. W.	LOUREIRA.	_____	Mozimna. Orteg.	_____	_____
glandulosa. W.	glandulous.	_____	Mexico.	1799. S. h.	Cav. ic. 5. t. 430.
MYRISTICA. W.	NUTMEG.	Myristicæ. B. P.	_____	_____	_____
1 moschata. W.	true.	_____	E. Ind.	1795. S. h.	Lam. ill. t. 832.
2 fatua. W.	tasteless.	_____	Surinam.	1812. S. h.	Pluk. alm. t. 250. f. 6.
NEPENTHES. W.	PITCHER-PLANT.	_____	_____	_____	_____
distillatoria. W.	Chinese.	_____	China.	1789. 4.5. S. h.	Burm. zeyl. 42. t. 17.
RUSCUS. W.	{ BUTCHER'S- BROOM. }	Smilacæ. ?	_____	_____	_____
1 aculeatus. W.	prickly.	_____	England. 12.6. H. h.	Eng. bot. 560.
2 laxus. L. T.	loose.	_____	Portugal. 1.6. H. h.	_____
3 Hypophyllum. W.	broad-leaved.	_____	Italy.	1640. 5.6. H. h.	Col. ecp. 1. t. 165. f. 1.
4 Hypoglossum. W.	double-leaved.	_____	_____	1596. 4.5. H. h.	Schk. hand. 3. t. 340.
5 androgynus. W.	climbing.	_____	Canaries.	1713. — G. h.	Bot. mag. 1698.
6 racemosus. W.	{ Alexandrian } Laurel.	_____	Portugal.	— 6. H. h.	Herm. ludg. t. 681.
LATANIA. J.	BOURBON PALM.	Palmae. B. P.	_____	_____	_____
rubra. W.	red.	_____	Mauritius.	1788. S. h.	Jac. frag. 13. t. 8.
GYNANDRIA.					
CLUYTIA. W.	CLUYTIA.	Euphorbiacæ. J.	_____	_____	_____
1 alaternoides. W.	narrow-leaved.	_____	C. B. S.	1692. 12.3. G. h.	Bot. mag. 1321.
2 polygonoides. W.	Polygonum-like.	_____	_____	1790. — G. h.	W. hort. ber. 51.
3 daphnoides. W.	Daphne-leaved.	_____	_____	1731. 5.6. G. h.	— 52.
4 ericoides. W.	Heath-leaved.	_____	_____	1790. 4.6. G. h.	_____
5 polifolia. W.	Poley-leaved.	_____	_____	— G. h.	Jac. schœn. 2. t. 56
6 tomentosa. W.	tomentose.	_____	_____	1812. — G. h.	_____
7 pulchella. W.	broad-leaved.	_____	_____	1739. 1.6. G. h.	Bot. mag. 1945.
8 collina. W.	hill.	_____	E. Ind.	1807. S. h.	Roxb. cor. 2. t. 169

CLASS XXIII.

POLYGAMIA MONŒCIA.

MUSA. W.	PLANTAIN-TREE. Musacæ. J.	_____	_____	_____	_____
1 paradisica. W.	common.	_____	India.	1690. 10.12. S. h.	{ Trew chœt. 3. t 18. 20.
2 sapientum. W.	Banana-tree.	_____	W. Ind.	1729. 10.3. S. h.	— 4. t. 21. 23.
3 rosacea. W.	Rose-coloured.	_____	Mauritius.	1805. 3.6. S. h.	Jac. schœn. 4. t. 445.
4 coccinea. W.	scarlet-flowered.	_____	China.	1792. 12.3. S. h.	Bot. mag. 1559.
VERATRUM. W.	VERATRUM.	Melanthacæ. B. P.	_____	_____	_____
1 album. W.	white.	_____	Europe.	1548. 6.8. H. h.	Fl. dan. 1120.
2 viride. W.	green-flowered.	_____	N. America.	1742. 7.8. H. h.	Bot. mag. 1096.

3 virginicum. H. K.	Virginian.	Melanthaceæ. B. P.	N. America.	1768.	6.7.	H. 2.	Bot. mag. 985.
4 nigrum. W.	dark-flowered.	_____	Siberia.	1596.	_____	H. 2.	_____ 963.
5 parviflorum. W.	small-flowered.	_____	Carolina.	1809.	_____	H. 2.	_____
ANDROPOGON. W.	ANDROPOGON.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 striatus. W.	nerve-glumed.	_____	E. Ind.	1793.	8.	S. 2.	_____
2 contortus. W.	twisted.	_____	_____	1779.	7.9.	S. 2.	Schk.han.3.t.342.a.
3 Schœnanthus. W.	Lemon-grass.	_____	_____	1786.	S. 2.	Rum.am.5.t.72.f.2.
4 distachyos. W.	two-spiked.	_____	S. Europe.	1805.	7.8.	H. 2.	Fl. græc. 1. t. 69.
5 muticus. W.	smooth-spiked.	_____	C. B. S.	1794.	7.9.	G. 2.	_____
6 Ischæmum. W.	woolly.	_____	S. Europe.	1768.	8.	H. 2.	Schreb.gram.2.t.38
CHLORIS. W.	CHLORIS.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 petraea. W.	flat-stalked.	_____	Jamaica.	1779.	7.8.	S. 2.	Vahl. symb. 2. t. 27.
2 ciliata. W.	ciliated.	_____	_____	_____	7.9.	S. 2.	_____
3 radiata. W.	many-spiked.	_____	W. Ind.	1739.	8.9.	S. 2.	Moris. s. s. t. 3. f. 15.
4 barbata. W.	bearded.	_____	E. Ind.	1777.	6.7.	S. 2.	_____
5 curtispindula. Ph.	short-spiked.	_____	Illinois.	1808.	6.8.	H. 2.	_____
PENICILLARIA. } W. en. }	PENICILLARIA.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 spicata. W. en.	spiked.	_____	E. Ind.	1592.	6.7.	S. 2.	Pluk. alm. t. 32. f. 4.
2 ciliata. W. en.	ciliated.	_____	Jamaica.	1739.	7.10.	H. 2.	_____
<i>Alopecurus indicus. W.</i>							
SORGHUM. W. en.	SORGHUM.	Gramineæ. B. P.	Holcus. B. P.	_____	_____	_____	_____
1 Gryllus.	purple-flowered.	_____	S. Europe.	1791.	6.7.	H. 2.	Fl. græc. 1. t. 67.
<i>Andropogon Gryllus. W. Holcus Gryllus. B. P.</i>							
2 bicolor. W. en.	two-coloured.	_____	Persia.	1781.	7.	H. 2.	{ Mieg. act. helv. 8. t. 4. f. 4.
3 vulgare. W. en.	Indian Millet.	_____	India.	1596.	7.	H. 2.	_____ 8. t. 4. f. 3.
4 rubens. W. en.	red-seeded.	_____	Africa.	1817.	_____	H. 2.	_____
5 saccharatum. W. en.	yellow-seeded.	_____	India.	1759.	7.8.	S. 2.	{ Ard. act. ac. pat. 1. t. 4. f. 2.
6 halepense. P. S.	panicled.	_____	Syria.	1691.	_____	H. 2.	Fl. græc. 1. t. 68.
HOLCUS. W. en.	SOFT-GRASS.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 mollis. W.	creeping.	_____	Britain.	7.8.	H. 2.	Eng. bot. 1170.
2 lanatus. W.	meadow.	_____	_____	6.7.	H. 2.	_____ 1169.
3 avenaceus. W. en.	Oat-like.	_____	_____	_____	H. 2.	_____ 813.
4 bulbosus. W. en.	bulbous-rooted.	_____	_____	_____	H. 2.	_____
5 odoratus. W.	sweet-scented.	_____	N. America.	1777.	_____	H. 2.	_____
ISCHÆMUM. W.	ISCHÆMUM.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 aristatum. W.	bearded.	_____	E. Ind.	1803.	6.7.	S. 2.	_____
2 rugosum. W.	rough.	_____	_____	1791.	7.8.	S. 2.	Sat. stirp. rar. 1. t. 1.
ÆGILOPS. W.	HARD-GRASS.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 ovata. W.	oval-spiked.	_____	S. Europe.	1683.	6.7.	H. 2.	Fl. græc. 1. t. 93.
2 triuncialis. W.	long-spiked.	_____	_____	1739.	7.8.	H. 2.	Schreb.gr. 1. t. 10. f. 1.
3 cylindrica. W.	cylindrical.	_____	Hungary.	1805.	6.7.	H. 2.	Host. gram. 2. t. 7.
4 squarrosa. W.	rough-spiked.	_____	Levant.	1794.	_____	H. 2.	Schreb.gr. 2. t. 27. f. 3.
5 candata. W.	Cretan.	_____	Candia.	1739.	_____	H. 2.	Fl. græc. 1. t. 95.
MANISURIS. W.	MANISURIS.	Gramineæ. B. P.	_____	_____	_____	_____	_____
granularis. W.	round-grained.	_____	E. Ind.	1784.	6.7.	S. 2.	Roxb. cor. 2. t. 118.
VALANTIA. W.	VALANTIA.	Rubiaceæ. J.	_____	_____	_____	_____	_____
1 cruciata. W.	Crosswort.	_____	Britain.	5.6.	H. 2.	Eng. bot. 143.
2 muralis. W.	wall.	_____	S. Europe.	1739.	5.7.	H. 2.	Col. ecph. t. 297.
3 hispida. W.	bristly.	_____	_____	1768.	_____	H. 2.	_____
4 filiformis. W.	least.	_____	Canaries.	1780.	7.9.	H. 2.	_____
5 pedemontana. W.	Piedmont.	_____	Hungary.	1799.	7.	H. 2.	Pl. rar. hung. 1. t. 33.
6 Cucullaria. W.	hooded.	_____	Levant.	1780.	5.6.	H. 2.	Bux. cent. 1. t. 19. f. 3.
7 Aparine. W.	warty-fruited.	_____	Britain.	6.8.	H. 2.	Eng. bot. 2173.
<i>Galium verrucosum. E. B.</i>							
8 articulata. W.	jointed.	_____	Egypt.	1752.	7.8.	H. 2.	_____
9 glabra. W.	smooth.	_____	S. Europe.	1731.	_____	H. 2.	Pl. rar. hung. 1. t. 32.
10 aspera. W.	rough.	_____	Siberia.	1804.	6.7.	H. 2.	_____
PARIETARIA. W.	PELLITORY.	Urticæ. J.	_____	_____	_____	_____	_____
1 indica. W.	Indian.	_____	E. Ind.	1790.	4.5.	S. 2.	_____
2 officinalis. W.	wall.	_____	Britain.	6.9.	H. 2.	Eng. bot. 879.
3 judaica. W.	Basil-leaved.	_____	Germany.	1728.	_____	H. 2.	Schk. hand. 3. t. 346.
4 urticæfolia. W.	Nettle-leaved.	_____	Bourbon.	1700.	_____	S. 2.	_____
5 lusitanica. W.	Chickweed-lea ^d .	_____	Spain.	1710.	7.8.	H. 2.	Bocc. sic. t. 24. f. B.
6 polygonoides. W.	Polygonum-lea ^d .	_____	Armenia.	1728.	_____	H. 2.	_____
ATRIPLEX. W.	ORACHE.	Chenopodeæ. B. P.	_____	_____	_____	_____	_____
1 Halimus. W.	tall shrubby.	_____	Spain.	1640.	7.8.	H. 2.	Park. theat. 724. f. 2.
2 portulacoides. W.	dwarf shrubby.	_____	Britain.	_____	H. 2.	Eng. bot. 261.

3 glauca. W.	glaucous.	Chenopodeæ. B. P.	S. Europe.	1732. 7.8.	G. h.	Dill. elt. t. 40. f. 46.
4 albicans. W.	white.		C. B. S.	1774. 6.7.	G. h.	
5 rosea. W.	Rose.		S. Europe.	1739. —	H. ☉	Schk. hand. 3. t. 350.
6 sibirica. W.	Siberian.		Siberia.	1783. 7.8.	H. ☉	— 3. p. 538. t. 350.
7 tatarica. W.	Tartarian.		Tartary.	1778. —	H. ☉	— 3. p. 539. t. 349.
8 hortensis. W.	garden.			1548. —	H. ☉	
β rubra.	red garden.					
9 laciniata. W.	frosted sca.		Britain.	H. ☉	Eng. bot. 165.
10 patula. W.	spreading.			6.9. H. ☉	— 936.
11 angustifolia. W.	narrow-leaved.			6.8. H. ☉	— 1774.
12 erecta. W.	upright.		England.	8. H. ☉	— 2223.
13 littoralis. W.	Grass-leaved.		Britain.	8.9. H. ☉	— 708.
14 pedunculata. W.	pedunculated.		England.	7.9. H. ☉	— 232.
15 microsperma. W.	small-seeded.		1800. —	H. ☉	
RHAGODIA. B. P.	RHAGODIA.	Chenopodeæ. B. P.				
hastata. B. P.	halberd-leaved.		N. S. W.	1803. 6.7.	G. h.	
TERMINALIA. W.	TERMINALIA.	Combretaceæ. B. P.				
1 Catappa. W.	broad-leaved.		E. Ind.	1778.	S. h.	Jac. ic. 1. t. 197.
2 moluccana. W.	Molucca.			1804.	S. h.	
3 Chebula. W.	oval-leaved.			1796.	S. h.	Roxb. cor. 2. t. 197.
4 angustifolia. W.	narrow-leaved.			1692.	S. h.	Jac. vind. 3. t. 100.
FUSANUS. L.	FUSANUS.	Santalaceæ. B. P.	Thesii sp. W.			
compressus. H. K.	flat-stalked.		C. B. S.	1776.	G. h.	Berg. cap. 38. t. 1. f. 1.
BRABEJUM. W.	{ AFRICAN- ALMOND. }	Proteaceæ. B. P.				
stellulifolium. W.	common.		C. B. S.	1731. 3.4.	G. h.	Breyn. cent. 1. t. 1.
FERONIA. L. T.	{ ELEPHANT- APPLE. }				
elephantum. W.	Indian.		E. Ind.	1804.	S. h.	Roxb. cor. 2. t. 141.
AILANTHUS. W.	AILANTHUS.	Terebintaceæ. J				
1 glandulosa. W.	Chinese.		China.	1751. 8.	H. h.	L'Her. stirp. t. 84.
2 excelsa. W.	Indian.		E. Ind.	1800.	S. h.	Roxb. cor. 1. t. 23.
CLUSIA. W.	BALSAM-TREE.	Guttiferae. J				
1 rosea. W.	Rose-coloured.		Carolina.	1692. 7.8.	S. h.	Cat. car. 2. t. 99.
2 alba. W.	white-flowered.		S. America.	1752.	S. h.	Jac. amer. t. 166.
3 flava. W.	yellow-flowered.		Jamaica.	1759. 9.	S. h.	Bot. rep. 223.
4 venosa. W.	veiny-leaved.		S. America.	1733.	S. h.	Plum. ic. 87. f. 2.
OPHIOXYLON. W.	OPHIOXYLON.	Apocynæ. B. P.				
serpentinum. W.	red-flowered.		E. Ind.	1690. 5.6.	S. h.	Bot. mag. 784.
ACER. W.	MAPLE.	Aceræ. J				
1 heterophyllum. W.	evergreen.		Levant.	1759. 5.6.	H. h.	W. arb. 10. t. 1. f. 1.
2 tataricum. W.	Tartarian.		Tartary.	—	H. h.	Schm. arb. 1. t. 9.
3 Pseudo-Platanus.	Sycamore.		Britain.	4.5. H. ☉	Eng. bot. 303.
4 rubrum W.	scarlet-flowered.		N. America.	1656. —	H. h.	Mich. arb. 2. t. 14.
5 dasycarpum. W.	SirChas. Wager's.			1725. —	H. h.	— 2. t. 13.
6 barbatum. Ph.	bearded.			1812. —	H. h.	
7 saccharinum W.	Sugar.			1735. —	H. h.	Mich. arb. 2. t. 15.
8 nigrum. Ph.	black.			1812. —	H. h.	— 2. t. 16.
9 platanoides. W.	Norway.		Europe.	1683. 5.7.	H. h.	Schm. arb. 1. t. 3. 4.
β laciniatum.	cut-leaved.			—	H. h.	— 1. t. 5.
10 striatum. Ph.	striped-barked.		N. America.	1755. 5.6.	H. h.	Mich. arb. 2. t. 17.
11 montanum. Ph.	mountain.			1750. 4.5.	H. h.	Schm. arb. 1. t. 11.
12 campestre. W.	common.		Britain.	5.6. H. h.	Eng. bot. 304.
13 Opalus. W.	Italian.		Italy.	1752. —	H. h.	
14 monspessulanum. W.	Montpelier.		France.	1739. 5.	H. h.	Schm. arb. 1. t. 14.
15 creticum. W.	Cretan.		Levant.	1752. 5.6.	H. h.	— 1. t. 15.
16 Negundo. W.	Ash-leaved.		N. America.	1688. 4.	H. h.	— 1. t. 12.
CELTIS. W.	NETTLE-TREE.	Amentaceæ. J.				
1 australis. W.	European.		S. Europe.	1796. 5.	H. h.	
2 Tournefortii. W.	Tournefort's.		Levant.	1739.	H. h.	Tourn. it. 2. t. 41.
3 occidentalis. W.	American.		N. America.	1656. 4.5.	H. h.	Mill. ic. 1. t. 88.
4 crassifolia. Ph.	thick-leaved.			1812.	H. h.	Duham. arb. 2. t. 9.
5 pumila. Ph.	dwarf.			—	5. H. h.	
6 micrantha. W.	smooth.		Jamaica.	1739. 8.9.	S. h.	Plum. ic. t. 206. f. 1.
7 aculeata. W.	prickly.			1791.	S. h.	
GOUANIA. W.	GOUANIA.	Rhamni J				
1 domingensis. W.	Chaw-stick.		W. Ind.	1739.	S. h.	Pluk. alm. t. 201. f. 4.
2 tiliaefolia.	Lime-tree-leav'd.		E. Ind.	1810.	S. h.	Roxb. cor. 1. t. 98.

HERMAS. W.	HERMAS.	Umbelliferae. J.					
1 depauperata. W.	hairy.		C. B. S.	1795. 6.7.	G. 24.	Burm. afr. t. 71. f. 2.	
2 gigantea. W.	gigantic.			1794. —	G. 24.	{ Th. in act. pet. 14. t. 11.	
INGA. W.	INGA.	Leguminosae. J.	Mimosa sp. L.				
1 dulcis. W.	sweet.		E. Ind.	1800.	S. h.	Roxb. cor. 1. t. 99.	
2 Unguis-Cati. W.	four-leaved.		W. Ind.	1690.	S. h.	Jac. schœn. 3. t. 391.	
3 microphylla. W. en.	small-leaved.		Cumana.	1815.	S. h.		
4 vera. W.	common.		W. Ind.	1739. 7.8.	S. h.	St. jam. 2. t. 183. f. 1.	
5 rhoifolia. W. en.	villous.		Brazil.	1815.	S. h.		
6 alba. W.	white.		E. Ind.	1804.	S. h.		
7 marginata. W.	Beech-leaved.		W. Ind.	1752.	S. h.	Pluk. alm. t. 141. f. 2.	
8 nodosa. W.	knobbed.		Ceylon.	1690.	S. h.	— t. 211. f. 5.	
9 latifolia. W.	broad-leaved.		W. Ind.	1768. 3.4.	S. h.	Plum. ic. t. 9.	
10 purpurea. W.	Soldier Wood.			1733. —	S. h.	Bot. reg. 129.	
11 circinalis. W.	spiral-podded.			1726.	S. h.	Plum. ic. t. 5.	
MIMOSA. W.	MIMOSA.	Leguminosae. J.					
1 viva. W.	lively.		Jamaica.	1739. 7.9.	S. 24.	Slo. jam. 2. t. 182. f. 7.	
2 casta. W.	chaste.		E. Ind.	1741. 7.	S. h.	Comm. hort. 1. t. 24.	
3 sensitiva. W.	Sensitive Plant.		Brazil.	1648. 4.9.	S. 24.	Bot. reg. 25.	
4 obtusifolia. W. en.	blunt-leaved.			1816.	S. h.		
5 pudica. W.	Humble Plant.			1638. 4.9.	S. h.	Bot. rep. 544.	
6 pigra. H. K.	straight-spined.		Vera Cruz.	1733. 6.7.	S. h.	Mill. ic. 2. t. 182. f. 3.	
7 rubicaulis. W.	Bramble-stalked.		E. Ind.	1799. —	S. h.	Roxb. cor. 2. t. 200.	
8 concinna. W.	neat.			1794.	S. h.		
9 polystachya. W. en.	many-spiked.		Martinico.	1816.	S. h.		
SCHRANKIA. W.	SCHRANKIA.	Leguminosae. J.	Mimosa sp. L.				
1 aculeata. W.	Vera Cruz.		Vera Cruz.	1733. 7.8.	S. 24.	Mill. ic. 2. t. 182. f. 1.	
2 uncinata. W.	hooked.		N. America.	1789. —	G. 24.	Vent. choix. 28.	
DESMANTHUS. W.	DESMANTHUS.	Leguminosae. J.	Mimosa sp. L.				
1 natans. W.	floating.		China.	1800. 7.9.	S. O.	Bot. rep. 629.	
2 plenus. W.	double yellow.		Vera Cruz.	1733. —	S. O.	Mill. ic. 2. t. 182. f. 2.	
3 diffusus. W.	prostrate.		W. Ind.	1731. 7.8.	S. h.	Pluk. alm. t. 307. f. 3.	
4 virgatus. W.	long-twiggd.			1774. —	S. h.	Jac. vind. 1. t. 80.	
5 punctatus. W.	spotted-stalked.		Jamaica.	1686. —	S. 24.	Comm. hort. 1. t. 31.	
6 cinereus. W.	Ash-coloured.		E. Ind.	1739. 6.7.	S. h.	Roxb. cor. 2. t. 174.	
7 divergens. W. en.	divergent.		Abyssinia.	1816. —	S. h.		
ACACIA. W.	ACACIA.	Leguminosae. J.	Mimosa sp. L.				
1 verticillata. W.	whorl-leaved.		Van Diem. Isl.	1780. 3.5.	G. h.	Bot. mag. 110.	
2 juniperina. W.	Juniper-leaved.		N. S. W.	1790. 3.6.	G. h.	Vent. malm. 64.	
3 acicularis. H. K.	needle-leaved.			1796. 3.8.	G. h.		
4 acicularis. W. en.	is a different species.						
5 sulcata. H. K.	furrowed-leaved.		N. Holland.	1803. 5.8.	G. h.		
6 suaveolens. W.	sweet-scented.		N. S. W.	1790. 2.6.	G. h.	Jac. schœn. 3. t. 391.	
7 glaucescens. W. en.	blunt-leaved.			1796. 5.6.	G. h.	Vent. choix. 13.	
8 floribunda. W.	many-flowered.			1790. —	G. h.	Bot. rep. 394.	
9 linifolia. W.	Flax-leaved.			2.5.	G. h.	53.	
10 stricta. W.	double-headed.			1792. 3.5.	G. h.	207.	
11 longifolia. W.	long-leaved.			1790. 5.6.	G. h.		
12 falcata. W.	sickle-leaved.			1775.	S. h.		
13 laurifolia. W.	Laurel-leaved.		Tanna.	1775.	S. h.		
14 melanoxylon. H. K.	black-wooded.		Van Diem. Isl.	1808. 4.6.	G. h.	Bot. mag. 1653.	
15 Sophora. H. K.	Sophora-podded.			1805. —	G. h.	Lab. nov. ho. 2. t. 237.	
16 marginata. H. K.	marginate-leav'd.		N. S. W.	1803. —	G. h.		
17 myrtifolia. W.	Myrtle-leaved.			1789. 2.5.	G. h.	Bot. mag. 302.	
18 hispidula. W.	little harsh.			1794. 4.5.	G. h.	Sm. n. holl. 53. t. 16.	
19 decipiens. H. K.	paradoxical.		N. Holland.	1803. 3.6.	G. h.	Bot. mag. 1745.	
20 biflora. H. K.	two-flowered.			—	G. h.		
21 armata. H. K.	simple-l'd prickly			4.6.	G. h.	Bot. mag. 1653.	
22 alata. H. K.	wing-stalked.			4.7.	G. h.		
23 scandens. W.	climbing.		India.	1780.	S. h.	Rheed. mal. 9. t. 77.	
24 pulchella. H. K.	zigzag spiny.		N. Holland.	1803. 4.7.	G. h.		
25 ciliata. H. K.	ciliate-winged.			3.6.	G. h.		
26 ciliata. W. en.	is a different species.						
27 nigricans. H. K.	unequal-winged.			5.7.	G. h.	Lab. n. hol. 2. t. 238.	
28 guianensis. W.	Guiana.		Cayenne.	—	S. h.	Aub. gui. 2. t. 357.	
29 Houstoni. W.	Houstonia's.		Vera Cruz.	1729. 9.11.	S. h.	Bot. reg. 98.	
30 odoratissima. W.	fragrant.		E. Ind.	1790.	S. h.	Roxb. cor. 2. t. 120.	
31 venusta. W. en.	charming.		S. America.	1816.	S. h.		
32 arborea. W.	tree.		Jamaica.	1768.	S. h.	Pluk. al. 6. t. 251. f. 2.	

POLYGAMIA DICECIA.

223

31 Julibrissin. W.	smooth tree.	Leguminosæ. J.	Levant.	1745.	8.	H. h.	Scop. in. 1. t. 8.
32 speciosa. W.	splendid.	—	E. Ind.	1742.	8.9.	S. h.	Jac. ic. 1. t. 198.
33 latisilqua. W.	broad-podded.	—	W. Ind.	1777.	3.6.	S. h.	Plum. ic. 3. t. 6.
34 discolor. W.	two-coloured.	—	N. S. W.	1788.	—	G. h.	Bot. rep. 285.
35 pubescens. H. K.	hairy-stemmed.	—	N. S. W.	1790.	3.6.	G. h.	Bot. mag. 1263.
36 lophantha. W.	two-spiked.	—	N. Holland.	1803.	5.7.	G. h.	Bot. rep. 563.
37 brachyloba. W.	Illinois.	—	N. America.	—	G. h.	—
38 glandulosa. W.	glandulous.	—	—	1806.	G. h.	Vent. choix. 27.
39 decurrens. W.	decurrent.	—	N. S. W.	1790.	5.7.	G. h.	Vent. malm. 61.
40 pernambucana. W.	slotful.	—	W. Ind.	1786.	7.8.	S. h.	Pluk. alm. t. 307. f. 3.
41 peregrina. W.	white-flowered.	—	S. America.	1780.	7.	S. h.	—
42 grandiflora. W.	great-flowered.	—	E. Ind.	1769.	6.9.	S. h.	Bot. rep. 592.
43 glauca. W.	glaucous.	—	America.	1690.	6.8.	S. h.	Cat. car. 2. t. 42.
44 reticulata. W. en.	netted.	—	C. B. S.	1816.	G. h.	Pluk. alm. t. 123. f. 2.
45 juliflora. W.	long-flowered.	—	Jamaica.	1793.	S. h.	—
46 Giraffe. W. en.	camelopard's.	—	C. B. S.	1816.	S. h.	—
47 Cafra. W.	Hottentot.	—	—	1800.	G. h.	—
48 Chundra. W.	hook-spined.	—	E. Ind.	1789.	S. h.	—
49 Catechu. W.	medicinal.	—	—	1790.	S. h.	Roxb. cor. 2. t. 175.
50 leucophloea. W. en.	panicle.	—	—	1812.	S. h.	— 2. t. 150.
51 cornigera. W.	Cuckold Tree.	—	S. America.	1692.	S. h.	Pluk. al. 3. t. 122. f. 1.
52 eburnea. W.	ivory-thorned.	—	E. Ind.	1792.	S. h.	Roxb. cor. 2. t. 199.
53 hæmatoxylon. W. en.	hoary.	—	C. B. S.	1816.	S. h.	—
54 farnesiana. W.	Sponge Tree.	—	St. Domingo	1656.	6.8.	S. h.	Duh. arb. ed. n. t. 28.
55 vera. W.	Egyptian Thorn.	—	Egypt.	1596.	7.	S. h.	Pluk. al. 3. t. 123. f. 1.
56 casia. W.	gray.	—	E. Ind.	1773.	S. h.	Pl. man. 1. t. 330. f. 1.
57 pennata. W.	fine-leaved.	—	—	—	S. h.	Burm. zeyl. 2. t. 1.
58 Intsia. W.	angular-stalked.	—	—	1778.	S. h.	Rheed. mal. 6. t. 4.
59 Ceratonia. W.	round-leaved.	—	S. America.	1800.	S. h.	Plum. ic. t. 8.
60 tamarindifolia. W.	Tamarind-leav ^d .	—	W. Ind.	1774.	S. h.	Jac. schœn. 3. t. 396.
RHAPIS. W.	RHAPIS.	Palme. B. P.	—	—	—	—	—
1 fiabelliformis. W.	creeping-rooted.	—	China.	1774.	8.	S. h.	Bot. mag. 1371.
2 arundinacea. W.	simple-leaved.	—	Carolina.	1765.	9.	G. h.	—

DICECIA.

GLEDITSCHIA. W.	GLEDITSCHIA.	Leguminosæ. J.	—	—	—	—	—
1 triacanthos. Ph.	three-thorned.	—	N. America.	1700.	6.7.	H. h.	Duham. arb. 1. t. 195.
β inermis.	smooth.	—	—	—	H. h.	—
2 brachycarpa. Ph.	curved-spined.	—	—	1723.	—	H. h.	Cat. car. 1. t. 43.
3 monosperma. Ph.	single-seeded.	—	—	—	—	—	—
4 horrida. W.	strong-spined.	—	China.	1774.	—	H. h.	—
5 sinensis. P. S.	Chinese.	—	—	1812.	F. h.	—
CERATONIA. W.	CARON TREE.	Leguminosæ. J.	—	—	—	—	—
Siliqua. W.	St. John's Bread.	—	Levant.	1570.	9.10.	G. h.	Bot. rep. 567.
FRAXINUS. W.	ASH TREE.	Oleina. B. P.	—	—	—	—	—
1 simplicifolia. W.	various-leaved.	—	England.	4.5.	H. h.	Eng. bot. 2476.
2 excelsior. W.	common.	—	Britain.	—	H. h.	— 1692.
β pendula.	weeping.	—	—	—	—	—	—
3 sambucifolia. W.	Elder-leaved.	—	N. America.	1800.	H. h.	—
4 oxycarpa. W.	Caucasian.	—	Caucasus.	1815.	H. h.	—
5 lentiscifolia. W.	Aleppo.	—	Aleppo.	1710.	5.6.	H. h.	Pluk. alm. t. 182. f. 4.
6 americana. W.	white.	—	N. America.	1723.	5.	H. h.	—
acuminata. Ph.	—	—	—	—	—	—	—
7 caroliniana. Ph.	shining.	—	—	1811.	H. h.	—
8 pubescens. W.	black.	—	—	1783.	5.	H. h.	Du Roi. ed. 2. t. 1.
9 juglandifolia. W.	Walnut-leaved.	—	—	—	5.6.	H. h.	—
10 aurea. W. en.	yellow-barked.	—	—	—	—	H. h.	—
11 nana. W. en.	dwarf.	—	—	—	—	H. h.	—
12 atrovirens. P. S.	green curled-le ^d .	—	—	—	—	H. h.	—
BROSIMUM. W.	BREAD NUT.	—	—	—	—	—	—
1 Alicastrum. W.	Jamaica.	—	Jamaica.	1776.	S. h.	Sw. fl. ind. oc. 1. t. 1. f. 1.
2 spurium. W.	Milkwood.	—	—	1789.	S. h.	—
DIOSPYROS. W.	DATE PLUM.	Ebenaceæ. B. P.	—	—	—	—	—
1 Lotus. W.	European.	—	Italy.	1596.	6.7.	H. h.	Mill. ic. t. 116.
2 virginiana. W.	American.	—	N. America.	1629.	—	H. h.	Cat. car. 2. t. 76.
3 pubescens. Ph.	pubescent.	—	—	1812.	4.	H. h.	—
4 sylvatica. W.	wood.	—	E. Ind.	—	S. h.	Roxb. cor. 1. t. 47.
5 Ebenum. W.	smooth.	—	—	1792.	S. h.	{ Rotb. in act. hafn. 2. t. 5.
6 Kaki. W.	Japan.	—	Japan.	1789.	G. h.	Kämpf. amœ. t. 806.

7 cordifolia. W.	heart-leaved.	Ebenaceæ. J.	E. Ind.	1794.	S. h.	Roxb. cor. 1. t. 50.
8 obovata. W.	four-seeded.	_____	W. Ind.	1796.	S. h.	Jac. schœn. 3. t. 312.
MYRSINE. B. P.	MYRSINE.	Myrsinæ. B. P.	_____	_____	_____	_____
1 africana. W.	African.	_____	C. B. S.	1691. 3.5.	G. h.	Comm. hort. 1. t. 64.
2 retusa. W.	round-leaved.	_____	Azores.	1778. 6.	G. h.	Vent. cels. 86.
3 Samara.	oval-leaved.	_____	C. B. S.	1770. 11.2.	G. h.	_____
Samara pentandra. W.	_____	_____	_____	_____	_____	_____
4 melanophleus.	Laurel-leaved.	_____	C. B. S.	1783.	G. h.	Jac. vind. 1. t. 71.
Sideroxylon melanophleum. W.	_____	_____	_____	_____	_____	_____
NYSSA. W.	TUPELO.	Santalaceæ? B. P.	_____	_____	_____	_____
1 villosa. W.	hairy-leaved.	_____	N. America.	1806. 5.	H. h.	Mich. arb. 21.
2 biflora. W.	mountain.	_____	_____	1739. 4.5.	H. h.	_____ 22.
3 capitata. H. K.	round-headed.	_____	_____	1806.	H. h.	_____
4 candicans. W.	hoary.	_____	_____	1812.	H. h.	Mich. arb. 20.
5 denticulata. W.	water.	_____	_____	1735.	H. h.	Cat. car. 1. t. 60.
HAMILTONIA. W.	ORL NUT.	Pyralia. Mich.	_____	_____	_____	_____
oleifera. W.	Olive-bearing.	N. America.	1800.	G. h.	_____	_____
LAUROPHYLLUS } W.	LAUROPHYLLUS.	_____	_____	_____	_____	_____
capensis. W.	Cape.	_____	C. B. S.	1801.	G. h.	_____
BURSERA. W.	BURSERA.	Terebintaceæ. J.	_____	_____	_____	_____
gummifera. W.	Jamaica.	_____	W. Ind.	1690.	S. h.	Jac. amer. t. 65.
ARCTOPUS. W.	ARCTOPUS.	Umbellifera? J.	_____	_____	_____	_____
echinatus. W.	rough.	_____	C. B. S.	1774.	G. h.	Burm. afr. 1. t. 1.
PANAX. W.	PANAX.	Araliæ. J.	_____	_____	_____	_____
1 quinquefolium. W.	Ginseng.	_____	N. America.	1740. 6.	H. h.	Bot. mag. 1383.
2 trifolium. W.	lesser.	_____	_____	1759. 5.6.	H. h.	_____ 1334.
3 aculeatum. W.	prickly.	_____	China.	1773. 11.	S. h.	Jac. ic. 3. t. 634.
4 fruticosum. W.	shrubby.	_____	Ternate.	1800. 8.9.	S. h.	Bot. rep. 595.
FICUS. W.	FIG TREE.	Urticæ. J.	_____	_____	_____	_____
1 Carica. W.	common.	_____	S. Europe.	1548. 6.7.	H. h.	Trew. ehret. 1.73.4.
2 aquatica. W.	rough-leaved.	_____	E. Ind.	1758.	S. h.	Rheed. mal. 3. t. 62.
3 nymphæifolia. W.	Water-Lily-lea ^d .	_____	_____	1759.	S. h.	_____
4 religiosa. W.	Poplar-leaved.	_____	_____	1731.	S. h.	Rheed. mal. 1. t. 27.
5 benghalensis. W.	Bengal.	_____	_____	1690. 4.	S. h.	_____ 1. t. 28.
6 venosa. W.	vein-leaved.	_____	_____	1763.	S. h.	W. hort. ber. 1. t. 36.
7 coriacea. W.	leathery-leaved.	_____	_____	1772.	S. h.	_____
8 costata. W.	rib-leaved.	_____	_____	1763.	S. h.	_____
9 lucida. W.	shining-leaved.	_____	_____	1772.	S. h.	_____
10 martinicensis. W.	round-fruited.	_____	W. Ind.	1759.	S. h.	Sloan. jam. 2. t. 223.
11 infectoria. W.	veiny.	_____	E. Ind.	1763.	S. h.	Rheed. mal. 3. t. 64.
12 pedunculata. W.	Willow-leaved.	_____	S. America.	1776.	S. h.	Pluk. alm. t. 178. f. 4.
13 cordata. W.	heart-leaved.	_____	C. B. S.	1802.	G. h.	Thunb. diss. c. ic.
14 macrophylla. P. S.	large-leaved.	_____	N. Holland.	G. h.	_____
15 australis. W.	ferrugineous.	_____	N. S. W.	1789. 3.6.	G. h.	Vent. malm. t. 114.
16 elastica. Rox.	elastic-gum.	_____	E. Ind.	1815.	G. h.	_____
17 stipulata. W.	trailing.	_____	China.	1771.	G. h.	_____
18 pumila. W.	dwarf.	_____	_____	1759.	G. h.	Kœmp. amcent. 804
19 tinctoria. W.	Otaheite.	_____	Society Isl.	1793. 5.6.	S. h.	_____
20 benjamina. W.	oval-leaved.	_____	E. Ind.	1757.	S. h.	Rheed. mal. 1. t. 26.
21 pertusa. W.	Laurel-leaved.	_____	S. America.	1780.	S. h.	_____
22 nitida. W.	glossy-leaved.	_____	E. Ind.	1786. 3.6.	S. h.	Rheed. mal. 3. t. 55.
23 indica. W.	Banyan Tree.	_____	_____	1759.	S. h.	_____ 3. t. 63.
24 racemosa. W.	clustered.	_____	_____	S. h.	_____ 1. t. 25.
25 retusa. W.	blunt-leaved.	_____	_____	1793.	S. h.	_____
26 repens. W.	creeping-stemm ^d .	_____	_____	1805.	S. h.	_____
27 aspera. W.	rough-leaved.	_____	N. Holland.	1807. 3.6.	G. h.	_____
28 oppositifolia. W.	opposite-leaved.	_____	E. Ind.	1802.	S. h.	Roxb. cor. 2. t. 124.
scabra. P. S.	_____	_____	_____	_____	_____	_____
29 capensis. W.	Cape.	_____	C. B. S.	1816.	G. h.	_____
CHAMÆROPS. W.	CHAMÆROPS.	Palmæ. B. P.	_____	_____	_____	_____
1 humilis. W.	Dwarf Fan Palm.	_____	S. Europe.	1731. 2.3.	G. h.	Bot. rep. 599.
2 serrulata. W.	saw-leaved.	_____	N. America.	1809.	G. h.	_____
3 Hystrix. Ph.	Porcupine.	_____	Georgia.	1801.	G. h.	_____
4 Palmetto. W.	smooth-stemmed.	_____	Carolina.	1809.	G. h.	_____

CLASS XXIV.

CRYPTOGAMIA GONOPTERIDES.

EQUISETUM. W.	HORSE-TAIL.					
1 arvense. W.	corn.	_____	Britain.	3.4.	H. ½.	Eng. bot. 2020.
2 fluviatile. W.	great water.	_____	_____	4.5.	H. ½.	_____ 2022.
3 sylvaticum. W.	wood.	_____	_____	_____	H. ½.	_____ 1874.
4 limosum. W.	smooth naked.	_____	_____	6.7.	H. ½.	_____ 929.
5 palustre. W.	marsh.	_____	_____	_____	H. ½.	_____ 2021.
6 variegatum. W.	variegated.	_____	Scotland.	_____	H. ½.	_____ 1987.
7 hyemale. W.	Shave Grass.	_____	Britain.	7.8.	H. ½.	_____ 915.

STACHYOPTERIDES.

LYCOPODIUM. W.	CLUB-MOSS.	Lycopodineæ. B. P.					
1 clavatum. W.	common.	_____	Britain.	7.8.	H. ½.	Eng. bot. 224.
2 complanatum. W.	Arbor-vitæ-lea ^d .	_____	N. America.	1770.	_____	H. ½.	Fl. dan. 78.
3 alpinum. W.	Savin-leaved.	_____	Britain.	8.	H. ½.	Eng. bot. 234.
4 dendroideum. W.	fan.	_____	N. America.	1770.	7.	H. ½.	Schk. fil. t. 164.
5 annotinum. W.	interrupted.	_____	Britain.	6.8.	H. ½.	Eng. bot. 1727.
6 inundatum. W.	marsh.	_____	_____	6.7.	H. ½.	_____ 239.
7 Selaginoides. W.	prickly.	_____	_____	8.	H. ½.	_____ 1148.
8 ornithopodioides. W.	Bird's-claw.	_____	1812.	6.8.	H. ½.	Dill. M. t. 66. f. 1. B.
9 helveticum. W.	Swiss.	_____	Switzerland.	1779.	H. ½.	_____ t. 64. f. 2.
10 denticulatum. W.	toothed.	_____	_____	_____	7.	H. ½.	_____ t. 66. f. 1. A.
11 Selago. W.	Fir.	_____	Britain.	8.	H. ½.	Eng. bot. 238.
PSILOTUM. Sw.	PSILOTUM.	Lycopodineæ. B. P. Bernhardia. W.					
triquetrum. W.	triangular.	_____	W. Ind.	1793.	7.8.	S. ½.	Schk. fil. t. 165. b
OPHIOGLOSSUM. W.	Adder's-tongue.	Filices. B. P.					
1 vulgatum. W.	common.	_____	Britain.	5.6.	H. ½.	Eng. bot. 108.
2 reticulatum. W.	netted.	_____	W. Ind.	1793.	_____	S. ½.	Plum. fil. t. 164.
BOTRYCHIUM. Sw.	MOONWORT.	Filices. B. P. Osmunde sp. L.					
1 Lunaria. W.	common.	_____	Britain.	5.6.	H. ½.	Eng. bot. 318.
2 fumarioides. W.	Fumitory-leav'd.	_____	Carolina.	1806.	7.8.	H. ½.	Schk. fil. t. 157.
3 dissectum. W.	cut-leaved.	_____	N. America.	_____	7.	H. ½.	_____ t. 158.
4 virginicum. W.	Virginian.	_____	_____	1790.	8.	H. ½.	_____ t. 156.

POROPTERIDES.

MARATTIA. Sw.	MARATTIA.	Filices. B. P. Myriothecca. J.					
alata. W.	winged.	_____	Jamaica.	1793.	S. ½.	Sm. ined. t. 46.

SCHISMATOPTERIDES.

LYGODIUM. Sw.	{ SNAKE'S- TONGUE. }	Filices. B. P. Hydroglossum. W. Ugena. Cav.					
scandens. Sw.	climbing.	_____	E. Ind.	1793.	5.9.	S. ½.	_____
ANEMIA. Sw.	ANEMIA.	Filices. B. P.					
1 hirsuta. W.	hairy.	_____	Jamaica.	1794.	S. ½.	Plum. fil. t. 162.
2 adiantifolia. W.	Maiden-hair-1 ^d .	_____	W. Ind.	1793.	8.9.	S. ½.	_____ t. 158.
OSMUNDA. B. P.	OSMUNDA.	Filices. B. P.					
1 cinnamomea. Ph.	woolly.	_____	N. America.	1772.	6.	H. ½.	Schk. fil. t. 146.
2 regalis. W.	Flowering-Fern.	_____	Britain.	7.8.	H. ½.	Eng. bot. 209.
3 Claytoniana. Ph.	Clayton's.	_____	N. America.	1772.	8.	H. ½.	_____
4 interrupta. Ph.	interrupted.	_____	_____	6.7.	H. ½.	Schk. fil. t. 144.
5 spectabilis. Ph.	showy.	_____	_____	1811.	7.	H. ½.	Pluk. alm. t. 184. f. 4
6 barbata. B. P.	African.	_____	C. B. S.	1805.	5.8.	G. ½.	Schk. fil. t. 147.
<i>Todea africana. W.</i>							

FILICES.

ACROSTICHUM. W.	ACROSTICHUM.	Filices. B. P.					
1 simplex. W.	simple.	_____	Jamaica.	1793.	S. ½.	_____
2 lingua. W.	tongue-leaved.	_____	China.	1817.	5.7.	G. ½.	Th. & Jap. t. 38.
3 crinitum. W.	hairy.	_____	W. Ind.	1793.	S. ½.	Plum. fil. t. 125.
4 alciornae. B. P.	Elk's-horn.	_____	N. S. W.	1808.	8.10.	G. ½.	Bot. reg. 262-3.
5 sorbifolium. W.	Sorbus-leaved.	_____	W. Ind.	1793.	S. ½.	Plum. fil. t. 117.
6 velleam. W.	woolly.	_____	Madeira.	1778.	8.9.	G. ½.	Desf. alt. 2. t. 256.
7 salomelanos. W.	mealy.	_____	W. Ind.	1790.	7.8.	S. ½.	W. hort. ber. 41.

HEMIONITIS. W.	HEMIONITIS.	Filices. B. P.					
1 lanceolata. W.	spear-leaved.	_____	W. Ind.	1793.	S. 2.	Schk. fl. t. 6.	
2 palmata. W.	palmated.	_____	_____	6.8.	S. 2.	Plum. fl. t. 151.	
3 rufa. W.	rusty-haired.	_____	Jamaica.	_____	S. 2.	Schk. fl. t. 17. 21.	
MENISCIMUM. W.	MENISCIMUM.	Filices. B. P.					
reticulatum. W.	netted.	_____	Martinico.	1793.	S. 2.	Plum. fl. t. 110.	
GRAMMITIS. Sw.	GRAMMITIS.	Filices. B. P.					
Ceterach. Sw.	common.	_____	Britain.	5.10. H. 2.	Eng. bot. 1244.	
POLYPODIUM. Sw.	POLYPODY.	Filices. B. P.					
1 piloselloides. W.	Mouse-ear.	_____	W. Ind.	1793.	S. 2.	Plum. fl. t. 118.	
2 lycopodioides. W.	Club-moss.	_____	_____	S. 2.	Schk. fl. t. 8. c. p.	
3 phyllitidis. W.	Hart's-tongue.	_____	_____	6.9.	S. 2.	Plum. fl. t. 130.	
4 aureum. W.	golden.	_____	_____	1742. 3.4.	S. 2.	_____ t. 76.	
5 vulgare. W.	common.	_____	Britain.	5.10. H. 2.	Eng. bot. 1149.	
β cambricum.	Welsh.	_____	_____	H. 2.	Bolt. fl. t. 2. f. 5. a.	
6 virginianum. W.	Virginian.	_____	N. America.	7. H. 2.	Plum. fl. t. 77.	
7 pectinatum. W.	comb-leaved.	_____	W. Ind.	1793. 6.9.	S. 2.	Schk. fl. t. 17. b.	
8 asplenifolium. W.	Splenwort-lea ^d .	_____	Martinico.	1790.	S. 2.	Plum. fl. t. 103. A.	
9 incanum. Ph.	hoary.	_____	N. America.	1811. 7.	H. 2.	Schk. fl. t. 11. b.	
10 Pheopteris. W.	Sun-fern.	_____	Britain.	6.7. H. 2.	Eng. bot. 2224.	
11 hexagonopterum. W.	triangular.	_____	N. America.	1811. 7.	H. 2.	Pluk. alm. t. 284. f. 2.	
12 pruinatum. W.	white-leaved.	_____	Jamaica.	1793.	S. 2.	_____	
13 effusum. W.	spreading.	_____	_____	1769. 11.	S. 2.	Sloa. jam. t. 57. f. 3.	
14 Dryopteris. W.	tender-branch'd.	_____	Britain.	6.9. H. 2.	Eng. bot. 616.	
15 calcareum. W.	rigid-branched.	_____	_____	7. H. 2.	_____ 1525.	
WOODSIA. L. T.	WOODSIA.	Filices. B. P.					
1 hyperborea. Ph.	hairy Alpine.	_____	Scotland.	7.9. H. 2.	Eng. bot. 2023.	
2 ilvensis. Ph.	rock.	_____	N. America.	1812. 6.7.	H. 2.	Schk. fl. t. 19.	
NEPHRODIUM. B. P.	KIDNEY-FERN.	Filices. B. P.	Aspidii sp. W. Aspidium. Spreng.				
1 trifoliatum. W.	three-leaved.	_____	W. Ind.	1769. 4.8.	S. 2.	Jac. ic. 3. t. 638.	
2 Lonchitis. W.	rough Alpine.	_____	Britain.	5.8. H. 2.	Eng. bot. 797.	
3 auriculatum. W.	eared.	_____	E. Ind.	1793. 7.	S. 2.	{ Burm. zeyl. 98. t. 44. f. 2.	
4 exaltatum. B. P.	lofty.	_____	Jamaica.	_____	S. 2.	{ Schk. fl. t. 32. b.	
5 unitum. B. P.	smooth-united.	_____	E. Ind.	_____	S. 2.	{ Burm. zeyl. 98. t. 44. f. 1.	
6 propinquum. B. P.	pubescent.	_____	_____	S. 2.	_____	
7 patens. W.	downy.	_____	Jamaica.	1784. 7.9.	S. 2.	Schk. fl. t. 334.	
8 noveboracense. W.	river-side.	_____	N. America.	1812. 7.	H. 2.	_____ t. 46.	
9 Oreopteris. W.	Heath.	_____	Britain.	H. 2.	Eng. bot. 1019.	
10 Thelypteris. W.	Lady-fern.	_____	_____	7.8. H. 2.	_____ 1018.	
11 cristatum. W.	lesser crested.	_____	England.	6.8. H. 2.	_____ 2125.	
12 aculeatum. W.	common prickly.	_____	Britain.	H. 2.	_____ 1562.	
13 marginale. W.	marginal-flower ^d .	_____	N. America.	1772. 6.9.	H. 2.	Schk. fl. t. 45. b.	
14 Filix-mas. W.	Male Fern.	_____	Britain.	6.8. H. 2.	Eng. bot. 1458.	
15 lobatum. W.	close-leaved.	_____	England.	H. 2.	_____ 1563.	
16 spinulosum. W.	crested prickly.	_____	Britain.	H. 2.	_____ 1460.	
17 dilatatum. W.	great-crested.	_____	_____	H. 2.	_____ 1461.	
18 elongatum. W.	cut-leaved.	_____	Madeira.	1779. 7.8.	G. 2.	_____	
19 villosum. W.	villous.	_____	W. Ind.	1793. 7.	S. 2.	Schk. fl. t. 46. b.	
ALLANTODIA. B. P.	ALLANTODIA.	Filices. B. B.	Aspidii sp. W.				
umbrosa. B. P.	Madeira.	_____	Madeira.	1779. 6.9.	G. 2.	Schk. fl. t. 61.	
ASPIDIUM. B. P.	SHIELD-FERN.	Filices. B. P.	Athyrium. Spreng.				
1 dentatum. W.	toothed.	_____	Wales.	7. H. 2.	Eng. bot. 1588.	
2 bulbiferum. W.	bulbiferous.	_____	N. America.	1638. 7.8.	H. 2.	_____	
3 axillare. W.	slender.	_____	Madeira.	1779. 6.9.	G. 2.	_____	
4 fragile. W.	brittle.	_____	Britain.	6.8. H. 2.	Eng. bot. 1587.	
5 regium. W.	lacinated.	_____	_____	6. H. 2.	_____ 163.	
6 rheticum. W.	stone.	_____	_____	6.7. H. 2.	_____	
7 irriguum. E. B.	brook.	_____	_____	H. 2.	_____	
8 æmulum. W.	dwarf.	_____	Madeira.	1779.	G. 2.	_____	
ASPLENIUM. B. P.	SPLEENWORT.	Filices. B. P.					
1 fontanum. B. P.	smooth rock.	_____	England.	6.8. H. 2.	Eng. bot. 2024.	
Aspidium fontanum. E. B.	female.	_____	Britain.	6.9. H. 2.	_____ 1459.	
2 Filix-femina. B. P.	black.	_____	_____	4.10. H. 2.	_____ 1950.	
3 Adiantum-nigrum W.	black.	_____	_____	4.10. H. 2.	_____ 1950.	
4 montanum. W.	mountain.	_____	N. America.	1812. 7.	H. 2.	_____	
5 lanceolatum. W.	lanceolate.	_____	England.	6.10. H. 2.	Eng. bot. 240.	
6 fragrans. W.	fragrant.	_____	Jamaica.	1793. 7.	S. 2.	_____	

7	Ruta-muraria. W.	Wall-rue.	Filices. B. P.	Britain.	6.10. H. 2.	Eng. bot. 150.
8	præmorsum. W.	snip-leaved.	_____	Jamaica.	1793.	S. 2.	Pluk. alm. t. 73. f. 5.
9	striatum. W.	striated.	_____	W. Ind.	_____	6.8. S. 2.	Plum. fil. t. 18. 19.
10	rhizophorum. W.	root-bearing.	_____	Jamaica.	_____	S. 2.	{ Sloan. jam. 1. t. 29. 30. f. 1.
11	viride. W.	green.	_____	Britain.	6.9. H. 2.	Eng. bot. 2257.
12	melanocaulon. Ph.	black-stalked.	_____	N. America.	1812. 7.	H. 2.	
13	Trichomanes. W.	Maiden-hair.	_____	Britain.	5.10. H. 2.	Eng. bot. 576.
14	Breynii. Sw.	alternate-leaved.	_____	Scotland.	6.10. H. 2.	2258.
15	c. enenum. Ph.	ivory-striped.	_____	N. America.	1779. 9.	H. 2.	Schk. fil. t. 73.
16	monanthemum. W.	one-flowered.	_____	C. B. S.	1790. 7.	G. 2.	Smith ined. t. 73.
17	marinum. W.	sea.	_____	Britain.	6.10. H. 2.	Eng. bot. 392.
18	angustifolium. W.	narrow-leaved.	_____	N. America.	1812. 6.7.	H. 2.	Schk. fil. t. 67. 69.
19	septentrionale. W.	forked.	_____	Britain.	6.10. H. 2.	Eng. bot. 1017.
20	Hemionitis. W.	Mules-fern.	_____	Madeira.	1779. 6.7.	G. 2.	Schk. fil. t. 66.
21	rhizophyllum. W.	rooting-leaved.	_____	N. America.	1680. —	H. 2.	Pluk. alm. t. 105. f. 2.
22	serratum. W.	saw-leaved.	_____	W. Ind.	1793.	S. 2.	Schk. fil. t. 64.
SCOLOPENDRIUM. W. { HART'S } officinatum. W. { TONGUE. }			Filices. B. P.	Britain.	7.8. H. 2.	Eng. bot. 1150.
β crispum.			_____	_____	—	H. 2.
γ undulatum.			_____	_____	—	H. 2.
δ multifidum.			_____	_____	—	H. 2.
ε ramosum.			_____	_____	—	H. 2.
branching.			_____	_____	—	H. 2.
DIPLAZIUM. Sw. DIPLAZIUM.			Filices. B. P.	Jamaica.	1793.	S. 2.	
grandifolium. W. large-leaved.			_____	_____	_____	_____	_____
PTERIS. W. BRAKE.			Filices. B. P.	W. Ind.	1770. 7.9.	S. 2.	Jac. sch. 3. t. 399. 400
1	longifolia. W.	long-leaved.	_____	_____	1793.	S. 2.	Schk. fil. t. 89.
2	grandifolia. W.	large-leaved.	_____	_____	1770. 8.9.	S. 2.	t. 91.
3	serrulata. W.	various-leaved.	_____	India.	_____	H. 2.	t. 101.
4	atropurpurea. W.	purple.	_____	N. America.	_____	H. 2.	Pluk. alm. t. 290. f. 2.
5	arguta. W.	sharp-notched.	_____	Madeira.	1778. —	G. 2.	Eng. bot. 1160.
6	crispa. W.	curled.	_____	Britain.	7.8. H. 2.	Plum. fil. t. 5. et 11.
7	aculeata. W.	prickly-stemm'd.	_____	W. Ind.	1793.	S. 2.	Lab. n. holl. 2. t. 244.
8	esculenta. B. P.	esculent.	_____	N. S. W.	1815.	G. 2.	Jac. ic. 3. t. 645.
9	caudata. W.	American.	_____	N. America.	1777. 9.12.	H. 2.	Eng. bot. 1679.
10	aquilina. W.	common.	_____	Britain.	7.8. H. 2.	Brown. jam. 89. t. 1.
11	podophylla. W.	pedated.	_____	Jamaica.	1793. 6.7.	S. 2.	
VITTARIA. Sm. VITTARIA.			Filices. B. P.	America.	1793.	S. 2.	Schk. fil. t. 101. b.
lineata. W. linear-leaved.			_____	_____	_____	_____	_____
ONOCLEA. Sw. ONOCLEA.			Filices. B. P.	_____	_____	_____	_____
1	sensibilis. W.	sensitive.	_____	Virginia.	1799. 8.	H. 2.	Schk. fil. t. 102.
2	obtusilobata. Ph.	obtuse-lobed.	_____	N. America.	1812. 7.	H. 2.	t. 103.
3	Struthiopteris. Sw.	Russian.	_____	Europe.	1760. 7.8.	H. 2.	t. 105.
BLECHNUM. Sw. BLECHNUM.			Filices. B. P.	_____	_____	_____	_____
1	boreale. W.	northern.	_____	Britain.	7. H. 2.	Eng. bot. 1159.
2	australe. W.	Cape.	_____	C. B. S.	1691. 3.9.	G. 2.	Schk. fil. t. 110. b.
3	occidentale. W.	American.	_____	S. America.	1777. —	S. 2.	Jac. ic. 3. t. 644.
WOODWARDIA. Sm. WOODWARDIA.			Filices. B. P.	_____	_____	_____	_____
1	onocleoides. Ph.	Onoclea-like.	_____	N. America.	1812. 8.	H. 2.	Schk. fil. t. 111.
2	virginica. Ph.	Virginian.	_____	_____	1774. 8.9.	H. 2.	Pluk. alm. t. 179. f. 2.
3	radicans. W.	rooting-leaved.	_____	Madeira.	1779. 9.	G. 2.	Schk. fil. t. 112.
DOODIA. B. P. DOODIA.			Filices. B. P.	_____	_____	_____	_____
1	aspera. B. P.	rough-stalked.	_____	N. S. W.	1808. 3.9.	G. 2.	
ADIANTUM. W. MAIDENHAIR.			Filices. B. P.	_____	_____	_____	_____
1	reniforme. W.	kidney-leaved.	_____	Madeira.	1699. 6.9.	G. 2.	Pluk. alm. t. 287. f. 5.
2	radiatum. W.	radiated.	_____	W. Ind.	1776. 4.8.	S. 2.	Plum. fil. t. 100.
3	macrophyllum. W.	large-leaved.	_____	Jamaica.	1793.	S. 2.	Brown. jam. t. 38. f. 1.
4	pedatum. W.	Canadian.	_____	N. America.	1640. 8.9.	H. 2.	Schk. fil. t. 115.
5	villosum. W.	hairy-stalked.	_____	Jamaica.	1775. 6.9.	S. 2.	t. 120.
6	pulverulentum. W.	dusty.	_____	W. Ind.	1793.	S. 2.	t. 119.
7	trapeziforme. W.	rhomb-leaved.	_____	_____	S. 2.	t. 122.
8	Capillus-veneris. W.	true.	_____	Britain.	5.9. H. 2.	Eng. bot. 1564.
9	tenerum. W.	tender.	_____	Jamaica.	1793. 7.	S. 2.	Pluk. alm. t. 254. f. 1.
CHEILANTHES. Sw. CHEILANTHES.			Filices. B. P.	_____	_____	_____	_____
1	vestita. W.	hairy.	_____	N. America.	1812. 7.	H. 2.	Schk. fil. t. 124.
2	pteroides. W.	Pteris-like.	_____	C. B. S.	1775. 7.9.	G. 2.	Hout. n. his. t. 96. f. 3.
3	fragrans. W.	sweet-scented.	_____	Madeira.	1778.	G. 2.	Sw. sym. fl. t. 3. f. 6.
LONCHITIS. W. LONCHITIS.			Filices. B. P.	_____	_____	_____	_____
1	hirsuta. W.	hairy.	_____	W. Ind.	1793.	S. 2.	Schk. fil. t. 86.

CRYPTOGAMIA HYDROPTERIDES.

DAVALLIA. Sm.	DAVALLIA.	Filices. B. P.			
1 pyxidata. B. P.	shining.	_____	N. S. W.	1808. 4.9. G. ½.	
2 canariensis. W.	Hare's-foot.	_____	Canaries.	1699. — G. ¼.	Jac. ic. 1. t. 200.
DICKSONIA. W.	DICKSONIA.	Filices. B. P.			
1 arborescens. H. K.	tree.	_____	St. Helena.	1786. 6.12. S. ½.	
2 Culcita. W.	shining-leaved.	_____	Madeira.	1779. 9.10. G. ¼.	
3 dissecta. W.	cut-leaved.	_____	Jamaica.	1793. — S. ¼.	
4 pilosiuscula. W.	hairy.	_____	N. America.	1811. 7.9. H. ¼.	Schk. fl. t. 181.
CYATHEA. W.	CYATHEA.	Filices. B. P.			
arborea. W.	tree.	_____	W. Ind.	1793. S. ¼.	Plum. fl. 1. t. 1. 4.
TRICHOMANES. B. P.	TRICHOMANES.	Filices. B. P.			
brevisetum. H. K.	short-styled.	_____	Britain. 5.6. H. ¼.	Eng. bot. 1417.
<i>Hymenophyllum alatum.</i> E. B.					
HYMENOPHYLLUM. Sm.	FILMY-LEAF.	Filices. B. P.			
tunbridgense. W.	Tunbridge.	_____	Britain. 5.6. H. ¼.	Eng. bot. 162.

HYDROPTERIDES.

ISOETES. W.	QUILLWORT.	Marsileaceæ. B. P.			
lacustris. W.	marsh.	_____	Britain. 5.10. H. ¼.	Eng. bot. 1084.
PILULARIA. W.	PILLWORT.	Marsileaceæ. B. P.			
globulifera. W.	Pepper-grass.	_____	Britain. 6.9. H. ¼.	Eng. bot. 521.

POLYGAMIA MONŒCIA.

219

12 nana. W.	mountain.	Coniferae. J.	Siberia. 5.6. H. h.	{ Pall. ross. 2. t. 54. f. A. B.
13 Oxycedrus. W.	brown-berried.	_____	Spain.	1739. — H. h.	Duham. arb. 2. t. 128
14 phoenicea. W.	Phœnician.	_____	S. Europe.	1683. — H. h.	Pall. ross. 2. t. 57.
15 lycia. W.	Lycian.	_____	_____	1693. — H. h.	2. t. 56.
16 barbadensis. W.	Barbadoes Cedar.	_____	Florida.	1811. G. h.	Pluk. alm. t. 197. f. 4
TAXUS. W.	YEW-TREE.	Coniferae. J.	_____	_____	_____
1 baccata. W.	common.	_____	Britain. 2.4. H. h.	Eng. bot. 746.
2 nucifera. W.	Acorn-bearing.	_____	China.	1764. G. h.	Kämpf. amœn. t. 815
EPHEDRA. W.	EPHEDRA.	Coniferae. J.	_____	_____	_____
1 distachya. W.	great.	_____	France.	1570. 6.7. H. h.	Schk. han. 3. t. 339.
2 monostachya. W.	small.	_____	Siberia.	1772. 9.11. H. h.	Pall. ross. 2. t. 88.
CISSAMPELOS. D.	CISSAMPELOS.	Menispermæ. D.	_____	_____	_____
1 Pareira. D.	velvet-leaf.	_____	S. America.	1733. 7.8. S. h.	Lam. ill. t. 830.
2 Caspeba. D.	nervous-leaved.	_____	_____	— S. h.	Plum. ic. 67. f. 2.
3 capensis. D.	Cape.	_____	C. B. S.	1775. G. h.	_____
EXCŒCARIA. W.	EXCŒCARIA.	Euphorbiacæ. J.	_____	_____	_____
serrata. H. K.	saw-leaved.	_____	Chili.	1796. 11.2. G. h.	_____
ADELIA. W.	ADELIA.	Euphorbiacæ. J.	_____	_____	_____
1 Bernardia. W.	villous-leaved.	_____	Jamaica.	1768. 7.8. S. h.	_____
2 Ricinella. W.	smooth-leaved.	_____	_____	— 6.8. S. h.	_____
3 Acidoton. W.	Box-leaved.	_____	Jamaica.	1768. 6.7. S. h.	_____
LOUREIRA. W.	LOUREIRA.	Mozimna. Orteg.	_____	_____
glandulosa. W.	glandulous.	_____	Mexico.	1799. S. h.	Cav. ic. 5. t. 430.
MYRISTICA. W.	NUMMÆG.	Myristicæ. B. P.	_____	_____	_____
1 moschata. W.	true.	_____	E. Ind.	1795. S. h.	Lam. ill. t. 832.
2 fatua. W.	tasteless.	_____	Surinam.	1812. S. h.	Pluk. alm. t. 250. f. 6.
NEPENTHES. W.	PITCHER-PLANT.	_____	_____	_____
distillatoria. W.	Chinese.	_____	China.	1789. 4.5. S. h.	Burm. zeyl. 42. t. 17.
RUSCUS. W.	{ BUTCHER'S- BROOM. }	Smilacæ ?	_____	_____	_____
1 aculeatus. W.	prickly.	_____	England. 12.6. H. h.	Eng. bot. 560.
2 laxus. L. T.	loose.	_____	Portugal. 1.6. H. h.	_____
3 Hypophyllum. W.	broad-leaved.	_____	Italy.	1640. 5.6. H. h.	Col. ecp. 1. t. 165. f. 1.
4 Hypoglossum. W.	double-leaved.	_____	_____	1596. 4.5. H. h.	Schk. hand. 3. t. 340.
5 androgynus. W.	climbing.	_____	Canaries.	1713. — G. h.	Bot. mag. 1698.
6 racemosus. W.	{ Alexandrian } Laurel.	_____	Portugal.	— 6. H. h.	Herm. ludg. t. 681.
LATANIA. J.	BOURBON PALM.	Palmae. B. P.	_____	_____	_____
rubra. W.	red.	_____	Mauritius.	1788. S. h.	Jac. frag. 13. t. 8.
GYNANDRIA.					
CLUYTIA. W.	CLUYTIA.	Euphorbiacæ. J.	_____	_____	_____
1 alaternoides. W.	narrow-leaved.	_____	C. B. S.	1692. 12.3. G. h.	Bot. mag. 1321.
2 polygonoides. W.	Polygonum-like.	_____	_____	1790. — G. h.	W. hort. ber. 51.
3 daphnoides. W.	Daphne-leaved.	_____	_____	1731. 5.6. G. h.	— 52.
4 ericoides. W.	Heath-leaved.	_____	_____	1790. 4.6. G. h.	_____
5 polifolia. W.	Poley-leaved.	_____	_____	— G. h.	Jac. schœn. 2. t. 50
6 tomentosa. W.	tomentose.	_____	_____	1812. — G. h.	_____
7 pulchella. W.	broad-leaved.	_____	_____	1789. 1.6. G. h.	Bot. mag. 1945.
8 collina. W.	hill.	_____	E. Ind.	1807. S. h.	Roxb. cor. 2. t. 169

CLASS XXIII.

POLYGAMIA MONŒCIA.

MUSA. W.	PLANTAIN-TREE. Musacæ. J.	_____	_____	_____	_____
1 paradisiaca. W.	common.	_____	India.	1690. 10.12. S. h.	{ Trew chœt. 3. t 18. 20.
2 sapientum. W.	Banana-tree.	_____	W. Ind.	1729. 10.3. S. h.	— 4. t. 21. 23.
3 rosacea. W.	Rose-coloured.	_____	Mauritius.	1805. 3.6. S. h.	Jac. schœn. 4. t. 446.
4 coccinea. W.	scarlet-flowered.	_____	China.	1792. 12.3. S. h.	Bot. mag. 1559.
VERATRUM. W.	Melanthaceæ. B. P.	_____	_____	_____	_____
1 album. W.	white.	_____	Europe.	1548. 6.2. H. h.	Fl. dan. 1120.
2 viride. W.	green-flowered.	_____	N. America.	1742. 7.8. H. h.	Bot. mag. 1096.

SOLANUM.	NIGHTSHADE.	Solanæ.					
55 decurrens. B. reg.	decurrent.	_____	S. America.	1816.	4.9.	G. h.	Bot. reg. 140.
56 aculeatissimum. W.	prickly.	_____	_____	_____	_____	G. h.	Jac. ic. 1. t. 41.
ARDISIA.	ARDISIA.	Myrsinæ.					
8 crenata. B. M.	crenated.	_____	China.	1809.	6.9.	G. h.	Bot. mag. 1950.
SCLEROXYLON.	SCLEROXYLON.	Sapotæ.					
W. en. }							
Jacquini.	spear-leaved.	_____	C. B. S.	6.9.	G. h.	Bot. mag. 1858.
<i>Sideroxylon mite.</i>	<i>B. M. Manglilla Milleriana. P. S.</i>						
SABBATIA.	SABBATIA.	Gentianæ.					
4 paniculata. Ph.	panicled.	_____	N. America.	1817.	7.8.	H. 4.	
ECHITES.	ECHITES.	Apocynæ.					
7 caryophyllata. B. M.	Clove-scented.	_____	E. Ind.	1812.	10.	S. h.	Bot. mag. 1919.

DIGYNIA.

NAMA. L.	NAMA.	Convolvulacæ. J.					
jamaicensis. W.	Jamaica.	_____	Jamaica.	1812.	6.9.	S. ①.	Lam. ill. t. 184.
BUMALDA. Th.	BUMALDA.	Rhamni? J.					
trifolia. Th.	three-leaved.	_____	Japan.	1812.	6.9.	G. h.	

HEXANDRIA MONOGYNIA.

PANCRATIUM.	PANCRATIUM.	Amaryllideæ.					
21 guianenses. B. reg.	long-tubed.	_____	Guiana.	1803.	6.9.	S. 4.	Bot. reg. 265.
NARTHECIUM. p. 72.		Juncæ. B. P.					
BUONAPARTEA. p. 74.		Bromeliæ. J.					

OCTANDRIA MONOGYNIA.

ÆNOTHERA.	ÆNOTHERA.	Onagrariz.					
22 corymbosa. B. M.	corymbed.	_____	Mexico.	1816.	9.10.	G. 3.	Bot. mag. 1974.
ERICA.	ERICA.	Ericæ.					
321 sulphurea. B. M.	sulphur-colour'd.	_____	C. B. S.	1800.	5.9.	G. h.	Bot. mag. 1984.

ENNEANDRIA TRIGYNIA.

PLEEA. Mi.	PLEEA.	Juncæ. B. P.					
tenuifolia. Mi.	slender-leaved.	_____	Carolina.	1812.	5.8.	G. 4.	Bot. mag. 1956.

DECANDRIA MONOGYNIA.

CACUCIA. Aub.	CACUCIA.	Onagrariz. J. Schousbæ. W.					
coccinea. P. S.	scarlet.	_____	Guiana.	S. h.	Aub. gui. 1. t. 179.

DODECANDRIA MONOGYNIA.

GARCINIA.	GARCINIA.	Guttifera.					
2 cornea. W.	nodding-flower'd.	_____	E. Ind.	1817.	S. h.	Rum. amb. 2. t. 30.

TRIGYNIA.

EUPHORBIA.	SPURGE.	Euphorbiacæ.					
124 rigida. M. B.	rigid.	_____	Siberia.	1816.	1.3.	G. 4.	Bot. reg. 274.

DODECAGYNIA.

SEMPERVIVUM.	HOUSELEEK.	Sempervivæ.					
18 Smithii. B. M.	hispid-stemmed.	_____	Canaries.	1815.	9.	G. h.	Bot. mag. 1980.
19 Simsii.	ciliated.	_____	_____	_____	9.4.	G. 4.	Bot. mag. 1978.
<i>ciliatum. B. M. not of W. en.</i>							

ISCOSANDRIA MONOGYNIA.

PSIDIUM.	GUAVA.	Myrti.					
6 polycarpum. L. T.	many-fruited.	_____	W. Ind.	1.12.	S. h.	

POLYANDRIA TRIGYNIA.

HIBBERTIA.	HIBBERTIA.	Dilleniæ. D. Magnoliæ? p. 125.					
3 dentata. D.	toothed.	_____	N. Holland.	1814.	1.8.	G. 4.	Bot. reg. 202.

ADDENDA ET CORRIGENDA.

231

DELPHINIUM.	LARKSPUR.	Ranunculacæ.		
18 chinense.	Chinèsè.	_____	China.	1816. 6.9. H. 2.
	<i>grandiflorum</i> β. <i>chinense</i> . D.	_____		
19 ochroleucum. D.	sulphur-coloured.	_____	Iberia.	1817. 7.9. H. 2.
20 revolutum. D.	revolute.	_____ H. 2.
21 cuneatum. D.	wedge-leaved.	_____	Siberia.	1815. — H. 2.
22 flexuosum. D.	flexuose.	_____	Caucasus.	1817. — H. 2.
ACONITUM.	WOLF'S-BANE.	Ranunculacæ.		
18 neubergense. D.	Clusius's.	_____	Europe. 6.8. H. 2. Clus. his. 2. p. 96 f. 1.

PENTAGYNIA.

COLBERTIA. D.	COLBERTIA.	Dilleniaceæ. D.		
coromandeliana. D.	Coromandel.	_____	E. Ind.	1803. S. 2. Roxb. cor. 1. t. 26.
<i>Dillenia pentagynia</i> . p. 126.				

POLYGYNIA.

DILLENIA. D.	DILLENIA.	Dilleniaceæ. D.	<i>Magnolia</i> ? p. 126.	
UNONA. D.	UNONA.	Anonacæ. D.		
odorata. D.	sweet-scented.	_____	Java.	1804. 5.7. S. 2. Rumph. amb. 2. t. 65.
	<i>Uvaria odorata</i> . p. 126.			
GUATTERIA. D.	GUATTERIA.	Anonacæ. D.		
virgata. D.	Lance-wood.	_____	Jamaica.	1793. S. 2. Dunal. mon. t. 31.
	<i>Uvaria lanceolata</i> . p. 126.			

POLYANDRIA POLYGYNIA.

ASIMINA. D.	ASIMINA.	Anonacæ. D.	<i>Porcelia</i> . p. 126.	
1 parviflora. D.	small-flowered.	_____	N. America.	1806. 4.5. H. 2. Dunal. mon. t. 9.
	<i>Porcelia parviflora</i> . p. 126.			
2 triloba. D.	trifid-fruited.	_____		1736. 7.8. H. 2. Mich. arb. 3. t. 9.
	<i>Porcelia triloba</i> . p. 126.			
3 pygmæa. D.	dwarf.	_____		1812. H. 2. Dunal. mon. t. 10.
ANEMONE.	ANEMONE.	Ranunculacæ.		
16 pavonina. D.	acute-petalled.	_____	Europe. 4.5. H. 2. Lob. ic. t. 278.
	<i>β flore pleno</i> .			
	<i>double-flowered</i> .			
NARAVELIA. D.	NARAVELIA.	Ranunculacæ.		
zeylanica. D.	Ceylon.	_____	Ceylon.	1796. S. 2. Roxb. cor. 2. t. 186.
	<i>Atragene zeylanica</i> . p. 127.			
CLEMATIS.	VIRGIN'S-BOWER	Ranunculacæ.		
22 triternata. D.	triternate.	_____	1806. H. 2.
THALICTRUM.	MEADOW-RUE.	Ranunculacæ.		
27 glaucescens. D.	glaucous.	_____	Russia. 6. H. 2.
28 nutans. D.	nodding.	_____	Italy. 6.4. H. 2.
29 saxatile. D.	rock.	_____	 6.8. H. 2.
ADONIS.	ADONIS.	Ranunculacæ.		
5 flava. D.	yellow.	_____	France. 6.8. H. 2. Tab. ic. 790. f. 1.
6 pyrenaica. D.	Pyrenean.	_____	Pyrenees.	1817. 6.7. H. 2.
RANUNCULUS.	CROW-FOOT.	Ranunculacæ.		
43 tripartitus. D.	three-parted.	_____	Britain. 5.8. H. 2. D. ic. Gall. rar. 1. t. 49.
44 fumarizifolius. D.	Fumitory-leav'd.	_____ — H. 2. { Desf. ic. pict. h. par. t. 74.

DIDYNAMIA ANGIOSPERMIA.

HEBENSTRETIA.	HEBENSTRETIA.	Verbenacæ.		
7 fruticosa. B. M.	shrubby.	_____	C. B. S.	1816. 5.11. G. 2. Bot. mag. 1270.

MONADELPHIA PENTANDRIA.

PASSIFLORA.	PASSION-FLOWER.	Passifloræ.		
24 mexicana. J.	spotted-leaved.	_____	Mexico.	1812. S. 2. { J. ann. mus. p. 108. t. 38. f. 2.
25 racemosa. L. T.	scarlet-flowered.	_____	S. America.	1816. 11.6. S. 2. Bot. reg. 285.

DIADELPHIA DECANDRIA.

HOVEA.	HOVEA.	Leguminosæ.		
5 Celsi. B. reg.	Cels's.	_____	N. Holland.	1817. 3.4. G. 2. Bot. reg. 280.
GALACTIA.	GALACTIA.	Leguminosæ.		
2 mollis. Ph.	soft.	_____	Carolina.	1812. 7.8. G. 2.

ADDENDA ET CORRIGENDA.

POLYADELPHIA POLYANDRIA.

CITRUS.	CITRUS.	Aurantia.
1 Medica. W.	Lemon-tree.	
acida. p. 173. <i>errata</i> .		
3 acida. Rox.	Lime-tree.	
limonia. p. 173.		

GYNANDRIA MONANDRIA.

LIMODORUM. Sw.	LIMODORUM.	Orchideæ. B. P.		
falcatum. Sw.	sickle-leaved.		Japan.	1816. 3.4. G. 2. Bot. reg. 283.

MONCECIA POLYANDRIA.

BEGONIA.	BEGONIA.	Hydrocharideæ.		
9 spatulata. B. reg.	spatulate.		1816. 3.6. S. 2.

POLYGAMIA MONCECIA.

BRIDELIA. W.	BRIDELIA.	Euphorbiaceæ. J.		
scandens. W.	climbing.		E. Ind.	1804. S. 2. Rox. cor. 2. t. 1

INDEX GENERUM.

- ABROMA**, Page 178. **Aleurites**, Page 212. **Anthriscus**, Page 58. **Athanasia**, Page 183. **Blakea**, Page 106.
Abrus, 159. **Alisma**, 79. **Anthyllis**, 162. **Atractylis**, 180. **Blandfordia**, 67.
Acacia, 222. **Allamanda**, 49. **Antidesma**, 216. **Atragene**, 127. **Blechnum**, 227.
Acæna, 7. **Allantodia**, 226. **Antirrhinum**, 140. **Atraphaxis**, 77. **Blechum**, 139.
Acalypha, 211. **Allionia**, 24. **Anychia**, 48. **Atriplex**, 220. **Bletia**, 201.
Acanthus, 138. **Allium**, 69. **Aotus**, 91. **Atropa**, 41. **Blighia**, 81.
Acarna, 180. **Alnus**, 205. **Apargia**, 176. **Aubletia**, 122. **Blitum**, 2.
Acer, 221. **Aloe**, 74. **Apocynum**, 50. **Aucuba**, 205. **Bocconia**, 105.
Aceras, 208. **Alonsoa**, 142. **Aponogeton**, 79. **Aulax**, 215. **Bœhmeria**, 206.
Achania, 157. **Alopecurus**, 18. **Arabis**, 145. **Avena**, 15. **Boerhaavia**, 2.
Achillea, 193. **Aloysia**, 137. **Arachis**, 162. **Avicennia**, 137. **Boltonia**, 192.
Achras, 43. **Alpinia**, 1. **Aralia**, 61. **Axyris**, 205. **Bombax**, 154.
Achyranthes, 48. **Alstrœmeria**, 73. **Arctium**, 178. **Ayenia**, 49. **Bontia**, 137.
Acideton, 208. **Alternanthera**, 48. **Arctopus**, 224. **Borago**, 31.
Acisanthera, 94. **Althæa**, 155. **Arctotheca**, 196. **Borassus**, 217.
Acmella, 194. **Alyssum**, 144. **Arctotis**, 198. **Borbonia**, 159.
Acrida, 216. **Amaranthus**, 206. **Ardisia**, 43. **Boronia**, 81.
Aconitum, 125. **Amaryllis**, 65. **Ardina**, 49. **Borya**, 214.
Acorus, 76. **Ambrosia**, 206. **Areca**, 210. **Bœsia**, 53.
Acrostichum, 225. **Amorpha**, 160. **Arenaria**, 101. **Bossia**, 161.
Actæa, 121. **Amsonia**, 50. **Arethusa**, 201. **Botrychium**, 225.
Actinocarpus, 79. **Amygdalus**, 111. **Aretia**, 32. **Bourreria**, 32.
Acynos, 174. **Amyris**, 81. **Argemone**, 121. **Bouvardia**, 26.
Adansonia, 154. **Anabasis**, 53. **Aristea**, 11. **Brabejum**, 221.
Adelia, 219. **Anacardium**, 106. **Aristolochia**, 202. **Brachysema**, 90.
Adenandra, 45. **Anacyclus**, 192. **Aristotelia**, 105. **Brassavola**, 202.
Adenanthra, 92. **Anagallis**, 33. **Armeniacia**, 112. **Brassia**, 202.
Adiantum, 227. **Anagyris**, 90. **Arneria**, 61. **Brassica**, 147.
Adina, 23. **Anarrhinum**, 140. **Arnica**, 190. **Briza**, 18.
Adonis, 128. **Aquatica**, 143. **Arnopogon**, 175. **Brodiaea**, 69.
Adoxa, 89. **Anchusa**, 30. **Artedia**, 56. **Bromelia**, 64.
Ægilops, 220. **Andersonia**, 34. **Artemisia**, 183. **Bromus**, 15.
Ægiphila, 25. **Andrachne**, 213. **Arthropodium**, 72. **Brosimum**, 223.
Ægle, 123. **Andromeda**, 95. **Artocarpus**, 203. **Brossa**, 46.
Ægopodium, 59. **Andropogon**, 220. **Arum**, 209. **Brotrea**, 199.
Ærides, 202. **Androsace**, 32. **Asarum**, 105. **Broughtonia**, 202.
Ærus, 48. **Andryala**, 177. **Asclepias**, 51. **Broussonetia**, 215.
Æschynomene, 167. **Anemia**, 225. **Ascyrum**, 174. **Browallia**, 139.
Æsculus, 79. **Anemone**, 126. **Asimina**, 231. **Brownea**, 153.
Æthionema, 143. **Anethum**, 59. **Aspalathus**, 160. **Brucea**, 215.
Æthusa, 58. **Angelica**, 57. **Asperugo**, 31. **Brugmansia**, 41.
Agapanthus, 67. **Anigozanthus**, 76. **Asphodelus**, 71. **Brunia**, 45.
Agathosma, 45. **Anisomeses**, 129. **Aspidium**, 226. **Brunnichia**, 101.
Agave, 75. **Anona**, 126. **Asplenium**, 226. **Brunsfelsia**, 142.
Ageratum, 181. **Anomatheca**, 10. **Aster**, 187. **Brunsvigia**, 65.
Agrimonia, 106. **Anthemia**, 192. **Astragalus**, 169. **Bryonia**, 212.
Agrostemma, 104. **Anthericum**, 71. **Astrantia**, 55. **Bryophyllum**, 88.
Agrostis, 14. **Anthocercis**, 142. **Astroloma**, 84. **Bubon**, 58.
Ailanthus, 221. **Antholyza**, 11. **Athamanta**, 56. **Bubroma**, 173.
Aira, 17. **Anthospermum**, 215. **Blaria**, 96. **Buchnera**, 142.
Aitonia, 153. **Anthoxanthum**, 7. **Blaxia**, 96. **Buccia**, 96.
Aizoon, 117. **Aletris**, 67. **Blaxia**, 96. **Buddlea**, 26.
Ajuga, 129. **Alchemilla**, 28. **Bumelia**, 42. **Buffonia**, 28.
Alangium, 123. **Alcina**, 197. **Bunias**, 13. **Bulbocodium**, 69.
Albica, 70. **Aldæa**, 229. **Bunium**, 56. **Bumalda**, 210.
Alchemilla, 28. **Aletris**, 67. **Bunium**, 56. **Bumelia**, 42.
Alcina, 197. **Aletris**, 67. **Bunium**, 56. **Bumelia**, 42.
Aldæa, 229. **Aletris**, 67. **Bunium**, 56. **Bumelia**, 42.
Aletris, 67. **Aletris**, 67. **Bunium**, 56. **Bumelia**, 42.

- Bupththalmum, Page 194.
 Bupleurum, 55.
 Bursaria, 46.
 Bursera, 224.
 Burtonia, 91.
 Butea, 159.
 Butomus, 89.
 Buttneria, 49.
 Buxus, 205.
 Bystropogon, 131.
 Cacalia, 182.
 Cachrys, 57.
 Cactus, 109.
 Cacucia, 230.
 Cadia, 92.
 Cæsalpinia, 92.
 Cæsia, 72.
 Cæulia, 182.
 Cakile, 142.
 Caladenia, 201.
 Caladium, 210.
 Calamagrostis, 17.
 Calamintha, 134.
 Calamus, 76.
 Calceolaria, 5.
 Caldasia, 36.
 Calea, 182.
 Calenchoe, 88.
 Calendula, 198.
 Caleya, 201.
 Calistachys, 90.
 Calla, 79.
 Callicarpa, 25.
 Callicoma, 106.
 Calligonum, 108.
 Callisia, 13.
 Callitriche, 2.
 Calluna, 82.
 Calodendrum, 46.
 Calophyllum, 122.
 Calopogon, 201.
 Calothamnus, 178.
 Calotropis, 511.
 Caltha, 129.
 Calycanthus, 121.
 Calypso, 201.
 Calyptanthus, 111.
 Calystegia, 35.
 Camelina, 144.
 Camellia, 157.
 Cameraria, 50.
 Campanula, 86.
 Camphorosma, 28.
 Canarium, 77.
 Canella, 105.
 Canna, 1.
 Cannabis, 216.
 Capparis, 121.
 Capraria, 139.
 Capricum, 42.
 Cardium, 52.
 Cardamine, 145.
 Cardiospermum, 88.
 Carduus, 178.
 Carex, 204.
 Careya, 157.
 Carica, 217.
 Carissa, 49.
 Carlinia, 169.
 Carolinaea, Page 154.
 Carpesium, 185.
 Carpinus, 209.
 Carpopogon, 162.
 Carthamus, 180.
 Carum, 59.
 Caryophyllus, 111.
 Caryota, 210.
 Cassia, 92.
 Cassine, 60.
 Cassinia, 199.
 Castanea, 209.
 Castilleja, 142.
 Casuarina, 203.
 Catalpa, 3.
 Catananche, 178.
 Catesbaea, 25.
 Cathartocarpus, 92.
 Caulis, 55.
 Caulophyllum, 76.
 Ceanothus, 44.
 Cecropia, 213.
 Cedrela, 46.
 Celastrus, 44.
 Celosia, 48.
 Celsia, 142.
 Celtis, 221.
 Cenchris, 14.
 Cenia, 192.
 Centaurea, 196.
 Centunculus, 26.
 Cephaelis, 39.
 Cephalanthus, 23.
 Cephalophora, 181.
 Cerasium, 104.
 Ceratocarpus, 203.
 Ceratocephalus, 63.
 Ceratonia, 223.
 Ceratophyllum, 207.
 Cerbera, 49.
 Cercia, 91.
 Cerinthe, 31.
 Cestrum, 42.
 Chærophyllum, 58.
 Chamaedorea, 217.
 Chamaerops, 224.
 Chaptalia, 198.
 Chara, 203.
 Cheilanthes, 227.
 Cheiranthus, 146.
 Chelidonium, 121.
 Chelone, 138.
 Chenolea, 48.
 Chenopodium, 53.
 Cherleria, 101.
 Chimaphila, 96.
 Chiococca, 39.
 Chionanthus, 3.
 Chironia, 49.
 Chloria, 81.
 Chloranthus, 28.
 Chloris, 220.
 Chlorophyllum, 72.
 Chomelia, 25.
 Choudrilla, 176.
 Chorispernum, 148.
 Chorizema, 90.
 Chrysanthellum, 183.
 Chrysanthemum, 191.
 Chrysocalanus, 112.
 Chrysocoma, Page 182.
 Chrysophyllum, 43.
 Chrysosplenium, 97.
 Chrysurus, 18.
 Cicea, 205.
 Cicer, 165.
 Cichorium, 178.
 Cicuta, 58.
 Cimicifuga, 125.
 Cinchona, 38.
 Cineraria, 189.
 Circaea, 4.
 Cissampelos, 219.
 Cissus, 27.
 Cistus, 123.
 Citharexylum, 136.
 Citrus, 173.
 Cladium, 14.
 Claytonia, 47.
 Clematis, 127.
 Cleome, 148.
 Cleonia, 135.
 Clerodendrum, 136.
 Clethra, 96.
 Cliffortia, 218.
 Clinopodium, 134.
 Clitoria, 163.
 Clusia, 221.
 Cluytia, 219.
 Clypeola, 143.
 Cneorum, 8.
 Cnicus, 179.
 Colæa, 35.
 Coccoeypsilum, 25.
 Coccoloba, 88.
 Cocculus, 218.
 Cochlearia, 144.
 Coeos, 207.
 Codarum, 229.
 Codon, 93.
 Coffea, 39.
 Coix, 204.
 Colbertia, 231.
 Colchicum, 73.
 Colerchia, 29.
 Collinsonia, 7.
 Columnea, 139.
 Colurea, 166.
 Comarum, 120.
 Commelina, 12.
 Commersonia, 63.
 Comcladia, 8.
 Comptonia, 235.
 Conium, 50.
 Concarpus, 40.
 Convallaria, 75.
 Convolvulus, 34.
 Conyza, 185.
 Cookia, 93.
 Copafera, 93.
 Coptis, 129.
 Corallorhiza, 201.
 Corchorus, 122.
 Cordia, 32.
 Coreopsis, 195.
 Coriandrum, 58.
 Coriaria, 217.
 Coris, 40.
 Corispernum, 2.
 Cornucopia, 14.
 Cornus, Page 27.
 Cornutia, 136.
 Coronilla, 166.
 Coronopus, 143.
 Correa, 81.
 Corrigiola, 61.
 Cortusa, 33.
 Corydalis, 158.
 Corylus, 209.
 Corypha, 76.
 Cosmea, 195.
 Costus, 1.
 Cotula, 192.
 Cotyledon, 102.
 Crambe, 143.
 Crassula, 63.
 Crataeva, 105.
 Crepis, 177.
 Crescentia, 142.
 Crinum, 65.
 Cristaria, 154.
 Crithmum, 57.
 Crocus, 9.
 Crossandra, 139.
 Crotalaria, 161.
 Croton, 211.
 Crowea, 93.
 Crucianella, 25.
 Crypsis, 19.
 Cryptarrhena, 202.
 Cryptospermum, 24.
 Cryptostemma, 196.
 Cucubalus, 99.
 Cucumis, 215.
 Cucurbita, 212.
 Cullumia, 195.
 Cuminum, 58.
 Cunila, 6.
 Cunonia, 97.
 Cuphea, 100.
 Cupressus, 210.
 Curatella, 124.
 Curculigo, 74.
 Curcuma, 2.
 Curtisia, 28.
 Cuscuta, 54.
 Cussonia, 54.
 Cyanella, 74.
 Cyathea, 228.
 Cycas, 218.
 Cyclamen, 33.
 Cyclopia, 90.
 Cydonia, 113.
 Cylistia, 163.
 Cymbaria, 140.
 Cymbidium, 209.
 Cynanchum, 51.
 Cynara, 180.
 Cynodon, 18.
 Cynoglossum, 30.
 Cynometra, 92.
 Cynosurus, 18.
 Cyperus, 13.
 Cyphia, 38.
 Cypridium, 202.
 Cyrilla, 46.
 Cyrtanthus, 65.
 Cyrtopodium, 202.
 Cysticarpus, 158.
 Cytisus, 165.
 Dactylis, Page 18.
 Dæmia, 51.
 Dahlia, 190.
 Dais, 94.
 Dalbergia, 159.
 Dalea, 170.
 Dalechampia, 211.
 Dalibarda, 120.
 Damasonium, 79.
 Dampiera, 38.
 Daphne, 87.
 Datisca, 217.
 Datura, 40.
 Daucus, 56.
 Davallia, 228.
 Daviesia, 91.
 Decumaria, 105.
 Deeringia, 48.
 Delphinium, 125.
 Dendrobium, 202.
 Dentella, 39.
 Desmanthus, 222.
 Dianella, 72.
 Dianthus, 99.
 Diapensia, 33.
 Dichondra, 54.
 Dicksonia, 223.
 Dictamnus, 93.
 Didelta, 195.
 Diervilla, 40.
 Digitalis, 140.
 Digitaria, 19.
 Dilatris, 13.
 Dillenia, 126.
 Dillwynia, 91.
 Dimocarpus, 81.
 Dionaea, 94.
 Dioscorea, 206.
 Diosma, 45.
 Diospyros, 223.
 Diotis, 205.
 Diphylleia, 76.
 Diplazium, 227.
 Dipsacus, 23.
 Dipterix, 159.
 Dirca, 87.
 Disa, 200.
 Disandra, 79.
 Disperis, 200.
 Diuris, 201.
 Dodartia, 139.
 Dodecatheon, 33.
 Dodonaea, 81.
 Dolichos, 162.
 Dombeya, 153.
 Doodia, 227.
 Doronicum, 190.
 Dorstenia, 27.
 Doryanthes, 67.
 Dorycnium, 172.
 Draba, 144.
 Dracæna, 78.
 Dracoccephalum, 134.
 Dracontium, 79.
 Drimia, 72.
 Drosera, 62.
 Dryandra, 23.
 Dryas, 120.
 Drypis, 61.
 Duranta, 136.

- Echinaria, Page 18. Echinophora, 55. Echinops, 199. Echites, 50. Echium, 31. Eclipta, 194. Edwardsia, 90. Ehretia, 32. Ehrharta, 77. Ekebergia, 93. Elaeagnus, 28. Elaeocarpus, 123. Elaeocharis, 13. Elaeodendrum, 43. Elais, 217. Elate, 207. Elatine, 89. Elegia, 214. Elephantopus, 199. Elettaria, 1. Eleusine, 18. Elichrysum, 184. Ellisia, 32. Elsholtzia, 131. Elymus, 16. Elytraria, 4. Embryopteris, 218. Empetrum, 214. Empleurum, 205. Eukianthus, 96. Epacris, 34. Ephedra, 219. Ephelis, 81. Epidendrum, 202. Epigaea, 95. Epilobium, 80. Epimedium, 27. Epipactis, 201. Equisetum, 225. Eranthemum, 5. Eranthis, 129. Erica, 82. Erigeron, 185. Erinus, 142. Eriocaulon, 20. Eriocephalus, 199. Eriogonum, 89. Eriophorum, 14. Eriospermum, 70. Erithalis, 39. Erodium, 150. Errum, 165. Erucaria, 147. Eryngium, 54. Erysimum, 146. Erythraea, 49. Erythrina, 159. Erythronium, 69. Ethulia, 182. Eucalyptus, 111. Euchilus, 91. Euclea, 217. Euclidium, 143. Eucomis, 68. Eucrosia, 67. Eugenia, 110. Eupatorium, 181. Euphorbia, 107. Euphrasia, 142. Euryale, 123. Eustoma, Page 49. Eustrephus, 72. Eutaxia, 91. Euthales, 38. Evolvulus, 54. Evonymus, 44. Exacum, 26. Excoecaria, 219. Fabricia, 110. Fagara, 27. Fagonia, 93. Fagus, 209. Falkia, 77. Farsetia, 145. Fedia, 8. Feronia, 221. Ferraria, 148. Ferula, 57. Festuca, 15. Ficaria, 128. Ficus, 224. Filago, 199. Flacourtia, 218. Flagellaria, 78. Flaveria, 197. Flemingia, 168. Fontanesia, 3. Forskohlea, 89. Fothergilla, 124. Fragaria, 120. Frankenia, 77. Franseria, 206. Frasera, 26. Fraxinus, 223. Fritillaria, 68. Fuchsia, 81. Fumaria, 158. Furcraea, 75. Fusanus, 221. Gaertnera, 93. Gagea, 70. Galactia, 163. Galactites, 197. Galanthus, 65. Galardia, 195. Galax, 46. Galaxia, 148. Galega, 168. Galenia, 87. Galeobdolon, 132. Galeopsis, 132. Galinsoga, 194. Galipea, 3. Galium, 24. Garcinia, 105. Gardenia, 38. Garidella, 101. Garuga, 94. Gastrolobium, 91. Gaultheria, 96. Gaura, 80. Gazania, 195. Geissorrhiza, 9. Gelonium, 218. Gelsemium, 49. Genipa, 38. Genista, 160. Gentiana, 54. Geodorum, 201. Geoffroya, 166. Geranium, Page 153. Gerardia, 141. Geropogon, 174. Gesneria, 138. Gethyllis, 67. Getonia, 94. Geum, 120. Ghinia, 5. Gisekia, 62. Gladiolus, 10. Glaucium, 121. Glaux, 48. Glechonina, 132. Gleditschia, 223. Glinus, 108. Globba, 2. Globularia, 23. Glossodia, 201. Gloriosa, 69. Gloxinia, 138. Glyceria, 17. Glycine, 163. Glycyrrhiza, 166. Gmelina, 136. Gnaphalium, 184. Gnidia, 87. Gomesa, 202. Gomphia, 93. Gomphocarpus, 51. Gompholobium, 90. Gomphrena, 48. Goniocarpus, 229. Gonolobus, 51. Goodenia, 38. Goodia, 161. Goodyera, 200. Gordonia, 157. Gorteria, 195. Gossypium, 156. Gouania, 221. Grammitis, 226. Grangea, 192. Gratiola, 5. Grevillea, 22. Grewia, 122. Grias, 122. Grielum, 103. Grindelia, 190. Grisea, 81. Gronovia, 47. Guaiacum, 98. Guarea, 81. Guatteria, 230. Guettarda, 207. Guilandina, 92. Gundelia, 199. Gunnera, 202. Gustavia, 157. Gymnadenia, 200. Gymnema, 51. Gymnocladus, 217. Gymnostyles, 199. Gypsophila, 98. Gyrotheca, 229. Habenaria, 200. Hamanthus, 64. Hamatoxylon, 93. Hamodorum, 13. Hakea, 22. Halesia, 105. Halleria, Page 139. Hallia, 167. Haloragis, 89. Hamamelis, 28. Hamellia, 39. Hamiltonia, 224. Hasselquistia, 55. Hebenstretia, 136. Hedeoma, 6. Hedera, 46. Hedychium, 1. Hedyotis, 229. Hedyopsis, 178. Hedysarum, 167. Helenium, 190. Helianthemum, 123. Helianthus, 194. Heliconia, 47. Helicteres, 153. Heliocarpus, 106. Heliophila, 145. Heliopsis, 194. Heliotropium, 29. Helleboreus, 129. Hellenia, 1. Helminthia, 177. Helonias, 78. Hemerocallis, 67. Hemidesmus, 50. Hemionitis, 226. Hepatica, 126. Heracleum, 57. Heritiera, 212. Hermannia, 148. Hermas, 222. Herminium, 200. Hernandia, 205. Herniaria, 53. Herpetis, 139. Hesperantha, 9. Hesperis, 147. Heterospermum, 191. Heuchera, 54. Heynea, 94. Hibbertia, 125. Hibiscus, 156. Hieracium, 176. Hillia, 77. Hippia, 199. Hippocratea, 9. Hippocrepis, 166. Hippomane, 211. Hippophae, 215. Hippuris, 2. Hirtella, 46. Hoffmanseggia, 92. Holcus, 220. Holmskioldia, 136. Holosteum, 20. Hopea, 173. Hordeum, 16. Hornemannia, 140. Hosta, 136. Hottonia, 38. Hovea, 161. Hovenia, 44. Houstonia, 24. Hoya, 51. Hudsonia, 106. Huernia, 52. Humea, Page 182. Humulus, 216. Hura, 212. Hutchinsia, 143. Hyacinthus, 73. Hyenanche, 217. Hydrangea, 97. Hydrastis, 129. Hydrocharis, 217. Hydrocotyle, 55. Hydrolea, 54. Hydropeltis, 129. Hydrophyllum, 32. Hymenaea, 92. Hymenopappus, 181. Hymenophyllum, 228. Hyoscyamus, 41. Heliconia, 47. Helicteres, 153. Heliocarpus, 106. Heliophila, 145. Heliopsis, 194. Heliotropium, 29. Helleboreus, 129. Hellenia, 1. Helminthia, 177. Helonias, 78. Hemerocallis, 67. Hemidesmus, 50. Hemionitis, 226. Hepatica, 126. Heracleum, 57. Heritiera, 212. Hermannia, 148. Hermas, 222. Herminium, 200. Hernandia, 205. Herniaria, 53. Herpetis, 139. Hesperantha, 9. Hesperis, 147. Heterospermum, 191. Isatis, 143. Ischemum, 220. Isnardia, 27. Ischilus, 201. Isoetes, 228. Isoplepis, 13. Isopogon, 20. Isopyrum, 129. Itea, 46. Iva, 199. Ixia, 9. Ixodia, 182. Ixora, 25. Jacksonia, 91. Jacquinia, 43. Jambolifera, 81. Jasione, 37. Jasminum, 2. Jatropha, 211. Jeffersonia, 81. Jonesia, 79. Juglans, 208. Juncus, 76. Juniperus, 218. Jussieuia, 94. Justicia, 5. Kamperfia, 2. Kalmia, 94. Kennedia, 163.

- Kiggelaria, Page 217.
 Kitaibelia, 156.
 Kleinhofia, 106.
 Kleinia, 182.
 Knappia, 14.
 Knautia, 24.
 Knowltonia, 128.
 Kochia, 53.
 Kœleria, 17.
 Kœlreuteria, 81.
 Kœnigia, 20.
 Krigia, 178.
 Kyllinga, 13.
 Lachenalia, 73.
 Lachnæa, 87.
 Lactuca, 175.
 Lagasca, 182.
 Lagerstrœmia, 128.
 Lagetta, 87.
 Lagœcia, 47.
 Lægunæa, 154.
 Lagurus, 18.
 Lambertia, 22.
 Lamium, 182.
 Lanaria, 76.
 Lantana, 137.
 Lapeyrouisia, 11.
 Lappago, 18.
 Lappula, 30.
 Lapsana, 178.
 Larochea, 62.
 Laserpitium, 57.
 Lasiopetalum, 45.
 Latania, 219.
 Lathræa, 138.
 Lathyrus, 164.
 Lavandula, 131.
 Lavatera, 155.
 Lavenia, 182.
 Laurophyllus, 224.
 Laurus, 89.
 Lawsonia, 81.
 Lebeckia, 160.
 Lechea, 20.
 Ledum, 94.
 Leea, 46.
 Leersia, 20.
 Lemna, 203.
 Leonotis, 133.
 Leontice, 76.
 Leontodon, 176.
 Leonurus, 133.
 Lepechinia, 132.
 Lepidium, 144.
 Leptospermum, 110.
 Lessertia, 166.
 Lestibudesia, 48.
 Leucadendron, 215.
 Leucas, 133.
 Leucojum, 65.
 Leucopogon, 34.
 Leucospermum, 21.
 Leysera, 191.
 Liatris, 180.
 Licuala, 76.
 Lidbeckia, 192.
 Lightfootia, 36.
 Ligusticum, 57.
 Ligustrum, 3.
 Lillium, Page 68.
 Limeum, 79.
 Limnæia, 14.
 Limodorum, 232.
 Limonia, 93.
 Limosella, 139.
 Linaria, 141.
 Lindernia, 139.
 Linnæa, 142.
 Linociera, 3.
 Linum, 62.
 Liparia, 165.
 Liquidambar, 209.
 Liriodendron, 126.
 Lisianthus, 49.
 Listera, 201.
 Lithospermum, 30.
 Littorella, 205.
 Lobelia, 37.
 Loddigesia, 161.
 Lœflingia, 9.
 Logania, 49.
 Lolium, 16.
 Lomatia, 22.
 Lonchitis, 227.
 Lonicera, 39.
 Lopezia, 2.
 Lophiola, 76.
 Lotus, 171.
 Loureira, 219.
 Ludwigia, 27.
 Luffa, 206.
 Lunaria, 145.
 Lupinaster, 170.
 Lupinus, 162.
 Luzula, 76.
 Lychnis, 104.
 Lycium, 43.
 Lycopodium, 226.
 Lycopsis, 5.
 Lycopus, 31.
 Lygeum, 14.
 Lygodium, 225.
 Lysimachia, 33.
 Lysinema, 34.
 Lythrum, 106.
 Maba, 217.
 Macrocnemum, 39.
 Macropodium, 146.
 Madia, 185.
 Magnolia, 126.
 Mahernia, 63.
 Malachra, 154.
 Malaxis, 201.
 Malcomia, 147.
 Malope, 156.
 Malpighia, 101.
 Malva, 155.
 Mammea, 123.
 Mandragora, 41.
 Manettia, 25.
 Mangifera, 46.
 Manisuris, 220.
 Manulea, 142.
 Maranta, 1.
 Marattia, 225.
 Marcgravia, 121.
 Marica, 12.
 Mariscus, 13.
 Marrubium, 138.
 Marsdenia, Page 51.
 Marshallia, 181.
 Martynia, 138.
 Massonia, 71.
 Mathiola, 147.
 Matricaria, 192.
 Maurandia, 140.
 Mazus, 139.
 Medeola, 78.
 Medicago, 172.
 Melaleuca, 173.
 Melampodium, 198.
 Melampyrum, 141.
 Melanthera, 181.
 Melanthium, 78.
 Melasphærule, 11.
 Melastoma, 94.
 Melhania, 149.
 Melia, 94.
 Melianthus, 142.
 Melica, 18.
 Melicocca, 81.
 Melilotus, 170.
 Melissa, 134.
 Melittia, 135.
 Melochia, 149.
 Melodinus, 50.
 Melothria, 9.
 Memecylon, 81.
 Meniscium, 226.
 Menispermum, 217.
 Mentha, 131.
 Mentzelia, 123.
 Menyanthes, 48.
 Menziesia, 87.
 Mercurialis, 217.
 Mesembryanthemum, 114.
 Mespilus, 112.
 Metrosideros, 110.
 Meum, 58.
 Michauxia, 81.
 Michelia, 126.
 Microchloa, 20.
 Microloma, 50.
 Micropus, 199.
 Mikania, 180.
 Millium, 18.
 Millieria, 197.
 Mimetes, 21.
 Mimosa, 222.
 Mimulus, 139.
 Mimusops, 81.
 Minuartia, 20.
 Mirabilis, 40.
 Mirbelia, 91.
 Mitchellia, 25.
 Mitella, 98.
 Mœhringia, 87.
 Mœnchia, 29.
 Mollia, 48.
 Mollugo, 20.
 Moluccella, 133.
 Momordica, 212.
 Monarda, 6.
 Monetia, 27.
 Monnieria, 158.
 Monotoca, 34.
 Monotropa, 94.
 Monsonia, 158.
 Montia, Page 20.
 Montinia, 216.
 Moræa, 11.
 Morina, 7.
 Morinda, 39.
 Morus, 206.
 Mullera, 165.
 Muntingia, 122.
 Murraya, 93.
 Musa, 64.
 Muscari, 73.
 Mussænda, 38.
 Myagrum, 143.
 Myginda, 28.
 Mylocaryum, 96.
 Myoporum, 137.
 Myosotis, 29.
 Myosurus, 63.
 Myrica, 215.
 Myriophyllum, 207.
 Myristica, 219.
 Myrodia, 157.
 Myrrhis, 58.
 Myrsine, 224.
 Myrsiphyllum, 78.
 Myrtus, 111.
 Nama, 230.
 Nandina, 77.
 Napæa, 154.
 Naravelia, 231.
 Narcissus, 66.
 Nardus, 14.
 Narthecium, 72.
 Nasturtium, 146.
 Nauclea, 39.
 Nauenbergia, 199.
 Nelumbium, 126.
 Nemesia, 140.
 Neottia, 200.
 Nepenthes, 219.
 Nepeta, 130.
 Nephelium, 206.
 Nephrodium, 226.
 Nerium, 50.
 Nicandra, 41.
 Nicotiana, 41.
 Nigella, 125.
 Nissolia, 159.
 Nitraria, 105.
 Nivenia, 21.
 Nolana, 32.
 Nolina, 78.
 Notelæa, 3.
 Notoceras, 146.
 Nuphar, 122.
 Nyctanthus, 2.
 Nymphaea, 122.
 Nyssa, 224.
 Ochna, 123.
 Ochroma, 149.
 Ochrus, 163.
 Ocyrmum, 135.
 Octomeria, 201.
 Œdera, 199.
 Œnanthe, 58.
 Œnothera, 80.
 Oldenlandia, 27.
 Olea, 8.
 Oliveria, 58.
 Olyra, 204.
 Omphalea, Page 211.
 Oncidium, 202.
 Onoclea, 227.
 Ononis, 161.
 Onopordum, 178.
 Onosma, 31.
 Onosmodium, 30.
 Opercularia, 24.
 Ophioglossum, 225.
 Ophiopogon, 76.
 Ophioxylon, 221.
 Ophrys, 200.
 Orchis, 200.
 Origanum, 134.
 Ormosia, 90.
 Ornithidium, 201.
 Ornithogalum, 70.
 Ornithopus, 166.
 Ornithophe, 81.
 Ornus, 3.
 Orobanche, 138.
 Orobans, 164.
 Orontium, 76.
 Ortega, 9.
 Orthopogon, 19.
 Oryza, 77.
 Osbeckia, 80.
 Osmites, 196.
 Osmunda, 225.
 Osteospermum, 198.
 Ostria, 208.
 Ostrya, 214.
 Otthonna, 198.
 Oxalis, 103.
 Oxanthus, 39.
 Oxypappus, 8.
 Oxycoccus, 81.
 Oxylobium, 99.
 Oxytelma, 51.
 Oxytropis, 168.
 Pachysandra, 206.
 Paderia, 39.
 Peonia, 124.
 Palavia, 154.
 Pallasia, 195.
 Panax, 224.
 Pancratium, 67.
 Pandanus, 213.
 Panicum, 19.
 Papaver, 121.
 Pardanthus, 12.
 Pariana, 210.
 Parietaria, 220.
 Paris, 89.
 Parkinsonia, 92.
 Parnassia, 61.
 Paronychia, 48.
 Parthenium, 199.
 Pascalia, 194.
 Paspalum, 19.
 Passerina, 87.
 Pectis, 161.
 Pedalium, 137.
 Pedicularia, 141.

INDEX GENERUM.

327

- Peganum, Page 105.
 Pelargonium, 150.
 Peliosanthus, 69.
 Peltaria, 143.
 Penæa, 26.
 Penicillaria, 220.
 Pennisetum, 19.
 Pentapetes, 153.
 Penthorum, 103.
 Pentstemon, 138.
 Pentzia, 183.
 Peplis, 77.
 Perdicium, 190.
 Pergularia, 51.
 Perilla, 132.
 Periploca, 50.
 Perotis, 14.
 Persoonia, 22.
 Petalostemum, 158.
 Petiveria, 79.
 Petrea, 136.
 Petrocallis, 144.
 Petrophila, 20.
 Peucedanum, 56.
 Phaca, 168.
 Phalangium, 72.
 Phalaris, 19.
 Pharnaceum, 61.
 Pharus, 207.
 Phaseolus, 162.
 Phellandrium, 58.
 Philadelphus, 110.
 Philoxerus, 48.
 Philydium, 8.
 Phleum, 18.
 Phlomis, 133.
 Phlox, 36.
 Phoenix, 215.
 Phormium, 78.
 Phryma, 136.
 Phrynium, 1.
 Phylla, 44.
 Phyllanthus, 211.
 Phyllis, 54.
 Phylloma, 73.
 Physalis, 41.
 Phyteuma, 37.
 Phytolacca, 105.
 Piaranthus, 52.
 Picramnia, 216.
 Picridium, 175.
 Picris, 176.
 Pilularia, 228.
 Pimelea, 3.
 Pimpinella, 59.
 Pinckneya, 38.
 Pingicula, 5.
 Pinus, 210.
 Piper, 7.
 Piqueria, 182.
 Piscidia, 159.
 Pisonia, 79.
 Pistacia, 216.
 Pisum, 163.
 Pitcairnia, 64.
 Pittosporum, 46.
 Plantago, 26.
 Platanus, 209.
 Platylobium, 160.
 Plectranthus, 135.
 Plectronia, Page 45.
 Pleea, 230.
 Pleurothallis, 201.
 Plocama, 39.
 Plukenetia, 211.
 Plumbago, 34.
 Plumeria, 50.
 Poa, 17.
 Podalyria, 90.
 Podolepis, 190.
 Podocarpus, 211.
 Podolobium, 90.
 Podophyllum, 121.
 Pogonia, 201.
 Poinciana, 92.
 Polemonium, 35.
 Pollichia, 2.
 Polianthes, 68.
 Polycarpon, 20.
 Polycnemum, 9.
 Polygala, 158.
 Polygonatum, 75.
 Polygonum, 88.
 Polymnia, 198.
 Polypodium, 226.
 Polygona, 14.
 Pomaderris, 44.
 Pongamia, 159.
 Pontederia, 64.
 Ponthieva, 201.
 Populus, 217.
 Porcelia, 126.
 Portlandia, 38.
 Portulaca, 106.
 Portulacaria, 61.
 Potamogeton, 29.
 Potentilla, 130.
 Poterium, 208.
 Potua, 28.
 Prasiacum, 135.
 Prenanthes, 176.
 Primula, 32.
 Prinos, 76.
 Priva, 137.
 Prosopis, 93.
 Prostanthera, 135.
 Prunella, 135.
 Prunus, 112.
 Psiadia, 199.
 Psidium, 110.
 Psilotum, 225.
 Psoralea, 170.
 Psychotria, 39.
 Ptelea, 27.
 Pteris, 227.
 Pterocarpus, 159.
 Pteronia, 180.
 Pterospermum, 154.
 Pterostylis, 201.
 Pterygodium, 200.
 Pulmonaria, 30.
 Pulsatilla, 127.
 Pultenaea, 91.
 Punica, 111.
 Pupalia, 48.
 Pycnanthemum, 130.
 Pyrethrum, 191.
 Pyrola, 96.
 Pyrus, 113.
 Pyxidanthra, Page 33.
 Quassia, 98.
 Quercus, 208.
 Queria, 20.
 Quisqualis, 94.
 Radiola, 29.
 Rafnia, 160.
 Rajania, 216.
 Ramonda, 40.
 Randia, 39.
 Ranunculus, 128.
 Raphanus, 148.
 Rapistrum, 143.
 Rauwolfia, 49.
 Reaumuria, 126.
 Relbania, 191.
 Reseda, 106.
 Restio, 214.
 Retzia, 35.
 Rhagadiolus, 178.
 Rhagodia, 221.
 Rhamnus, 43.
 Rhapis, 223.
 Rheum, 89.
 Rhexia, 80.
 Rhinanthus, 142.
 Rhipsalis, 110.
 Rhodiola, 217.
 Rhododendron, 94.
 Rhodora, 94.
 Rhopala, 22.
 Rhus, 59.
 Rhynchospora, 14.
 Ribes, 46.
 Richardia, 77.
 Ricinus, 211.
 Ricotia, 145.
 Rivina, 28.
 Robinia, 165.
 Roella, 37.
 Rolandra, 198.
 Rondeletia, 39.
 Rossa, 117.
 Rosmarinus, 6.
 Rothia, 177.
 Rotibocella, 19.
 Rotilera, 218.
 Roxburghia, 81.
 Royena, 97.
 Rubia, 25.
 Rubus, 119.
 Rudbeckia, 195.
 Ruellia, 139.
 Ruizia, 156.
 Rumex, 77.
 Ruppia, 29.
 Ruscus, 219.
 Russelia, 139.
 Ruta, 93.
 Sabal, 79.
 Sabbatia, 49.
 Saccharum, 19.
 Sagina, 29.
 Sagittaria, 207.
 Sagus, 207.
 Salicornia, 2.
 Salisburia, 209.
 Salix, 218.
 Salsola, 53.
 Salvia, Page 6.
 Sambucus, 60.
 Samolus, 38.
 Samyda, 96.
 Sanguinaria, 121.
 Sanguisorba, 27.
 Sanicula, 55.
 Sanseriera, 68.
 Santalum, 28.
 Santolina, 182.
 Sanvitalia, 193.
 Sapindus, 88.
 Sapium, 211.
 Saponaria, 98.
 Sarcophyllum, 160.
 Sarcostemma, 50.
 Sarracenia, 122.
 Satureja, 130.
 Satyrium, 200.
 Saururus, 79.
 Saxifraga, 97.
 Scabiosa, 23.
 Scævola, 38.
 Scandix, 58.
 Schæfferia, 215.
 Scheuchzeria, 78.
 Schinus, 217.
 Schisandra, 206.
 Schkuhria, 191.
 Schœrus, 14.
 Schotia, 93.
 Schrankia, 222.
 Schwenkia, 5.
 Scilla, 71.
 Scirpus, 13.
 Scleranthus, 97.
 Sclerocarpus, 195.
 Sclerothamnus, 91.
 Scleropylon, 230.
 Scolopendrium, 227.
 Scolymus, 178.
 Scoparia, 26.
 Scopolia, 49.
 Scorpiurus, 166.
 Scorzonera, 175.
 Scottia, 161.
 Scrophularia, 140.
 Scutellaria, 135.
 Sebæa, 26.
 Secale, 16.
 Secamone, 50.
 Securidaca, 159.
 Securinea, 216.
 Sedum, 102.
 Selago, 186.
 Selinum, 56.
 Sempervivum, 108.
 Senecia, 44.
 Senecio, 186.
 Septas, 80.
 Serapias, 200.
 Seriana, 88.
 Seriola, 178.
 Serissa, 39.
 Serpicula, 205.
 Serratula, 178.
 Serruria, 21.
 Sersalisia, 43.
 Sesamum, 138.
 Sesbana, 166.
 Sezeli, Page 58.
 Sesleria, 14.
 Sesuvium, 113.
 Sherardia, 24.
 Sibbaldia, 63.
 Sibthorpia, 142.
 Sicyos, 213.
 Sida, 154.
 Sideritis, 131.
 Siderodendron, 25.
 Sideroxylon, 43.
 Sigesbeckia, 194.
 Silene, 99.
 Silphium, 197.
 Sinapis, 147.
 Sison, 58.
 Sisymbrium, 144.
 Sium, 57.
 Sloanea, 122.
 Smilacina, 78.
 Smilax, 216.
 Smithia, 167.
 Smyrnum, 53.
 Solandra, 41.
 Solanum, 41.
 Soldanella, 33.
 Solidago, 132.
 Sonchus, 175.
 Sôphora, 90.
 Sorghum, 220.
 Soroccephalus, 22.
 Sowerbaea, 69.
 Spananthe, 55.
 Sparaxis, 9.
 Sparganium, 208.
 Sparrmannia, 122.
 Spartium, 159.
 Spatalla, 22.
 Spathelia, 60.
 Spergula, 104.
 Spermacoce, 24.
 Sphæranthus, 199.
 Sphærolobium, 91.
 Sphenogyne, 196.
 Spielmannia, 137.
 Spigelia, 49.
 Spilanthes, 181.
 Spinacia, 216.
 Spiræa, 113.
 Spodiop, 102.
 Sporobolus, 14.
 Sprengelia, 34.
 Staavia, 45.
 Stachys, 132.
 Stachytarpheta, 5.
 Stachelina, 180.
 Stapelia, 51.
 Staphylea, 61.
 Starkea, 193.
 Statice, 62.
 Stauracanthus, 160.
 Stelis, 201.
 Stellaria, 101.
 Stellera, 87.
 Stenodia, 139.
 Stenanthus, 34.
 Stenochilus, 137.
 Sterculia, 212.
 Stevia, 181.
 Stilago, 214.

- Stillingia, Page 212. Templetonia, Page 161.
 Stipa, 15. Tephrosia, 168.
 Stizolobium, 163. Terminalia, 221.
 Stobaea, 180. Tetragonia, 114.
 Stoebe, 199. Tetragonotheca, 190.
 Stokesia, 180. Tetrathea, 81.
 Stratiotes, 217. Teucrium, 129.
 Strelitzia, 48. Thalia, 1.
 Streptopus, 75. Thalictrum, 127.
 Strumaria, 65. Thapsia, 69.
 Struthiola, 28. Thelygonum, 208.
 Strychnos, 49. Thelymitra, 201.
 Stuartia, 157. Theobroma, 173.
 Stylidium, 202. Thermopsis, 90.
 Styphelia, 34. Thesium, 40.
 Styrax, 96. Thlaspi, 143.
 Subularia, 144. Thrinax, 76.
 Succowia, 143. Thrinia, 176.
 Sutherlandia, 166. Thuja, 210.
 Swainsona, 166. Thunbergia, 138.
 Swertia, 54. Thymra, 130.
 Swietenia, 94. Thymus, 184.
 Symphoria, 40. Thysanotus, 70.
 Symphytum, 30. Tiarella, 98.
 Synedrella, 194. Tigridia, 148.
 Syringa, 3. Tilia, 122.
 Tabernaemontana, 50. Tillea, 29.
 Tacca, 76. Tillandsia, 64.
 Tagetes, 191. Tosfieldia, 78.
 Talinum, 106. Tolpis, 177.
 Tamarindus, 148. Tordylium, 55.
 Tamarix, 61. Tormentilla, 120.
 Tamus, 216. Tournefortia, 31.
 Tanacetum, 183. Tourrettia, 138.
 Tarchonanthus, 182. Tozzettia, 19.
 Taxus, 219. Trachelium, 37.
 Tectona, 43. Tradescantia, 64.
 Teedia, 139. Tragia, 205.
 Teesdalia, 143. Tragopogon, 175.
 Telephium, 61. Trapa, 27.
 Telopea, 22.
- Trevirana, Page 139.
 Trewia, 218.
 Trianthema, 97.
 Tribulus, 93.
 Trichilia, 93.
 Trichodesma, 31.
 Trichodium, 14.
 Trichomanes, 228.
 Trichonema, 9.
 Trichophorum, 14.
 Trichosanthos, 212.
 Trichostema, 135.
 Trientalis, 79.
 Trifolium, 170.
 Triglochin, 78.
 Trigonella, 179.
 Trillium, 78.
 Triodia, 17.
 Triosteum, 40.
 Tripsacum, 204.
 Trisetum, 15.
 Tristania, 173.
 Triticum, 16.
 Tritoma, 67.
 Tritonia, 10.
 Triumfetta, 105.
 Trollius, 129.
 Tropaeolum, 80.
 Trophis, 215.
 Troximom, 175.
 Tulbagia, 68.
 Tulipa, 68.
 Tupistra, 76.
 Turnera, 61.
 Turritis, 146.
 Tussilago, 186.
 Typha, 203.
 Ulex, 160.
 Ulmus, 53.
 Uniola, 18.
 Unona, 221.
- Urania, Page 64.
 Urena, 156.
 Uropetalon, 72.
 Urtica, 206.
 Utricularia, 5.
 Uraria, 126.
 Urularia, 69.
 Vaccinium, 95.
 Valantia, 220.
 Valeriana, 8.
 Vanguiera, 39.
 Vanilla, 202.
 Velezia, 54.
 Vella, 143.
 Veltheimia, 68.
 Veratrum, 219.
 Verbascum, 40.
 Verbena, 137.
 Verbesina, 194.
 Vernonia, 180.
 Veronica, 4.
 Vesicaria, 145.
 Vestia, 36.
 Viburnum, 60.
 Vicia, 164.
 Villarsia, 49.
 Viminaria, 91.
 Vinca, 49.
 Viola, 47.
 Virgilia, 90.
 Viscum, 215.
 Visnaga, 56.
 Visnea, 108.
 Vitex, 136.
 Vitis, 46.
 Vittaria, 227.
 Volkameria, 136.
 Wachendorfia, 13.
 Waldsteinia, 112.
 Waltheria, 148.
 Watsonia, 10.
 Webers, 39.
- Wendlandia, Page 78.
 Westringia, 130.
 Wiborgia, 161.
 Willdenovia, 214.
 Witheringia, 25.
 Witsenia, 11.
 Woodsia, 226.
 Woodwardia, 227.
 Wrightia, 50.
 Wulferia, 229.
 Xanthium, 206.
 Xanthochymus, 173.
 Xanthorrhoea, 70.
 Xeranthemum, 184.
 Ximenesia, 190.
 Ximenia, 81.
 Xiphidium, 13.
 Xylomelum, 22.
 Xylophylla, 61.
 Xylopia, 126.
 Xyris, 13.
 Xysmalobium, 51.
 Yucca, 74.
 Zacintha, 178.
 Zaluzania, 194.
 Zamia, 218.
 Zannichellia, 203.
 Zanthorhiza, 63.
 Zanthoxylum, 216.
 Zapania, 137.
 Zea, 204.
 Zieria, 25.
 Zingiber, 1.
 Zinnia, 191.
 Zizania, 207.
 Ziziphora, 6.
 Zizyphus, 44.
 Zoraea, 196.
 Zornia, 168.
 Zygophyllum, 53.

ENGLISH INDEX.

- ABELE TREE**, Page 217.
Adam's Needle, 74.
Adder's-tongue, 225.
African Almond, 221.
African Fleabane, 182.
African Lily, 67.
African Marygold, 191.
Agrimony, 106.
Air Plant, 202.
Akee Tree, 81.
Alaternus, 44.
Alder, 205.
Alexanders, 59.
Alexandrian Laurel, 219.
Alligator Pear, 99.
Allseed, 20.
Allspice, 121.
Allspice Tree, 111.
Almond, 106.
Althæa-frutex, 156.
Anisanth, 206.
Amber Tree, 215.
American Cowslip, 33.
Anchovy Pear, 122.
Angelica, 57.
Angelica Tree, 61.
Anise, 59.
Aniseed Tree, 126.
Apple, 113.
Apple-berry, 46.
Apricot, 112.
Arbor-vitæ, 210.
Archangel, 132.
Arrow Grass, 78.
Arrowhead, 207.
Arrow Root, 1.
Artichoke, 180.
Asarabacca, 105.
Ash Tree, 223.
Aspen, 217.
Asphodel, 71.
Auricula, 32.
Avens, 120.
Awlwort, 144.
Azarole, 112.
Bahama Red Wood, 44.
Balm, 124.
Balm of Gilead, Page 134.
Balsam, 47.
Balsam Apple, 212.
Balsam Herb, 5.
Balsam of Capevi, 93.
Balsam Tree, 221.
Bamboo Cane, 77.
Banana, 64.
Bane Berry, 121.
Banyan Tree, 224.
Barbadoes Bastard Cedar, 173.
Barbadoes Cherry, 101.
Barberry, 77.
Barley, 16.
Barrenwort, 27.
Base Rocket, 106.
Basil, 135.
Bastard Balm, 135.
Bastard Cabbage Tree, 165.
Bastard Cedar, 46.
Bastard Hare's-ear, 54.
Bastard Indigo, 160.
Bastard Lupine, 170.
Bastard Mangenel, 50.
Bastard Opuncine, 213.
Bastard Pimpernell, 26.
Bastard Toad Flax, 40.
Bastard Vervain, 5.
Bastard Vetch, 168.
Bawd-money, 58.
Bay, 89.
Bead Tree, 94.
Bean, 165.
Bean Caper, 93.
Bean Trefoil, 90.
Bear-bind, 35.
Bear Berry, 96.
Bear's-breech, 138.
Bear's-ear Sanicle, 33.
Bed Straw, 24.
Beech, 209.
Beet, 53.
Bell Flower, 36.
Benjamin Tree, 82.
Bent Grass, Page 14.
Berry-bearing Alder, 43.
Betony, 132.
Bindweed, 34.
Birch, 209.
Bird Pepper, 42.
Bird's-eye, 32.
Bird's-foot, 166.
Bird's-foot Trefoil, 171.
Birthwort, 202.
Bishop's Weed, 56.
Bitter-sweet, 41.
Bitter Vetch, 164.
Black Bryony, 216.
Black Saltwort, 48.
Black Snakeroot, 125.
Bladder Nut, 61.
Bladder Senna, 166.
Blood Flower, 64.
Bog Rush, 14.
Borage, 31.
Bourbon Palm, 219.
Box Tree, 205.
Box Thorn, 43.
Brake, 227.
Bramble, 119.
Brasiletto, 92.
Bread Fruit, 203.
Bread Nut, 223.
Bread Root, 170.
Brome Grass, 15.
Brooklime, 4.
Brookweed, 38.
Broom, 159.
Broom Rape, 138.
Bryony, 212.
Buck Bean, 48.
Buckler Mustard, 143.
Buck Thorn, 43.
Buck Wheat, 88.
Buck Wheat Tree, 96.
Bugle, 129.
Bugloss, 30.
Bugwort, 125.
Burdock, 178.
Burnet, 208.
Burnet Saxifrage, 59.
Bur Parsley, Page 55.
Bur Reed, 203.
Butcher's Broom, 219.
Butter Bur, 186.
Butterwort, 5.
Button Tree, 40.
Button Flower, 93.
Button Weed, 24.
Button Wood, 23.
Cabbage, 147.
Cabbage Tree, 210.
Calabash Tree, 142.
Calamint, 134.
Calathian Violet, 54.
Caltrops, 93.
Camphire Tree, 89.
Campion, 99.
Canada Rice, 207.
Canary Grass, 19.
Candleberry Myrtle, 215.
Candy Carrot, 56.
Candytuft, 144.
Canterbury Bell, 37.
Cape Jasmine, 38.
Caper Tree, 121.
Caraway, 59.
Cardamom, 1.
Cardinal Flower, 37.
Cardoon, 180.
Carlina Thistle, 180.
Carnation, 99.
Carob Tree, 223.
Carrot, 56.
Cashew Nut, 89.
Cassava, 211.
Castor Oil Plant, 211.
Catchfly, 99.
Cat Mint, 130.
Cat's-ear, 178.
Cat's-tail, 203.
Cat's-tail Grass, 18.
Cat Thyme, 129.
Cedar of Goa, 210.
Cedar of Lebanon, 210.
Celandine, 121.
Celery, 59.
Centaury, 196.
Chamomile, 192.
Chaste Tree, Page 136.
Chawstick, 221.
Cheese Rennet, 24.
Cherry, 112.
Cherry Pepper, 42.
Chervil, 58.
Chesnut, 209.
Chick Pea, 165.
Chickweed, 101.
Chocolate Nut, 172.
Christmas Rose, 129.
Christ's Thorn, 44.
Chulan, 28.
Cicely, 58.
Cinnamon, 89.
Cinquefoil, 120.
Clary, 7.
Clearing Nut, 42.
Cleavers, 25.
Cloud Berry, 120.
Clover, 171.
Clove Tree, 111.
Clown's All-heal, 132.
Club Moss, 225.
Club Rush, 13.
Cock's-comb, 48.
Cock's-foot Grass, 18.
Cocoa Nut, 207.
Cocoa Plum, 112.
Codlins and Cream, 80.
Coffee Tree, 39.
Cogwood Tree, 89.
Colewort, 143.
Colpoon Tree, 60.
Colt's-foot, 166.
Columbine, 125.
Comfrey, 30.
Common Acacia, 165.
Common Dragon, 209.
Contrajerba Root, 27.
Coral Tree, 159.
Coriander, 58.
Cork Tree, 208.
Cornelian Cherry, 27.
Corn Flag, 10.
Costmary, 183.
Cotton, 156.
Cotton Grass, 14.
Cotton Rose, 199.

- Cotton Thistle, Page 179.
 Couch Grass, 16.
 Cowbane, 58.
 Cowitch, 163.
 Cow Parsnep, 57.
 Cowslip, 32.
 Cow Wheat, 141.
 Cranberry, 81.
 Crane's-bill, 153.
 Cress, 144.
 Cress Rocket, 143.
 Crosswort, 220.
 Crowberry, 214.
 Crowfoot, 128.
 Cuckoo Flower, 145.
 Cucumber, 212.
 Cumlin, 58.
 Currant, 46.
 Custard Apple, 126.
 Cypress, 210.
 Daffodil, 67.
 Daisy, 190.
 Dandelion, 176.
 Darnel, 16.
 Date Palm, 215.
 Date Plum, 223.
 Day Lily, 67.
 Deadly Carrot, 59.
 Deadly Nightshade, 41.
 Devil's Bit, 23.
 Dill, 59.
 Dittany, 134.
 Dock, 77.
 Dodder, 54.
 Dog's-bane, 50.
 Dog's Cabbage, 208.
 Dog's-tail Grass, 18.
 Dog's-tooth Violet, 69.
 Dogwood, 27.
 Dragon, 79.
 Dragon's-head, 134.
 Dragon Tree, 73.
 Dropwort, 118.
 Duck's-foot, 121.
 Duck-weed, 203.
 Dumb Cane, 210.
 Dwarf Fan Palm, 224.
 Earth Nut, 56.
 Earth Pea, 164.
 Egg Plant, 42.
 Elder, 60.
 Elecampane, 189.
 Elephant Apple, 221.
 Elephant's-foot, 216.
 Elm Tree, 53.
 Enchanter's Nightshade, 4.
 Endive, 178.
 Eryngo, 54.
 Evening Flower, 9.
 Everlasting, 184.
 Everlasting Pea, 164.
 Eyebright, 142.
 Feather Grass, 15.
 Felwort, Page 54.
 Fennel, 59.
 Fennel Flower, 125.
 Fenugreek, 172.
 Fescue Grass, 15.
 Feverfew, 191.
 Feverwort, 40.
 Fiddlewood, 136.
 Field Madder, 24.
 Fig Marygold, 114.
 Fig Tree, 224.
 Figwort, 140.
 Filmy Leaf, 228.
 Finger Grass, 19.
 Fir Tree, 210.
 Flax, 62.
 Flax Lily, 73.
 Flat Pea, 160.
 Fleabane, 185.
 Fleawort, 189.
 Flixweed, 146.
 Flower Fence, 92.
 Flowering Ash, 3.
 Flowering Fern, 225.
 Flowering Rush, 89.
 Fool's Parsley, 58.
 Foxglove, 140.
 Fox-tail Grass, 18.
 Fraxinella, 93.
 French Honeysuckle, 167.
 French Marygold, 191.
 Friar's Cowl, 209.
 Fringe Tree, 3.
 Fritillary, 68.
 Frog Bit, 217.
 Fumitory, 153.
 Furze, 160.
 Galangale, 2.
 Garland Flower, 1.
 Garlick, 69.
 Garlick Pear, 105.
 Genip Tree, 38.
 Gentian, 54.
 Germander, 129.
 German Madwort, 81.
 Giant Fennel, 57.
 Ginger, 1.
 Ginseng, 224.
 Gladwyn, 12.
 Glasswort, 2.
 Globe Amaranth, 48.
 Globe Flower, 129.
 Globe Thistle, 199.
 Goat's Beard, 175.
 Goat's Rue, 168.
 Goat's Thorn, 169.
 Goat Weed, 142.
 Golden Rod, 188.
 Golden Rod Tree, 53.
 Golden Saxifrage, 97.
 Golden Thistle, 178.
 Goldylocks, 182.
 Gooseberry, 46.
 Goosefoot, 53.
 Gourd, Page 212.
 Goutweed, 59.
 Grass of Parnassus, 61.
 Grape, 46.
 Grape Hyacinth, 78.
 Great Burnet, 27.
 Greek Valerian, 35.
 Green Dragon, 209.
 Gromwell, 30.
 Ground Ivy, 182.
 Ground Pine, 129.
 Groundsel, 186.
 Groundsel Tree, 185.
 Guelder Rose, 60.
 Gum Succory, 176.
 Hair Grass, 17.
 Hard Grass, 19.
 Hare's Ear, 55.
 Hare's Foot Fern, 228.
 Hare's Tail Grass, 18.
 Hart's Tongue, 227.
 Hartwort, 55.
 Hassagay Tree, 23.
 Hatchet Vetch, 169.
 Hawkweed, 176.
 Hawthorn, 112.
 Heart's Ease, 47.
 Heart Seed, 88.
 Heath, 82.
 Hedge Hyssop, 5.
 Hedge Mustard, 146.
 Hedge Nettle, 132.
 Hemlock, 56.
 Hemp, 216.
 Hemp Nettle, 132.
 Henbane, 41.
 Henbit, 132.
 Herb Robert, 153.
 Heron's Bill, 150.
 Hog Plum, 102.
 Hogweed, 2.
 Holly, 29.
 Hollyhock, 155.
 Honesty, 145.
 Honewort, 58.
 Honey Berry, 81.
 Honey Flower, 142.
 Honeysuckle, 39.
 Honeywort, 31.
 Hooded Milfoil, 5.
 Hop, 216.
 Hop Hornbeam, 209.
 Hornbeam, 209.
 Horned Poppy, 121.
 Hornwort, 207.
 Horse Chesnut, 79.
 Horse Radish, 144.
 Horse Radish Tree, 92.
 Horseshoe Vetch, 166.
 Horsetail, 225.
 Horsetail Tree, 207.
 Horse Thistle, 179.
 Hottentot Cherry, Page 60.
 Hound's Tongue, 30.
 Houseleek, 108.
 Humble Plant, 222.
 Hyacinth, 73.
 Hyæna Poison, 217.
 Hyssop, 180.
 Ice Plant, 115.
 Indian Corn, 204.
 Indian Cress, 80.
 Indian Cucumber, 78.
 Indian Fig, 109.
 Indian Madder, 27.
 Indian Millet, 220.
 Indian Shot, 1.
 Indigo, 168.
 Iron Tree, 95.
 Ironwort, 131.
 Ivy, 46.
 Jaca Tree, 203.
 Jack in a Box, 205.
 Jalap, 35.
 Jasmine, 2.
 Jerusalem Artichoke, 194.
 Jerusalem Sage, 133.
 Job's Tears, 204.
 Jonquil, 66.
 Judas Tree, 91.
 Juniper, 218.
 Kanguru Vine, 29.
 Kidney Bean, 162.
 Kidney Vetch, 162.
 Knapweed, 196.
 Knawel, 97.
 Knot Grass, 48.
 Laburnum, 165.
 Ladies' Mantle, 28.
 Ladies' Slipper, 202.
 Ladies' Smock, 145.
 Lady Fern, 226.
 Lamb's Lettuce, 8.
 Lancashire Asphodel, 72.
 Larch, 210.
 Larkspur, 125.
 Laserwort, 57.
 Lavender, 131.
 Lavender Cotton, 182.
 Laurel, 112.
 Laurestine, 60.
 Leadwort, 34.
 Leather Wood, 87.
 Lee Chee, 81.
 Leek, 69.
 Lemon Grass, 220.
 Lentil, 165.
 Leopard's Bane, 191.
 Lettuce, 175.
 Lignum Vitæ, 93.
 Lilac, 3.
 Lily, 68.
 Lily of the Valley, 75.
 Lily Pink, 69.
 Lily Thorn, Page 25.
 Lime Tree, 122.
 Lion's Tail, 133.
 Liquorice, 166.
 Lizard's Tail, 79.
 Locust Tree, 92.
 Logwood, 93.
 Looking-glass Plant, 212.
 Loose Strife, 33.
 Loquat, 113.
 Lorange, 57.
 Love Apple, 42.
 Love Grass, 17.
 Louisewort, 141.
 Lungwort, 30.
 Lupine, 162.
 Lychnidea, 36.
 Lyme Grass, 16.
 Macaw Tree, 207.
 Madder, 25.
 Madwort, 144.
 Mahogany, 94.
 Maidenhair, 227.
 Maiden Plum, 8.
 Malabar Nightshade, 60.
 Malabar Nut, 5.
 Malay Apple, 110.
 Mallow, 155.
 Mammece Tree, 123.
 Manchineel, 211.
 Mandrake, 41.
 Mangosteen, 105.
 Mango Tree, 46.
 Maple, 221.
 Mare's Tail, 2.
 Marjoram, 134.
 Marsh Mallow, 155.
 Marsh Marygold, 129.
 Martagon, 68.
 Marvel of Peru, 40.
 Marygold, 198.
 Masterwort, 55.
 Mastick Tree, 216.
 Mat Grass, 14.
 May Apple, 121.
 Meadow Grass, 17.
 Meadow Rue, 127.
 Meadow Saxifrage, 58.
 Medick, 172.
 Medlar, 112.
 Melic Grass, 18.
 Melilot, 170.
 Melon, 212.
 Mercury, 217.
 Mignonette, 106.
 Milfoil, 193.
 Milk Parsley, 56.
 Milk Vetch, 169.
 Milk Wood, 223.
 Milkwort, 153.
 Millet Grass, 18.
 Mint, 131.
 Misseltoe, 215.
 Mollucca Balm, 132.

- Moneywort, Page 33. Pea, Page 163.
 Monkey Flower, 139. Peach Tree, 111.
 Monkahood, 125. Pearlwort, 29.
 Moon Seed, 217. Pear Tree, 118.
 Moon Trefoil, 172. Pellitory, 220.
 Moonwort, 225. Pennyroyal, 132.
 Moschatel, 89. Pennywort, 55.
 Motherwort, 133. Pepper, 7.
 Moving Plant, 167. Pepper Vine, 27.
 Mountain Ebony, 91. Pepperwort, 144.
 Mouse-ear Chickweed, 104.
 Mouse Tail, 63. Persicaria, 49.
 Mudwort, 139. Phillyrea, 3.
 Mugwort, 183. Physic Nut, 211.
 Mulberry, 206. Pilewort, 128.
 Mule's Fern, 227. Pillwort, 228.
 Mullein, 40. Pimpernell, 33.
 Mustard, 147. Pine Apple, 64.
 Myrrh, 58. Pine Tree, 210.
 Myrtle, 111. Pink, 99.
 Naseberry Tree, 43. Pipewort, 20.
 Navelwort, 102. Pistachia Tree, 216.
 Nettle, 206. Pitcher Plant, 219.
 Nettle Tree, 221. Plane Tree, 209.
 New Jersey Tea, 44. Plank Plant, 161.
 New Zealand Tea, 110. Plantain, 26.
 Nicker Tree, 92. Plantain Tree, 64.
 Nightshade, 41. Plowman's Spikenard, 185.
 Nipplewort, 178. Plum Tree, 112.
 Nutmeg, 219. Poet's Cassia, 214.
 Nut Tree, 209. Savin Nut, 49.
 Oak, 208. Poison Oak, 60.
 Oat, 15. Polypody, 226.
 Oil Nut, 224. Pomegranate, 111.
 Oily Grain, 138. Pond Weed, 29.
 Oily Palm, 217. Poplar, 217.
 Old Man's Beard, 174. Poppy, 121.
 Oleander, 50. Potatoe, 42.
 Oleaster, 28. Primrose, 32.
 Olive, 3. Prince's Feather, 207.
 Olive-bark Tree, 96. Privet, 3.
 Olive Wood, 43. Puccoon, 121.
 Onion, 70. Pumpkin, 212.
 Orache, 220. Purslane, 105.
 Orange Tree, 173. Purslane Tree, 61.
 Orpine, 61. Quaking Grass, 18.
 Osier, 214. Quillwort, 228.
 Oswego Tea, 6. Quince Tree, 113.
 Otaheite Chesnut, 96. Radish, 148.
 Otaheite Myrtle, 216. Ragged Robin, 104.
 Ox-eye, 194. Ragwort, 198.
 Ox-eye Daisy, 191. Ramoon Tree, 215.
 Oxlip, 32. Rampion, 37.
 Ox-tongue, 176. Ramson, 70.
 Pæony, 124. Rape, 147.
 Palma Christi, 211. Raspberry, 119.
 Panic Grass, 19. Red Cedar, 218.
 Papaw Tree, 217. Reed, 17.
 Paper Mulberry, 215. Rest Harrow, 161.
 Parsley, 59. Rhubarb, 89.
 Parsley Piert, 28. Rib Grass, 26.
 Parsnep, 59. Rice, 77.
 Pasque Flower, 127. Rocambole, 69.
 Passion Flower, 149. Rose, 117.
 Rose Acacia, Page 166.
 Rose Campion, 104.
 Rosemary, 6.
 Rose of Jericho, 143.
 Rose Root, 217.
 Rough Chervil, 58.
 Rue, 93.
 Rupturewort, 58.
 Rush, 76.
 Rush Broom, 91.
 Rush Nut, 13.
 Rye, 16.
 Rye Grass, 16.
 Sacred Bean, 126.
 Sage, 6.
 Sago Palm, 207.
 St. Andrew's Cross, 174.
 Saintfoin, 167.
 St. John's-wort, 173.
 St. Peter's-wort, 40.
 Salt Tree, 166.
 Saltwort, 53.
 Samphire, 57.
 Sandal Wood, 28.
 Sandbox Tree, 212.
 Sandwort, 101.
 Sanicle, 55.
 Sassafras Tree, 89.
 Savanna Flower, 50.
 Savin, 218.
 Savory, 130.
 Saw-wort, 178.
 Saxifrage, 97.
 Scabious, 23.
 Scammony, 34.
 Scorpion Grass, 29.
 Scorpion Senna, 166.
 Screw Pine, 213.
 Screw Tree, 153.
 Scunk Weed, 28.
 Scurvy Grass, 144.
 Sea Buckthorn, 215.
 Sea Heath, 77.
 Sea Holly, 55.
 Sea Kale, 143.
 Sea Lavender, 62.
 Sea Parsnep, 55.
 Sea Rocket, 142.
 Seaside Grape, 88.
 Seaside Laurel, 212.
 Seaside Oat, 18.
 Self Heal, 135.
 Sensitive Plant, 222.
 Septfoil, 120.
 Service Tree, 113.
 Shallot, 69.
 Sheep's Beard, 175.
 Sheep's Scabious, 37.
 Shepherd's Purse, 143.
 Shepherd's Club, 40.
 Shield Fern, 226.
 Shoreweed, 205.
 Shrubby Trefoil, 27.
 Side-saddle Flower, Page 122.
 Silk-cotton Tree, 154.
 Silver Tree, 215.
 Single-seeded Cucum-ber, 213.
 Skirret, 57.
 Skull Cap, 185.
 Slipperwort, 5.
 Snake's Beard, 76.
 Snake's Tongue, 225.
 Snake Wood, 213.
 Snap Dragon, 140.
 Snap Tree, 5.
 Sneezewort, 193.
 Snowberry, 39.
 Snowdrop, 65.
 Snowdrop Tree, 105.
 Snowflake, 65.
 Soapberry, 88.
 Soapwort, 98.
 Soft Grass, 220.
 Soldier Wood, 222.
 Solomon's Seal, 75.
 Sorrel, 78.
 Sour Gourd, 154.
 Southernwood, 183.
 South Sea Tea, 29.
 Sow Thistle, 175.
 Spanish Elm, 32.
 Spanish Nut, 11.
 Sparrow-wort, 87.
 Speedwell, 4.
 Spiderwort, 64.
 Spignel, 56.
 Spike Rush, 13.
 Spinage, 216.
 Spindle Tree, 44.
 Spleenwort, 226.
 Spring Grass, 7.
 Spurge, 106.
 Spurrey, 104.
 Squash, 212.
 Squill, 71.
 Staff Tree, 44.
 Star Apple, 43.
 Star of Bethlehem, 70.
 Star of the Earth, 26.
 Star Thistle, 197.
 Starwort, 187.
 Stinking Horehound, 133.
 Stitchwort, 101.
 Stock, 147.
 Stonecrop, 102.
 Storax, 96.
 Stork's Bill, 150.
 Strapwort, 61.
 Strawberry, 120.
 Strawberry Blite, 2.
 Strawberry Tree, 96.
 Stramonium, 40.
 Succory, 178.
 Sugar Cane, 19.
 Sulphurwort, 56.
 Sumach, Page 59.
 Sundew, 62.
 Sun Fern, 226.
 Sunflower, 194.
 Sun Rose, 123.
 Supple Jack, 88.
 Swallow-wort, 51.
 Sweet Flag, 76.
 Sweet Gale, 215.
 Sweet Gum Tree, 209.
 Sweet Pea, 164.
 Swine's Succory, 178.
 Syrian Rue, 105.
 Syringa, 110.
 Tacamahac, 217.
 Tallow Tree, 212.
 Tamarind, 148.
 Tamarisk, 61.
 Tansy, 183.
 Tare, 165.
 Tea Tree, 157.
 Teak Wood, 43.
 Teasel, 23.
 Thistle, 178.
 Thorn Apple, 40.
 Thrift, 61.
 Throatwort, 37.
 Thyme, 134.
 Tickseed, 2.
 Tiger Flower, 148.
 Tile Root, 9.
 Toad Flax, 141.
 Tobacco, 41.
 Tonquin Bean, 159.
 Toothach Tree, 216.
 Toothpick, 56.
 Toothwort, 138.
 Touch me not, 47.
 Tower Mustard, 146.
 Treacle Mustard, 143.
 Tree Celandine, 105.
 Tree Mallow, 155.
 Trefoil, 170.
 Trumpet Flower, 137.
 Tuberosc, 68.
 Tulip, 68.
 Tulip Tree, 126.
 Tupelo, 224.
 Turneric, 2.
 Turnep, 147.
 Turnsole, 29.
 Twayblade, 201.
 Umbrella-wort, 8.
 Valerian, 8.
 Venus's Comb, 58.
 Venus's Flytrap, 94.
 Vervain, 137.
 Vetch, 164.
 Vine, 46.
 Violet, 47.
 Viper's Bugloss, 31.
 Viper's Grass, 175.
 Virginian Poke, 105.
 Virgin's Bower, 127.
 Wall-Cress, 145.

ENGLISH INDEX.

Wallflower, Page 146.	Water Leaf, Page 32.	White Cedar, Page 211.	Winter Berry, Page 76.	Worm Grass, Page 49.
Walnut, 208.	Water Lily, 122.	White Thorn, 112.	Winter Cherry, 41.	Wormwood, 183.
Wampee Tree, 93.	Water Milfoil, 207.	Whitlow Grass, 144.	Winter Cress, 146.	Yam, 216.
Warratah, 22.	Water Parsnep, 57.	Whortle Berry, 95.	Winter Green, 79.	Yarrow, 193.
Wart Cress, 143.	Water Plantain, 79.	Widow Wail, 8.	Witch Hazel, 28.	Yellow Bird's Nest, 94.
Wartwort, 108.	Water Soldier, 217.	Wild Basil, 134.	Woad, 143.	Yellow Rattle, 142.
Water Caltrops, 27.	Water Starwort, 2.	Wild Bugloss, 81.	Wolfsbane, 125.	Yellow Root, 63.
Water Chickweed, 30.	Water Violet, 33.	Wild Cumin, 47.	Woodbine, 39.	Yellow-wort, 81.
Water Dropwort, 58.	Waterwort, 89.	Wild Liquorice, 159.	Woodruff, 24.	Yew Tree, 219.
Water Hemlock, 58.	Wax Tree, 3.	Willow, 213.	Wood Sage, 130.	Zedoary, 2.
Water Horehound, 5.	Wayfaring Tree, 60.	Willow Herb, 80.	Wood Sorrel, 99.	
	Wheat, 16.	Winter Aconite, 129.		

THE END.

7-11-19

21-12



